

RINGING TOTALS FOR 1985

compiled by C.J. Thomas

Table 1. This list covers the period January to December 1985. Totals in brackets are chicks, where these were reported separately from fully-grown birds.

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
<i>Haematopus ostralegus</i>															
<i>Recurvirostra avosetta</i>	13(30)		9	6	3			23	220(25)			10428	54(59)	6(98)	18(60)
<i>Charadrius dubius</i>			13	13	20			6	59(174)						
<i>Charadrius hiaticula</i>	11(2)		136	19				7	5			189		30(30)	151(72)
<i>Charadrius alexandrinus</i>												149			
<i>Pluvialis apricaria</i>			1	1					2			1			
<i>Pluvialis squatarola</i>			83	24		2		24	59			151			
<i>Vanellus vanellus</i>						55		24(57)	1(41)			10		2(150)	1(145)
<i>Calidris canutus</i>	1	1748	98	157				126	5	2		88			
<i>Calidris alba</i>			86	1								45		1	5
<i>Calidris minuta</i>	95		169	98				5				38			
<i>Calidris ferruginea</i>	26		113	135		1		1	6			24			
<i>Calidris maritima</i>	11(1)														
<i>Calidris alpina</i>	117		15	3029	1476	11	96	184	263	55		2531		51	
<i>Limicola falcinellus</i>			4	11										13(1)	164(136)
<i>Philomachus pugnax</i>	65(34)	6(1)						24				2			
<i>Lymnocyptes minutus</i>			9	20	52			3						3	
<i>Gallinago gallinago</i>								12				7		12(2)	(14)
<i>Scelopar rusticola</i>			8	66	415									2	
<i>Limosa limosa</i>								15	9(9)		(85)	41			3
<i>Limosa lapponica</i>	1		45	22	1			25	29			1		(21)	
<i>Numenius phaeopus</i>			2			1		10				9		1(65)	3
<i>Numenius arquata</i>								2	62(2)						
<i>Tringa erythropus</i>			3	11				5	1						
<i>Tringa totanus</i>	1		57	85	20	12	48	49(13)				57		1(16)	117(197)
<i>Tringa nebularia</i>			3	5	5	15		26				6		(5)	1
<i>Tringa ochropus</i>				5	1			23							
<i>Tringa glareola</i>			11	143	108			10				1			
<i>Actitis hypoleucos</i>			118	212	18	1		7				17		(3)	1
<i>Arenaria interpres</i>	(3)		52	11	1				7	64		407			

A = D.Lank and A.Oltonen: near Oulu, Finland; B = Tromsø Ringmerkergruppe: Tromsø, Norway; C = University of Durham and Tromsø University: Balsfjord, Tromsø, Norway; D = Ornithological Station, Gdansk: Vistula Mouth, Poland; E = Waterfowl Research Group 'KULLING': Reda Mouth and Jastarnia, Poland; F = P.Chylarecki and A.Czapulak, Wrocław University: Warta River; G = Vadeflugle Ringmerkergruppen: Ribe-Indvindingen, Danish Wadden Sea; H = OAG Munster: Munster and Waddensea, Lower Saxony, FRG; I = Steltloperinggroep FFF: Friesland, Netherlands; J = G.Th. de Roos: Vlieland, North Sea Coast, Netherlands; K = G.J.Gerritsen: West Overijssel, Netherlands; L = R.H.D.Lambeek: Dutch Delta area, Netherlands; M = C.J.Smit: South Texel, Netherlands; N = Shetland Ringing Group: Shetland, Scotland; O = D.B.Jackson: South Uist, Western Isles, Scotland; P = M.J.Wells: South Uist, Western Isles, Scotland; Q = Highland

Table 1. (cont...)

	P	Q	R	S	T	U	V	W	X	Y	Z	AA	AB	AC	AD	AE	AF	AG	AH	AI	
<i>Haematopus ostralegus</i>																					
<i>Recurvirostra avosetta</i>	24	174(60)	16(1)		(4)		3			(12)	11	779	13	(15)		1(2)	21	80	491		
<i>Charadrius dubius</i>						(4)				5(11)				(3)	(7)						
<i>Charadrius hiaticula</i>	5(102)	3	110(1)	85			(7)		13			8	17	(6)	10(7)	3(5)	26	13	32		
<i>Charadrius alexandrinus</i>												3				1			1		
<i>Pluvialis apricaria</i>		(2)	1(1)	2(41)						1		352	1				1	2	1		
<i>Pluvialis squatarola</i>		3	14	31(89)						4											
<i>Vanellus vanellus</i>	5	(211)	(8)		(33)	(21)	(94)	4(12)		5(43)		4	4	(24)	(16)	1(48)	5	(2)	1(3)		
<i>Calidris canutus</i>	8	73	579				6		1	16		334	6			3	3		56		
<i>Calidris alba</i>	1	6	103	31					3	2		194				1					
<i>Calidris minuta</i>		1							8	5		6									
<i>Calidris ferruginea</i>		2							2			42									
<i>Calidris maritima</i>		74							8	2		14						7			
<i>Calidris alpina</i>		134	362	38			18		354	437		2358	311			8	342	382	171	591	
<i>Limicola falcinellus</i>																44					
<i>Philomachus pugnax</i>	1	5	1						1	2		2						1			
<i>Lymnocyptes minimus</i>							4		4							1		2	1		
<i>Gallinago gallinago</i>		20	3(2)				7		1	27(2)			17		2	4	19	19	146		
<i>Scolopax rusticola</i>									3							1					
<i>Limosa limosa</i>	1									8		1						26	2	2	
<i>Limosa lapponica</i>	6	34	160	1						3		273					11				
<i>Numenius phaeopus</i>																					
<i>Numenius arquata</i>	10	39(17)	29		(6)					7		41	5				4	9	1	4	
<i>Tringa erythropus</i>												2									
<i>Tringa totanus</i>							95(4)		5	110(14)		293	124	1	30	14	84	15	321	1	
<i>Tringa nebularia</i>	23	419(11)	50	28	(1)				1			2	2		3	3	35	1	8		
<i>Tringa oehropus</i>																					
<i>Tringa glareola</i>																					
<i>Actitis hypoleucos</i>		10(22)			(10)				3			2	3			1	4	2	1		
<i>Arenaria interpres</i>	12	96	66	16			5		3			236	1			14	4	18	104		

Ringing Group: Moray Firth, Scotland; R = Tay Ringing Group: Tayside, Scotland; S = University of Durham: Teesmouth, Cleveland, England; T = T.G.Dewdney: South Cleveland and North Yorkshire Moors, England; U = J.Kirby: Lancashire and Cumbria, England; V = I.Spence: Lancashire, England; W = Merseyside Ringing Group: Merseyside and North Cheshire, England; X = K.V.Tayles: Sheffield, South Yorkshire, England; Y = Spurn Bird Observatory: Spurn Point, Humberside, England; Z = Catchpole, Peters and Lawson: Suffolk, England; AA = Wash Wader Ringing Group: The Wash, England; AB = Languard Bird Observatory: Suffolk, Dorset, England and Lewis, Western Isles, Scotland; AD = K.W.Smith: Hertfordshire, England; AE = Sandwich Bay Bird Observatory: Kent, England; AF = C.M.Reynolds: Islands; AI = Scan Ringing Group: North Wales; AJ = Jersey Wader Ringing Group: Jersey, Channel Islands; AK = B.O'Mahony: Cork, Ireland; AL = D.Cabot: Inishkea Islands, Co. Mayo, Ireland; AM = Ligue Francaise pour la Protection des Oiseaux: Atlantic Coast of France; AN = Office National de la Chasse, Section Oisea d'eau: Atlantic coast of France; AO = P.Tripet: Baie de Somme, France; AP = F.Sueur: Somme, France; AQ = A.J.M.Xeira: Tejo Estuary, Lisboa, Portugal; AR = OAG Munster: Senegal, West Africa; AS = A.J.Tree: East Cape, South Africa; AT = L.Oring, P.Pickett, S.Haig, M.Colwell: Minnesota, USA and Saskatchewan, Manitoba and New Brunswick, Canada; AU = D.S.Melville: Mai Po Marshes, Hong Kong; AV = Victoria Wader Study Group: Victoria, Australia; AW = Australasian Wader Study Group: N.W.Australia.

Table 1. (cont...)

	AJ	AK	AL	AM	AN	AO	AP	AQ	AR	AS	AT	AU	AV	AW
<i>Haematopus ostralegus</i>	36	8	4	26	92		2							
<i>Recurvirostra avosetta</i>				2(42)	4		(1)				1			
<i>Charadrius dubius</i>							(3)							
<i>Charadrius hiaticula</i>	(1)		2	48	16				4	11				
<i>Charadrius alexandrinus</i>				3(1)	1	(3)		(15)						
<i>Pluvialis apricaria</i>					2									
<i>Pluvialis squatarola</i>	1			45	26							1		4
<i>Vanellus vanellus</i>	1(1)		1	(1)	85	(2)								
<i>Calidris canutus</i>	7				576									
<i>Calidris alba</i>				44	2								1	4
<i>Calidris minuta</i>					1				40	23				
<i>Calidria ferruginea</i>	3								3	59		43	1026	359
<i>Calidris maritima</i>														
<i>Calidris alpina</i>	488	39	4	989	255				22					
<i>Limicola falcinellus</i>												3		
<i>Philomachus pugnax</i>	1			3	5				702	90				
<i>Lymnocyptes minutus</i>														
<i>Gallinago gallinago</i>	1	1	1		21		1		2					
<i>Scolopax rusticola</i>					260									
<i>Limosa limosa</i>	5	2			7				2					
<i>Limosa lapponica</i>	4			30	22								10	13
<i>Numenius phaeopus</i>	1	5		147	95								1	
<i>Numenius arquata</i>	113	52	3	2	26									
<i>Tringa erythropus</i>					1		25		8					
<i>Tringa totanus</i>	142	9		93	40		138		6			8		1
<i>Tringa nebularia</i>		1					40			40		3		3
<i>Tringa ochropus</i>														
<i>Tringa glareola</i>					3				3	11		4		
<i>Actitis hypoleucos</i>					1		1							
<i>Arenaria interpres</i>			5	32	2								6	169

Table 2. Ringing totals for 1985: species additional to those in Table 1.

	B	C	H	N	R	AK	AM	AQ	AR	AS	AT	AU	AV	AW
<i>Rostulata benghalensis</i>									1					
<i>Himantopus himantopus</i>								1	4(12)	2			1	
<i>Charadrius melodus</i>											127			
<i>Charadrius pecuarius</i>									2	24	24			
<i>Charadrius marginatus</i>										1	1			
<i>Charadrius tricollaris</i>										6	6			
<i>Charadrius mongolus</i>												3	3	26
<i>Charadrius leschenaulti</i>												9	2	442
<i>Eudromias morinellus</i>														
<i>Hoplopterus spinosus</i>					1		3							
<i>Vanellus coronatus</i>									8					
<i>Vanellus melanopterus</i>										4				
<i>Vanellus armatus</i>										3				
<i>Calidris pusilla</i>										17				
<i>Calidris ruficollis</i>											2			
<i>Calidris fuscicollis</i>												3	3024	942
<i>Calidris acuminata</i>											1			
<i>Gallinago nigripennis</i>												1	461	5
<i>Limosa fedoa</i>										1				
<i>Tringa stagnalis</i>											1			
<i>Xenus cinereus</i>									24	1		2		
<i>Actitis macularia</i>					1							6		241
<i>Catoptrophorus semipalmatus</i>											79			
<i>Phalaropus tricolor</i>											1			
<i>Phalaropus lobatus</i>							1				185			

Table 3. Ringing totals for 1985: Australia

	AV	AW
<i>Haematopus longirostris</i>	23	
<i>Recurvirostra novaehollandiae</i>	11	
<i>Erythrogonys cinctus</i>	17	
<i>Charadrius ruficapillus</i>	21	3
<i>Charadrius bincinctus</i>	265	
<i>Charadrius melanops</i>	5	
<i>Pluvialis dominica</i>	8	
<i>Calidris tenuirostris</i>	208	659
<i>Gallinago hardwickii</i>	3	
<i>Numenius minutus</i>		347
<i>Numenius madagascariensis</i>	22	4
<i>Tringa brevipes</i>		316