

BREEDING WADERS IN YUGOSLAVIA

V. Bartovsky, E. Kletecki, D. Radovic, M. Stripcevic & G. Susic

Bartovsky,V., Kletecki,E., Radovic,D., Stripcevic,M. and Susic,G. 1987. Breeding waders in Yugoslavia. *Wader Study Group Bull.* 51: 33-37.

This paper provides first estimates of the size of the breeding population of waders in Yugoslavia. 15 species are known to breed regularly. Population sizes are generally small, with an estimated total for all species of 600-800 pairs, of which nearly one-half are Lapwings.

V.Bartovsky, E.Kletecki, D.Radovic, M.Stripcevic and G.Susic, Institute of Ornithology, Ilirski trg 9/2, Yu-41000 Zagreb, Yugoslavia

There are very few recent data on breeding waders in Yugoslavia in European ornithological literature (see for example Piersma,T. 1986. *Breeding waders in Europe. WSG Bull.* 48, Suppl.). This paper collects all published data, and summarizes our recent knowledge about the status, breeding areas and numerical estimates of population sizes of each breeding wader species in Yugoslavia. Some of the previously unknown breeding areas and new data about the total breeding areas for some wader species in Yugoslavia have been discovered only during the last five years.

We have included all data from the literature since 1960 for each species except for Woodcock *Scolopax rusticola* for which we made a distinction between the breeding data from the period 1890-1960 and 1960 until today. Sources from which the information has been compiled are listed in the references. The numbers of breeding pairs of waders in the different republics and provinces of Yugoslavia are summarised in Table 1, and the location of these divisions are shown in Figure 1. The breeding distributions of the species of breeding waders are shown in Figures 2 to 10.

There are 15 regularly breeding wader species in Yugoslavia, according to our present knowledge: Oystercatcher *Haematopus ostralegus*,

Black-winged Stilt *Himantopus himantopus*, Avocet *Recurvirostra avosetta*, Stone Curlew *Burhinus oedicnemus*, Collared Pratincole *Glareola pratincola*, Little Ringed Plover *Charadrius dubius*, Kentish Plover *Charadrius alexandrinus*, Lapwing *Vanellus vanellus*, Snipe *Gallinago gallinago*, Woodcock *Scolopax rusticola*, Black-tailed Godwit *Limosa limosa*, Curlew *Numenius arquata*, Redshank *Tringa totanus*, Green Sandpiper *Tringa ochropus* and Common Sandpiper *Actitis hypoleucos*.

In addition the Ruff *Philomachus pugnax* is known to have formerly bred, but has not bred since 1947. The Wood Sandpiper *Tringa glareola* is excluded from Table 1 because there is only one recent possible breeding place in Yugoslavia (see Figure 4), and we are awaiting further confirmation about this breeding location. For Slovenia there are a few more old breeding records for Woodcock, but without the exact locality documented, these have not been included in Figure 10 and Table 1.

Figures 2 to 10 show the breeding distribution by site of most species, in 5 size categories (see Figure 2 for the scale). However, for the Lapwing, a bigger point does not always mean a bigger colony, since sometimes there are several colonies close together. For Wood Sandpiper and for Oystercatcher a question mark against the symbol indicates probable breeding:



Figure 1. Map of Yugoslavia, showing the Republics and Provinces: 1 Slovenia, 2 Croatia, 3 Bosnia and Herzegovina, 4 Voivodina, 5 Serbia (including the Province of Kosovo, but excluding the Province of Voivodina), 6 Montenegro and 7 Macedonia.



Figure 2. The breeding distribution of Stone Curlew and Black-winged Stilt in Yugoslavia. The scale for the symbols refers to this figure and Figures 3 to 10.

the species was seen during the breeding season in typical breeding habitat but breeding has yet to be proved. These are the only two exceptions of the rule we used: otherwise we have collected data only where the breeding has been confirmed. We have included the two records of probable breeding because they are very important: for the Wood Sandpiper it is the only breeding data for Yugoslavia, and for Oystercatcher only the second breeding location.




Figure 3. The breeding distribution of Common Pratincole and Avocet in Yugoslavia. See Figure 2 for the scale of symbols.

ACKNOWLEDGEMENTS

Our thanks go to the Natural History Museum of Croatia for access to their bird-skins collection, and to the Institute of Ornithology in Zagreb for access to their bird-skin collection and ringing archives.

We are grateful to Gordon Lukac, Laszlo Szlivka, Josip Soti and Dragomir Vujuovic for providing us with recent data from their personal records.




Figure 4. The breeding distribution of Green Sandpiper and Wood Sandpiper in Yugoslavia. See Figure 2 for the scale of symbols.

Table 1. Annual numbers of pairs of waders known to be breeding in Yugoslavia since 1960. The location of republics and provinces is shown in Figure 1.

| | Slovenia | Croatia | Serbia without Voivodina | Voivodina | Bosnia and Herzegovina | Montenegro | Macedonia | Totals in Yugoslavia |
|--------------------------------|--------------|----------------|--------------------------|----------------|------------------------|----------------|-----------|----------------------|
| <i>Haematopus ostralegus</i> | | 1? | | | | 6 | | 6 |
| <i>Himantopus himantopus</i> | | | | 4 | | 45 | | 49 |
| <i>Recurvirostra avosetta</i> | | | | 25-40 | | | | 25-40 |
| <i>Burhinus oedicnemus</i> | | 5 | | 1 | | 3 | 1 | 10 |
| <i>Glareola pratincola</i> | | | | | | 40-150 | | 40-150 |
| <i>Charadrius dubius</i> | 1 | 17 | 5 | 17-21 | 1 | 5 | | 46-50 |
| <i>Charadrius alexandrinus</i> | 12-17 | 4-6 | | 13-33 | | 15 | | 44-71 |
| <i>Vanellus vanellus</i> | 50 | 100 | 20 | 80 | 20 | | 5 | 275 |
| <i>Gallinago gallinago</i> | 1 | 4 | | 1 | | | | 6 |
| <i>Scolopax rusticola</i> | | 1-2 | 3-4 | 1-2 | | | | 5-8 |
| <i>Limosa limosa</i> | | | | 10-15 | | | | 10-15 |
| <i>Numenius arquata</i> | 3-4 | | | | | | | 3-4 |
| <i>Tringa totanus</i> | 1 | 30-40 | 5-10 | 30 | 1 | | | 67-82 |
| <i>Tringa ochropus</i> | 2 | | | | | 1 | | 3 |
| <i>Actitis hypoleucos</i> | 1 | 4 | 1 | | | 3 | 1 | 10 |
| Totals | 71-77 | 165-178 | 34-40 | 182-227 | 22 | 117-227 | 8 | 599-779 |




Figure 5. The breeding distribution of Black-tailed Godwit and Common Snipe in Yugoslavia. See Figure 2 for the scale of symbols.




Figure 6. The breeding distribution of Oystercatcher and Redshank in Yugoslavia. See Figure 2 for the scale of symbols.




Figure 7. The breeding distribution of Lapwing in Yugoslavia. See Figure 2 for the scale of symbols.




Figure 8. The breeding distribution of Little Ringed Plover and Curlew in Yugoslavia. See Figure 2 for the scale of symbols.




Figure 9. The breeding distribution of Kentish Plover and Common Sandpiper in Yugoslavia. See Figure 2 for the scale of symbols.




Figure 10. The breeding distribution of Woodcock in Yugoslavia. Locations are shown separately for records before and after 1960.

REFERENCES

- Note: References in the journals of the hunting societies (Lovacko-Ribarski Viestnik and Lovacki List) are not separately cited in full.
- Antal,L., Fernbach,J., Mikuska,J., Pelle,I. and Szelivka,L. 1969. Namenverzeichnis der Voegel der Autonomen Provinz Vojvodina. *Larus* 23: 73-127. In German.
- Cvitanic,A. Ornitoloska opazanja u Dalmaciji. (Ornithological observations in Dalmatia.) Manuscript, part 2. Archives of the Institute of Ornithology in Zagreb.
- Dimitrijevic,S. 1977. (Charadriiformes in the Province of Voivodina.) *Larus* 29-30: 5-33. In Serbo-Croatian with English summary.
- Dimitrijevic,S. 1983. (Recurvirostra avosetta in Vojvodina.) *Larus* 33-35: 161-171. In Serbo-Croatian with English summary.
- Dimitrijevic,S. 1983. Ponovno gnezdenje vlastelice crvenonoge u Vojvodini. (Repeated breeding of Black-winged Stilt in Voivodina.) *Larus* 33-35: 214-215. In Serbo-Croatian.
- Ettinger,J. 1857. *Sriemsko-Slavonsko-Hrvatske divje zivotinje, zvieri i ptice.* (Wild animals and birds of Srem, Slavonia and Croatia.) Tiskarnica Ignjata Karla Soprona. Zemun. In Serbo-Croatian.
- Feriancova-Masarova,Z. and Dotschev,S. 1969. Gegengberstellung der Ornithofauna der Westkarpaten (Slowakei) und der Westlichen Stara Planina. *Biologia* 24: 356-373. In German.
- Firer,L.J. 1894. Jedna godina ornitoloskog izucavanja u Crnoj Gori. (One year of the ornithological investigations in Montenegro.) *Glasnik zemaljskog muzeja Bosne i Hercegovine u Sarajevu* 6: 543-608. In Serbo-Croatian.
- Geister,I. 1985. Predlog za zavarovanje dela Secoveljskih solin. (A proposal for protection of a part of the Secovelje Salt-works.) *Acrocephalus* 6: 57-59. In Slovenian.
- Gjurasin,S. 1901. *Ptice. Prirodopisne i kulturne crtice.* (Birds. Their natural history and cultural notices.) Naklada "Matica Hrvatske". Zagreb. In Serbo-Croatian.
- Gregori,J. 1978. (A contribution to knowledge of Birds of Cerknica Lake and its vicinity.) *Acta carsologica* 8: 301-329. In Slovenian with English summary.
- Groselj,P. 1980. Ornitoloski izlet v Idrijo. (Ornithological excursion to Idrija.) *Acrocephalus* 1: 41-44. In Slovenian.
- Ham,I. 1986. (Bird communities of the Ulcinj Salt-pan in the second week of July.) *Larus* 36-37: 125-142. In Serbo-Croatian with English summary.
- Hasipi,R. 1974. (Ecological analyses of the Native Avifauna of Struga Environs.) M.Sc. Thesis. University of Zagreb. Zagreb.
- Igalffy,K. 1964. (Beitrag zur Erforschung der Vogelwelt der Fischteiche Draganici und Umgebung.) *Zbornik-Gradski muzej Karlovac* 1: 256-272. In Serbo-Croatian with German summary.
- Igalffy,K. 1971. (Problems of Bird Protection along the Adriatic coast and of the islands.) *Simpozij o zastiti prirode u nasem krsu:* 203-211. In Serbo-Croatian with English summary.
- Igalffy,K. 1980. (Beitrag zur Kenntnis der Vogelwelt der Insel Pag.) *Larus* 31-32: 55-89. In Serbo-Croatian with German summary.
- Krpan,M. 1976. Ornithofauna of the Surroundings of sibenik. *Sibenik-Spomen zbornik o 900, obljetnicu. Posebna izdanja* 1: 571-586. Serbo-Croatian with English summary.
- Lakatos,J. 1979. *Ptice Apatina.* (Birds of Apatin.) NIIU "Glas Komune", Apatin. In Serbo-Croatian with English, German and Hungarian summary.
- Lovacko-Ribarski Viestnik (obcega Hrvatskoga druztva za gojenje lova i ribarstva): vol 5(1896): 36, 42, 84., vol 7(1898): 24, 36., vol 8 (1899): 72., vol 9(1900): 76, 100., vol 10(1901): 72., vol 11(1902): 65., Vol 12(1903): 133., Vol 13(1904): 71., vol 19(1910): 47, 59., vol 23(1914): 32., vol 35(1926): 57., vol 37(1928): 26., vol 41(1932): 128., vol 43(1934): 29-31, 177-199, 339-341., vol 47(1938): 201-208., vol 51(1942): 69-79., vol (1947): 13-15., from the year 1948. Under the name "Lovacki Vjesnik", vol (1948): 145., vol 65(1956): 354-357.
- Lovacki List (Savez lov. udruzenja na području BiH u Sarajevu.) vol 2(1940): 286-291, 386.
- Lukac,G. 1983. (Die Vogel des Stausees neben Ormoz.) *Larus* 33-35: 173-194. In Serbo-Croatian with German summary.
- Matvejev,S.D. 1950. *Rasprostranjenje i zivot ptica u Srbiji.* (Distribution and life of the birds of Serbia.) SANU, Beograd. In Serbo-Croatian with French summary.
- Mikuska,J. 1968. (Beitrag zur Kenntnis der Ornithofauna des Ludasko jezero-Sees.) *Larus* 20: 60-79. In Serbo-Croatian with German summary.
- Mikuska,J. 1981. (The vertebrate Fauna of the "Kopacki rit" reservation and surroundings in Baranja.) *Biosistematička* 7: 67-80. In Serbo-Croatian with English summary.
- Mojsisovic,A. 1883. Zur fauna von Bellye und Darda. Verlag des Naturwissenschaftlichen vereines fur Steiermark. Graz. In German.
- Obratil,S. 1972/73. Ornithofauna ribnjaka Bardaca kod Srbca. (Ornithofauna of Bardaca near Srbac fishponds.) *Glasnik zemaljskog muzeja Bosne i Hercegovine u Sarajevu. Prirodne nauke.* 11-12: 153-193. In Serbo-Croatian.
- Obratil,S. 1976a. Pregled istrazivanja ornitofaune Bosne i Hercegovine. (Review of the ornithofaunistic investigations in Bosnia and Herzegovina.) 5th part. (Charadriiformes): 221-241. In Serbo-Croatian.
- Obratil,S. 1976b. (Populations of Birds (Aves) in the ecosystems of Gatacko Polje and its vicinity before the construction of the thermo-electric power station Gacko.) *Glasnik zemaljskog muzeja Bosne i Hercegovine u Sarajevu* 25-26: 211-237. In Serbo-Croatian with English summary.
- Ota,D. 1985. (Nesting of the Curlew *Numenius arquata* on the Ljubljana moor in 1985.) *Acrocephalus* 6: 21-22. In Slovenian with English summary.
- Ouneneel,G.L. List of birds seen in the poljoprivredno in Yugoslavia. Manuscript, archives of the Institute of Ornithology in Zagreb.
- Pelle,I., Ham,I., Rasajski,J. and Gavrilov,T. 1977. Oberblick über Brutvogel der vojvodina. *Larus* 29-30: 171-199. In Serbo-Croatian with German summary.
- Reiser,O. 1939. Materialien zu einer Ornithofauna I. Bosnien und Herzegowina. Selbstverlag des Museums. Wien. In German.
- Reiser,O. and Fohrer,L. 1896. Materialien zu einer Ornithofauna IV. Montenegro. In Commission bei Carl Gerold's Sohn. Wien. In German.
- Reiser,O. and Knotek,J. 1901. Ergebnisse der Ornithologischen Zugsbeobachtungen in Bosnien und der Hercegovina. In Commission bei Carl Gerold's Sohn. Wien. In German.
- Roesler,E. (Resultate, achtjaehriger Vogelbeobachtungen in der Umgebung Esseks.) *Glasnik Hrvatskog naravoslovnog drustva* 13: 1-18. In Serbo-Croatian with German summary.
- Rucner,D. 1965. (Beitrag zur Kenntnis der ökologischen Bedeutung der Ornithofauna aus der Umgebung von Klanjec in Hrvatsko Zagorje.) *Larus* 19: 86-106. In Serbo-Croatian with German summary.

- Rucner,R. 1964. Utjecaj ekoskih faktora na ornitofaunu gornjeg Jadrana. (Influence of ecological factors on the ornithofauna of Northern Adriatic.) Ph.D. Thesis. University of Zagreb. Zagreb.
- Rucner,D. and Rucner,R. 1972. (Beitrage zur Kenntnis des Vogelbestandes in den Biotopen von Baranja.) *Larus* 24: 31-64. In Serbo-Croatian with German summary.
- Schneider,M. 1986. Voegel als Indikatoren fur das ekologische Potential der Save-Stromaeue (Jugoslavian) und Moeglichkeiten fur deren Erhaltung. Erster Zwischenbericht fur die Doktorarbeit: Manuscript, archives of the Institute of Ornithology in Zagreb.
- Sere,D. 1982. (The Birds of Stozice near Ljubljana. 1972-1982 - faunistic survey, ringing and recoveries.) *Acrocephalus* 3: 1-61. In Slovenian with English summary.
- Sere,D. 1985. (Redshank *Tringa totanus* breeds in Slovenia.) *Acrocephalus* 6: 35-36. In Slovenian with English summary.
- Skornik,I. 1983. (The Common Tern *Sterna hirundo* nests in the salt-works of Secovlje.) *Acrocephalus* 4: 32-33. In Slovenian with English summary.
- Soti,J. 1973. (Oekologischen Charakteristik die Vogelarten auf dem Gebiet des Koviljer Riedes.) *Zbornik radova PMF-a Novi Sad* 3: 109-127. In Serbo-Croatian with German summary.
- Soti,J.P. (New data on birds of Pester tableland (SW Serbia).) Manuscript, archives of the Institute of Ornithology in Zagreb. In Serbo-Croatian with English summary.
- Soti,J. 1974. (Ornitologische Beobachtungen in Umgebung von Orlovat.) *Zbornik radova PMF-a Nova Sad* 4: 143-147. In Serbo-Croatian with German summary.
- Soti,J. and Site,T. 1983. (The first date of avi-fauna and its ecology in the surroundings of Jazovo (North Banat).) Drugi simpozijum o fauni SR Srbije. *Zbornik* pp. 151-154. In Serbo-Croatian with English summary.
- Sovinc,A. and Sere,D. 1984. (Proposals and reasons for the protection of the same parts of Ljubljana moor.) *Acrocephalus* 5: 1-10. In Slovenian with English summary.
- Stumberger,B. 1980. (Green Sandpiper *Tringa ochropus* breeding in Slovenia.) *Acrocephalus* 1: 52-54. In Slovenian with English summary.
- Summers-Smith,D. Birds seen Yugoslavia, summer 1965. Manuscript, archives of the Institute of Ornithology in Zagreb.
- Szlivka,L. 1963a. (Beitrag zur Ornithofauna der Obedska Bara und ihrer Umgebung. Beitrag zur Kenntnis der Ornithofauna von Vojvodina.) *Larus* 15: 100-126. In Serbo-Croatian with German summary.
- Szlivka,L. 1963b. (Waldschnepfe, *Scolopax rusticola*, brutet in der Vojvodina.) *Larus* 15: 213-214. In Serbo-Croatian with German summary.
- Trilar,T. 1981. Gnezditev pribi Vanellus vanellus na Sorskem polju. (Breeding of Lapwing *Vanellus vanellus* in the Sorsko plain.) *Acrocephalus* 2:36. In Slovenian.
- Trilar,T. 1983. (Adjustment of the Lapwing *Vanellus vanellus* to the new biotope.) *Acrocephalus* 4: 3-6. In Slovenian with English summary.
- Vasic,V.F. 1978. (Data on the avifauna of Durmitor lakes.) *Biosistematika* 4: 193-202. In Serbo-Croatian with English summary.
- Vasic,V.F. 1979. (Annotated list of birds in the Ulcinj area (south Montenegro).) *Biosistematika* 5: 71-112. In Serbo-Croatian with English summary.
- Vasic,V.F. 1979. (Survey of the Bird fauna of the Tara mountain area (West Serbia).) *Arhiv Biologiskih nauka* 29: 69-81. In Serbo-Croatian with English summary.
- Vasic,V.F. 1980. (Contribution to avifauna of southern parts of Serbia (I).) *Zbornik radova o fauni SR Srbije Knjiga* 2: 101-128. In Serbo-Croatian with English summary.
- Vasic,V.F. 1982. (New faunistical checklist of the birds of the vicinity of Beograd.) *Arhiv biologiskih nauka* 34: 5-6. In Serbo-Croatian with English summary.
- Vasic,V.F. and Grubac,B. 1983. (Contribution to avifauna of southern parts of Serbia (II).) *Zbornik radova o fauni SR Srbije Knjiga* 2: 197-255. In Serbo-Croatian with English summary.
- Vasic,V.F. and Soti,J. 1980. (Review of the birds of Vlasina lake and surroundings.) *Biosistematika* 6: 81-107. In Serbo-Croatian with English summary.
- Vasic,V.F., Soti,J. and Pelle,I. 1977. (New breeding data of some Charadriiformes species in Ulcinj area, Montenegro, Yugoslavia.) *Glasnik prirodnjackog muzeja u Beogradu. Serija B.* 32: 113-130. In Serbo-Croatian with English summary.

