

area during fall migration. Most sandpipers spend about two weeks in the upper Bay, doubling their weight in preparation for a non-stop migration to wintering grounds in South America. The prey of the shorebirds is primarily the amphipod crustacean, *Corophium volutator*. Experiments were performed to test the effects of shorebird and fish predation on *Corophium* abundance and demography. In July and August, the exclusion of fish and especially shorebirds resulted in a tripling of *Corophium* biomass but a decline in abundance relative to

controls. Populations within cages were composed mainly of adults while control populations consisted mostly of small juveniles. This pattern is explained as an interaction of size-selective predation on large amphipods and intraspecific competition between adult and juvenile *Corophium*. The addition of large *Corophium* to ambient densities resulted in a decrease in the density of small *Corophium*, supporting the claim that size-selective predation mediates intraspecific competition in *Corophium*.

RECENT PUBLICATIONS ON WADERS 43

compiled by Theunis Piersma

Since we try to make these lists as complete and up to date as possible, any help is most welcome and of benefit to all our members. Send omissions, mistakes, new titles, abstracts or reprints to Theunis Piersma, Korte Nieuwstraat 4, 9724 LC Groningen, The Netherlands. For help with this issue I thank Ian Bainbridge, Nis Rattenborg and Hans Meltofte. For help with compiling issue 42, I am grateful to Ian Bainbridge, Rob Bijlsma, Meinte Engelmoer, Jose Angel Diego Garcia, Paul Eric Jonsson, Cor Smit and John Howes. Translated titles from languages other than English are bracketed: round brackets if the translation is by the author(s), square brackets if not.

BREEDING

ANGELSTAM,P. 1986. Predation on ground-nesting birds' nests in relation to predator densities and habitat edge. *Oikos* 47: 365-373. (Grimso Wildl. Res. Stat., S-77031 Riddarhyttan, Sweden.)

ANONBY,J.E. 1986. (Woodcock displaying on the ground.) *Var Fuglefaua* 9:100. In Norwegian with English summary. (N-6862 Vereide, Norway.)

BARRAILLER,J.-L. 1987. (Autumn roding of the Woodcock *Scolopax rusticola* at Villiers-Adam, Val-d'Oise, France in 1984.) *Alauda* 55: 30-34. In French with English summary. (Sente du Pressoir, 95840 Villiers-Adam, France.)

BEINTEMA,A.J. 1986. Man-made polders in the Netherlands, a traditional habitat for shorebirds. *Colonial Waterbirds* 9: 196-202. (RIN, P.O. Box 46, 3956 ZR Leersum, The Netherlands.)

BOS,B. 1987. Ook kleine weidevogelgebieden zijn het beschermen waard! [Small meadowbird-areas also warrant protection.] *Vogels* 7: 170-171. In Dutch.

CARTAR,R.V. & MONTGOMERIE,R.D. 1987. Day-to-day variation in nest attentiveness of White-rumped Sandpipers. *Condor* 89: 252-260. (Dept. Biol. Sci., Simon Fraser Univ., Burnaby, Brit. Col. V5A 1S6, Canada.)

DE NAUROIS,R. 1986. Sur l'ecologie et la biologie de deux Charadriiformes *Himantopus himantopus* (L.) et *Charadrius alexandrinus* (L.) - et d'un Columbide - *Columba livia* (Gm) dans l'archipel du Cap Vert. *Cyanopica* 3(4): 539-552.

DEAN,W.R.J. 1986. On the validity of breeding records for Long-toed Plover *Vanellus carcirostris* in South Africa. *Bull. Brit. Orn. Club* 106: 87-88. (P.O. Box 313, Knysna 6570, S.Africa.)

EREENDS,M.P. 1987. A history of the Snipe as a breeding bird within the Brede Valley. *Hastings E.Sussex Nat.* 13(6): 10-15.

GARNER,M.S. 1987. Lesser Yellowlegs attempting to mate with Redshank. *Brit. Birds* 80:283. (Overton House, School Lane, Frodsham, Cheshire WA6 6AF, U.K.)

GRATTO,C.L. & COOKE,F. 1987. Geographic variation in the breeding biology of the Semipalmated Sandpiper. *Ornis Scand.* 18: 233-235. (Dept. Biol., Univ. of N.Dakota, Grand Forks, ND 58202, U.S.A.)

GUNTHER,R. & GUNTHER,V. 1987. Waldwasserläufer (*Tringa ochropus*) Brutete im Jahre 1985 am nordlichen Stadtrand Berlins. [Green Sandpiper bred in Berlin in 1985.] *Beitr. Vogelkd.* 33: 37-40. In German.

HIRONS,G. & JOHNSON,T.H. 1987. A quantitative analysis of habitat preferences of Woodcock *Scolopax rusticola* in the breeding season. *Ibis* 129: 371-381. (EGI, Dept. Zool., South Parks Rd., Oxford, OX1 3PS, U.K.)

HOBBS,J. 1987. Observations on three breeding pairs of Black-fronted Plover. *Stilt* 11: 56-57. (12 Hume Str., Daretton 2717, New South Wales, Australia.)

JEHL,J.R.,Jr. 1987. A historical explanation for polyandry in Wilson's Phalarope. *Auk* 104: 555-556. (Hubbs Mar. Res. Center, 1700 S.Shores Rd., San Diego, CA 92109, U.S.A.)

KALAS,J.A. 1987. Mating system and sexual dimorphism in the Dotterel (*Charadrius morinellus*). Ph.D. thesis, University of Bergen, Norway. (Dir. Nat. Manage., Wildl. Res. Div., Tungasletta 2, N-7004, Trondheim, Norway.)

KORZYUKOV,A.I. 1986. [Number dynamics of colonial Charadriiform birds in Kuyalnitski Estuary, Odessa region.] *Ornitologija* 21: 160-161. In Russian.

LARSEN,T. 1986. (Oystercatcher nesting in a tree.) *Var Fuglefaua* 9:250. In Norwegian with English summary. (Zool. Mus., Univ. Bergen, N-5000 Bergen, Norway.)

- MILLER,E.H., GUNN,W.W.H. & MacLEAN,S.F.,Jr. 1987. Breeding vocalizations of the Surfbird. *Condor* 89: 406-412. (Brit. Col. Prov. Mus., Victoria, Brit. Col. V8V 1X4, Canada.)
- MJELSTAD,H. & SÆTERSDAL,M. 1987. When does the female Spotted Redshank *Tringa erythropus* leave the breeding grounds? *Fauna norv. Ser. C, Cinclus* 10: 57-58.
- MOROZOV,V.V. & TOMKOVICH,P.S. 1986. (Dynamics of spatial organization of population of the Red-necked Stint (*Calidris ruficollis*) in reproductive period.) *Ornitologia* 21: 38-47. In Russian with English summary.
- MOROZOV,V.V. & SAVINETSKI,A.B. 1986. [To the avifauna of northern Yamal Peninsula.] *Ornitologia* 21: 139-140. In Russian.
- ORING,L.W., FIVIZZANI,A.J., EL HALAWANI,M.E. & GOLDSMITH,A. 1986. Seasonal changes in prolactin and luteinizing hormone in the polyandrous Spotted Sandpiper, *Actitis macularia*. *Gen. Comp. Endocrinol.* 62: 394-403. (Dept. Biol., Univ. N.D., Grand Forks 58202, U.S.A.)
- RATTENBORG,N. 1987. *Ynglende vadefugle på Mando 1985-1986. [Breeding waders on Mando 1985-1986.]* Report Skov-og Naturstyrelsen, 22pp. In Danish. (Vesteregn 8, 5932 Homble, Denmark.)
- RICKLEFS,R.E. 1987. Characterizing the development of homeothermy by rate of body cooling. *Functional Ecology* 1: 151-157. (Dept. Biol., Univ. of Pennsylvania, Philadelphia 19104, U.S.A.) Research subject: Stilt Sandpiper & Dunlin chicks.
- RYAN,M.R. & RENKEN,R.B. 1987. Habitat use by breeding Willets in the northern Great Plains. *Wilson Bull.* 99: 175-189. (School Forestry, Fish & Wildl., Univ. Missouri, Columbia, Missouri 65211, U.S.A.)
- ROBBINS,C.S., BYSTRAK,D. & GEISSLER,P.H. 1986. *The Breeding Bird Survey: its first fifteen years, 1965-1979.* U.S. Fish. Wildl. Serv., Resour. Publ. 157, 196 pp. (Available from US-FWS, Publication Unit, Washington, DC20240, U.S.A.) From abstract: Killdeer populations, except for a minor decline during the winters 1976-77 and 1977-78, showed strong increases, except in the West. American Woodcock were poorly sampled because they were inactive during daylight. Common Snipe and the other common shorebirds that nest in US and S.Canada exhibited stable or increasing populations, especially in the Eastern and Central regions.
- SAETHER,B.-E., KALAS,J.A., LOFALDI,L. & ANDERSEN,R. 1986. Sexual size dimorphism and reproductive ecology in relation to mating system in waders. *Biol. J. Linn. Soc.* 28: 273-284. (Dir. Nat. Manage., Tungasletta 2, N-7000 Trondheim, Norway.)
- SCHAMEL,D. & TRACY,D.M. 1987. Latitudinal trends in breeding Red Phalaropes. *J. Field Ornithol.* 58: 126-134. (Dept. Biol., Fish. & Wildl., Univ. of Alaska, Fairbanks, Alaska 99775, U.S.A.)
- SKADSEN,D. 1987. Common Snipe nesting in Day county. *S.D. Bird Notes* 39(1):12. (Box 113, Grenville, SD 57239, U.S.A.)
- SOMOFALOV,M.F. 1986. [The Black-winged Pratincole (*Glareola nordmanni*) in Chernigov region.] *Ornitologia* 21:142. In Russian.
- SPEAKMAN,J.R. 1987. Mixed clutch of Oystercatcher and Lapwing eggs incubated by an Oystercatcher. *Scott. Birds* 14:184.
- STOCK,M., LEOPOLD,M.F. & SWENNEN,C. 1987. (Roosting behaviour, territory occupation and territory density of Oystercatchers - *Haematopus ostralegus* - on Langeness (Schleswig-Holstein, BRD)). *Okol. Vogel (Ecol. Birds)* 9: 31-45. In German with English summary.
- STROUD,D.A.. REED,T.M., PIENKOWSKI,M.W. & LINDSAY,R.A. 1987. *Birds, bogs and forestry: the peatlands of Caithness and Sutherland.* Nature Conservancy Council, Peterborough, 120 pp. (ISBN 0 86139 377 5). (Dept. BBF, NCC, Northminster House, Peterborough PE1 1UA, U.K.) Extensive and beautifully produced documentation on the natural values (breeding waders!) and on the threat of forestry, of the peatbogs of northern Scotland.
- THEISS,N. & GLATZER,G. 1987. Bestandsentwicklung des Flussuferläufers *Actitis hypoleucus* von 1981 bis 1986 im Oberen Maintal. [Breeding population 1981-86 of Common Sandpipers in Upper Maintal.] *Anz. orn. Gesell. Bayern* 26: 137-139. In German.
- TUINMAN,T. 1987. Spanning op het toernooiveld. [Excitement in the arena.] *Vogels* 7: 166-169. In Dutch. On Ruffs.
- VAN DIJK,K. 1987. Een tweede broedgeval van de bonte Strandloper in het Lauwersmeer in 1986. [A second breeding attempt of Dunlin in the Lauwersmeer in 1986.] *Grauwe Gors* 15:32. In Dutch. (Van Heemskerck, 1-G-17, 9726 GB Groningen, The Netherlands.)
- VAN ZOMEREN,K. 1987. Hokkers, wippers en de bande van onad. De struggle for life van de scholekster. [On the struggle for life of the Oystercatcher.] *NRC Handelblad* 20 juni (Zaterdag bijvoegsel):1. In Dutch. On the research on Oystercatchers on Schiermonnikoog.
- VARZA,D. & SCHWARTZ,R. 1987. Unusual Piping Plover nesting. *Conn. Warbler* 7(2):18. (12 Bulkley Dr., Fairfield, CT 06430, U.S.A.)
- VLOEDGRAVEN,O., JOOSTEN,L. & SNELLINK,A. 1986. *De productiviteit van weidevogels bij intensief graslandgebruik in Waterland (1982-1984).* Een gesamenlijk onderzoek van beren en natuurbeschermers. [The productivity of meadowbirds of meadowbirds in intensively cultivated grasslands in Waterland (1982-84). A cooperative research of farmers and nature conservationists.] Report Samenwerkingsverband WJBW, CMN, CLM, Utrecht, 129 pp. In Dutch. (Available for 13.75 Dfl. (incl. p & p) on gironr. 4204713 of CLM, Oude Gracht 197, 3511 NG Utrecht, The Netherlands.)
- VOLKOV,A.E. 1986. [Breeding of the Little Curlew (*Numenius minutus*) on Anabar Plateau, Yakutia.] *Ornitologia* 21: 129-130. In Russian.

WILLIAMS,G. & HALL,M. 1987. The loss of coastal grazing marshes in south and east England, with special reference to East Essex, England. *Biol. Cons.* 39: 243-254.

ZDAREK,P. 1987. (The occurrence and nesting of the Green Sandpiper (*Tringa ochropus*) in Bohemia. *Zpravy MOS* 45: 105-122. In Czech with English summary.

BEHAVIOUR, ECOLOGY & EVOLUTION

AKERS,P.G. & CHOWN,D.J. 1987. Unusual feeding technique of Spotted Sandpipers. *Brit. Birds* 80: 331-332. (27 Christopher Close, Yeovil, Somerset, U.K.) Heron-like.

ALTENBURG,W. 1987. *Waterfowl in West African wetlands: a summary of current knowledge.* WIWO-report 15, Zeist, 72 pp. (Available for Dfl.-10 - on giro 2 666 009 of Stichting WIWO, Ewijk, The Netherlands or ABN bank account nr. 57 02 16 613 of WIWO, Ewijk, The Netherlands with reference to Report-15.) On the occurrence of waterfowl in coastal wetlands from Guinea-Bissau to Cameroon and a bibliography of information sources.

ANDREENKOV,V.I. 1986. [Problems of protection of breeding and wintering places of the Ibisbill (*Ibidorhyncha struthersii*) in Issyk Kul depression.] *Ornitologia* 21: 146-147. In Russian.

BARTER,M.A. 1986. Similarities and differences in the first half of primary feather moult of Curlew Sandpipers (*Calidris ferruginea*) in north western Australia, Southern Victoria and Hobart. *Victorian Wader Study Group Bull.* 10: 26-35. (21 Chivalry Ave., Glen Waverley, Vic. 3150, Australia.)

BARTER,M.A. 1987. Are Curlew Sandpipers sexist - and if so, why? *Stilt* 11: 14-17. (21 Chivalry Ave., Glen Waverley, Vic. 3150, Australia.) More males in the south; cline.

BARTER,M. 1987. Morphometrics of Victorian Great Knot (*Calidris tenuirostris*). *Victorian Wader Study Group Bull.* 11: 13-26.

BERREVOETS,C.M. 1987. Vogelsterfte in de Oosterschelde: drie winters vergeleken. [Oystercatcher mortality in the Oosterschelde: three winters (84/85 - 86/87) compared.] *Sula* 1: 44-45. (c/o M.Stokelaan 201, 1813 DG Alkmaar, The Netherlands.) Reports resp. 1500, 5500 and 3100 casualties.

BRANSON,N.J.B.A. 1987. Arrested primary moult in Grey Plover. In: Branson,N.J.B.A. (ed.). *Wash Wader Ringing Group Report 1985-86.* Pp. 45-50.

BRUSH,T., LENT,R.A., HRUBY,T., HARRINGTON,B.A., MARSHALL,R.M. & MONTGOMERY,W.G. 1986. Habitat use by salt marsh birds and response to open marsh water management. *Colonial Waterbirds* 9: 189-195. (Manomet Bird Obs., Box 936, Manomet, MA 02345, U.S.A.)

BURGER,J. 1986. The effect of human activity on shorebirds in two coastal bays in northeastern United States. *Environm. Cons.* 13: 123-130.

BUTLER,R.W., KAISER,G.W. & SMITH,G.E.J. 1987. Migration, chronology, length of stay, sex ratio and weight of Western Sandpipers (*Calidris mauri*) on the south coast of British Columbia. *J. Field Ornithol.* 58: 103-111. (CWS, Box 340, Delta, Brit. Columbia V4K 3Y3, Canada.)

DAVIDSON,N.C. & EVANS,P.R. 1986. The role and potential of man-made and man-modified wetlands in the enhancement of the survival of overwintering shorebirds. *Colonial Waterbirds* 9: 176-188. (NCC, Northminster House, Peterborough, PE1 1UA, U.K.)

DAWSON,J., MINTON,C., MURLIS,B., MURLIS,M. & SWINDLEY,B. 1987. Report on visit to N.W. Australia 21 March to 5 April 1987. *Stilt* 11: 6-12.

DE VLAS,J. 1987. *Wad- en watervogels op Oost-Ameland: tellingen 1984-1986.* [Waders and waterbirds on east Ameland: counts 1984-1986.] Report Consulentenchap N.M.F. Friesland, Leeuwarden, 22 pp. In Dutch. (Tesselschadestr. 7, 8813 HA Leeuwarden, The Netherlands.)

DI LABIO,B.M. & CAMPBELL,B. 1987. A colour-marked shorebird at Ottawa Beach. *Trail Landscape* 21(3): 150-153. *Calidris pusilla*.

DOUGALL,T.W., MATTINGLEY,W.A., MATTINGLEY,J.A. & STEWART,D.R. 1987. Freezing postures adopted by Snipe and Common Sandpiper in presence of hunting Sparrowhawk. *Brit. Birds* 80: 425-426. (c/o Dept. Geogr., The University, St. Andrews, Fife KY16 9AL, U.K.)

EVANS,A. 1987. Relative availability of the prey of wading birds by day and night. *Mar. Ecol. Prog. Ser.* 37: 103-107. (Dept. Zool., Univ. of Edinburgh, West Mains Rd., Edinburgh EH9 3JT, U.K.)

EVANS,P.R. 1986. Use of the herbicide 'Dalapon' for control of *Spartina* encroaching on intertidal mudflats: beneficial effects on shorebirds. *Colonial Waterbirds* 9: 171-175. (Dept. Zool., Univ. Durham, South Rd., Durham DH1 3LE, U.K.)

GALINDO JARAMILLO,J.M. 1987. Prey selection and foraging behaviour of Wilson's Plover (*Charadrius wilsonia*) in La Paz inlet, Baja California Sur, Mexico. *Pac. Seabird Group Bull.* 14:27. Abstract only. (P.O. Box 128, La Paz, Baja California Sur, 23000 Mexico.)

GERRITSEN,A.F.C. & MEIBOOM,A. 1987. The role of touch in prey density estimation by *Calidris alba*. *Neth. J. Zool.* 36: 530-562. (Zool. Lab., R.U. Leiden, P.O. Box 9516, 2300 RA Leiden, The Netherlands.)

GOSS-CUSTARD,J.D. 1987. Hard times on mussel beach. Survival is a learning experience for oystercatchers on an English estuary. *Natural History* 96(3): 64-71.

GOSS-CUSTARD,J.D., CAYFORD,J.T., BOATES,J.S. & LE V. DIT DURELL,S.E.A. 1987. Field tests of the accuracy of estimating prey size from bill length in Oystercatchers *Haematopus ostralegus*, eating mussels *Mytilus edulis*. *Anim. Behav.* 35: 1078-1083.

- GROMADZKA,J. 1986. Primary moult of adult Dunlins *Calidris alpina* of different age during autumn migration. *Var Fagelvard*, Suppl. 11: 51-56. (Orn. Station, 80-680 Gdansk 40, Poland.)
- HEWISH,M. 1987. Report on the winter 1986 population monitoring count: a bumper year for Red Knots and Grey Plovers. *Stilt* 11: 18-22. (74 Wellington Str., Bacchus Marsh, Vic. 3340, Australia.)
- HEWISH,M. 1987. The summer 1987 population monitoring count: rarities and the wader counts. *Stilt* 11: 23-31.
- HOWES,J. 1987. Preliminary overview of shorebird migration results in Asia, 1986. *Stilt* 11: 47-50. (P.O. Box 10769, Kuala Lumpur, Malaysia.)
- IUNGIUS,N. 1987. Ringed Plover "playing skittles" with Little Stints. *Brit. Birds* 80:331. (7 Rutland Rd., Ilford, Sussex IG1 1EN, U.K.)
- JAENSCH,R. 1987. Report on the Coorong wader survey, February 1987. *Stilt* 11: 2-3.
- JEHL,J.R.,Jr. 1987. Moult and moult migration in a transequatorially migrating shorebird: Wilson's Phalarope. *Ornis Scand.* 18: 173-178. (Hubbs Mar. Res. Center, Mission Bay, San Diego, CA 92109, U.S.A.)
- JOHNSON,R. 1987. Northward migration of the Curlew Sandpiper (*Calidris ferruginea*) in north Queensland. *Stilt* 11:57. (21 First Ave., Railway Estate, Qld. 4810, Australia.)
- JONSSON,P.E. 1986. The migration and wintering of Baltic Dunlins *Calidris alpina schinzii*. *Far Vagelvard*, Suppl. 11: 71-78. (Dept. Anim. Ecol., Univ. of Lund, S-22362 Lund, Sweden.)
- JUKEMA,J. & PIERSMA,T. 1987. Special moult of breast and belly feathers during breeding in Golden Plovers *Pluvialis apricaria*. *Ornis Scand.* 18: 157-162. (Haerdawei 44, 8854 AC Oosterbierum, The Netherlands.)
- KNOX,A. 1987. Taxonomic status of 'Lesser Golden Plovers'. *Brit. Birds* 80: 482-487. (Brit. Mus. (Nat. Hist.), Tring, Herts. HP23 6AP, U.K.)
- KOOPMAN,K. 1987. Scholekster-sterfte aan de Friese Waddenkust in februari 1986. [Mortality of Oystercatchers along the Friesian Wadden Sea coast in February 1986.] *Twirre* 10: 8-15. In Dutch. (Van Ewsumstr. 8, 9363 JC Marum, The Netherlands.) See also Stock et al. 1987.
- LABUTIN,Yu.V., DEGTYAREV,A.G. & ERMOLAEV,S.A. 1986. [Cases of mortality in wader populations of northern Yakutia during spring migration.] *Ornitologia* 21: 163-164. In Russian.
- LAKHANI,K.H. 1987. Efficient estimation of age-specific survival rates from ring recovery data of birds ringed as young, augmented by field information. *J. Anim. Ecol.* 56: 969-988. (ITE, Monks Wood Exp. Stat., Abbots Ripton, Huntingdon, PE17 2LS, U.K.)
- LAMBECK,R.H.D., SPIEKMAN,H.W., BERREVOETS,C.B. & SOMMER,T. 1987. Winter mortality of Oystercatchers (*Haematopus ostralegus*). In: Beeftink,W.G. & Nieuwenhuize,E.S. (eds.). *Delta Institute for Hydrobiological Research - Progress Report 1986*, pp. 19-21. (DIHO, Vierstr. 28, 4401 EA Yerseke, The Netherlands.)
- BRUMMELHUIS,E.B.M., WESSEL,E.G.J.,
- LANGSTON,R. 1987. Spring passage of Knots through northern Norway. In: Branson,N.J.B.A. (ed.). *Wash Wader Ringing Group Report 1985-86*, p.39.
- LANGSTON,R. & LANGSTON,R. 1987. A preliminary analysis of recaptures of Oystercatchers and Sanderlings from three catches in 1986. In: Branson,N.J.B.A. (ed.). *Wash Wader Ringing Group Report 1985-86*, pp. 40-41.
- LE MAO,P., LE CALVEZ,J.-C., LANG,F. & FOUCHE,M. 1986. Utilisation du bassin de retenue de l'usine maremotrice de la Rance par les oiseaux aquatiques hivernants. [Use of the basin behind the Rance-tidal power barrier by wintering waterbirds.] *L'Oiseau et RFO* 56: 171-191. In French with English summary.
- LLINAS GUTIERREZ,J. & GALINDO JARAMILLO,J.M. 1987. Feeding behaviour of the Willet (*Catostrophorus semipalmatus*) in the Inlet of La Paz, B.C., Mexico. *Pac. Seabird Group Bull.* 14:32. Abstract only. (Cent. Invest. Biol., Apdo. Postal 128, La Paz, Baja California Sur, Mexico.)
- LUNDBERG,D.K., WARHEIT,K.I. & ESTES,J.A. 1987. Prey preference and seasonal predation by oystercatchers on limpets at San Nicholas Island, California, U.S.A. *Mar. Ecol. Prog. Ser.* 39: 105-113. (Museum Paleont., Univ. of California, Berkeley, CA 94720, U.S.A.)
- MARTIN,A.P. & RANDALL,R.M. 1987. Numbers of Waterbirds at a commercial saltpan, and suggestions for management. *S. Afr. J. Wildl. Res.* 17(3): 75-81.
- MELTOFTE,H. 1986. Hunting as a possible factor in the decline of Fenno-Scandinavian populations of Curlew *Numenius arquata*. *Var Fagelvard*, Suppl. 11: 135-140. (Zool. Mus. 4 afd., Universitetsparken 15, DK-2100 Copenhagen 0, Denmark.)
- MELTOFTE,H. 1987. (The occurrence of staging waders *Charadrii* at the Tipperne reserve, western Denmark, 1928-1982.) *Dansk Orn. Foren. Tidsskr.* 81: 1-108. In Danish with extensive English summary. (Available for Dkr. 95 - at DOF, c/o Zool. Mus., DK-2100 Copenhagen 0, Denmark.)
- METCALFE,N.B. & FURNESS,R.W. 1987. Aggression in shorebirds in relation to flock density and composition. *Ibis* 129: 553-563. (Applied Orn. Unit, Zool. Dept., Glasgow Univ., Glasgow G12 8QQ, U.K.)
- MINTON,C. 1987. Doublebanded Plover finale. *RAOU Newsletter* 71 (March 1987): 5. (165 Dalgetty Rd., Beaumaris, Vic. 3193, Australia.)
- MINTON,C. & PIERCE,R. 1986. Exciting new results from Doublebanded Plover Survey. *RAOU Newsletter* 70 (Dec. 1986): 10.

- NECHAEV,V.A. & TOMLOVICH,P.S. 1987. (A new subspecies of the Dunlin *Calidris alpina litoralis* ssp.n. (Charadriidae, Aves), from the Sakhalin Island.) *Zool. Zhurnal* 66: 1110-1113. (Zool. Mus., Herzen Str. 6, Moscow, U.S.S.R.)
- NEILL,W. 1987. Wood Sandpiper's reactions to passing raptors. *Brit. Birds* 80:426. (Rannachan, Askernish, South Uist PA81 5SY, U.K.)
- NIEBOER,E. 1987. K 398698 na 13 1/2 jaar springlevend in tropisch Afrika. [Knot with ring K 398698 after 13.5 years alive recaptured in tropical Africa.] *Op het Vinketouw* 49: 10-11. In Dutch. (Biol. Lab., Free Univ., De Boelelaan 1987, 1081 HV Amsterdam, The Netherlands.) The bird was ringed on 30-7-1973 on Schiermonnikoog and controlled 20-12-1986 in Guinee-Bissau.
- NIKULA,B. 1985. "Rare" Sanderlings visit Massachusetts. *Bird Observ. (Mass.)* 13: 15-20. (BOEM, 462 Trapelo Rd., Belmont, MA 02178, U.S.A.) Discusses sight records of color-ringed Sanderlings.
- PETERSEN,W. 1987. *Landschaftsökologische Probleme bei der Gestaltung eingedeichter Flächen des Wattenmeeres: Umwandlung von limnischen und marinen Biotopen dargestellt an der Entwicklung des Vogelbestandes im Rickelsboller Koog und im Rantumbecken.* [Landscape ecological problems during the development of impoldered mudflats: changes in limnic and marine habitats illustrated by the development of the bird communities in Rickelsboller Koog and in Rantumbecken.] Thesis, Christian-Albrechts Univ., Kiel, 290 + 166 pp. In German.
- PIERCE,R. 1987. Observations on distribution and numbers of Double-banded Plovers in Tasmania. *Stilt* 11: 32-35. (P.O. Box 5521, Auckland, New Zealand.)
- PIERSMA,T. 1987. Puzzelen aan Kanoeten-trek problemen. [Puzzling Knot-migration problems.] *Limosa* 60: 101-102. In Dutch. (Zool. Lab., R.U. Groningen, P.O. Box 14, 9750 AA Haren, The Netherlands.) Review of recent findings.
- RICHARDSON,H. & VERBEEK,N.A.M. 1986. Diet selection and optimization by Northwestern Crows feeding on Japanese littleneck clams. *Ecology* 67: 1219-1226. (Dept. Biol. Sci., Simon Fraser Univ., Burnaby, BC V5A 1S6, Canada.) Honorary wader when feeding.
- RUIZ,G.M., CONNORS,P.G. & PITELKA,F.A. 1987. The consequences of food resource depression to wintering shorebird populations. *Bull. Ecol. Soc. Am.* 68(3): 403-404. Abstract only. (Bodega Mar. Lab., P.O. Box 247, Bodega Bay, CA 94923, U.S.A.)
- SAGAR,P. 1987. New Zealand national wader counts - summer 1986. *Stilt* 11:55. (38A Yardley Str., Christchurch 4, New Zealand.)
- SMIT,C. & VISSER,G. 1987. Militaire aktiviteiten en wadvogels. [Military activities and waders.] *Waddenbulletin* 22: 132-134. In Dutch. (RIN, P.O. Box 59, 1790 AB Den Burg, Texel, The Netherlands.)
- STARKS,J. 1987. Results of the Victorian Hooded Plover survey 1986. *Stilt* 11: 12-13. (6/354 Nepean Hwy., Frankston, Vic. 3199, Australia.)
- STOCK,M., STROTTMANN,J., WITTE,H. & NEHLS,G. 1987. (Juvenile birds die first: winter losses among Oystercatchers, *Haeamtopus ostralegus*.) *J. Orn.* 128: 325-331. In German with English summary. (Fachbereich Biol./Chemie, Univ. Osnabrück, P.O. Box 4469, D-4500 Osnabrück, W.Germany.) Texel: February 1986; see also Koopman 1987.
- STRANN,K.B. & HEGGAS,J.H. 1986. (The tidal flats of Sorkjosen, Balsfjord (Norway).) *Var Fuglefaua* 9: 239-242. In Norwegian with English summary. (Tromsø Mus., N-9000 Tromsø, Norway.) E.g. on Knots in spring!
- SUEUR,F. 1987. *Etude préalable du projet de Réserve naturelle en Baie de Somme. [Prospective study on a nature reserve in Baie de Somme.]* Report Conseil Régional de Picardie, Amiens, 70 pp. In French. (Available from Consul Régional de Picardie, 11 Mail Albert 1er, 80000 Amiens, France.) Important wader area.
- SUMMERS,R.W. 1987. Purple Sandpipers on the Wash. In: Branson,N.J.B.A. (ed.). *Wash Wader Ringing Group Report 1985-86.* Pp. 42-44.
- SUMMERS,R.W., UNDERHILL,L.G., WALTNER,M. & WHITELAW,D.A. 1987. Population biometrics and movements of the Sanderling *Calidris alba* in southern Africa. *Ostrich* 58: 24-39. (353 Arbroath Rd., Dundee, Scotland, U.K.)
- SWENNEN,C. 1987. The role of Pattani Bay (Thailand) in the life cycle of migratory palaeartic waders. In: *Annual Report 1986 Netherlands Institute for Sea Research, Texel*, p.19. (NIOZ, P.O. Box 14, 1790 AB Den Burg, Texel, The Netherlands.)
- SWENNEN,C. & SPAANS,A.L. 1985. Habitat use of feeding migratory and local Ciconiiform, Anseriform and Charadriiform birds in coastal wetlands of Surinam. *Gerfaut* 75: 225-251. (NIOZ, P.O. Box 59, 1790 AB Den Burg, Texel, The Netherlands.)
- THOMAS,D. 1987. The weights of Red-necked and Little Stints. *Stilt* 11: 36-39. (7 Dominion Court, Blackmans Bay, Tas. 7152, Australia.)
- THOMAS,D. 1987. Variations in numbers of Palearctic waders in south-eastern Tasmania. *Stilt* 11: 40-45.
- UNDERHILL,L. 1987. Waders in southern Africa. *BTO News* 152: 14-15.
- VAN DIJK,K. 1987. De trek van steltlopers door het Lauwersmeer in het voorjaar van 1986. [The migration of waders in the Lauwersmeer in spring 1986.] *Grauwe Gors* 15: 8-22. In Dutch. (Van Heemskerkstr. 1-G-17, 9726 GB Groningen, The Netherlands.)
- WEAVER,P. 1987. *The Lapwing.* Shire Natural History. Paperback. (Price £1.25).
- WEISHU,H. & PURCHASE,D. 1987. Migration of banded waders between China and Australia. *Colonial Waterbirds* 10: 106-110. (Peking Nat. Hist. Mus., 126 Tien, Chiao Str., Beijing, China.)
- WILCOX,C.G. 1986. Comparison of shorebird and waterfowl densities on restored and natural intertidal mudflats at upper Newport Bay, California, U.S.A. *Colonial Waterbirds* 9: 218-226. (Calif. Dept. Fish & Game, P.O. Box 47, Yountville, CA 94599, U.S.A.)

WINKLER,R., LUETER,R. & MOSIMANN,P. 1987. *Avifauna der Schweiz, eine kommentierte Artenliste. II. Non-Passeriformes. Orn. Beob.*, Beiheft 6, 131 pp. In German. (Available for Swiss Fr. 18.- at Schweizerische Vogelwarte, Bibliothek, CH-6204 Sempach, Switzerland.) Annotated birdlist of Switzerland. Pp. 64-84 on waders. Summarises status throughout the year. Very helpful are the quantitative phenology diagrams for the rarer species, showing the timing of migration through Switzerland.

ZDAREK,P. 1987. (*Birds of the Rozkos dam reservoir (NE Bohemia).*) Vojvodocheska pohacka Ceske spolecnosti ornitologiche ZK ROH Tesla Pardubice, sbornik 9, 102 pp. In Czech with English summary. (Baarova 1375, 50002 Hradec Kralove, Czechoslovakia.) Info on seasonal occurrence of waders, and catching/ringing activities.

DISTRIBUTION & FAUNISTICS

BAKER,J.L. 1987. First fall Piping Plover West River record. *S.D. Bird Notes* 39(2):41. (3220 Kirkwood Dr., Rapid City, SD 57702, U.S.A.)

BERESOVIKOV,N.N. 1986. [Vagrant Grey Phalarope (*Phalaropus fulicarius*) in eastern Kazakhstan.] *Ornitologia* 21:128. In Russian.

BLUNK,D.W. 1986. A Long-billed Curlew in Lake County, Tennessee. *Migrant* 57:47. (Rte. 2, Box 788, Dover, TN 37085, U.S.A.)

BREIFE,B. 1986. (Pacific Golden Plover, *Pluvialis dominica*) *fulva*, recorded on Oland.) *Calidris* 15: 149-153. In Swedish with English summary. (Alby 3307, S-38062 Morbylanya, Sweden.)

BROWN,C.W. 1985. Hudsonian Godwits in Lake County, Tennessee. *Migrant* 56:105. (3731 Charleston Sq., Memphis, TN 38107, U.S.A.)

COFFEY,B.B.,Jr. 1985. First state records and nesting of Black-necked Stilts at Memphis, Tennessee. *Migrant* 56: 1-3. (672 N.Belvedere, Memphis, TN 38107, U.S.A.)

GLUSTCHENKO,Yu.N. & DOROGOI,I.V. 1986. [The Greater Yellowlegs (*Tringa melanoleuca*) - new species of avifauna of the U.S.S.R.] *Ornitologia* 21: 131-132. In Russian.

GRIEVE,A. 1987. Hudsonian Godwit: new to the Western Palearctic. *Brit. Birds* 80: 466-473. (Hillcrest, Whitgift, near Goole, North Humbers. DN14 8HL, U.K.)

JOENSEN,A.H., PREUSS,N.O. & HANSEN,P. 1987. Waterfowl and raptors wintering in western Greece and the Peloponnese, 1986-1987. *Natura Jutlandica* 22: 89-100. (Nat. Hist. Mus., Universitetsparken, 8000 Arhus C., Denmark.) Many threats to the visited wetlands.

JUKEMA,J. 1987. Was de kleine goudplevier (*Pluvialis fulva*) eens een talrijke doortrekken in Friesland? Een onderzoek naar de ervaringen van wilsterflappers. [Was the Lesser Golden Plover (*Pluvialis fulva*) once a common migrant in Friesland? Research on the experiences of golden plover-catchers.] *Vanellus* 40: 84-99. In Dutch with English summary. (Haerdewei 44, 8854 AC Oosterbierum, The Netherlands.)

LANGVAD,S.B. & OLSON,I. 1987. Hjejler. [Golden and Grey Plovers.] *Fugle* 7: 28-29. In Danish. (Zool. Mus., Universitetsparken 15, Copenhagen, Denmark.) Species and age identification; nice plates.

MCBRIDE,A. & LINDSEY,T.R. 1986. A second New South Wales record of the Asian Dowitcher. *Aust. Birds* 20(3):91. (3/108 Cabramatta Rd., Mosman, NSW 2088, Australia.)

MULLER,H.E.J. & KONIGSTEDT,D. 1987. (On the field characters of the Great Snipe (*Gallinago media*) - a photographic documentation.) *Zool. Abh. Tierk. Dresden* 42: 181-194. In German with English summary. (Naturschutzstation, Serrahn, Post Thurow, DDR-2081, East Germany.)

NIKOLAUS,G. 1987. *Distribution Atlas of Sudan's birds with notes on habitat and status.* Bonner Zool. Monographien, Nr 25, Bonn, 322 pp. (Available for GM 64 from Dr. G. Rheinwald, Zool. Forschungsinstitut und Mus. Alexander Koenig, Adenauerallee 150-164, D-5300 Bonn 1, West Germany.) Pp. 72-92 give distribution maps of waders.

NILSSON,S. & HIRSCHFELD,E. 1986. (Wilson's Phalarope (*Phalaropus tricolor*) recorded on Oland.) *Calidris* 15: 149-155. In Swedish with English summary. (Vildanden C 223, S-22234 Lund, Sweden.)

OLSSON,U. 1987. Separation of Pintail Snipe and Snipe. *Brit. Birds* 80: 248-249. (Lars Kaggsgatan 11-30, S-41503 Goteborg, Sweden.)

PETERSEN,W.R. 1985. A second record of Little Stint (*Calidris minuta*) in Massachusetts. *Bird Observ. (Mass.)* 13: 278-280. (BOEM, 462 Trapelo Rd., Belmont, MA 02178, U.S.A.)

RATZLAFF,A. 1987. Early spring sighting of American Woodcock for Oklahoma. *Bull. Okla. Ornithol. Soc.* 20(2): 14-15. (Dept. Zool., Okla. State Univ., Stillwater 74078, U.S.A.)

SIBLET,J.-Ph. 1986. Bird records in Greece in August 1982. *Dutch Birding* 8:65. (68 Ave. Foret, 77210 Avon, France.) E.g. *Phalaropus fulicarius*.

SIKORA,A. 1986. (Second record of Lesser Golden Plover in Poland.) *Notatki Orn.* 27: 97-98. In Polish with English summary. (Morska 10, 84-120 Wladyslawowo, Poland.)

SILVIUS,M. 1987. Notes on new wader records for Berbak Game Reserve, Sumatra. *Kukila* 3: 59-60.

WALKER,R.J. & GREGORY,J. 1987. Little Whimbrel in Norfolk. *Brit. Birds* 80: 494-497. (238 Ryebank Rd., Chorlton-cum-Hardy, Manchester M21 1LU, U.K.)

WRIGHT,G. 1987. Hudsonian Godwit in Devon. *Brit. Birds* 80: 492-494. (31 Vaughan Ave., Southend-on-Sea, Essex, U.K.)

MISCELLANEOUS

AGUILAR BALTAR,A.L. 1986. Aves limicoles de la peninsula Iberica y Baleares. In: *Anuario Ornitológico 86- Aves Acuáticas.* Fed. Amigos de la Terra, Miraguano Ediciones, Madrid, pp. 109-125. In Spanish. (Avda. Betanzos, 55-11º, 28029 Madrid, Spain.) General overview.

- BRANSON,N.J.B.A. (ed.) 1987. *Wash Wader Ringing Group Report 1985-86*. WWRG, Cambridge, 50 pp. (Available from N.J.B.A. Branson, White Gates, Harlton, Cambridge CB3 7ET, U.K.)
- BROWN,R., FERGUSON,J., LAWRENCE,M. & LEES,D. 1987. *Tracks & signs of the birds of Britain and Europe. An identification guide*. Christopher Helm, London, 232 pp. (ISBN 0-7470-0201-0) Price £17.95.
- BRUNS,H. 1986. Zur feldornithologischen Unterscheidung des Sichelstrandlaufers (*Calidris ferruginea*) und Alpenstrandlaufers (*Calidris alpina*). [On the field identification of Curlew Sandpipers and Dunlins.] *Orn. Mitt.* 38: 295-301. In German.
- CAREY,G.J. 1987. Long-toed Stint with dark legs. *Brit. Birds* 80:242. (77a Princess Victoria Str., Clifton, Bristol BS8 4DD, U.K.)
- CHANDLER,R.J. 1987. Yellow orbital ring of Semipalmated and Ringed Plovers. *Brit. Birds* 80: 241-242. (2 Rusland Ave., Orpington, Kent BR6 8AU, U.K.)
- CHANDLER,R.J. 1987. Plumages of breeding female Ruffs. *Brit. Birds* 80: 246-248. Describes variability.
- CLARK,N. 1987. Surge in Severn studies. *BTO News* 151: 1 & 12. (BTO, Beech Grove, Tring, Herts. HP23 5NR, U.K.)
- CLARK,N.A. 1987. Ageing criteria for Dunlins in the field. *Brit. Birds* 80: 242-246.
- DAVIES,S. & RIEGEN,A. 1987. Banding near Auckland - 1986/7. *Stilt* 11:55. (Dept. Philos., Univ. of Auckland, Auckland, New Zealand.)
- DE KORTE,K. 1987. Franjepoten, buitenbeentjes tussen de steltlopers. [Phalaropes abnormal waders.] *Vogels* 7: 254-257. In Dutch. (Zool. Mus., P.O. Box 20125, 1000 HC Amsterdam, The Netherlands.)
- GARNETT,S. 1986. The Gulf-land of cyclones, stingers and sandflies. *RAOU Newsletter* 67 (March 1986): 6-7. On nature in Gulf of Carpenteria, N.Australia.
- GARNETT,S., LANE,B., SCHULZ,M. & WOOD,K. 1986. *Birds of Port Phillip Bay*. Ministry of Planning and Environment Victoria, Melbourne. (Available for Aus \$7 (incl. p & p) from RAOU, 21 Gladstone Str., Monee Ponds, Vic. 3039, Australia.)
- GOEDE,L. 1987. Selenium in steltlopers mit het Waddengebied. [Selenium in waders from the Wadden Sea.] *Limosa* 60:102. In Dutch. (Interuniv. Reactor Inst., Mekelweg 15, 2629 JB Delft, The Netherlands.) Review of recent findings.
- LANE,B. 1987. Northern Australian expeditions 1986. *Stilt* 11: 3-5. (c/o RAOU, 21 Gladstone Str., Monee Ponds, Vic. 3039, Australia.)
- LANE,B. 1986. Wader expeditions finished. *RAOU Newsletter* 70 (Dec. 1986):7.
- LOWE,K. 1987. Banding round-up. *Stilt* 11: 58-66. June 1986-July 1987, and overall summary maps.

McNEIL,R., OUELLET,M. & RODRIGUEZ S.,J.R. 1985. (The need for a conservation program for northern South American coasts, mudflats, lagoons, and mangroves.) *Bol. Soc. Venezuela Cienc. Nat.* 40(143): 449-474. In Spanish with English summary. (Cent. Res. Ecol., Univ. Montréal, CP 6128, Succ. A, Montréal, PQ H3C 3J7, Canada.)

MINTON,C. 1987. 1986 Wader banding totals. *Stilt* 11:67.

SHEPARD,M. 1986. The benefits of captive breeding in the study and conservation of Australian birds. *RAOU Newsletter* 68 (June 1986): 6-8. E.g. on captive breeding endemic Plains-wanderer.

SILVIUS,M.J. 1987. Mangrovebeheer in West-Maleisie. [Mangrove-management in West Malaysia.] *Panda* 23: 102-103. In Dutch.

SIEGEL-CAUSEY,D. & HINSHAW,J.G. 1986. A bibliography of ornithological translations. *Current Ornithology*, Vol. 4: 243-300. (Mus. Nat. Hist., Univ. of Kansas, Lawrence, Kansas 66045, U.S.A.) Lists 131 titles of publications on waders in languages other than English which have been translated and are available at a variety of places!

WATKINS,D. 1987. Report on the Conference on Wetland and Waterfowl Conservation in Asia February 1987, Malacca, Malaysia: an Australian perspective. *Stilt* 11: 53-54. (Lot 25, Kinley Rd., Bangup 6164, Australia.)

WHITE,T. 1986. On the North West coast. *RAOU Newsletter* 70 (Dec. 1986): 6-7. Account of wader expedition to Roebuck Bay and Eighty Miles beach, NW Australia.

WOEHLER,E. (ed.) 1987. *The Stilt, Bulletin of the Australian Wader Studies Group*, Nr. 11, 67 pp. (Annual subscription (3 issues) Aus \$20; write Mrs. B. Murlis, 34 Centre Ave., Vermont, Vic. 3133, Australia.)

