

## RECENT PUBLICATIONS ON WADERS 44

compiled by Theunis Piersma

Since we try to make these lists as COMPLETE AND UP TO DATE AS POSSIBLE, any help is most welcome. Send omissions, mistakes, new titles, abstracts or reprints to Theunis Piersma, Gasthuisstraat 32, 1791 GL Den Burg - Texel, The Netherlands (new address!). I am very grateful to Ian Bainbridge, Rob Bijlsma, Jan Hulscher, Włodzimierz Meissner, Frank-Ulrich Schmidt, Cor Smit, David Stroud, Patrick Triplet, Les Underhill, Han Vlug and Pierre Yesou for help with this issue. Translated titles from languages other than English are bracketed; round brackets if the translation is by the author(s), square brackets if not.

## BREEDING

- ALTENBURG, W. & WYMENGA, E. 1987. *Natuurwetenschappelijk onderzoek voor de evaluatie van het beheersplan "Midden-Opsterland". I. Inventarisatie van grasland vegetaties en weidevogelstand in 1984/1985.* [Evaluation of management practices in Midden-Opsterland, Friesland. I. Grassland vegetations and meadowbirds in 1984/1985.] Publ. no. 11, Directie Beheer Landbouwgronden, Utrecht, 74 pp. and many appendices. In Dutch. (c/o DBL, Minist. Landbouw & Visserij, P.O. Box 20022, 3502 LA Utrecht, The Netherlands.)
- BANKOVICS, A. 1983. A Peteri-to sziki madarainak fészkeles-okologiai viszonyai es termeszetvedelmi vonatkozasai. [Population changes, breeding biology and habitat choice of *Charadrius alexandrinus*, *H. himantopus*, *Recurvirostra avosetta*, *V. vanellus*, *Tringa totanus*, *L. limosa*, *Alauda arvensis* and *Motacilla flava* in a saltpan area in Kiskunsag-National-Park.] *Puszta* 1: 103-113. In Hungarian with English summary. (OKTH Madartani Intezet, Kolto u.21, H-1121 Budapest, Hungary.)
- BEINTEMA, A.J. & MUSKENS, G.J.D.M. 1987. Nesting success of birds breeding in Dutch agricultural grasslands. *J. appl. Ecol.* 24: 743-758. (RIN, P.O. Box 9201, 6800 HB Arnhem, The Netherlands.) Daily survival rates of lapwing, black-tailed godwit, redshank and oystercatcher in relation to cattle and sheep densities.
- BERGSTROM, P. & TERWILLIGER, K. 1987. Interactions between Piping and Wilson's Plovers in Va. Va. *J. Sci.* 38(2):77. Abstract only. (Biol. Dept., Washington & Lee Univ., Lexington, VA 24450, U.S.A.)
- BRAINE, S. 1987. Extension of the breeding range of the African Black Oystercatcher *Haematopus moquini*. *Madoqua* 15(1): 87-88. (Priv. Bag 5001, Swakopmund, Namibia.)
- BRANDSMA, O.H. 1987. *Onderzoek weidevogelbeheer in het reservatsgebied Giethoorn-Wanperveen.* [Research meadowbird management in the reserves near Giethoorn-Wanperveen.] Report Dir. Beheer Landbouwgronden, Utrecht, 38 pp. In Dutch. (P.O. Box 20022, 3502 LA Utrecht, The Netherlands.)
- BRUNTON, D.H. 1987. *Reproductive effort of male and female Killdeer (Charadrius vociferus).* Ph.D. Dissertation, Univ. of Michigan, 168 pp.
- BURGER, J. 1987. Physical and social determinants of nest-site selection in Piping Plover in New Jersey. *Condor* 89: 811-818. (Dept. Biol. Sci., Rutgers Univ., Piscataway, NJ 08855, U.S.A.)
- BYRKJEDAL, I. Antipredator behaviour in breeding waders: cryptic versus non-cryptic strategies. *Fauna Norv. Ser. C., Cinclus* 10(1):59. Abstract only.
- CALVARIO, E., FRASCHETTI, F., SARROCCO, S. & SESTIERI, L. 1986. New data about the breeding status of the Stone Curlew *Burhinus oedicephalus*, in Lazio, Italy. *Riv. Ital. Orn.* 56(3-4): 266-267.
- CARTAR, R.V. & LYON, B.E. 1988. The mating system of the Buff-breasted Sandpiper: lekking and resource defense polygamy. *Ornis Scand.* 19: 74-76. (Dept. Biol. Sci., Simon Fraser Univ., Burnaby, B.C., Canada V5A 1S6.)
- CASINI, L. 1986. Nesting of Black-winged Stilt and Avocet in the Salina di Cervia, Ravenna (NE Italy). *Riv. Ital. Orn.* 56(3-4): 181-196.
- COLLINS, B.T. 1987. Analysis of trends from Woodcock singing ground surveys 1969-1985. *Can. Wildl. Serv. Prog. Notes* 170:5 pp. (CWS, Ottawa, ON K1A 0H3, Canada.)
- CROWE, A.A. & CROWE, T.M. 1984. Variation in the breeding season of the White-fronted Sandplover in southern Africa. *Proc. Pan-Afr. Ornithol. Congr.* 5: 787-798. (P.Fitzpatrick Inst., Univ. Cape Town, Rondebosch 7700, S.Africa.)
- DESMET, J. 1985. [Occurrence and ecology of the Redshank *Tringa totanus* as a breeding bird along the west-Flemish eastcoast.] *Wielewaal* 51: 444-451. In Dutch with English summary. (Wijngaardplein 5, B-8000 Brugge, Belgium.)
- EBBINGE, B.S. (To what extent do lemmings determine the breeding success of the Dark-bellied Brent Goose *Branta bernicla bernicla*?) *Limosa* 60: 147-149. In Dutch with English summary. (RIN, P.O. Box 9201, 6800 HN Arnhem, The Netherlands.) Contribution to an ongoing discussion, e.g. in *Bird Study*.
- ENGLER, G. 1983. Bestandserfassung der Waldschnepfe (*Scolopax rusticola*) im Keulenberg-Gebiet. *Veroff. Mus. Westlausitz* 7: 75-78. In German. (Hauptstr. 48, DDR-8291 Reichenbach, East Germany.)
- ENGLER, G. 1983. Nachweis eines Seeregenpfeifers (*Charadrius hiaticula*) in der Westlausitz. *Veroff. Mus. Westlausitz* 7: 79-80. In German.
- ERLINGER, G. 1985. Feldbruten - eine Chance für den Flussregenpfeifer (*Charadrius dubius*)? *Oko-L* 7(3): 9-11. In German. Breeding in cornfield.
- FLEMMING, S.P. 1987. Natural and experimental adoption of Piping Plover chicks. *J. Field Ornithol.* 58: 270-273. (Dept. Biol., Acadia Univ., Wolfville, NS B0P 1X0, Canada.)

- GATTER, W. & HODGSON, G. 1987. (Changed patterns of behaviour of breeding land birds (*Glareola nuchalis*, *Streptopelia semitorquata*, *Ploceus aurantius*) on rocks in the Atlantic offshore of West Africa.) *Vogelwarte* 34: 138-140. In German with English summary. (Buchsstr. 20, D-7318 Lenningen, W.Germany.)
- HABLE, H. 1987. Drei Brutnachweise der Uferschnepfe (*Limosa limosa*) in Ober-österreich (1986) auf Agrarflächen. *Öko-L* 9(2): 25-28. In German. (Kasernenstr. 43/2/2, A-4910 Ried i. Innkreis, Austria.)
- HEDENSTROM, A. 1987. Assortive mating in the Little Ringed Plover *Charadrius dubius*. *Ornis Scand.* 18: 325-327. (Skogsvagen 7, S-61400 Soderköping, Sweden.)
- HELBIG, A. & NIEMEYER, F. 1985. Neue Brutnachweise des Kampfläufers (*Philomachus pugnax*) im südwestlichen Niedersachsen. [New breeding attempts of Ruffs in SW Niedersachsen.] *Vogelwelt* 106: 184-187. In German. (Zool. Inst., Univ. of Frankfurt, Siesmayerstr. 70, D-6000 Frankfurt, West Germany.)
- HETZER, M. 1985. Brutvogelbestandaufnahme der Uferschnepfe (*Limosa limosa*) in den Schleswig-holsteinischen Elbmarschen zwischen Hamburg und dem Nord-Ostseekanal 1983. *Hamb. avifaun. Beitr.* 20: 113-124. In German. (Schoanaich-Carolath-Str. 13, D-2200 Elmshorn, West Germany.)
- HOEKSTRA, J. 1987. Nazorg in 1987 (1). [Meadowbirds in Friesland in 1987 (1).] *Vanellus* 40: 154-157. In Dutch. (Finne 1, 9055 MH Britsum, The Netherlands.)
- HOGLUND, J. 1987. Why is the lekking Great Snipe *Gallinago media* monomorphic and monochromatic? *Fauna Norv. Ser. C., Cinclus* 10(1):61. Abstract only. (Dept. Zool., Univ. of Uppsala, Box 561, 751 22 Uppsala, Sweden.)
- HOGLUND, J. 1987. Correlates of mating success in the Great Snipe *Gallinago media*. *Fauna Norv. Ser. C., Cinclus* 10(1):60. Abstract only.
- HOGLUND, J. & LUNDBERG, A. 1987. Sexual selection in a monomorphic lek-breeding bird: correlates of male mating success in the great snipe *Gallinago media*. *Behav. Ecol. Sociobiol.* 21: 211-216. (Dept. Zool., Univ. of Uppsala, Box 561, S-751 22 Uppsala, Sweden.)
- JEFFERY, R.G. 1987. Influence of human disturbance on the nesting success of African black oystercatchers. *S. Afr. J. Wildl. Res.* 17: 71-72. (Achtertuin, Lichfield Ave., Claremont, 7700 S.Africa.)
- JONSSON, P.E. 1987. Sexual size dimorphism and disassortive mating in the Dunlin *Calidris alpina schinzii* in southern Sweden. *Ornis Scand.* 18: 257-264. (Dept. Anim. Ecol., Univ. Lund, Ecol. Building, S-223 62 Lund, Sweden.)
- KALAS, J.A. & LOFALDLI, L. 1987. Clutch size in the Dotterel *Charadrius morinellus*: an adaptation to parental incubation behaviour? *Ornis Scand.* 18: 316-319. (Dir. Nat. Manage., Res. Div., Tungasletta 2, N-7000 Trongheim, Norway.)
- KALAS, J.A. & LOFALDLI, L. 1987. On the significance of good physical condition in lekking Great Snipe *Gallinago media* males. *Fauna Norv. Ser. C, Cinclus* 10(1):61. Abstract only.
- LAMBERT, M. & DEWITTE, T. 1985. [Nesting of the Common Sandpiper in Belgium in 1985.] *Aves* 22(3): 216-218. In French. (Chausse de Givet, 42, B-6370 Mariembourg, Belgium.)
- LEACH, G.J., LLOYD, C.G. & HINES, H.B. 1987. Observations at the nest of a Painted Snipe *Rostratula benghalensis* in south-east Queensland. *Aust. Birdwatcher* 12(1): 15-19. (13 Wongabel Str., Kenmore, Qld. 4069, Australia.)
- MAURIZIO, R. 1987. [Spotted eggs of the Common Sandpiper at 1800 m above sea-level.] *Orn. Beob.* 84: 134-136. In German. (7649 Viscosoprano, Switzerland.)
- PARRINDER, E. 1987. ... As LRP's spread north. *BTO News* 153: 6-7. On 1984 BTO Little Ringed Plover survey.
- PRATER, T. 1987. Ringed Plovers proliferate. *BTO News* 153:6. On 1984 BTO Ringed Plover survey.
- REED, T.M. & LANGSLOW, D.R. 1987. Habitat associations of breeding wading birds. *Acta Oecol. Oecol. Gen.* 8(2): 309-311.
- REED, T.M. & LANGSLOW, D.R. 1987. Diurnal variability and census estimates for waders. *Acta Oecol. Oecol. Gen.* 8(2):311.
- SILVANO, F. 1986. Common Snipe, *Gallinago gallinago*, nesting in Piedmont (NW Italy). *Riv. Ital. Orn.* 56(3-4): 267-268.
- SUTHERLAND, W.J. 1988. Predation may link the cycles of lemmings and birds. *Trends Ecol. Evol.* 3: 29-30. (School Biol. Sci., Univ. East Anglia, NR4 7TJ Norwich, U.K.) Review of ongoing discussions.
- TAUX, K. 1984. Brutvogelbestände an der deutschen Nordsee-küste im Jahre 1982 - Versuch einer Erfassung durch die Arbeitsgemeinschaft "Seevogelschutz". *Seevogel* 5, Sonderband: 27-37. In German.
- TAUX, K. 1986. Brutvogelbestände an der deutschen Nordseeküste im Jahre 1984 - Zweite Erfassung durch die Arbeitsgemeinschaft "Seevogelschutz". *Seevogel* 7(2): 21-31. In German.
- TERWILLIGER, K. 1987. The population status of Piping Plovers in Virginia. *Va. J. Sci.* 38(2):89. Abstract only. (Va. Comm. Game & Inland Fish., Richmond, VA 23230, U.S.A.)
- TRIPLET, P. 1987. Note sur un cas de perturbation de structure sociale dans une couvee d'Huitriers-pies *Haematopus ostralegus*. *Alauda* 55: 230-231. In French. (C.N.E.R.A. Avifaune Migr., Off. Natl. de la Chasse, Paris, France.)
- TUINMAN, T. 1987. Het territorium- en voortplantingsgedrag van de Kievit. [The territorial- and reproductive behaviour of the Lapwing.] *Graspieper* 7: 49-68. In Dutch. (Nieuweweg 93, 1531 AC Wormer, The Netherlands.) With many photo's of displays, flights & copulations of breeders.

- TUINMAN, T. 1988. Buitelingen van een steppebewoner. [Aerial displays of Lapwings, a bird of steppes.] *Vogels* 8: 80-83. In Dutch.
- VAN DEN BRINK, H.J. & FIJN, R. 1987. Effekten van het relatienotabeleid op weidevogels en vegetatie in Groningen. [Effects of "Dutch managements rules" on meadowbirds and vegetation in Groningen.] Report Consulentenschap NMF, Groningen, 35 pp. In Dutch. (NMF, Engelse Kamp 6, Groningen, The Netherlands.)
- WESSELS, H. & BIJLSMA, R. 1987. Broedvogelinventarisatie Noord-Drenthe en boswachterij Schoonloo 1987. [Breeding bird survey of Noord Drenthe and the woods of Schoonloo 1987.] Report PPD, Dienst Ruimte en Groen, Assen, 146 pp. In Dutch. (PPD, Dienst Ruimte & Groen, Provinciehuis, Assen, The Netherlands.) Notes on breeding & migrating waders.
- ZIJLSTRA, M. 1986. De weidevogelbevolking van de Kievitslanden in de periode 1966-1982. [Meadowbirds of the Kievitslanden in 1966-1982.] Flevovericht 266, Rijksdienst voor de Ijsselmeerpolders, Lelystad. In Dutch. (P.O. Box 600, 8200 AP Lelystad, The Netherlands.)
- BEHAVIOUR, ECOLOGY & EVOLUTION
- ANONYMOUS. 1987. Effecten van de kokkelvisserij in de Waddenzee. [Effects of the cockle-fisheries in the Wadden Sea.] RIN-rapport 87/18, Texel, 23 pp. In Dutch. (P.O. Box 59, 1790 AB Den Burg, Texel, The Netherlands.)
- BAILLIE, S.R., CLARK, N.A. & OGILVIE, M.A. 1986. Cold weather movements of waterfowl and waders: an analysis of ringing recoveries. A report from the British Trust for Ornithology to the UK Nature Conservancy Council in respect of certain work done under Contract No. HF3/03/192, Tring, 1986, 269 pp.
- BEEMSTER, N. & VAN EERDEN, M. 1987. Vogeltellingen in het Lauwersmeer in de periode 1983-1986. [Bird counts in the Lauwersmeer in 1983-1986.] Werkdocument R.IJ.P., Lelystad, 1987-40 cbw, 34 pp. In Dutch. (P.O. Box 600, 8200 AP Lelystad, The Netherlands.)
- BESER, H.J. 1987. (The ecology of the Lapwing (*Vanellus vanellus*.) *Charadrius* 23(3): 174-182. In German with English summary. (Berlinstr. 18, 4005 Meerbusch, W.Germany.)
- BOEKEMA, E. 1987. Waarheen met onze steltlopers? [A future for our (rare) waders?] *Grauwe Gors* 15: 7-14. In Dutch. (c/o Poortersplein 12, 9711 XN Groningen, The Netherlands.) On habitat availability in the province of Groningen.
- BOUDEWIJN, T.J. (ed.) 1987. Rijkswateren als wetlands. Ecosysteem analyse van de rijkswateren als internationaal belangrijke water en moerasgebieden. [State-owned waters as wetlands. An ecosystem-analysis for the management of Dutch waters as internationally important wetlands.] Report Bureau Ecoland, Utrecht, 291 pp. In Dutch. (Free copies available from Library CBW/RIZA, P.O. Box 17, 8200 AA Lelystad, The Netherlands.) Survey of all major wet-wetlands in The Netherlands: contribution to the Dutch fulfillment of RAMSAR-obligations.
- BOUDEWIJN, T.J., DIRKSEN, S. & SLAGER, L.K. 1987. Gebruik van het zoute Krammer-Volkerak door watervogels, deel 1: literatuuronderzoek. [Use of the estuarine Krammer-Volkerak by waterbirds. Part 1: literature survey.] *Ecoland-rapport* 87-4, Utrecht, 46 pp. In Dutch. (Fregatstr. 97, 3534 RC Utrecht, The Netherlands.)
- BREDIN, D. & DOUMERET, A. 1987. Importance du littoral centre-ouest Atlantique pour la migration des limicoles cotiers. *Rev. Ecol. (Terre Vie)*, Suppl. 4: 221-229. In French with English summary. (LPO, La Corderie Royale, B.P. 263, F-17305 Rochefort Cedex, France.) Progress report on spring migration work in 1985, carried out in conjunction with the WSG project.
- BREDIN, D. & DOUMERET, A. 1987. Etude de la migration des limicoles cotiers sur le littoral du centre-ouest Atlantique (Charente-Maritime-Vendee), Printemps 1985. Part 3: Analyses biometriques et reprises des bagues. Report LPO, Rochefort, 31 pp. In French.
- BUTLER, R.W. & CAMPBELL, R.W. 1987. The birds of the Fraser River delta: populations, ecology and international significance. Occ. Paper Nr 65, Can. Wildl. Serv., Ottawa, 73 pp. (Free copies available at Publications CWS, Environment Canada, Ottawa K1A 0H3, Canada.)
- BYRJKJEDAL, I. 1987. Short-billed Dowitchers associate closely with Lesser Golden Plovers. *Wilson Bull.* 99: 494-495. (Mus. Zool., Univ. Bergen, N-5007 Bergen, Norway.) On breeding grounds; like "Eurasian" association between Dunlins & Golden Plovers.
- CAUPENNE, M. 1987. Hivernage des Vanneaux et Pluviers dores dans la plaine de Vouzailles (Vienne). [Wintering of Lapwings and Golden Plovers in the plains of Vouzailles, Vienne, France.] *Bull. Mens. O.N.C.* 119: 11-15. In French. (c/o ONC-CERA Oiseaux d'Eau, 85340 L'Île D'Olonne, France.)
- CEDERLUND, C.-G. 1985. (The occurrence of resting waders at Getteron, Province of Holland, 1973-1977.) *Var Fagelvarld* 44(2): 61-77. In Swedish with English summary. (Syaregatan 23, 432 03 Traslovsloge, Sweden.)
- DEBACKER, F. & NOYON, C. 1986. Origine et distribution des Huitriers-pies stationnant en France. [Origin and distribution of Oystercatchers staying in France.] Thesis Inst. Supérieure d'Agriculture, Lille, 40 pp. In French.
- GALE, S.W. 1987. Little Stints defending territories on autumn migration. *Brit. Birds* 80:381. (Flat 8, 86 Worcester Rd., Cheam, Surrey SM2 6QQ, U.K.)
- GERASIMOV, N.N. 1985. [Tringa guttifer on Kamchatka.] In: Litvinenko, N.M. (ed.). [Rare and endangered birds of the Far East.] Vladivostok, pp. 145-146. In Russian.
- GRATTO, G.W. 1987. Interactions between vertebrate predators and their benthic prey on an intertidal mudflat. Ph.D. dissertation, Univ. of New Brunswick, Canada.

- GREGORY, R.D. 1987. Comparative winter feeding ecology of Lapwings *Vanellus vanellus* and Golden Plovers *Pluvialis apricaria* on cereals and grasslands in the Lower Derwent Valley, North Yorkshire. *Bird Study* 34: 244-250. (Dept. Zool., South Parks Rd., Oxford OX1 3PS, U.K.)
- HAIG, S.M. & ORING, L.W. 1987. The Piping Plover. *Audubon Wildl. Rep.* 1987: 509-519.
- HAWKINS, A.F.A. & HOWES, J.R. 1986. *Preliminary assessment of coastal wetlands and shorebirds in southwest Peninsula Malaysia*. Interwader Publication No. 13, Kuala Lumpur, 47 pp. (Available for 7 US \$ at IPT/Asian Wetland Bureau, University of Malaya, Lembah Pantai, 59100 Kuala Lumpur, Malaysia.)
- HOCKEY, P.A.R. 1984. Behaviour patterns of non-breeding African Black Oystercatchers *Haematopus moquini* at offshore islands. *Proc. Pan-Afr. Ornithol. Congr.* 5: 707-728. (P.Fitzpatrick Inst., Univ. of Cape Town, Rondebosch 7700, S.Africa.)
- HOWES, J. 1988. Nordmann's Greenshank *Tringa guttifer*: status and threats. *Asian Wetland News* 1:12. (AWB, IPT, Univ. of Malaya, Lembah Pantai, 59100 Kuala Lumpur, Malaysia.)
- HOWES, J.R. & N.P.W.O. 1986. *Evaluation of Sarawak Wetlands and their importance to waterbirds. Report 4: Limbang/Lawas districts of Brunei Bay*. Interwader Publication, Kuala Lumpur, 43 pp. (IPT/Asian Wetland Bureau, University of Malaya, Lembah Pantai, 59100 Kuala Lumpur, Malaysia.)
- HULSCHER, J.B. 1988. Scholeksters doden zilvermeeuw, zwarte kraai en ekster. [Oystercatchers kill herring gull, carrion crow and magpie.] *Vanellus* 41: 26-27. In Dutch. (Zool. Lab., Univ. of Groningen, P.O. Box 14, 9750 AA Haren, The Netherlands.)
- KALSI, R.S. & KHERA, S. 1986. Some observations on breeding and displacement behaviour of the Redwattled Lapwing, *Vanellus indicus indicus* (Aves: Charadriidae). *Res. Bull. Panjab Univ. Sci.* 37(3-4): 131-141. (Dept. Zool., Panjab Univ., Chandigarh-160014, India.)
- KIRBY, J. 1987. Wintering waders in the United Kingdom, 1986-87. *BTO News* 153:13. (BTO, Beech Grove, Tring, Herts., U.K.)
- KERSTEN, M. & PIERSMA, T. 1987. High levels of energy expenditure in shorebirds: metabolic adaptations to an energetically expensive way of life. *Ardea* 75: 175-187. (Zool. Lab., Univ. of Groningen, P.O. Box 14, 9750 AA Haren, The Netherlands.)
- KOOPMAN, K. 1987. Vierde verslag van de Steltloperringgroep F.F.F. (over 1985 en 1986). [Fourth report of the Wader ringing group F.F.F. over 1985 and 1986.] *Twirre* 10(3): Suppl., 25 pp. In Dutch. (Van Ewsumstr. 8, 9363 JC Marum, The Netherlands.)
- KOOPMAN, K. 1987. (Differences in wintering area of Frisian Oystercatchers *Haematopus ostralegus*.) *Limosa* 60: 179-183. In Dutch with English summary.
- KOOPMAN, K. 1987. Terugmeldingen van geringde vogels: 1. De Wulp *Numenius arquata*. [Recoveries of ringed birds: 1. Curlews.] *Twirre* 10(3): 63-67. In Dutch.
- KOUBEK, P. 1986. The spring diet of the Woodcock (*Scolopax rusticola*). *Folia Zool. Brno* 35(4): 289-298. (Inst. Vert. Zool., Czechoslovak Acad. Sci., Brno, Czechoslovakia.)
- LATHAM, P.C.M. & PARRISH, R. 1987. Notes on the feeding habits of the New Zealand Dotterel. *Notornis* 34: 9-10.
- MARTIN, A.P. & BAIRD, D. 1987. Seasonal abundance and distribution of birds on the Swartkops estuary, Port Elizabeth. *Ostrich* 58: 122-134. (Dept. Zool., Univ. of Port Elizabeth, P.O. Box 1600, Port Elizabeth, 6000 S.Africa.)
- MEAD, C.J. & CLARK, J.A. 1987. Report on bird-ringing for 1986. *Ring. & Migr.* 8: 135-200. (BTO, Beech Grove, Tring, Herts. HP23 5NR, U.K.)
- MOROZOV, V.V. & TOMKOVICH, P.S. 1984. [Regularities in the distribution and breeding habitats of the Red-necked Sandpiper (*Calidris ruficollis*).] *Biologicheskije Nauki* 4: 42-48. In Russian with English summary.
- MULDER, J.L. 1987. *Preliminary report on the Curlew-project in Sweden, 1987*. Report, Heemskerk, 32 pp. (J. van Polanenstr. 6, 1962 XC Heemskerk, The Netherlands.) Detailed study of breeding biology, e.g. by using automatic weight registrations.
- PEARSON, D.J. 1987. The status migrations and seasonality of the Little Stint in Kenya. *Ring. & Migr.* 8: 91-108.
- PIERSMA, T. 1986. Feeding method of Spoon-billed Sandpipers on a mudflat in South Korea. *J. Bombay Nat. Hist. Soc.* 83 (Suppl.): 206-208. (Zool. Lab., Univ. of Groningen, P.O. Box 14, 9750 AA Haren, The Netherlands.)
- PIERSMA, T. 1987. (Hop, skip or jump? Constraints on migration of arctic waders by feeding, fattening, and flight speed.) *Limosa* 60: 185-194. In Dutch with English summary.
- PROKOSCH, P. 1988. *Das Schleswig-Holsteinische Wattenmeer als Fruhjahrens-Aufenthaltsgebiet arktischer Watvogel - Populationen am Beispiel von Kiebitzregenpfeifer (*Pluvialis squatarola*, L. 1758), Knutt (*Calidris canutus*, 1758) und Pfuhschnepfe (*Limosa lapponica*, L. 1758). [The Wadden Sea of Schleswig-Holstein as a spring stopover site for arctic wader populations as illustrated by Grey Plover, Knot and Bar-tailed Godwit.]* Dissertation, Christian-Albrechts-Universitat, Kiel, 178 pp. In German. To appear soon as a paper in *Corax*.
- QIAN GUOZHENG, CUI ZIXING & WANG TIANHOU. 1988. The wader (Charadriiformes) community of the Chang-Jang River estuary and Hang-Zhou Bay. *Asian Wetland News* 1:13.
- RAPPOLE, J.H., MORTON, E.S., LOVEJOY, T.E., III, & RUOS, J.L. 1983. *Nearctic avian migrants in the neotropics*. U.S. Fish Wildl. Service, Washington, D.C., 646 pp. (Available from WWF, 1601 Connecticut Ave., Washington, DC 20009, U.S.A.)

- RODRIGUEZ, F. & DEL CAMPO, F. 1987. Datos sobre la dieta del Alcaravan, *Burhinus oedicnemus distinctus* Bannerman, 1914, en la localidad de Gran Canaria. [The diet of Stone Curlews on Gran Canaria, Canary Islands.] *I Congreso Internacional de Aves Esteparias, Leon (España)* 1987: 175-181. In Spanish with English summary. (c/o Manuel Gonzalez Martin 19-4°D, 35006 Las Palmas, Islas Canarias, Spain.)
- ROZEMEIJER, P. 1986. Grutto slaapplaatsen in de Zaanstreek. [Roosts of Black-tailed Godwits in the Zaanstreek, Holland.] *Grutter* 10: 51-56. In Dutch.
- SCHMITT, P. 1987. Conflit entre une Cigogne blanche (*Ciconia ciconia*) et un Courlis cendre (*Numenius arquata*). [Conflict between a White Stork and a Curlew (!).] *Ciconia* 11(1):55. In French.
- SCHULZ, M. 1987. Flocking behaviour in the Hooded Plover *Charadrius rubricollis*. *Corella* 11(1): 28-29. (167 S.Beach Rd., Bittern, Vic. 3918, Australia.)
- SENIOR, R.J. 1987. Spinning rate of Grey Phalarope. *Brit. Birds* 80: 18. (5 Haselmere Rd., Southbourne, Ensworth, Hamps., England.)
- SJOLINDER, B.-E. 1983. Aterfynd av vid Kuismaren ringmarkta gronbenor. [Recoveries of Greenshanks ringed at Kuismaren.] *Verksamh. Kuismare Fagelstat*. 1982: 2-7. In Swedish. (Lundvallsvag 8, S-702 33 Orebro, Sweden.)
- SLAGER, L.K. & DIRKSEN, S. 1987. *Gebruik van het zoute Krammer-Volkerak door watervogels. deel 2: veldonderzoek in het jaar voor afsluiting. [Use of the estuarine Krammer-Volkerak by waterbirds. Part 2: Field investigations in the year before closure.]* Ecoland-rapport 87-5, Utrecht, 85 pp. In Dutch. (Fregatstr. 97, 3534 RC Utrecht, The Netherlands.)
- SPEAKMAN, J.R. 1987. Apparent absorption efficiencies for Redshank (*Tringa totanus* L.) and Oystercatcher (*Haematopus ostralegus* L.): implications for the predictions of optimal foraging models. *Am. Nat.* 130: 677-691. (Dept. Zool., Univ. of Aberdeen, Aberdeen AB9 2TN, U.K.)
- SUEUR, F. 1987. *Interactions proies-predateurs en milieu estuarien: le cas de la Coque Cerastoderma edule (Linne) et de la Macomme Balthique Macoma Balthica (Linne) dans le regime de trois Charadriiformes. [Interactions between prey and predators in an estuary: the example of Cockles and Balthic tellins being fed upon by three Charadriiform species.]* Thesis DEA Ecologie Generale, Univ. de Paris XI, Paris, 173 pp. In French. (Le Bout des Crocs., St. Quentin-en-Tourmont, 80120 Rue, France.) On Oystercatchers, Knots and Herring Gulls.
- SUEUR, F. 1987. *Predation avienne sur les bivalves: nouvelles donnees sur le littoral picard. [Bird predation on bivalves: new data for the littoral area of Picardie.]* Final report, GEMEL, St. Valery-sur-Somme, 20 pp. In French.
- SUTHERLAND, W.J. & ENS, B.J. 1987. The criteria determining the selection of mussels *Mytilus edulis* by Oystercatchers *Haematopus ostralegus*. *Behaviour* 103: 187-202. (School of Sci., Univ. of East Anglia, Norwich NR4 7TJ, U.K.)
- THIEME, E. 1986. Beobachtungen zum Tagesrhythmus und zum Nahrungsverhalten des Grossen Brachvogels (*Numenius arquata*) in Eiderstedt und Nordfriesland. [Observations on the daily rhythm and feeding of Curlews in Eiderstedt and Nordfriesland.] *Corax* 11: 237-239. In German.
- TINARELLI, R. 1987. (Wintering biology of the Avocet *Recurvirostra avosetta* in some coastal wetlands of the northern Adriatic Sea.) *Avosetta* 11(1): 37-45. In Italian with English summary. (Via Vasari 17, 40128 Bologna, Italy.)
- TREE, A.J. 1987. Ringing recoveries and migration of Greenshank between Europe and Africa. *Safring News* 16: 51-66. (Chirawano Farm, P.O. Box 61, Darwendale, Zimbabwe.)
- TREVIS, B. 1987. Wintering Green Sandpipers. *BTO News* 153: 11. (7 Lemsford Village, Welwyn Garden City, Herts. AL8 7TN, U.K.)
- TRIPLET, P. 1987. Note sur le Courlis cendre *Numenius arquata*, consommateur de Crabs enrages *Carcinus maenas* en Baie de Somme. [Note on Curlew eating crabs in Bay of Somme.] *Picardie Ecologie* II, 1: 47-49. In French.
- TRIPLET, P., DEBACKER, F. & NOYON, C. 1987. Origine et distribution des Huitriers-pies (*Haematopus ostralegus*) repris en France. [Origin and distribution of Oystercatchers recovered in France.] *Bull. Mens. O.N.C.* 116: 38-43. In French.
- TUCKER, N. & TUCKER, L. 1987. Whimbrel apparently wing-oiling. *Brit. Birds* 80:573.
- UNDERHILL, L.G. 1987. Lemming cycles in Siberia observed at Langebaan Lagoon. *Bokmakerie* 39: 126-128. (Dept. Math. Stat., Univ. Cape Town, Rondebosch 7700, S.Africa.)
- UNDERHILL, L.G. 1987. Changes in the age structure of Curlew Sandpiper populations at Langebaan Lagoon, South Africa in relation to lemming cycles in Siberia. *Trans. Roy. Soc. S.Afr.* 46: 209-214.
- VAN DEN BERG, A.B. 1987. Reaction of Oystercatchers to presence of Short-toed Eagle. *Brit. Birds* 80: 113-114. (Duinkustparkweg 98, 2082 EG Santpoort-Zuid, The Netherlands.)
- WARD, D. 1987. What do plovers know about competition? *Bokmakerie* 39(2): 62-64. (Dept. Zool., Univ. of Natal, P.O. Box 375, Pietermaritzburg 3200, S.Africa.) On *Vanellus coronatus*, *V.melanopterus*, & *V.lugubris*.
- WHORISKEY, F.G. & FITZGERALD, G.J. 1985. The effects of bird predation on an estuarine stickleback (Pisces: Gasterosteidae) community. *Can. J. Zool.* 63: 301-307. (Dept. de biol., Univ. Laval, Quebec, Canada G1K 7P4.) Greater and Lesser Yellowlegs identified as predators.
- WIDGERY, D.E. 1987. Unexpected reaction of Bar-tailed Godwits to a rain squall. *Notornis* 34:84.
- WOOD, A.G. 1987. Discriminating the sex of Sanderling *Calidris alba*: some results and their implications. *Bird Study* 34: 200-204. (Brit. Ant. Survey, High Cross, Madingley Rd., Cambridge CB3 0ET, U.K.)

- WYMENGA, E. & ALTENBURG, W. 1987. Skriezen om utens: Frankryk. [Black-tailed Godwits "overseas": France.] *Vaneillus* 40: 143-147. In Frisian with Dutch summary. (De Elzen 4, 9269 SK Veenwouden, The Netherlands.)
- ZWARTS, L. 1988. Een Waddenzee met nylpaarden. Vogelparadijs in Guinee-Bissau. [A wadden sea with hippopotami! Bird paradise in Guinee-Bissau.] *Panda* 24(2): 12-13. In Dutch. (Achterwei 23, Ee, Friesland, The Netherlands.)
- DISTRIBUTION & FAUNISITICS
- ARANGO, G. 1986. [Distribution of the genus *Gallinago* Brisson 1760 in the Andes of Columbia.] *Caldasia* 15 (71-75): 669-706. In Spanish.
- ARBALLO, E., BARCA, A., CRAVINO, J. & GAMBAROTTA, J. 1987. [*Catoptrophorus semipalmatus*: newly registered for Uruguay.] *Volante Migratorio* 5(9): 18-19. In Spanish. (Vera 2708, Apdo. 901, Montevideo, Uruguay.)
- BAKHUIZEN, J. J. 1986. Voorkomen Grauwe en Rosse Franjepoot in de regio Amsterdam. [Occurrence of phalaropes near Amsterdam.] *Gierzwaluw* 24: 9-12. In Dutch.
- BARBER, R. D. 1986. Little Stints at Brigantine National Wildlife Refuge, New Jersey. *Cassinia* 61: 77-78. (Rd. 2, Box 181, Millville, NJ 08332, U.S.A.)
- BHUSHAN, B. 1986. Photographic record of the Jerdon's or Double-banded Courser *Cursorius bitorquantus*. *J. Bombay Nat. Hist. Soc.* 83 (Suppl.): 159-162. (Hornbill House, Shaheed Bhagat Singh Rd., Bombay 400 023, India.)
- BOESMA, P. & DE SCHUYTER, T. 1984. [Observation of a Stilt Sandpiper, *Micropalma himantopus*, in the harbour of Dudzele, Zeebrugge.] *Ornis Flandriae* 3: 105-112. In Dutch with English summary.
- BOHM, K. & KRUSE, K. 1985. Schlammlauer (*Limnodromus* spp.) bei Mettmann (Rhld.). *Charadrius* 21: 193-194. In German. (Beethovenstr. 66, D-4010 Hilden, West Germany.)
- BRISSE, P. 1986. Fall records of Lesser Golden Plover in the Atlantic area. *Oriole* 51(1):18. (4960 Gatehouse Way, Stone Mountain, GA 30088, U.S.A.)
- BYWATER, J. & MCKEAN, J. L. 1987. A record of Latham's Snipe *Gallinago hardwickii* in Northern Territory. *Aust. Birdwatcher* 12(2):65. (Box 193, Janiru, NT 5716, Australia.)
- DE PUTTER, G. 1984. [Occurrence of waterbirds and waders in the harbour of Zeebrugge-Dudzele, Aug./Sept./Oct. 1984.] *Ornis Flandriae* 3: 100-124. In Dutch with English summary. (St. Jacobstr. 32, B-8000 Brugge, Belgium.)
- DE SCHUYTER, T. 1985. [Occurrence of Temminck's Stints *Calidris temminckii* in spring 1984 in the harbour Dudzele-Zeebrugge.] *Ornis Flandriae* 4: 39-46. In Dutch with English summary. (Bondgenotenlaan 35, B-8390 Knokke-Heist-2, Belgium.)
- DE SCHUYTER, T. 1985. [The Buff-breasted, *Tryngites subruficollis*, a new species for Belgium.] *Wielewaal* 51: 130-134. In Dutch with English summary.
- DIJKSEN, L. J. & VAN DER WOLF, P. 1987. *Mid-winter waterfowl census Turkey January 1987*. WIWO-report 18, Zeist, 47 pp. (Available for Dfl. 7.50 on postal giro 2666009 or to ABN Bank-account nr. 57.02.16.613 of Stichting WIWO, Ewijk, The Netherlands.)
- DIMARCA, A., GIUDICE, E. & LONGO, A. 1986. New observations of Buff-breasted Sandpiper, *Tryngites ruficollis*, in Sicily. *Riv. Ital. Orn.* 56(3-4):250.
- EVANICH, J. 1987. Oregon's first "white-rumped" Whimbrel. *Oreg. Birds* 13(3): 281-282. (2524 N.E. Halsy, Portland, OR 97232, U.S.A.)
- HARRIS, B. 1987. Red Knot in Denel County. *S.D. Bird Notes* 39(3):69. (Box 605, Clear Lake, SD 57226, U.S.A.)
- HARRISON, K. C. & MULLIGAN, S. 1987. Painted Snipe (*Rostratula banghalensis*) at Lake Ellesmere. *Notornis* 34: 78-79. (50 Athol Terr., Christchurch 4, New Zealand.)
- HOBCROFT, D. 1987. A Buff-breasted Sandpiper at Richmond, New South Wales. *Aust. Birds* 21(2): 56-57. (4/174 Dangar Str., Armidale, NSW 2350, Australia.)
- JOHNSON, J. 1987. Oregon's first Little Stint. *Oreg. Birds* 13(3): 283-285. (3244 N.E. Brazee, Portland, OR 97212, U.S.A.)
- KOVACS, G. 1986. (The Golden Plover (*Pluvialis apricaria* L.) on the Hortobagy (Hungary), 1975-1984.) *Aquila* 92: 97-103. In Hungarian with English summary. (Bem.u. 1, H-5363 Nagyivan, Hungary.)
- LAKEMEIER, R. F., REINER, K. & STABLER, H. 1987. [Two Stone Curlews *Burhinus oedicnemus* in Mittelfranklin.] *Anz. Orn. Gesell. Bayern* 26:137. In German. (c/o Zur Altmuhl 5, 8823 Muhr See, W.Germany.)
- LENSINK, R. *Notes on the birds of some wetlands in northeast-Greece and Turkey, the 6th of July - 6th of August 1987*. WIWO-report 19, Zeist, 35 pp. (Available for Dfl. 750 on postal giro account nr. 2666009 of Stichting WIWO, Ewijk, The Netherlands or with an int. money order.)
- MARTIN, P. & MARTIN, J. 1987. Hudsonian Godwit - first record for Africa. *Bokmakerie* 39(2): 51-52. (Dept. Zool., Univ. Port Elizabeth, P.O. Box 1609, Port Elizabeth 6000, S.Africa.)
- MAUER, K. A. & VAN IJZENDOORN, E. J. 1987. (Terek Sandpipers in the Netherlands and Europe.) *Dutch Birding* 9: 89-98. In Dutch with English summary.
- McBRIDE, A. 1987. A possible Spotted Redshank in Queensland. *Aust. Birds* 21(1):18. (3/108 Cabramatta Rd., Mosman, NSW 2088, Australia.)
- MEISSNER, W. & SKAKUJ, M. 1986. Beigus beringa (*Calidris maurii*) - nowy gatunek dla awifauny Polski. [Western Sandpiper - a new species for Poland.] *Not. Orn.* 27: 79-84. In Polish.

- MEISSNER, W. & SKAKUJ, M. 1986. Kolejne stwierdzenia sieweczki pustynnej (*Charadrius leschenaulti*) w Polsce onez uwagi o jej rozpoznawaniu w szacie sponynkowej. [Next records of Greater Sandplover in Poland and some remarks on its identification in post-nuptial plumage.] *Not. Orn.* 27: 92-97. In Polish.
- MELLON, R. 1986. Bar-tailed Godwit in Cape May County, New Jersey. *Cassinia* 61: 78-79. (1305 Big Oak Rd., Yardly, PA 19067, U.S.A.)
- OLIPHANT, M. 1987. Recent records for Red Knot in Oklahoma. *Bull. Okla. Orn. Soc.* 20(3): 22-24. (3116 N. Virginia, Oklahoma City, OK 73118, U.S.A.)
- OREEL, G. J. 1984. Caspian Plover, *Charadrius asiaticus*. *Cyprus Orn. Soc.* 31: 61-62. (P.O. Box 51273, 1007 GG Amsterdam, The Netherlands.)
- PLATTEEUW, M. 1986. Steenlopers op de Hondbossche Zeewering. [Turnstones on the Hondbossche Zeewering.] *Kleine Alk* 4: 82-85. In Dutch. (Melis Stoeln. 201, 1813 DG Alkmaar, The Netherlands.) 400 wintering birds in 1977/78.
- POLEY, D. & POLEY, D. 1987. Thorswarsetreter, *Phalaropus fulicarius*, Terekwasserlaufer, *Xenus cinereus*, als sommervogel im westlichen Mittelmeer. [Grey Phalarope and Terek Sandpiper summering in the western Mediterranean.] *Beitr. Vogelkd.* 33: 72-74. In German.
- ROWLANDS, B. W. 1987. Seabirds and shorebirds observed on Rodriguez and its lagoon islets in July 1986. *Cormorant* 14: 31-38.
- SALMON, D. G., PRYS-JONES, R. P. & KIRBY, J. S. 1987. *Wildfowl and wader counts 1986-87*. The results of the National Wildfowl Counts and Birds of Estuaries Enquiry in the United Kingdom. Report Wildfowl Trust, Slimbridge, 61 pp. (c/o BTO, Beech Grove, Tring, Herts., U.K.)
- SCHIEFER, T. L. 1986. Large number of Whimbrel and late spring birding in Centre County, Pa. *Cassinia* 61: 78. (107 Newkirk Ave., Reading, PA 19607, U.S.A.)
- SCHRICKE, V. & TRIPLET, P. 1987. Contribution française du denombrement hivernal des oiseaux d'eau au Portugal en janvier 1987. *Bull. Mens. O.N.C.* 117: 17-27. In French.
- SHIRIHAI, H. & VAN DEN BERG, A. B. 1987. Influx of Kittlitz's Sand Plover in Israel in 1986-87. *Dutch Birding* 9: 85-88.
- SIKKENS, J. 1987. Hoe zo maar een vrije dag onvergetelijk werd. [How one day off became "unforgettable": four rare wader species in Lauwersmeer.] *Grauwe Gors* 15: 24-25. In Dutch.
- SMIT, H. 1987. (Bird counts on Engelsmanplaat.) *Limosa* 60: 111-118. In Dutch with English summary. (Emmastr. 43A, 1814 DM Alkmaar, The Netherlands.) High tide roost in Wadden Sea.
- SMITH, F. T. H. 1987. Baird's Sandpiper at Lake Conewarre, Victoria. *Aust. Birdwatcher* 12(1): 25-27. (71 Cobden Str., Kew, Vic. 3101, Australia.)
- SOVON. 1987. *Atlas van de Nederlandse Vogels*. [Atlas of the Birds in The Netherlands.] Sovon, Arnhem, 595 pp. (ISBN 90-72121-01-5) In Dutch with English summary. Pp. 205-269 give detailed descriptions of distribution and seasonal abundance of all wader species in The Netherlands.
- STEVENSON, J. O. 1985. Avocets in Washington County, Maryland. *Md. Birdlife* 41(3): 56. (5600 Roosevelt Str., W. Bethesda, MD, U.S.A.) *Recurvirostra americana*.
- TARR, J. G. & TARR, P. W. 1987. Seasonal abundance and the distribution of coastal birds on the northern Skeleton Coast, South West Africa/Namibia. *Madoqua* 15: 63-72. (Dept. Agric. & Nat. Cons., Prov. Bag 5001, Swakopmund 9000, Namibia.)
- VEEN, J. 1987. Vogels van Griend. [Birds of Griend.] *Waddenbulletin* 22: 181-184. In Dutch. (RIN, P.O. Box 9201, 6800 HB Arnhem, The Netherlands.) Very important high tide roost in Wadden Sea, especially in spring.

## MISCELLANEOUS

BECKER, P. H., BUTHE, A. & HEIDMANN, W. 1988. (Decreasing contaminants in shore-bird eggs on the German North sea coast?) *J. orn.* 129: 104-106. In German with English summary. (Inst. Vogelforschung, D-2940 Wilhelmshaven 15, W. Germany.) E.g. on Oystercatchers: perhaps, more research needed!

DE ROOS, G. Th. 1987. Wadvogelexpeditie Australie. [Wader expedition to Australia.] *Waddenbulletin* 22: 188-191. In Dutch. (Dorpsstraat, Vlieland, The Netherlands.) On a RAOU wader trip to Darwin Land.

GANTZ, A. 1985. (The Great Snipe - behavior and identification.) *Tzufit (Sunbird)* 3: 81-85. In Hebrew with English summary.

GARNETT, S., LANE, B., SCHULZ, M. & WOOD, K. 1986. *Birds of Port Phillip Bay*. Ministry for Planning and Environment Victoria, Melbourne, 90 pp. General introduction to birds and area; many nice colour photographs.

GREENBERG, D. A. 1987. Modeling tidal power. *Scient. Am.* 257(5): 106-113. On tidal power dams in Bay of Fundy, eastern Canada.

GRIMMETT, R. (compiler). 1987. *A review of the problems affecting palearctic migratory birds in Africa*. The findings and recommendations resulting from the ICBP Migratory Birds Questionnaire. ICBP Study Report 22, Cambridge, 240 pp. (219C Huntingdon Rd., Cambridge CB3 0DL, U.K.)

- HEIDMANN, W.A., BUTHE, A., PETERAT, B. & KNUWER, H. 1987. Zur Frages des Einflusses chemischer Ruckstande auf das Sterben von Austernfischern (*Haematopus ostralegus*) am der medersachsichen Kuste im Winter 1986/87. [Chlorinated hydrocarbons and heavy metals in starved Oystercatchers in Niedersachsen in winter 1986/87.] *Vogelwarte* 34: 73-79. In German with English summary. (Chem. Inst., Tierarztliche Hochschule, Bischofholer Damm 15, D-3000 Hannover 1, W.Germany.)
- HEIDMANN, W.A., BEYERBACH, M., BOCKELMANN, W., BUTHE, A., KNUWER, H., PETERAT, B. & RUSSEL-SINN, H.A. 1987. Chlorierte Kohlenwasserstoffe und Schwermetalle in tot an der deutschen Nordseekuste aufgefundenen Seevogeln. [Chlorinated hydrocarbons and heavy metals in seabirds found dead along the German North Sea coast.] *Vogelwarte* 34: 126-133. In German with English summary.
- HERROELEN, P. 1987. Bill and leg colour in Forbes' Plover. *Malimbus* 9(1): 57-58. (P.O. Box 64, B-8400 Oostende, Belgium.)
- INTERWADER. 1986. *Study on Kapar Forest, Selanger. Importance for nature conservation and the potential for development and recreation facilities.* Interwader Publications, Kuala Lumpur, 60 pp. On a mangrove area in Malaysia, with notes on shorebirds.
- JACKSON, D.B. 1988. Colour-marked waders - watch carefully. *BTO News* 154:13. (Zool. Dept., South Rd., Durham DH1 3LE, U.K.) Ads. for WSG colour-marking Register.
- LANE, B. 1988. Waders in Australia. *BTO News* 155: 10-11. (RAOU, 21 Gladstone Str., Monee Ponds, Vic. 3039, Australia.)
- LEDANT, J.P., ROUX, F., JARRY, G., GAMMEL, A., SMIT, C., BAIRLEIN, F. & WILLE, H. 1986. *Apercu des zones de grand interet pour la conservation des especes d'oiseaux migrateurs de la Communante en Afrique.* [Review of areas of great interest for the conservation of migratory birds of the EEC in Africa.] Rapport Final (EUR 10878), Office des publications officielles des Communnantes europeenes, Luxembourg, 204 pp. (Available in U.K.: HM Stationary Office, 51 Nine Elms Lane, London SW8 5DR, U.K.; in U.S.A.: Eur. Comm. Inf. Serv., 2100 M. Street, NW, Snite 707 Washington, DC 20037, U.S.A.)
- LERAY, G. 1987. L'estuaire de la Loire. Historie et evolution des milieux. *Bull. Mens. O.N.C.* 117:5-16. In French.
- OSBORN, D. 1985. Mass bird mortalities on the Mersey estuary, U.K. - incident, investigation, resolution and follow-ups. In: J.Cairns, Jr. (ed.). *Ecoaccidents*, pp. 59-93. (ITE, Monks Wood Exp. Stat., Huntingdon, Cambs. PE17 2LS, U.K.)
- PRENTICE, C. (ed.). 1988. *Asian Wetland News* 1. Asian Wetland Bureau, Kuala Lumpur, 20 pp. (Available for US 4 10 (air) or 7 (surface) for two issues per year, AWB, IPT, Univ. of Malaya, Lembah Pantai, 59100 Kuala Lumpur, Malaysia.) A matured successor to the Interwader Newsletter. Individual articles listed separately.
- PRYS-JONES, R. WSG in Poland - a success in 1987. *BTO News* 155:11. (BTO, Beech Grove, Tring, Herts. HP23 5NR, U.K.)
- SCHICK, C.T., BRENNAN, L.A., BUCHANAN, J.B., FINGER, M.A., JOHNSON, T.M. & HERMAN, S.G. 1987. Organochloride contamination in shorebirds from Washington State and the significance for their falcon predators. *Environ. Monit. Assess.* 9: 115-131. (Dept. Biol. Sci., Univ. Calif., Santa Barbara, CA 93106, U.S.A.)
- SILVIUS, M.J., TUCK, C.H. & IBRAHIM, S. 1987. *Evaluation of wetlands on the west coast of peninsular Malaysia and their importance for natural resource conservation.* Report WWF Malaysia project 78/85, Kuala Lumpur, 189 pp. (IPT-Asian Wetland Bureau, University Malaya, Lembah Pantai, 59100 Kuala Lumpur, Malaysia.)
- SPIEKMAN, H. 1987. Bijeenkomst van de Wader Study Group. [Conference of WSG in Gdansk.] *Limosa* 60:207. In Dutch. (Dijkstr. 4a, 9724 KK Groningen, The Netherlands.) Personal account.
- UNDERHILL, L.G. & UNDERHILL, G.D. 1987. The zap net: an elastic-propelled variation of the cannon net. *Safring News* 16: 21-24. (Dept. Mat. Stat., Univ. Cape Town, Rondebosch 7700, S.Africa.)
- VAN RHIJN, J. 1987. De Kemphaan. [The Ruff.] *Waddenbulletin* 22: 216-218. In Dutch. (Zool. Lab., P.O. Box 14, 9750 AA Haren, The Netherlands.)
- WRIGHT, M. 1987. Protecting the Orwell estuary. *BTO News* 153:12. (15 Avondale Rd., Ipswich IP3 9JT, U.K.)

