Jenkins, M.C. 1981. Birds of the Arabian Gulf. Allen & Unwin, London.

John, V.C., Coles, S.L. & Abozed, A.I. 1990. Seasonal cycles of temperature, salinity and water masses of the Western Arabian Gulf. *Oceanol. Acta* 13: 273-281.

Jones, D.A. 1986. A field guide to the seashores of Kuwait and the Arabian Gulf. Blanford Press, London.

Palfery, J. 1988. A note on the feeding behaviour of Greater Sand Plovers. *Sandgrouse* 10: 105-106.

Poorter, E.P.R. & Zwarts, L. 1984. Resultats d'une premiere mission ornitho-ecologique de l'IUCN/WWF en Guinea-Bissau. Ned. Stichting Intern. Vogelbescherming, Zeist.

Price, A.R.G. 1990. Rapid assessment of coastal zone management requirements: a case-study from the Arabian Gulf. *Ocean & Shoreline Management* 13: 1-19.

Price, A.R.G., Chiffings, T.W., Atkinson, M.T. & Wrathall, T.J. 1987. Appraisal of resources in the Saudi Arabian Gulf. In: Magoon, O.T. *et al.* (eds.). *Proc. 5th Symp. coastal and ocean management.*Vol. 1: 1031-1045.

Scott, D.A. & Carp, E. 1982. A midwinter survey of wetlands in Mesopotamia, Iraq: 1979. *Sandgrouse* 4: 60-76.

Smart, I., Miles, G.A. & West, M. 1983. Waders and waterbirds on Dubai Creek. *Wader Study Group Bull.* 37: 29-30.

Summers, R.W., Underhill, L.G., Pearson, D.J. & Scott, D.A. 1987. Wader migration systems in southern and eastern Africa and western Asia. *Wader Study Group Bull. 49/IWRB Special Publ.* 7: 15-34.

IUCN 1987. Saudi Arabia: An assessment of biotopes and management requirements for the Arabian Gulf.IUCN/MCPA Coastal and Marine Management Series, Report No. 5. IUCN, Gland, Switzerland.

Uttley, J.D., Thomas, C.J., Green, M.G., Sudaby, D. & Platt, J.B. 1988. The autumn migration of waders and other waterbirds through the northern United Arab Emirates. *Sandgrouse* 10: 58-70.

Zwarts, L. 1988. Numbers and distribution of coastal waders in Guinea-Bissau. *Ardea* 76: 42-55.

Erratum to Bulletin 61

The population history of Grey Plovers *Pluvialis* sqatrarola in the Solent, Southern England by Colin R Tubbs

Figure 6 was missing from page 20

Figure 6. A possible population history of Grey Plovers *Pluvialis sqatarola* in The Solent (and elswhere?)

Erratum to Bulletin 62

The Northern Dunlin Puzzle by Hans Meltofte

page 16 - 3rd paragraph should read;

2. Dunlins, whose core wintering area is in France, move to the Dutch Wadden Sea around 1 April and then further into the northern part of the Wadden Sea and the Danish coasts in late April and early May. From here they fly to the breeding grounds in mid or late May. This breeding area is east to around the Ob river in northwestern Siberia, whilst the western boundary with the previous sub-population is unknown.



