

RECENT PUBLICATIONS ON WADERS 62

compiled by
Henk Koffijberg

In trying to make these lists as complete as possible, and the next one even more complete and up to date, your help is most welcome. Please send new titles, abstracts, reprints, copies, reports, and (important too!) omissions or corrections to: **Henk Koffijberg, Glenn Millerweg 102, 1311 RW Almere, The Netherlands.**

Remember to include, if possible, the address of the first author, and translations of titles if they are in other languages than English.

For help with this issue I'm very grateful to D.A. Stroud, I. Bainbridge, T. Piersma, T. Székely, L. Batty, J.A. Lorenzo, F. Hortas, D. Paulson, P. Südbeck, G.C. Cadée, G. Scheiffarth, H. Hötker, P. Triplet, V.V. Morozov and A.J. van Dijk.

Translated titles from languages other than English are bracketed; with round brackets if the translation is by the author(s), square brackets if not.

N.B. A copy of your paper or abstract would be very helpful to enable me to add some keywords or give added annotation to the titles.

So far, about 3,300 titles have been stored in the WSG RPW database. Keep sending more!!

BREEDING

Baines, D. 1990. The roles of predation, food and agricultural practice in determining the breeding success of the Lapwing (*Vanellus vanellus*) on upland grasslands. *J. Anim. Ecol.* 59(3): 915-929.

Baines, D. 1994. Factors determining the breeding success and distribution of lapwings *Vanellus vanellus* on marginal farmland in northern England. In: Tucker, G.M., Davies, S.M. & Fuller, R.J. (eds.). *The ecology and conservation of lapwings* *Vanellus vanellus*. Peterborough: Joint Nature Conservation Committee. Pp. 41-42. (Game Conserv. Trust, Crubbenmore Lodge, Newtonmore, Inverness-shire PH20 1BE,

UK).

Beintema, A.J. & Visser, G.H. 1994. Factors affecting growth and survival of lapwing *Vanellus vanellus* chicks. In: Tucker, G.M., Davies, S.M. & Fuller, R.J. (eds.). *The ecology and conservation of lapwings* *Vanellus vanellus*. Peterborough: Joint Nature Conservation Committee. Pp. 39-40. (Inst. Forestry and Nat. Res., P.O. Box 23, 6700 AA Wageningen, Netherlands).

Busche, G. 1994. Bestandsentwicklung der Vögel in den Niederungen (Moore, Flussmarschen) im Westen Schleswig-Holsteins 1960-1992. (Population dynamics of breeding birds in cultivated lowlands and associated habitats in western Schleswig-Holstein in the period 1960-1992). *Vogelwelt* 115(4): 163-177. In German with English summary. (Hochfelder Weg 49, 25746 Heide, Germany). Population estimates, trends and changes are presented. Waders: *Haematopus ostralegus*, *Vanellus vanellus*, *Charadrius hiaticula*, *C. dubius*, *C. alexandrinus*, *Gallinago gallinago*, *Numenius arquata*, *Limosa limosa*, *Tringa totanus*, *Philomachus pugnax* and *Recurvirostra avosetta*.

De Scheemaeker, F. & D'hoore, P. 1994. Broedvogels in Noord-West-Vlaanderen in 1993. (Breeding birds in the North of West Flanders in 1993). *Mergus* 8(2): 61-78. (Ronselaerstraat 105, 8380 Dudzele, Belgium). Waders: *Haematopus ostralegus*, *Recurvirostra avosetta*, *Charadrius dubius*, *C. hiaticula*, *C. alexandrinus*, *Vanellus vanellus*, *Limosa limosa*, *Numenius arquata*, *Gallinago gallinago* and *Tringa totanus*.

Erhart, F.C. 1994. Broedgevallen van de Oeverloper *Actitis hypoleucus* in Meinerswijk (Arnhem) en elders in Nederland. (Breeding of the Common Sandpiper *Actitis hypoleucus* in The Netherlands). *Limosa* 67(3): 95-99. In Dutch with English summary. (Rozen-daalsestraat 160-10, NL-6824 CN Arnhem, Netherlands).

Frolov, V.V. 1991. [Eurasian Oystercatcher in forest-steppe zone of right bank of the Volga River]. In: *The study of rare animals in RSFSR*. Moscow. Pp. 123-124. In Russian. *Haematopus ostralegus*.

Hanmer, D.B. 1994. Kittlitz's Plover in the lower Shire Valley of Malawi. *Safing News* 23(1): 3-9. (P.O. Box 3076, Paulington, Mutare, Zimbabwe). *Charadrius pecuarius*.

Klimov, S.M. 1991. [The breeding of Black-tailed Godwit in the Lipetsk region]. In: *The study of rare animals in RSFSR*. Moscow. Pp. 129-130. In Russian. *Limosa limosa*.

Lebed', E.A. 1993. (Observations at the Little Ringed Plover pair during the breeding).

Berkut 2: 28-30. In Russian with English summary. *Charadrius dubius*.

Musil, P., Stastny, K. & Bejcek, V. 1992. (Abundance of particular water and wetland bird species on fishponds in the Trebon Basin and changes over the last decade). In: *Vyznamna ptaci uzemi v Ceske a Slovenske Republike. Sbornik referatu ze seminare Ceskoslovenske sekce ICBP, Trebon, 24.-25. března 1992. Ceskoslovenska sekce ICBP, Praha*. Pp. 35-46. In Czech with English summary. (Inst. Appl. Ecol., Kostelec nad Cernymi lesy, CZ-281 63, Czech Republic). *Vanellus vanellus*, *Charadrius dubius*, *C. hiaticula*, *Actitis hypoleucus*, *Tringa ochropus*, *T. totanus*, *T. glareola*, *Philomachus pugnax*, *Limosa limosa* and *Gallinago gallinago* breeding at fishponds in Czechoslovakia.

Musil, P. & Sálek, M. 1994. Changes in abundance of waterbirds in South Bohemia during the last decade: a summary review. In: Aubrecht, G., Dick, G. & Prentice, C. (eds.). *Monitoring of ecological change in wetlands of Middle Europe. Proceedings of an international workshop in Linz, Austria, October 1993*. Pp. 55-60. A shift to field habitats was recorded in the meadow-breeding *Vanellus vanellus*, *Limosa limosa*, *Tringa totanus* and *Gallinago gallinago* during the second half of the 1980s. A similar trend was recorded in *Charadrius dubius*.

Noszály, G. & Székely, T. 1993. (Clutch and egg-size variation in the Kentish Plover (*Charadrius alexandrinus*) during the breeding season). *Aquila* 100: 161-179. In Hungarian with English summary. (Behav. Ecol. Res. Group, Dept. Zool., Kossuth Univ., Debrecen, H-4010, Hungary). Egg-size declined during the breeding season.

O'Brien, M.G. & Smith, K.W. 1994. Breeding lapwings *Vanellus vanellus* on lowland grassland. In: Tucker, G.M., Davies, S.M. & Fuller, R.J. (eds.). *The ecology and conservation of lapwings* *Vanellus vanellus*. Peterborough: Joint Nature Conservation Committee. Pp. 37-38. (BTO, The Nunnery, Thetford, Norfolk IP24 2PU, UK).

Oring, L.W., Reed, J.M. & Maxson, S.J. 1994. Copulation patterns and mate guarding in the sex-role reversed, polyandrous Spotted Sandpiper, *Actitis macularia*. *Anim. Behav.* 47(5): 1065-1072. (Ecol., Evol. & Conserv. Biol. Program, ERS 1000 Valley Rd., Univ. Nev., Reno 89512, USA).

Owens, I.P.F., Burke, T. & Thompson, D.B.A. 1994. Extraordinary sex roles in the Eurasian Dotterel: female mating arenas, female-female competition, and female mate choice. *Am. Nat.* 144(1): 76-100. (Dept. Zool., Univ. Leicester, Leicester LE1 7RH, UK). *Charadrius morinellus*.

- Paton, P.W.C. 1994. *Breeding ecology of Snowy Plovers at Great Salt Lake, Utah*. Ph.D. dissertation, Utah State Univ. 120 pp. (Dept. Fish & Wildl., Coop. Fish & Wildl. Res. Unit, Utah State Univ., Logan 84322, USA). *Charadrius alexandrinus*, USA.
- Pellantová, J. & Martisko, J. 1994. Population trends in waterbird species in the alluvial area of the Dyje-river, Czech Republic. In: Aubrecht, G., Dick, G. & Prentice, C. (eds.). *Monitoring of ecological change in wetlands of Middle Europe. Proceedings of an international workshop in Linz, Austria, October 1993*. Pp. 129-135. (Czech Inst. Nat. Conserv., Res. & Monitoring Ctr. in Brno, Lidicka 25/27, CZ-65720 Brno, Czech Republic). With information on breeding *Vanellus vanellus*, *Charadrius dubius*, *Actitis hypoleucos*, *Tringa totanus*, *Limosa limosa*, *Gallinago gallinago*, *Himantopus himantopus* and *Recurvirostra avosetta*, 1945-1965 and 1989-1993.
- Piersma, T. & Morrison, R.I.G. 1994. Energy expenditure and water turnover of incubating Ruddy Turnstones: high costs under arctic climatic conditions. *Auk* 111(2): 366-376. (Neth. Inst. Sea Res. NIOZ, P.O. Box 59, 1790 AB Den Burg, Texel, Netherlands). *Arenaria interpres*, Canada.
- Pineau, O. 1994. Notes on the breeding biology of the Kentish Plover in the Nile Delta. In: Meininger, P.L. & Atta, G.A.M. (eds.). *Ornithological studies in Egyptian wetlands 1989/90*. FORE-report 94-01, WIWO-report 40, Vlissingen/Zeist. p. 239-242. *Charadrius alexandrinus*.
- Shrubb, M. & Lack, P.C. 1994. Breeding distribution and abundance of lapwings *Vanellus vanellus* in England and Wales in 1987. In: Tucker, G.M., Davies, S.M. & Fuller, R.J. (eds.). *The ecology and conservation of lapwings Vanellus vanellus*. Peterborough: Joint Nature Conservation Committee. Pp. 34-36. (Hill Crest, Llanwrtyd Wells, Powys, LD5 4TL, UK).
- Solovjev, A.N., Sotnikov, V.N. & Ponomaryov, V.V. 1993. (The Oystercatcher *Haematopus ostralegus longipes* on the east of the Russian Plane (Kirov Region)). *Russian J. Ornithol.* 2(4): 431-441. In Russian with English summary.
- Stishov, M.S. & Maryukhnich, P.V. 1991. [Buff-breasted Sandpiper in the Yakan Cape vicinity within of Ekyvivatap river valley (arctic coast of Chukotsky Peninsula)]. In: *The study of rare animals in RSFSR*. Moscow. Pp. 126-129. In Russian. *Tryngites subruficollis*.
- Tomkovich, P.S. 1994. (Site fidelity and spatial structure of population in the Rock Sandpiper *Calidris ptilocnemis* and Dunlin *Calidris alpina* on Chukotsky Peninsula).
- Russian J. Ornithol.* 3(1): 13-30. In Russian with English summary.
- Zingo, J.M. 1994. Behavior and successful nesting of American Oystercatchers on Falkner Island, Connecticut, in 1993. *Conn. Warbler* 14(3): 96-108. (US Natl. Biol. Surv., Patuxent Wildl. Res. Ctr., Branch Migr. Bird Res., Laurel, MD 20708, USA). *Haematopus palliatus*.
- ## BEHAVIOUR, ECOLOGY & EVOLUTION
- Ametov, M.B. 1993. [Data to the study of migration and food of some wader species in Low Amudarya River]. In: *Ecology of birds and mammals of Amudarya River valley, Ustyurt Plateau and Kyzylkum Desert*. Nukus. Pp. 91-108. In Russian.
- Baker, A.J., Piersma, T. & Rosenmeier, L. 1994. Unraveling the intraspecific phylogeography of Knots *Calidris canutus*: a progress report on the search for genetic markers. *J. Orn.* 135(4): 599-608. (Dept. Ornithol., Royal Ontario Mus., Toronto, Ontario, Canada M5S 2C6).
- Berg, Å. 1994. Ecology of curlews *Numenius arquata* and lapwings *Vanellus vanellus* on farmland. In: Tucker, G.M., Davies, S.M. & Fuller, R.J. (eds.). *The ecology and conservation of lapwings Vanellus vanellus*. Peterborough: Joint Nature Conservation Committee. P. 56. (Dept. Wildl. Ecol., Swedish Univ. Agric. Sci., Box 7002, S-750 07, Uppsala, Sweden).
- Botton, M.L., Loveland, R.E. & Jacobsen, T.R. 1994. Site selection by migratory shorebirds in Delaware Bay, and its relationship to beach characteristics and abundance of Horseshoe Crab (*Limulus polyphemus*) eggs. *Auk* 111(3): 605-616.
- Buchanan, J.B. 1989. Unusual bathing behavior by Greater Yellowlegs. *Washington Birds* 1: 33-34. *Tringa melanoleuca*.
- Castelijns, H. 1994. Grutto en Kemphaan overwinteren in toenemende mate in Zeeuws-Vlaanderen. (Black-tailed Godwit *Limosa limosa islandica* and Ruff *Philomachus pugnax* winter in increasing numbers in Zeeuws-Vlaanderen (SW-Netherlands)). *Limosa* 67(3): 113-115. In Dutch with English summary. (Marollenoord 10, NL-4553 CP Philippine, Netherlands). Numbers are given for winter 1975/76 - 1992/93, as well as information on food.
- Castro, G. & Myers, J.P. 1993. Shorebird predation on eggs of Horseshoe Crabs during spring stopover on Delaware Bay. *Auk* 110(4): 927-930. (Wetlands for the Americas, P.O. Box 1770 Manomet, MA 02345, USA). *Arenaria interpres*, *Calidris canutus*, *C. pusilla*, *C. alba* and *C. alpina*.
- Cresswell, W. 1993. Escape responses by Redshanks, *Tringa totanus*, on attack by avian predators. *Anim. Behav.* 46: 609-611. (Inst. Cell., Anim. & Popul. Biol., Univ. Edinburgh, Ashworth Bldg., W. Mains Rd., Edinburgh EH9 3JT, UK).
- Cresswell, W. 1994. Age-dependent choice of redshank (*Tringa totanus*) feeding location: profitability or risk? *J. Anim. Ecol.* 63(3): 589-600.
- Dierschke, V. 1994. Einfluss von Gefieder-verölung auf die Überlebensrate und Körpermasse von Meerstrandläufern *Calidris maritima* auf Helgoland. (The influence of oil-polluted plumage on survival and body mass of Purple Sandpipers *Calidris maritima* at Helgoland). *Vogelwelt* 115(5): 253-255. In German with English summary. (Inst. Vogelforschung "Vogelwarte Helgoland", Inselstation Helgoland, Postfach 1220, D-27494 Helgoland, Germany). Body mass of oiled birds did not differ from that of unoiled birds. Return rates from spring 1992 to the subsequent winter were identical for oiled and unoiled birds and did not differ significantly compared to the previous year. The data presented indicate that Purple Sandpipers are able to clean their plumage of oil without any noticeable effects.
- Frodin, P., Haas, F. & Lindström, Å. 1994. Mate guarding by Curlew Sandpipers (*Calidris ferruginea*) during spring migration in North Siberia. *Arctic* 47(2): 142-144. (Lindström: Dept. Ecol., Anim. Ecol., Univ. Lund, Ecol. Bldg., S-223 62 Lund, Sweden).
- Gamble, D. 1994. Little Ringed Plover eating tadpole. *Brit. Birds* 87(10): 477. (2 Shanklin Gardens, Leicester Forest East, Leicester LE3 3JR, UK). *Charadrius dubius*.
- Gavrilov, V.V. 1993. The relationship between the energy of parental contribution in reproduction and the social organization in waders breeding in Northern Yakutia. In: *Proceedings of VI Meeting on the project "Species and its productivity in the distribution area"*. St. Petersburg. Pp. 146-148.
- Green, M. 1992. Migration of the Dotterel *Charadrius morinellus* through Wales. *Welsh Bird Report* 1991, No. 5: 70-73. (Bronhaul, Pentrebach, Talybont, Dyfed SY24 5EH, UK). This paper examines records of *Charadrius morinellus* at upland sites in Wales during the 1980s in relation to numbers, timing and habitat usage.
- Vander Haegen, W.M., Owen, R.B. Jr. & Krohn, W.B. 1994. Metabolic rate of American Woodcock. *Wilson Bull.* 106(2): 338-343. (US For. Serv., Northeastern For. Exp. Stn., 5 Godfrey Dr., Orono, ME 04473,

USA). *Scopulax minor*.

Hötker, H. 1994. Wadden Sea birds and embankments - can artificial wetlands compensate for losses due to land claims? *Ophelia* (Suppl.) 6: 279-295. (Forschungs- und Technologiezentrum Westküste der Univ. Kiel, Hafentörn, D-25761, Büsum, Germany). Results show that the substitute habitats did not fully compensate for the losses due to land claims. Information is presented on breeding numbers, time-activity budgets, and development of occurrence of waders.

Van Impe, J. 1991. Overleving, sterfte en trek van in België geringde jonge Kluten (*Recurvirostra avosetta*). (Survival, mortality and migration of young Avocets (*Recurvirostra avosetta*) ringed in Belgium). *Gefaut* 81(3-4): 217-243. In Dutch with English summary. (Dr. Van de Perrelei 51B, B-2140 Borgerhout, Belgium). With description of a 'sink' subpopulation.

Karpov, F.F. 1994. (Behaviour of the Broad-billed Sandpipers *Limicola falcinellus* at stopover sites in South and South-East Kazakhstan during autumn migration). *Russian J. Ornithol.* 3(1): 47-51. In Russian with English summary.

Khrokov, V.V. 1994. (On the food gathering behaviour of the Red-necked Phalarope). *Selevinia* 2(1): 75-78. In Russian with English summary. *Phalaropus lobatus*.

Lorenzo, J.A. & Rabuñal, J.L. 1993. Migración del correalmos zarapítin (*Calidris ferruginea*) durante el otoño de 1988 por Galicia y Tenerife. (Migration of the Curlew Sandpiper (*Calidris ferruginea*) during autumn 1988 through Galicia and Tenerife). *Doñana, Acta Vertebrata* 20(1): 98-102. In Spanish with English summary. (Dept. Biol. Animal. (Zool.), Fac. Biol., Univ. de La Laguna, Tenerife, Islas Canarias, Spain). After the migration of adult birds an unusual presence of young birds was observed.

Marks, J.S. & Redmond, R.L. 1994. Migration of Bristle-thighed Curlews on Laysan Island: timing, behavior and estimated flight range. *Condor* 96(2): 316-330. (Co-op. Wildl. Res. Unit., Univ. Mont., Missoula 59812, USA). *Numenius tahitiensis*.

Marks, J.S. & Underhill, L.G. 1994. Moult, migration and mass of a handicapped Bristle-thighed Curlew *Numenius tahitiensis*. *Ardea* 82(1): 153-156.

McNeil, R., Diaz, M.T. & Villeneuve, A. 1994. The mystery of shorebird over-summering: a new hypothesis. *Ardea* 82(1): 143-152. Dept. Sci. Biol., Univ. Montreal, C.P. 6128, Succ. "A", Montreal, Quebec, Canada H3C 3J7. The possibility of a relationship between trematode infestation

and over-summering is discussed.

Meininger, P.L. & Schekkerman, H. 1994. Measurements, moult and mass of waders captured in Egypt, winter and spring 1990. In: Meininger, P.L. & Atta, G.A.M. (eds.). *Ornithological studies in Egyptian wetlands 1989/90*. FORE-report 94-01, WIWO-report 40, Vlissingen/Zeist. Pp. 135-178. Biometric data on 23 wader species.

Melnikov, Yu.I. 1994. (Distraction display of Asian Dowitcher *Limnodromus semipalmatus* during breeding period). *Russian J. Ornithol.* 3(1): 31-46. In Russian with English summary.

Michaud, G. & Ferron, J. 1990. [Prey selection by four shorebird species (*Charadrii*) passing through the Saint-Laurent estuary on their southward migration]. *Can. J. Zool.* 68(6): 1154-1162. In French with English summary. *Pluvialis squatarola*, *Charadrius semipalmatus*, *Tringa flavipes* and *Calidris pusilla* in Canada.

Milsom, T.P. 1994. Trends in habitat selection by lapwings *Vanellus vanellus* during the non-breeding season. In: Tucker, G.M., Davies, S.M. & Fuller, R.J. (eds.). *The ecology and conservation of lapwings* *Vanellus vanellus*. Peterborough: Joint Nature Conservation Committee. Pp. 45-46. (Min. Agric., Fish. & Food, Central Sci. Lab., Tangleay Place, Worlesdon, Surrey GU3 3LQ, UK).

Moreira, F. 1994. Diet and feeding rates of Knots *Calidris canutus* in the Tagus estuary (Portugal). *Ardea* 82(1): 133-136. (Dept. Zool. Antropol., Fac. Ciencias, Bloco C2, Campo Grande, Univ. Lisboa, P-1700 Lisboa, Portugal).

Morgan, K.H. 1994. Underwater swimming behavior of American Black Oystercatcher chicks. *J. Field Ornithol.* 65(3): 406-409. (Environ. Canada, Can. Wildl. Serv., 5421 Robertson Rd., P.O. Box 340, Delta, BC, Canada V4K 3Y3). *Haematopus bachmani*, Canada.

Morozov, V.V. 1993. (Territoriality and mating behaviour of the Pintail Snipe *Gallinago stenura* males in the European tundra). *Russian J. Ornithol.* 2(2): 181-189. In Russian with English summary. (All-Russian Res. Inst. Nature Protection, Znamenskoye-Sadki, Moscow M-628, 113628 Moscow, Russia).

Morozov, V.V. 1993. Zonal peculiarities of the ecology of Whimbrel. *Russ. J. Ecol.* 24(2): 118-122. *Numenius phaeopus*, Russia.

Naranjo, L.G., Franke, R. & Beltran, W. 1994. Migration and wintering of Western Sandpipers on the Pacific coast of Colombia.

J. Field Ornithol. 65(2): 194-200. (Dept. Biol., Univ. del Valle, A.A. 25360, Cali, Colombia). *Calidris mauri*.

Nehls, G., Scheiffarth, G., Dernedde, T. & Ketzenberg, C. 1993. Seasonal aspects of the consumption by birds in the Wadden Sea. *Verh. Dtsch. Zool. Ges.* 86: 286. (Inst. Vogelforschung, Vogelwarte Helgoland, An der Vogelwarte 21, D-26386 Wilhelmshaven, Germany). In August *Limosa lapponica* mainly preyed on *Arenicola marina* which was found in 90% of faecal droppings. In November the proportion of droppings that contained *A. marina* had fallen to 20%, whereas the importance of small polychaetes had increased.

Norman, D. & Coffey, P. 1994. The importance of the Mersey estuary for waders in the cold weather of February 1991. *Ring. & Migr.* 15(2): 91-97. (Rowswood Cottage, Riddings Lane, Sutton Weaver, Runcorn, Cheshire, WA7 6PF, UK). Description of weight changes of *Arenaria interpres*, *Tringa totanus* and *Calidris alpina* during winter.

Parrish, T.L., Anderson, S.H. & Oelklaus, W.F. 1993. Mountain Plover habitat selection in the Powder River Basin, Wyoming. *Prairie Nat.* 25(3): 219-226. (Co-op. Fish & Wildl. Serv. Unit, Box 3166, Univ. Station, Laramie, WY 82071, USA). *Charadrius montanus*.

Paulson, D.R. 1989. Surfbirds eating large edible mussels. *Washington Birds* 1: 35-36. (Slater Mus., Univ. Puget Sound, Tacoma, WA 98416, USA). *Aphriza virgata*.

Peach, W.J., Thompson, P.S. & Coulson, J.C. 1994. Annual and long-term variation in the survival rates of British lapwings *Vanellus vanellus*. In: Tucker, G.M., Davies, S.M. & Fuller, R.J. (eds.). *The ecology and conservation of lapwings* *Vanellus vanellus*. Peterborough: Joint Nature Conservation Committee. P. 57. (BTO, The Nunnery, Thetford, Norfolk IP24 2PU, UK)

Pearson, B. & Stoate, C. 1994. Effects of predation and agriculture on a lapwing *Vanellus vanellus* population in southern England. In: Tucker, G.M., Davies, S.M. & Fuller, R.J. (eds.). *The ecology and conservation of lapwings* *Vanellus vanellus*. Peterborough: Joint Nature Conservation Committee. Pp 43-44. (Inst. Terrestrial Ecol., Furzebrook Res. Stn., Wareham, Dorset BH20 5AS, UK).

Pérez-Hurtado, A. & Hortas, F. 1993. Actividad trófica de limícolas invernantes en salinas y cultivos piscícolas de la Bahía de Cádiz. (Feeding activity of wintering shorebirds in salinas and extensive fishfarm of Cadiz Bay (Southern Spain). *Doñana, Acta Vertebrata* 20(2): 103-123. In Spanish with English summary. (Dept. Biol. Anim., Veg. & Ecol., Fac. Sci. Mar., Polígono Río

- San Pedro, Aptdo. 40, 11510 Puerto Real, Cádiz, Spain). Differences in feeding activity between nine wintering wader species have been studied. Results show a higher importance of salinas, than extensive fishfarm as alternative feeding grounds to intertidal mudflats. Waders: *Himantopus himantopus*, *Charadrius alexandrinus*, *C. hiaticula*, *Pluvialis squatarola*, *Calidris minuta*, *C. alpina*, *Limosa limosa*, *L. lapponica* and *Tringa totanus*.
- Piersma, T. 1994. Waders in winter: blowing hot and cold. *Birds* (Autumn): 64-66. (NIOZ, P.O. Box 59, 1790 AB Den Burg, Texel, Netherlands). On energy expenditure in *Calidris canutus*.
- Rompre, G. & McNeil, R. 1994. Seasonal changes in day and night foraging of Willets in northeastern Venezuela. *Condor* 96(3): 734-738. (Dept. Sci. Biol., Univ. Montreal, C.P. 6128, succursale centre-ville, Montreal, PQ, Canada H3C 3J7). *Charadrius semipalmatus*.
- Rubega, M. & Inouye, C. 1994. Prey switching in red-necked phalaropes *Phalaropus lobatus*: feeding limitations, the functional response and water management at Mono Lake, California, USA. *Biol. Conserv.* 70(3): 205-210.
- Saether, S.A. 1994. Vocalizations of female Great Snipe *Gallinago media* at the lek. *Ornis Fenn.* 71(1): 11-16. (Dept. Zool., Univ. Trondheim, N-7055 Dragvoll, Norway).
- Sandercock, B.K. 1993. North to Alaska. *Information North* 19(4): 1-4. Short note on population demography, migration energetics, and regulation of clutch size in *Calidris mauri* and *C. pusilla* in Alaska.
- Scheiffarth, G., Ketzenberg, C. & Exo, K.-M. 1993. Utilization of the Wadden Sea by waders: differences in time budgets between two populations of Bar-tailed Godwits (*Limosa lapponica*) on spring migration. *Verh. Dtsch. Zool. Ges.* 86: 287. (Inst. Vogelforschung, Vogelwarte Helgoland, An der Vogelwarte 21, D-26386 Wilhelmshaven, Germany). Energy demand of the Afro-Siberian and the European population of *Limosa lapponica* has been compared in the German Wadden Sea. Time budgets of the two populations differed distinctly. Afro-Siberian birds cover their higher energy demand at least by a longer feeding period.
- Shrubb, M. 1994. The effects of agriculture on the nesting of farmland lapwings *Vanellus vanellus* in England and Wales. In: Tucker, G.M., Davies, S.M. & Fuller, R.J. (eds.). *The ecology and conservation of lapwings* *Vanellus vanellus*. Peterborough: Joint Nature Conservation Committee. Pp. 49-51. (Hill Crest, Llanwrtyd Wells, Powys, LD5 4TL, UK).
- Staine, K.J. & Burger, J. 1994. Nocturnal foraging behavior of breeding Piping Plovers (*Charadrius melanotos*) in New Jersey. *Auk* 111(3): 579-587.
- Stenzel, L.E., Warriner, J.C., Warriner, J.S., Wilson, K.S., Bidstrup, F.C. & Page, G.W. 1994. Long-distance breeding dispersal of snowy plovers in western North America. *J. Anim. Ecol.* 63(4): 887-902. *Charadrius alexandrinus*.
- Stikvoort, E.C. 1994. Stomach and faeces contents of waterbirds in Egypt. In: Meininger, P.L. & Atta, G.A.M. (eds.). *Ornithological studies in Egyptian wetlands 1989/90*. FORE-report 94-01, WIWO-report 40, Vlissingen/Zeist. Pp. 193-212. On the stomach contents of 23 wader species.
- Thibault, M. & McNeil, R. 1994. Day/night variation in habitat use by Wilson's Plovers in northeastern Venezuela. *Wilson Bull.* 106(2): 299-310. (Dept. Sci. Biol., Univ. Montreal, C.P. 6128, Succ. Centre-Ville, Montreal, PQ, Canada H3C 3J7). *Charadrius wilsonia cinnamominus*.
- Tomkovich, P.S. 1994. (Spatial structure of the Spoon-billed Sandpiper (*Eurynorhynchus pygmeus*) population at the breeding grounds). In: *Modern ornithology 1992*. Moscow, Nauka. Pp. 130-148. In Russian with English summary.
- Toomer, D.K. & Hale, W.G. 1993. *The roosting behaviour of waders and wildfowl in Cardiff Bay: winter 1992/93*. BTO Research Report No. 116. Thetford: British Trust for Ornithology. (BTO, The Nunnery, Nunnery Place, Thetford, Norfolk IP24 2PU, UK).
- Triplet, P. 1994. Kleptoparasitisme du Goéland cendré *Larus canus* sur l'Huitrier-pie *Haematopus ostralegus*, consommateur de coques *Cerastoderma edule*: adaptions comportementales. [Kleptoparasitism by the Common Gull *Larus canus* on cockle eating Oystercatcher *Haematopus ostralegus*: behavioural adaptations]. *Alauda* 62(3): 113-122. In French with English summary. (O.N.C./CNERA-Avifaune Migratrice, Direction de la Recherche et du Développement, 40, rue Carnot, F-80550 Le Crotoy, France). This paper describes changes in feeding behaviour in Oystercatchers caused by kleptoparasitism of Common Gulls.
- Tucker, G.M. 1994. The effects of farm practices on lapwings *Vanellus vanellus* and their food resources in winter. In: Tucker, G.M., Davies, S.M. & Fuller, R.J. (eds.). *The ecology and conservation of lapwings* *Vanellus vanellus*. Peterborough: Joint Nature Conservation Committee. Pp. 52-53. (BTO, The Nunnery, Thetford, Norfolk IP24 2PU, UK).
- Tulp, I. & Goeij, P. de 1994. Evaluating wader habitats in Roebuck Bay (north-western Australia) as a springboard for northbound migration in waders, with a focus on Great Knots. *Emu* 94(2): 78-95. (Neth. Inst. Sea Res. NIOZ, P.O. Box 59, 1790 AB Den Burg, Texel, Netherlands). Study of diet and foraging behaviour of *Calidris tenuirostris* and *C. canutus rogersi* and other waders.
- Village, A. & Westwood, N.J. 1994. The relationship of lapwing *Vanellus vanellus* numbers and feeding rates to earthworm numbers in arable and pasture fields in autumn and winter. In: Tucker, G.M., Davies, S.M. & Fuller, R.J. (eds.). *The ecology and conservation of lapwings* *Vanellus vanellus*. Peterborough: Joint Nature Conservation Committee. Pp. 47-48. (Monks Wood Experimental Station, Abbots Ripton, Huntingdon PE17 2LS, UK).
- Warnock, N.D. 1994. *Biotic and abiotic factors affecting the distribution and abundance of a wintering population of Dunlin*. Ph.D. Dissertation, Univ. Calif. (Davis), 145 pp. *Calidris alpina pacifica*, California.
- Wiersma, P. & Piersma, T. 1994. Effects of microhabitat, flocking, climate and migratory goal on energy expenditure in the annual cycle of Red Knots. *Condor* 96(2): 257-279. (Neth. Inst. Sea Res. NIOZ, P.O. Box 59, 1790 AB Den Burg, Texel, Netherlands). *Calidris canutus islandica*.
- Wilson, H. 1989. Short-billed Dowitcher migration at Bottle Beach, Grays Harbor, Washington, during spring 1989. *Washington Birds* 1: 37-39. (Slater Mus., Univ. Puget Sound, Tacoma, WA 98416, USA). *Limnodromus griseus* and *Calidris mauri*.

DISTRIBUTION & FAUNISTICS

Adriaens, P. & De Smet, G. 1994. Woestijnplevier *Charadrius leschenaultii* te Zeebrugge in juli 1993. (Greater Sandplover *Charadrius leschenaultii* in Zeebrugge on 14 and 15 July 1993). *Mergus* 8(2): 88-96. (G. De Smet: Keuzemeers 23, B-9031 Drongen-Baarle, Belgium).

Alberghetti, S., Cester, D., Cherubini, G., de Faveri, A., Manzi, R. & Panzarini, F. 1992. [Capture of Buff-breasted Sandpiper, *Tryngites subruficollis*, in the Lagoon of Venice (NE Italy)]. *Riv. Ital. Ornitol.* 62(3-4): 187-188. In Italian. (Cent. Ornitol. Veneto Orientale, c/o Mus. Storia Nat., 31044 Montebelluna (Treviso), Italy).

Ashman, P. 1993. Whimbrel (*Numenius phaeopus*) - 29 May 1993, Dane County, Nine Springs Lagoons. *Passenger Pigeon* 55(4): 372-373. (615 E. Johnson St.,

Madison, WI 53703, USA).

Atta, G.A.M., Baptist, H.J.M., Meininger, P.L., Petersen, I.K., Sorenson, U.G. & Walmsley, J.G. 1994. Counts of waterbirds in Egypt, winter 1989/90. In: Meininger, P.L. & Atta, G.A.M. (eds.). *Ornithological studies in Egyptian wetlands 1989/90*. FORE-report 94-01, WIWO-report 40, Vlissingen/Zeist. Pp. 91-98. Numbers for 39 wader species.

Banik, M.V. & Vergeles, Yu.I. 1993. (New find of the Black-winged Stilt nest colony in the Kharkov Region). *Berkut* 2: 55. In Russian with English summary. *Himantopus himantopus*.

Bankovics, A. 1991. (The role of the Pannon-Basin in Ruff (*Philomachus pugnax*) migration). *Természetvédelmi Közlemények* 1: 93-97. In Hungarian with English summary. (Hung. Nat. Hist. Mus., H-1088, Budapest, Baross u. 13, Hungary). Qualitative description of Ruff migration.

Basso, M. & De Faveri, A. 1993. Primi dati sulla migrazione del Piviere tortolino *Charadrius morinellus* in provincia di Belluno. [Records of migrating *Charadrius morinellus* in the province of Belluno]. In: Mezzaville, F. & Stival, E. (red.). Atti 1° Convegno Faunisti Veneti. Centro Ornitologico Veneto Orientale, Montebelluna (TV), pp. 71-76. In Italian with English summary. (Via P. Barozzi, 7 A, 35128 Padova, Italy). Plumage and moult patterns of birds seemed to indicate a high turnover rate.

Baudraz, M. & Guillaume, T. 1993. [First nesting of the Little Ringed Plover (*Charadrius dubius*) at Valée de Joux]. *Nos Oiseaux* 42(4): 229-230. In French. (15, Av. Colleges, CH-1009 Pully, Switzerland).

Blanki, V.V., Kokhanov, V.D., Koriakin, A.S., Krasnov, Yu.V., Paneva, T.D., Tatarinkova, I.P., Chemiakin, R.G., Shklayevich, F.N. ...[et al]. 1993. (The birds of the Kola Peninsula and White Sea). *Russian J. Ornithol.* 2(4): 491-586. In Russian with English summary.

Brehme, S., Hahnke, H., Mielke, M., Helbig, A.J. & Ehrwig, G. 1994. Beiträge zur Wintervogelwelt Algeriens mit ernährungsökologischen Beobachtungen speziell an Sylviiden. (Notes on the winter distribution and ecology of birds in Algeria with emphasis on Sylviid warblers). *Vogelwelt* 115(5): 227-241. In German with English summary. (Görschstrasse 47, D-13187, Berlin, Germany). Wader records: *Himantopus himantopus*, *Gallinago gallinoga*, *Lymnocryptes minimus*, *Limosa limosa*, *Actitis hypoleucos*, *Calidris ferruginea* and *Arenaria interpres*.

Buchanan, J.B. 1992. Winter abundance of shorebirds at coastal beaches of Washington. *Washington Birds* 2: 12-19. Results of an

annual winter census, 1982-1990. Species: *Pluvialis squatarola*, *Charadrius alexandrinus*, *C. semipalmatus*, *C. vociferus*, *Tringa melanoleuca*, *Numenius americanus*, *Limosa fedoa*, *Calidris alba*, *C. mauri*, *C. minutilla*, *C. alpina* and *Limnodromus griseus*.

Bürger, P. 1992. (Avifauna of the Sumava Mountains - its present status and prospects). In: *Vyznamna ptaci uzemi v Ceske a Slovenske Republike. Sbornik referatu ze seminare Ceskoslovenske sekce ICBP, Trebon, 24.-25. brezna 1992*. Ceskoslovenska sekce ICBP, Praha. Pp. 22-27. In Czech with English summary. *Gallinago gallinago*.

Cable, T.T. 1994. First record of Three-banded Plover *Charadrius tricollaris* in Ivory Coast. *Malimbus* 16(1): 57-58.

Carey, G.J. 1993. The status and field identification of Snipe in Hong Kong. *Hong Kong Bird Rep.* 1992: 139-152. (1st Floor, 32A Chek Nai Ping, Sha Tin, Hong Kong). *Gallinago gallinago*.

Cherubini, G. & Panzarini, F. 1993. Il Fratino *Charadrius alexandrinus* nidificante lungo i litorali della provincia di Venezia. (Breeding Kentish Plover, *Charadrius alexandrinus*, along the Venetian coast). In: Mezzaville, F. & Stival, E. (red.). Atti 1° Convegno Faunisti Veneti. Centro Ornitologico Veneto Orientale, Montebelluna (TV), pp. 111-112. In Italian. (Centro Ornit. Veneto Or., Museo di St. e Sc. Naturali, Villa Biagi, 31044 Montebelluna TV, Italy). Information on number of breeding pairs.

Clark, J.A., Clark, N.A., Gill, J.A. & Sutherland, W.J. 1993. Black-tailed Godwits on the Wash. *Wash Wader Ringing Group Report 1991-92*: 55-60. (BTO, The Nunnery, Thetford, Norfolk IP24 2PU, UK). *Limosa limosa*.

Clark, N.A. & Clark, J.A. 1993. The effects of severe weather in February 1991 on waders of the Wash. *Wash Wader Ringing Group Report 1991-92*: 61-62.

Clark, N.A. & Prys-Jones, R.J. 1994. Low tide distribution of wintering waders and shelduck on the Severn Estuary in relation to the proposed tidal barrage. *Biol. J. Linn. Soc.* 51: 199-217. (BTO, The Nunnery, Thetford, Norfolk IP24 2PU, UK).

Ctyroky, P. 1994 [Chettusia leucura (Lichtenstein, 1823) - a native of southwestern Asia]. *Falke* 41(5): 167-170. In German. (Malostranske nam. 19, CR-118 21 Praha 1, Czech Republic).

Dee, S. 1993. Whimbrel (*Numenius phaeopus*) - 24 May 1991, 25-26 May 1993, Door County, Washington Island.

Passenger Pigeon 55(4): 372. (R.R.1, Box 122D, Washington Island, WI 54246, USA).

Dijk, A.J. van, Hustings, F. & Verstraet, T. 1994. *SOVON broedvogelverslag 1992*. [SOVON breeding birds report 1992]. Beek-Ubbergen: SOVON, 88 pp. In Dutch. (SOVON, Rijksstraatweg 178, 6573 DG, Beek-Ubbergen, Netherlands). Information on breeding waders for: *Recurvirostra avosetta*, *Himantopus himantopus*, *Burhinus oedicnemus*, *Charadrius hiaticula*, *C. alexandrinus*, *Calidris alpina*, *Actitis hypoleucos*. SOVON-monitoring-rapport 1994/03.

Dorogoi, I.V. 1994. (On some birds distribution in Central Chukotka). *Bull. Moscow Soc. Naturalists (Biol. Ser.)* 99(1): 17-21. In Russian with English summary.

Ecsedi, Z. & Szondi, L. 1993. Infrequent bird visitors in the North-East-Hortobágy between 1985 and 1991. *Aquila* 100: 290-291. (4060 Balmazújváros, Esze T. u. 8, Hungary). *Chettusia leucura*, *Calidris melanotos* and *C. maritima*.

Erritzoe, J. 1994. First record of the Dunlin from the Philippines. *Bull. Brit. Orn. Club* 114(2): 128-129. (Taps Old Rectory, DK-6070 Christiansfeld, Denmark). *Calidris alpina*.

Flemming, S.P. 1994. The 1991 International Piping Plover census in Canada. Occ. Papers Canadian Wildlife Service. 59 pp. *Charadrius melanotos*. About 3,600 birds were counted. With information on breeding numbers in the USA and on wintering numbers in the Gulf of Mexico. ISBN 0-662-22203-2.

Geene, R., Meininger, P.L. & Westrienen, R. van 1994. Passage of Eurasian waders through northern Egypt. In: Meininger, P.L. & Atta, G.A.M. (eds.). *Ornithological studies in Egyptian wetlands 1989/90*. FORE-report 94-01, WIWO-report 40, Vlissingen/Zeist. p. 99-134. Information on 35 wader species wintering in Africa and breeding in Europe and Asia, as well as information on timing of migration, turn-over and duration of stay.

Goossen, J.P. 1990. Piping Plover research and conservation in Canada. *Blue Jay* 48(3): 139-153. (Can. Wildl. Serv., Rm. 210, 4999-98 Ave., Edmonton, AB, Canada T6B 2X3). *Charadrius melanotos*.

Groot, T. de 1993. [Long-billed Dowitcher at Oudega in August-October 1991]. *Dutch Birding* 15(2): 63-66. In Dutch with English summary. *Limnodromus scolopaceus*, Netherlands.

- Hadarics, T. 1993. First observation of the Greater Sandplover (*Charadrius leschenaultii*) in Hungary. *Aquila* 100: 298-300.
- Harrington, B.A. & Haase, B. 1994. Latitudinal differences in sex ratios among nonbreeding Western Sandpipers in Puerto Rico and Ecuador. *Southwest Nat.* 39(2): 188-189. (Manomet Observ., Conserv. Sci., Manomet, MA 02345, USA). *Calidris mauri*.
- Harvey, W.G. 1994. Chestnut-banded Sandplover *Charadrius pallidus* breeding at Amboseli in 1993. *Scopus* 17(2): 139.
- Henderson, I.G., Peach, W.J. & Baillie, S.R. 1993. The hunting of Snipe and Woodcock in Europe: a ringing recovery analysis. *BTO Research Report No. 115*. Thetford: British Trust for Ornithology. (BTO, The Nunnery, Nunnery Place, Thetford, Norfolk IP24 2PU, UK). *Gallinago gallinago* and *Scolopax rusticola*.
- Holmgren, N. 1994. [Ottenby's resting Dunlin]. *Vår Fågelvärld* 53(3): 15-16. In Swedish. *Calidris alpina*, Sweden.
- Hötker, H., Bruns, H.A. & Kölsch, G. 1994. Die Nordstrander Bucht nach der Eindeichung - Naturschutz, Habitat Management und Entwicklung der Vogelbestände. (The Nordstrand Bay after the land claim - nature conservation, habitat management and development of bird populations). *Berichte zum Vogelschutz* 32: 84-96. In German with English summary. (Forschungs- und Technologie-zentrum Westküste der Univ. Kiel, Hafentörn, D-25761, Büsum, Germany). Breeding waders: *Haematopus ostralegus*, *Recurvirostra avosetta*, *Charadrius dubius*, *C. alexandrinus*, *C. hiaticula*, *Vanellus vanellus*, *Calidris alpina*, *Philomachus pugnax*, *Limosa limosa*, *Tringa totanus*. Also information on numbers of migrating waders.
- Howell, S.N.G. & Webb, S. 1994. Occurrence of Snowy and Collared Plovers in the interior of Mexico. *West. Birds* 25(3): 146-150. (Point Reyes Bird Observ., 4990 Shoreline Hwy., Stinson Beach, CA 94970, USA). *Charadrius alexandrinus* and *C. collaris*.
- Hut, M.G. van der 1994. Ontwikkelingen in de broedvogelstand van de Twiskepolder, 1970-1994. [Breeding birds in the Twiskepolder, 1970-1994]. *Graspieper* 14(4): 152-165. In Dutch. (Geersbroekstr. 13, NL-1507 KR Zaandam, Netherlands). Meadowbirds in the province of Noord-Holland, Netherlands. Breeding waders: *Haematopus ostralegus*, *Recurvirostra avosetta*, *Charadrius dubius*, *Vanellus vanellus*, *Gallinago gallinago*, *Philomachus pugnax*, *Limosa limosa* and *Tringa totanus*.
- Kent, T.H. 1993. Red Phalarope at Redburn Reservoir. *Iowa Bird Life* 63(3): 82. (211 Richards St., Iowa City, IA 52246, USA). *Phalaropus fulicarius*, USA.
- Khrokov, V.V., Beryozovikov, N.N., Karpov, F.F. & Kovalenko, A.V. 1993. (Waders of the Utva-Ilek interstream area). *Russian J. Ornithol.* 2(2): 191-199. In Russian with English summary.
- Kirby, J.S. & Fuller, R.J. 1994. Winter distribution and habitat use by lapwings *Vanellus vanellus* in the Vale of Aylesbury. In: Tucker, G.M., Davies, S.M. & Fuller, R.J. (eds.). *The ecology and conservation of lapwings Vanellus vanellus*. Peterborough: Joint Nature Conservation Committee. Pp. 54-55. (The Wildfowl & Wetlands Trust, Slimbridge, Gloucester GL2 7BT, UK).
- Kirkconnell, A., Sanchez, B. & Rodriguez, D. 1992. [Notes on *Charadrius melanotos* (Aves: Charadriidae) in Cayo Paredon Grande, of the Sabana-Camaguey Archipelago, Cuba]. *Volante Migratorio* 19: 29-30. In Spanish. (Mus. Hist. Nat. Capitolio Nac, La Habana 2, Cuba).
- Klimov, S.M., Abramov, A.V., Nedosekin, V.Yu. & Sarychev, V.S. 1991. [About rare bird species in the Lipetsk region]. In: *The study of rare animals in RSFSR*. Moscow. Pp. 109-110. In Russian.
- Klinken, A. van 1994. De opkomst van de Wulp als akkervogel. [Increase of Curlews as a farmland breeding bird]. *Vogeljaar* 42(5): 202-204. In Dutch. (Olaf Palmelaan 105, 9728 VG Groningen, Netherlands). Increase in the breeding numbers of *Numenius arquata*, on farmland in the northern part of the Netherlands.
- Knopf, F.L. & Miller, B.J. 1994. *Charadrius montanus* - montane, grassland, or bare-ground plover? *Auk* 111(2): 504-506. (Natl. Biol. Surv., 4512 McMurry Ave, Fort Collins, CO 80525, USA).
- Maisonneuve, C. 1993. Is population decline in Short-billed Dowitchers *Limnodromus griseus*, related to hydroelectric projects? *Can. Field Nat.* 107(2): 253-255. (Minist. Loisir, Chasse & Peche, Dir. Faune Habitats, Serv. Faune Terrestre, 150 boul. René Levesque Est., PQ, Canada G1R 4Y1).
- Martin, P. 1994. Rare waders at the Swartkops estuary. *Bee-eater* 45(2): 21-22. (P.O. Box 27454, Greenacres, 6057 Port Elizabeth, South Africa). *Pluvialis fulva* and *Limicola falcinellus* in South Africa.
- Maumary, L. & Volet, B. 1994. Seltene Vogelarten und ungewöhnliche Vogelbeobachtungen in der Schweiz im Jahre 1993. (Rare and unusual bird observations in Switzerland in 1993). *Orn. Beob.* 91(4): 217-235. In German with English summary. (Ombreval 2, CH-1008 Prilly, Switzerland).
- Waders: *Limicola falcinellus*, *Tringa erythropus*, *T. stagnatilis*, *Phalaropus lobatus*, *P. fulicarius* and *Numenius tenuirostris*.
- Meininger, P.L. & Atta, G.M. (eds.) 1994. *Ornithological studies in Egyptian wetlands 1989/90*. Zeist: WIWO (Foundation Working Group International Wader and Waterfowl Research) [etc.], WIWO-report 41, FORE-report 94-01. 402 pp. (Foundation Working Group International Wader and Waterfowl Research (WIWO), c/o Driebergseweg 16c, 3708 JB Zeist, Netherlands). Study of Egyptian wetlands in winter and in spring, with information on 45 wader species.
- Meininger, P.L., Nikolaus, G. & Khounganian, E. 1994. Ringing recoveries, mainly resulting from the Egyptian Wetland Project. In: Meininger, P.L. & Atta, G.A.M. (eds.). *Ornithological studies in Egyptian wetlands 1989/90*. FORE-report 94-01, WIWO-report 40, Vlissingen/Zeist. Pp. 245-260. Recoveries of *Recurvirostra avosetta*, *Charadrius alexandrinus*, *Pluvialis squatarola*, *Calidris alpina*, *C. ferruginea*, *Limicola falcinellus*, *Tringa totanus* and *T. nebularia*.
- Meininger, P.L. 1994. Systematic list of birds observed in Egypt, December 1989-July 1990. In: Meininger, P.L. & Atta, G.A.M. (eds.). *Ornithological studies in Egyptian wetlands 1989/90*. FORE-report 94-01, WIWO-report 40, Vlissingen/Zeist. Pp. 295-367.
- Miquet, A. 1994. [Little Ringed Plover *Charadrius dubius* nesting at an altitude of 1700 m.]. *Alauda* 62(2): 116. In French. (CORA Savoie, Univ. Savoie, Biol., F-73376 Le Bourget-du-Lac cedex, France).
- Mueller, W.P. 1993. Whimbrel (*Numenius phaeopus*) - 23 May 1993, Keweenaw and Manitowoc Counties. *Passenger Pigeon* 55(4): 373. (1244 S. 45th St., Milwaukee, WI 53214, USA).
- Nechaev, V.A. 1993. (Records of new wader species for Primorye). *Russian J. Ornithol.* 2(4): 587-588. In Russian with English summary.
- van Niekerk, D.J. 1994. The Turnstone *Arenaria interpres* in the Orange Free State. *Mirafrla* 11(1): 23-24. (Posbus 7700, Bloemfontein 9300, South Africa).
- Nixon, R. & Nixon, A. 1994. Phalarope at Mondplaas Ponds. *Bee-eater* 45(3): 44. *Phalaropus tricolor* in South Africa.
- Nussbaum, D. 1993. Ruff (*Philomachus pugnax*) - 4 May 1993, Outagamie County, Bischoff Road near Shiocton. *Passenger Pigeon* 55(4): 373. (1544 Ames St., Neenah,

- WI 54956, USA).
- O'Brien, M. & Self, M. 1994. Changes in the numbers of breeding waders on lowland wet grasslands in the UK. *RSPB Conservation Review* 8: 38-44. *Vanellus vanellus*, *Gallinago gallinago*, *Tringa totanus*, *Numenius arquata* and *Haematopus ostralegus*.
- Olsen, K.M. 1994. [Field identification of Curlew]. *Vår Fågelvärld* 53(2): 28-31. In Swedish. (Gartnerivej 3, DK-2100 Copenhagen Ø, Denmark). *Numenius minutus*, *N. arquata*, *N. orientalis*, *N. phaeopus* and *N. tenuirostris*.
- Pacenovsky, S. 1992. (The ponds near Hrhov and Chym: important sites for water birds in the Kosice-basin). In: Vyznamna ptaci uzemi v Ceske a Slovenske Republice. Sbornik referatu ze seminare Ceskoslovenske sekce ICBP, Trebon, 24.-25. brezna 1992. Ceskoslovenska sekce ICBP, Praha. Pp. 156-164. In Czech with English summary. Migrating waders: *Recurvirostra avosetta*, *Xenus cinereus*, *Numenius phaeopus* and *Phalaropus lobatus*.
- Patterson, R.M., Wakefield, W.C. & Wakefield, M. 1994. A Hudsonian Godwit *Limosa haemastica* in south-eastern Tasmania. *Aust. Bird Watcher* 15(7): 283-286. (89 Summerleas Road., Fern Tree, Tasmania 7054, Australia).
- Paulin, D. 1994. *Shorebirds of the Pacific Northwest*. Seattle [etc.]: University of Washington Press. 405 pp. ISBN: 0-29597-233-5.
- Paulson, D.R. 1989. Early arrival dates for juvenile shorebirds in the Pacific Northwest. *Washington Birds* 1: 27-32. (Slater Mus., Univ. Puget Sound, Tacoma, WA 98416, USA). Arrival dates are given for 31 wader species (juveniles).
- Perennou, C., Mundkur, T., Scott, D.A., Folkestad, A. & Kvenild, L. 1994. *The Asian Waterfowl Census 1987-91: distribution and status of Asian waterfowl*. Kuala Lumpur [etc.]: Asian Wetland Bureau AWB [etc.], 372 pp. (AWB, Inst. Advanced Studies, Univ. Malaya, Lembah Pantai, 59100 Kuala Lumpur, Malaysia. IWRB, Slimbridge, Gloucester GL2 7BX, UK). AWB Publication No. 86, IWRB Publication No. 24, ISBN 983-9663-13-5. Distribution maps are presented for the 200 most common species. For some species population estimates are given. Information is presented too for Afghanistan, Iraq, Iran, Kirghizistan, Pakistan, Tadjikistan, Turkmenistan, and Uzbekistan.
- Pérez-Hurtado, A., Hortas, F., Ruiz, J. & Solís, F. 1993. Importancia de la Bahía de Cádiz para las poblaciones de limícolas invernantes e influencia de las transformaciones humanas. (The importance of the Bay of Cádiz for wintering shorebirds and effects of human transformations). *Ardeola* 40(2): 133-142. In Spanish with English summary. (Dept. Biol. Anim., Veg. & Ecol., Fac. Sci. Mar, Polígono Río San Pedro, Aptdo. 40, 11510 Puerto Real, Cádiz, Spain). Wintering wader populations from the Cádiz Bay Natural Park and the total population for Spain, Iberian Peninsula and the East Atlantic flyway have been compared. The Bay of Cádiz supports more than 20,000 wintering shorebirds. Numbers of *Himantopus himantopus*, *Recurvirostra avosetta*, *Charadrius hiaticula*, *C. alexandrinus*, and *Limosa limosa* reached more than 1% of their respective East Atlantic flyway populations. With information on numbers of 20 wader species.
- Peterson, M. 1994. Ruff (*Philomachus pugnax*): 3 June 1993, Dodge County. *Passenger Pigeon* 56(1): 87-88. (Box 53, Caroline, WI 54928, USA).
- Rogers, M.J. & the Rarities Committee 1994. Report on rare birds in Great Britain in 1993. *Brit. Birds* 87(11): 503-571. *Glaureola maldivarum*, *G. nordmanni*, *Charadrius vociferus*, *C. leschenaultii*, *Pluvialis fulva*, *P. dominica*, *Chettusia gregaria*, *Calidris pusilla*, *C. mauri*, *C. minutilla*, *C. fuscicollis*, *C. bairdii*, *C. acuminata*, *Limicola falcinellus*, *Gallinago media*, *Limnodromus scolopaceus*, *Bartramia longicauda*, *Tringa stagnatilis*, *T. flavipes*, *Actitis macularia* and *Phalaropus tricolor*.
- Rufino, R. & Costa, L.T. 1993. Contagens de aves aquáticas em Portugal - Janeiro de 1993. (Mid-winter wader and waterfowl counts in Portugal - January 1993). *Airo* 4(2): 57-67. In Portuguese.
- Salvig, J.C., Asbjørk, S., Kjeldsen, J.P. & Rasmussen, P.A.F. 1994. Wintering waders in the Bijagos Archipelago, Guinea-Bissau 1992-1993. *Ardea* 82(1): 137-142. (Natl. Environm. Res. Inst., Dept. Wildl. Ecol., Kalo, DK-8410 Ronde, Denmark). It was estimated that about 700,000 waders were wintering. Estimated numbers are given for *Calidris alba*, *C. alpina*, *Charadrius hiaticula*, *C. alexandrinus*, *Pluvialis squatarola*, *Calidris ferruginea*, *C. minuta*, *C. canutus*, *Arenaria interpres*, *Actitis hypoleucos*, *Tringa totanus*, *Haematopus ostralegus*, *Tringa nebularia*, *Limosa lapponica*, *Numenius arquata* and *N. phaeopus*. Results are compared with previous estimates.
- Schepers, F., Pineau, O., Geene, R. & Abdelsamad, A.I. 1994. Pectoral Sandpiper in Egypt in May 1990. In: Meininger, P.L. & Atta, G.A.M. (eds.). *Ornithological studies in Egyptian wetlands 1989/90*. FORE-report 94-01, WIWO- report 40, Vlissingen/Zeist. p.
286. *Calidris melanotos*.
- Scott, C. 1993. Red Knots at Rathbun Reservoir. *Iowa Bird Life* 63(4): 104. (320 E Lee St., Seymour, IA 52590, USA). *Calidris canutus*, USA.
- Sterbetz, I. 1992. Migration of the Curlew Sandpiper (*Calidris ferruginea*) in the South-East Plain (Hungary). *Aquila* 100: 181-188. (H-1131, Budapest, Fivéér u. 4/a, Hungary). Numbers of migrating Curlew Sandpipers declined since 1950.
- Sterbetz, I. 1992. (The decline of the *Charadrius alexandrinus* L., 1758 population at Vásárhelyi Puszta). *Allattani Közlemények* 78: 89-93. In Hungarian with English summary. Number of nests declined since 1963.
- Stishov, M.S. & Maryukhnich, P.V. 1991. [Broad-billed Sandpiper in the west of Vankarem lowland]. In: *The study of rare animals in RSFSR*. Moscow. Pp. 125-126. In Russian. *Limicola falcinellus*.
- Stishov, M.S. 1994. (On the distribution and habitats of Buff-breasted Sandpiper *Tryngites subruficollis* (Aves) on Chukotski Peninsula.). *Zool. Zh.* 73(3): 83-91. In Russian with English summary.
- Tinarelli, R. 1992. [The wintering of Black-winged Stilts, *Himantopus himantopus*, in the inner delta of Niger (Mali)]. *Riv. Ital. Ornitol.* 62(3-4): 105-115. In Italian with English summary. (Via Savena Inferiore 9, 40061 Minerbio (Bologna), Italy).
- Triplet, P. & Yésou, P. 1994. Oiseaux d'eau dans le delta du Sénégal en janvier 1994. [Water birds in the Senegal delta, January 1994]. *Bull. mens. ONC* 190: 2-11. In French. (O.N.C/CNERA-Avifaune Migratrice, Direction de la Recherche et du Développement, 40, rue Carnot, F-80550 Le Crotoy, France). With information on numbers of 30 wader species.
- Tyler, S.J. 1992. A review of the status of breeding waders in Wales. *Welsh Bird Report* 1991, No. 5: 74-86. (RSPB, Bryn Aderyn, The Bank, Newtown, Powys, SY16 2AB, UK). *Haematopus ostralegus*, *Himantopus himantopus*, *Charadrius dubius*, *C. hiaticula*, *Pluvialis apricaria*, *Vanellus vanellus*, *Calidris alpina*, *Gallinago gallinago*, *Numenius arquata*, *Tringa totanus* and *Actitis hypoleucos*.
- Waters, R.J. & Cranswick, P.A. 1993. *The Wetland Bird Survey 1992-1993: wildfowl and wader counts*. Slimbridge: BTO/WWT/RSPB/JNCC. 122 pp. (UK£5 incl. p&p from The Wildfowl & Wetlands Trust, Slimbridge, Gloucester GL2 7BT, UK). Waders: *Haematopus ostralegus*, *Recurvirostra avosetta*, *Charadrius hiaticula*, *Pluvialis*

- apricaria*, *P. squatarola*, *Vanellus vanellus*, *Calidris canutus*, *C. alba*, *C. minuta*, *C. ferruginea*, *C. maritima*, *C. alpina*, *Philomachus pugnax*, *Lymnocryptes minimus*, *Gallinago gallinago*, *Limosa limosa*, *L. lapponica*, *Numenius phaeopus*, *N. arquata*, *Tringa erythropus*, *T. totanus*, *T. nebularia*, *T. ochropus*, *Actitis hypoleucus*, *Arenaria interpres*. Annual results of national non-breeding waterfowl and wetland monitoring scheme.
- Winkler, H., Berthold, P. & Leisler, B. 1994. Monitoring of bird populations in the Lake Neusiedl area. In: Aubrecht, G., Dick, G. & Prentice, C. (eds.). *Monitoring of ecological change in wetlands of Middle Europe. Proceedings of an international workshop in Linz, Austria, October 1993*. Pp. 29-36. (Konrad-Lorenz-Inst. Vergleichende Verhaltensforschung Österreichischen Akad. Wissenschaften, Savoyenstr. 1 A, A-1160 Vienna, Austria). Most numerous waders: *Philomachus pugnax*, *Vanellus vanellus*, *Limosa limosa*, *Tringa glareola* and *Tringa totanus*.
- Youngman, R. 1991. Inter island flights by Sanderlings at North Ronaldsay. *Scott. Birds* 16: 144. *Calidris alba*.
- ## MISCELLANEOUS
- Appleby, M. 1994. Agriculture and the environment: opportunities in the UK under the Agri-environment Regulation. *RSPB Conservation Review* 8: 10-18.
- Aubrecht, G., Dick, G. & Prentice, C. (eds.) 1994. *Monitoring of ecological change in wetlands of Middle Europe. Proceedings of an international workshop in Linz, Austria, October 1993*. Stafzia 31, Linz, Austria; IWRB Special Publication No. 30, Slimbridge, UK. 224 pp. (Botanischen Arbeitsgemeinschaft am Oberösterreichischen Landesmuseum, J.W. Kleinstr. 73, A-4040 Linz-Dornach, Austria).
- Batty, L. 1993. *The selection and management of protected areas, with particular reference to their role in the conservation of birds of the Humber estuary*. M.Sc. dissertation, Univ. Hull. (32 Beckside, Beverly, Humberside HU17 0PD, UK). Aims of the study were to assess the use made of selection criteria and management plans in the establishment and management of protected areas, using the Humber as a case study, and assessing the role and effectiveness of the protected areas in conserving the estuary's avifauna.
- Beintema, A.J. & Diemont, W.H. 1994. Wetlands and migratory waterbirds in West Africa: with special reference to the needs of local people and the protection of waterbirds habitats. IBN Research Report 94/5.
- Wageningen: Inst. Forestry and Nature Research, 47 pp. (IBN-DLO, P.O. Box 23, 6700 AA Wageningen, Netherlands).
- Cadée, G.C. 1994. Mya shell manipulating by Turnstones (Aves) results in concave-up position and left/right sorting. *Palaios* 9: 307-309. (Neth. Inst. Sea Res., P.O. Box 59, 1790 AB Den Burg, Texel, Netherlands). *Arenaria interpres*.
- Cadée, G.C. 1994. Eider, Shelduck, and other predators, the main producers of shell fragments in the Wadden Sea: palaeo-ecological implications. *Palaeontology* 37(1): 181-202. *Haematopus ostralegus*.
- Danko, S. 1992. (Project for the complex conservation and management of the Senné State Nature Reserve and adjacent pond system near Inacovce). In: *Vyznamna ptaci uzemi v Ceske a Slovenske Republice*. Sbornik referatu ze seminare Ceskoslovenske sekce ICBP, Trebon, 24.-25. brezna 1992. Ceskoslovenska sekce ICBP, Praha. Pp 78-80. In Czech with English summary. Former breeding of *Tringa totanus*, *Limosa limosa*, *Gallinago gallinago* and *Recurvirostra avosetta*.
- Martin, G.R. 1994. Visual fields in Woodcocks *Scolopax rusticola* (Scolopacidae; Charadriiformes). *J. Comp. Physiol. A Sens. Neural Behav. Physiol.* 174(6): 787-793. (School Continuing Studies & School Biol. Sci., Univ. Birmingham, Edgbaston, Birmingham B15 2TT, UK).
- Melvin, S.M., Hecht, A. & Griffin, C.R. 1994. Piping Plover mortalities caused by off-road vehicles on Atlantic Coast beaches. *Wildl. Soc. Bull.* 22(3): 409-414. (Div. Fish. & Wildl., Rt. 135, Westborough, MA 01581, USA). *Charadrius melanotos*, USA.
- Merritt, A. 1994. *Wetlands, industry & wildlife: a manual of principles and practices*. WWT, Slimbridge. (Wildfowl & Wetlands Trust, Slimbridge, Gloucester GL2 7BT, UK; £12 + £3 postage). ISBN 0-900806-18-4. Part I of the manual considers the role and involvement of industry in the creation and management of wetlands. Part II provides an overview of wetland ecology, design, creation and management, drawn from recent literature and experience. Part III examines the most significant types of industrial wetland in the UK.
- Minton, C. 1994. Greenshank with deformed bill. *Aust. Bird Watcher* 15(7): 323. (165 Dalgety Rd., Beaumaris, Vic. 3193, Australia). *Tringa nebularia*.
- Müller, H.H., Prokosc, P. & Syroechkovsky, E.E. 1993. *Nature Reserves on Taymyr*. WWF-Arctic and Eastern-Central European Programmes Publ. 34 pp. In English, Russian, and German. (WWF Norway, Kristian Augustsgt. 7A, Postboks 6784 St. Olavs pl., 0130 Oslo, Norway). Introduction to wildlife in the Taymyr nature reserves, northern Siberia. Interesting maps and photographs.
- Norris, K. & Buisson, R. 1994. Sea-level rise and its impact upon coastal birds in the UK. *RSPB Conservation Review* 8: 63-71. Review of the likely effects of sea-level changes on both coastal habitats and their dependent bird populations.
- Nyenhuis, H. 1992. Comparative factor analysis of Woodcock *Scolopax rusticola* L. bag in forest field habitats. *Trans. Congr. Int. Union Game Biol.* 18(2): 283-287. (Fac. Biol., Univ. Osnabrück, Barbarastr. 11,

D-4500 Osnabrück, Germany).

Pavelka, K., Kasinsky, J. & Foral, M. 1992. (Influence of agriculture and fishery on the avifauna in the Poodri Protected Landscape Area). In: Vyznamna ptaci uzemi v Ceske a Slovenske Republice. Sbornik referatu ze seminare Ceskoslovenske sekce ICBP, Trebon, 24.-25. března 1992. Ceskoslovenska sekce ICBP, Praha. Pp. 86-91. In Czech with English summary. Decline of breeding *Limosa limosa*, *Gallinago gallinago*, *Tringa totanus* and *Vanellus vanellus* due to a change in agricultural activities.

Prokosc, P. 1994. Eastern Taimyr protected. *WWF Arctic Bull.* No. 3: 17. Protected areas on Taimyr.

Putz, F.E. & Naughton, L.C. 1993. Apparent pollination of *Portulaca howelli* by Ruddy Turnstones (*Arenaria interpres*) on Isla Plaza Sur. *Not. Galapagos* 52: 5.

Pykal, J., Kloubec, B., Bures, J. & Salek, M. 1992. (Waterfowl conservation problems at the Dehtar pond and their solution). In: Vyznamna ptaci uzemi v Ceske a Slovenske Republice. Sbornik referatu ze seminare Ceskoslovenske sekce ICBP, Trebon, 24.-25. března 1992. Ceskoslovenska sekce ICBP, Praha. Pp. 47-51. In Czech with English summary. (CUOP, nam. Premysla Otakara II. 34, 370 21 Ceske Budejovice, Czech Republic). With information on migrating waders during autumn migration in south Bohemian fishponds. Waders: *Tringa totanus*, *Limosa limosa* and *Numenius arquata*.

Rehfisch, M.M., Langston, R.H.W., Clark, N.A. & Forrest, C. 1993. *A guide to the provision of refuges for waders. An analysis of Wash Wader Ringing Group data*. BTO Research Report No. 120. Thetford : British Trust for Ornithology. (BTO, The Nunnery, Nunnery Place, Thetford, Norfolk IP24 2PU, UK).

Self, M., O'Brien, M. & Hrons, G. 1994. Hydrological management for waterfowl on RSPB lowland wet grassland reserves. *RSPB Conservation Review* 8: 45-55.

Sheppard, R. 1993. *Ireland's wetland wealth: the birdlife of the estuaries, lakes, coasts, rivers, bogs and turloughs of Ireland*. Monkstown: Irish Wildbird Conservancy, 152 pp. (Irish Wildbird Conservancy, Rutledge House, 8 Longford Place, Monkstown, Co. Dublin, Ireland). ISBN 0-950-4454-95, price IR£12.99. Containing information on the distribution and numbers of 20 wader species in Ireland.

Smith, K.A., Murphy, R.K., Michaelson, D.L. & Viehl, W.C. 1993. Habitat and predation management for nesting Piping Plovers at Lostwood National Wildlife Refuge, North Dakota. *Prairie Nat.* 25(2): 139-147. (US

Fish & Wildl. Serv., Lostwood Natl. Wildl. Refuge, R.R. 2 Box 98, Kenmare, ND 58746, USA). *Charadrius melanotos*.

Sorensen, U.G., Meininger, P. L., Petersen, I.K. & Atta, G.A.M. 1994. Environmental status of Egyptian wetlands with special reference to birds. In: Meininger, P.L. & Atta, G.A.M. (eds.). *Ornithological studies in Egyptian wetlands 1989/90*. FORE-report 94-01, WIWO-report 40, Vlissingen/ Zeist. Pp. 18-90. Information on the most important Egyptian wetlands has been summarized.

Stikvoort, E.C. & Marteijn, E.C.L. 1994. Macrofauna of some coastal wetlands in Egypt, spring 1990. In: Meininger, P.L. & Atta, G.A.M. (eds.). *Ornithological studies in Egyptian wetlands 1989/90*. FORE-report 94-01, WIWO-report 40, Vlissingen/Zeist. Pp. 179-192.

Urbanek, L. 1992. (Important bird area Zehunsky rybník pond). In: Vyznamna ptaci uzemi v Ceske a Slovenske Republice. Sbornik referatu ze seminare Ceskoslovenske sekce ICBP, Trebon, 24.-25. března 1992. Ceskoslovenska sekce ICBP, Praha. Pp. 64-72. In Czech with English summary.

Vaske, J.J., Rimmer, D.W. & Deblinger, R.D. 1994. The impact of different predator exclosures on Piping Plover nest abandonment. *J. Field Ornithol.* 65(2): 201-209. (Colo. State Univ., Dept. Nat. Resour. Recreation & Tourism, Fort Collins 80523, USA). *Charadrius melanotos*, USA and Canada.

Willis, E.O. 1994. Are *Actitis sandpipers* inverted flying fishes? *Auk* 111(1): 190-191. (Dept. Zool., Univ. Estadual Paulista, 13560-900 Rio Paulo, Brazil). *Tringa macularia* and *T. hypoleucos*.

Wilson, W.H. Jr. 1994. The effects of episodic predation by migratory shorebirds in Grays Harbor, Washington. *J. Exp. Mar. Biol. Ecol.* 177(1): 15-25. (Dept. Biol., Colby Coll., Waterville, ME 04901, USA). *Calidris mauri*.

Wilson, A.M. & Moser, M.E. 1994. *Conservation of Black Sea Wetlands: a review and preliminary action plan*. IWRB Publ. 33, Slimbridge: International Waterfowl and Wetlands Research Bureau. 76 pp. (IWRB, Slimbridge, Gloucester, GL2 7BX, UK). Wader habitat conservation, *Numenius tenuirostris*.

