

1995 wader ringing totals

Compiled by Robin M. Ward

Tables 1 and 2 list ringing totals received for the period January to December 1995 inclusive. The nomenclature and systematic order in the tables follow Hayman *et al.* (1986). Totals given in parentheses are for chicks, where these were reported separately from fully grown birds.

Table 1. Reported totals of waders ringed in Europe between January and December 1995.

	A	B	C	D	E	F	G	H	I	J	K	L	M
<i>Haematopus ostralegus</i>													
<i>Vanellus vanellus</i>	1(1)	3(83)					680	(72)	29		(3)	(6)	2
<i>Pluvialis apricaria</i>	1	3(564)					54	(313)		1(27)	(35)	(16)	1
<i>Pluvialis squatarola</i>		4(2)					27		2				
<i>Charadrius hiaticula</i>	43	66(77)				3	15	(2)	16	1		(2)	5
<i>Charadrius dubius</i>	51(26)	140(497)							160(1)	5(2)			
<i>Endromias morinellus</i>		2(23)								2			
<i>Limosa limosa</i>					(3)		2						
<i>Limosa lapponica</i>							17		1				
<i>Numenius phaeopus</i>		1											
<i>Numenius arquata</i>		(10)											
<i>Tringa erythropus</i>		24(538)					169	(13)		3		(4)	
<i>Tringa totanus</i>	1	1(5)											
<i>Tringa stagnatilis</i>		22(47)			1(9)	1	843	1(9)	27	20(1)	4	(3)	4
<i>Tringa nebularia</i>	14	23(11)					6				1		1
<i>Tringa ochropus</i>	4	9(20)											
<i>Tringa glareola</i>	201	355(19)											
<i>Xenus cinereus</i>		2(12)											
<i>Actitis hypoleucos</i>	75	119(63)					10	15(53)		(1)	2		
<i>Arenaria interpres</i>		2(73)					285		25				
<i>Phalaropus lobatus</i>		5(9)											
<i>Scolopax rusticola</i>	2	30(43)					4	(2)		1	45		1
<i>Gallinago gallinago</i>	15	95(7)				30				1	1		2
<i>Lymnocyptes minimus</i>	7	10					180		304	2	35		1
<i>Calidris canutus</i>		2							80				
<i>Calidris alba</i>													
<i>Calidris minuta</i>	72	72											3
<i>Calidris temminckii</i>	83	116(79)											
<i>Calidris maritima</i>		1					153						
<i>Calidris alpina</i>	150	864(16)		14(55)	18(31)	79	885	3	512	65			50
<i>Calidris ferruginea</i>	8	22											
<i>Philomachus pugnax</i>	55	94(4)			(2)		1			1			1

Table 1. (continued).

	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
<i>Haematopus ostralegus</i>	909	2(5)	(1)	17	7	11					154(4)	(9)	8
<i>Recurvirostra avosetta</i>		1	(24)					40(178)			31		1
<i>Burhinus oediceramus</i>	1												
<i>Vanellus vanellus</i>	20	16(14)	(12)	20	7	3				2(8)		(11)	41
<i>Pluvialis apricaria</i>	203	5	3	2	10	41				24			11
<i>Pluvialis squatarola</i>	27	2(2)	(2)	2	31	111				3			62
<i>Charadrius hiaticula</i>													19
<i>Charadrius dubius</i>					3	19						(1)	3
<i>Charadrius alexandrinus</i>							12(4)						
<i>Limosa limosa</i>	24	1	22							1(2)		(5)	65
<i>Limosa lapponica</i>	120				3	10				6			1
<i>Numenius phaeopus</i>	2				4	1				13			42
<i>Numenius arquata</i>	143	4		3	1	1				14		(38)	2
<i>Tringa erythropus</i>					1	32				4			27
<i>Tringa totanus</i>	114	117		64	44	87				222		(1)	48
<i>Tringa nebularia</i>	1	6		18	1	7							101
<i>Tringa ochropus</i>													10
<i>Tringa glareola</i>													6
<i>Actitis hypoleucos</i>													13
<i>Arenaria interpres</i>	91	1	2	3	13	42					1		10
<i>Scolopax rusticola</i>									34		5		6
<i>Gallinago gallinago</i>		12		12	25	111			2		1	1	33
<i>Lymnocyptes minimus</i>		5		3	3	23					1	8	10
<i>Calidris canutus</i>	349	4		1	204	165					83		4
<i>Calidris alba</i>	144				21	30							
<i>Calidris pusilla</i>				1									
<i>Calidris minutilla</i>													1
<i>Calidris alpina</i>	1561	277		275	217	1363	2342			3			49
<i>Calidris ferruginea</i>										528			
<i>Limicola falcinellus</i>	1		3		21	53				1			
<i>Philomachus pugnax</i>					20	27							



Table 1. (continued).

		A1	B1	C1	D1	E1	F1	G1
<i>Haematopus ostralegus</i>	Oystercatcher			2		6(61)		
<i>Himantopus himantopus</i>	Black-winged Stilt			2		1		
<i>Recurvirostra avosetta</i>	Avocet	(81)		4	48	(3)		
<i>Vanellus vanellus</i>	Lapwing				5			1(145)
<i>Pluvialis squatarola</i>	Grey Plover			78		11		
<i>Charadrius hiaticula</i>	Ringed Plover	8(32)		19		7	26	
<i>Charadrius dubius</i>	Little Ringed Plover	(1)	1	2	18	7	6	
<i>Charadrius alexandrinus</i>	Kentish Plover	19(76)		91	51	2	3	
<i>Limosa limosa</i>	Black-tailed Godwit							(1)
<i>Limosa lapponica</i>	Bar-tailed Godwit					2		
<i>Numenius phaeopus</i>	Whimbrel					7	2	
<i>Numenius arquata</i>	Curlew					22		
<i>Tringa erythropus</i>	Spotted Redshank			2		1		
<i>Tringa totanus</i>	Redshank	(10)		24		44	9	(6)
<i>Tringa stagnatilis</i>	Marsh Sandpiper			11			2	
<i>Tringa nebularia</i>	Greenshank			13		9	2	
<i>Tringa ochropus</i>	Green Sandpiper						1	
<i>Tringa glareola</i>	Wood Sandpiper		1	10	2	27	86	
<i>Xenus cinereus</i>	Terek Sandpiper			2				
<i>Actitis hypoleucos</i>	Common Sandpiper			3	4	5	13	
<i>Arenaria interpres</i>	Turnstone			2		5	11	
<i>Scolopax rusticola</i>	Woodcock							2481
<i>Phalaropus lobatus</i>	Red-Necked Phalarope			3				
<i>Gallinago gallinago</i>	Common Snipe			1		12		
<i>Lymnocyptes minimus</i>	Jack Snipe			1				
<i>Calidris canutus</i>	Knot					13		
<i>Calidris alba</i>	Sanderling			1				
<i>Calidris minuta</i>	Little Stint			218	17	20	283	
<i>Calidris temminckii</i>	Temminck's Stint						8	
<i>Calidris alpina</i>	Dunlin			1790		303	2	
<i>Calidris ferruginea</i>	Curlew Sandpiper			316		108	418	
<i>Limicola talcinellus</i>	Broad-billed Sandpiper			591	2		1	
<i>Philomachus pugnax</i>	Ruff			50		9	96	

KEY

- A Rassio Wader Ringing Station, Finland: Rassio, Sillinjarvi.
- B Helsinki Ringing Centre, Finland: Finland (including Rassio Wader R.S.).
- C E.P. Pierce, Univ. of Oslo, Norway: Adventdalen, Svalbard.
- D D. Blomqvist & O.C. Johansson, Univ. of Goteborg, Sweden: S.W. Sweden.
- E Ole Thorup, Denmark: Tipperne, Danish Wadden Sea.
- F M. Desholm, Biologisk Institut Aarhus Universitet, Denmark: Tipperne Nature Reserve.
- G Highland Ringing Group, U.K.: Moray Firth, Scotland.
- H Borders Ringing Group, U.K.: Border Region & North Northumberland
- I P.R. Evans, Univ. of Durham, U.K.: Teesmouth, Cleveland
- J Tees Ringing Group, U.K.: Teesmouth, Cleveland.
- K North Solway Ringing Group, U.K.: Solway Firth region.
- L F.J. Mawby, Carlisle, U.K.: Solway Firth region.
- M Spurn Bird Observatory, U.K.: Spurn Point, Humberside.
- N Wash Wader RG, U.K.: The Wash, Lincolnshire/Norfolk.
- O Suffolk Coastal Ringing Group, U.K.: Suffolk estuaries.
- P M. Adcock, U.K.: Foulness, Essex.
- Q Farlington Ringing Group, U.K.: South-east Hampshire
- R Jersey Wader Group, Jersey, Channel Islands: Jersey.
- S Waterbird Research Group *KULING*, Poland: Reda mouth region.
- T U. Brenning *et al.*, Germany: Langenwerder, Wismar-Bight, Baltic Sea.
- U North Frisian Wadden Sea Ringing Group, Germany: German Wadden Sea from R. Elbe north.
- V IFV *Vogelwarte Helgoland*, Germany: Helgoland
- W M. Boschert, Germany: Upper Rhine Valley, S. Germany.
- X Wader Ringing Group FFF, Netherlands: Friesland & Groningen.
- Y G.J. Gerritsen, Netherlands: West-Overijssel.
- Z Castricum Bird Ringing Station, Holland, Netherlands: coastal dunes in Noord-Holland.
- A1 P.L. Meininger & F. Arts, RIKZ, Netherlands: Delta area, S.W. Netherlands.
- B1 J. Oliosio, France: Capestang, Herault.
- C1 Azov-Black Sea Ornithological Station, Melitopol, Ukraine: Sivash & Priazovie.
- D1 Odessa State Univ., Ukraine: Odessa, Nicoloyer, N.W. Black Sea region.
- E1 R. Rusticali, Italy: Po Delta.
- F1 Gruppo Inanellamento Limicoli, Naples: southern Italy
- G1 Office National de la chasse, Chanteloup, France: France




Table 2. Reported totals of waders ringed outside Europe during 1995.

		A	B	C	D	E
<i>Haematopus longirostris</i>	Pied Oystercatcher			86	11	
<i>Himantopus himantopus</i>	Black-winged Stilt				1	
<i>Burhinus vermiculatus</i>	Water Dikkop		2(2)			
<i>Burhinus capensis</i>	Spotted Dikkop		1(1)			
<i>Vanellus armatus</i>	Blacksmith Plover		11			
<i>Vanellus miles</i>	Masked Lapwing			1		
<i>Pluvialis squatarola</i>	Grey Plover	3	1	6		
<i>Charadrius hiaticula</i>	Ringed Plover		18			
<i>Charadrius pecuarius</i>	Kittlitz's Sandplover		4			
<i>Charadrius tricollaris</i>	Three-banded Plover	1	26			
<i>Charadrius marginatus</i>	White-fronted Sandplover		102(11)			
<i>Charadrius ruficapillus</i>	Red-capped Plover			2	4	
<i>Charadrius bicinctus</i>	Double-banded Plover			52		
<i>Charadrius mongolus</i>	Lesser Sandplover	2		10		
<i>Charadrius leschenaultii</i>	Greater Sandplover	6			39	
<i>Limosa limosa</i>	Black-tailed Godwit				10	
<i>Limosa lapponica</i>	Bar-tailed Godwit			44	261	
<i>Numenius minutus</i>	Little Curlew				1	
<i>Numenius madagascariensis</i>	Far Eastern Curlew			92		
<i>Tringa stagnatilis</i>	Marsh Sandpiper		3			
<i>Tringa nebularia</i>	Greenshank		14	1	1	
<i>Tringa glareola</i>	Wood Sandpiper		5			
<i>Xenus cinereus</i>	Terek Sandpiper				23	
<i>Actitis hypoleucos</i>	Common Sandpiper	1	8			
<i>Heteroscelus brevipes</i>	Grey-tailed Tattler				35	
<i>Arenaria interpres</i>	Turnstone			229	11	
<i>Phalaropus lobatus</i>	Red-necked Phalarope					32(40)
<i>Gallinago hardwickii</i>	Japanese Snipe			111		
<i>Gallinago nigripennis</i>	African Snipe		34			
<i>Limnodromus scolopaceus</i>	Long-billed Dowitcher			1		
<i>Calidris canutus</i>	Knot			54	42	
<i>Calidris tenuirostris</i>	Great Knot			4	202	
<i>Calidris alba</i>	Sanderling	1		49		
<i>Calidris pusilla</i>	Semipalmated Sandpiper					77(70)
<i>Calidris mauri</i>	Western Sandpiper					490(89)
<i>Calidris ruficollis</i>	Red-necked Stint			1925	177	
<i>Calidris minuta</i>	Little Stint	3	46			
<i>Calidris acuminata</i>	Sharp-tailed Sandpiper			228		
<i>Calidris alpina</i>	Dunlin					2
<i>Calidris ferruginea</i>	Curlew Sandpiper	10	33	437	118	
<i>Limicola falcinellus</i>	Broad-billed Sandpiper				1	
<i>Philomachus pugnax</i>	Ruff		12			

KEY

- A Nairobi Ringing Group, Kenya: Tiwi River mouth, Midi Creek & Kianmbere Dam.
- B A.J. Tree, South Africa, E. Cape Province.
- C Victorian Wader Study Group, Australia: Victoria, south-east Australia.
- D AWSG & Broome Bird Observatory, N.W. Australia: Broome, 80 Mile Beach & Port Hedland, N.W. Australia.
- E B.K. Sandercock, Simon Fraser University, Canada: Safety Sound, Alaska.

