

1996 wader ringing totals

Compiled by Robin M. Ward

Tables 1 and 2 list ringing totals received for the period January to December 1996 inclusive. The nomenclature and systematic order in the tables follow Hayman *et al.* (1986). Totals given in parentheses are for chicks, where these were reported separately from fully grown birds.

Table 1. Reported totals of waders ringed in Europe between January and December 1996.

	A	B	C	D	E	F	G	H	I	J	K	L	M
<i>Haematopus ostralegus</i>													
<i>Vanellus vanellus</i>			1	4(58)	70(1)					220(15)	(2)		87
<i>Pluvialis apricaria</i>		1(5)		3(642)				(7)	(58)	25(14)	(17)		
<i>Pluvialis fulva</i>		5	1	8					(235)				
<i>Pluvialis squatarola</i>	21(3)												
<i>Charadrius hiaticula</i>	(3)	38	1	1					(6)	70(1)	(1)	157	2
<i>Charadrius dubius</i>		25(25)	13	79(90)			5	(1)					64
<i>Endromias morinellus</i>				124(532)									
<i>Limosa lapponica</i>				7(7)									
<i>Numenius phaeopus</i>			1	5									
<i>Numenius arquata</i>			1	2(20)					(22)				2
<i>Tringa erythropus</i>		1		34(586)									21
<i>Tringa totanus</i>		3(2)	5(2)	17(81)			46	(1)		(3)	(16)		9
<i>Tringa nebularia</i>		22		23(3)						1			
<i>Tringa ochropus</i>		8	2	16(15)									
<i>Tringa glareola</i>		304	3	391(17)									
<i>Xenus cinereus</i>				5(20)									
<i>Actitis hypoleucos</i>		65(17)	13	105(112)			2		13(48)				
<i>Arenaria interpres</i>			2(4)	9(79)									
<i>Phalaropus lobatus</i>	2(10)			1(10)								7	4
<i>Scolopax rusticola</i>				38(32)						1			
<i>Gallinago media</i>				3									
<i>Gallinago gallinago</i>		14		46(7)			9			18			
<i>Lymnocyptes minimus</i>		20		25						2			
<i>Calidris canutus</i>		2	1	4			2					35	62
<i>Calidris alba</i>													306
<i>Calidris minuta</i>		422	16	493									
<i>Calidris temminckii</i>		82		91(37)			9						
<i>Calidris maritima</i>													
<i>Calidris alpina</i>	5(9)	97	37	251(32)		21(9)	330	16(24)		339(2)		139	139
<i>Calidris ferruginea</i>	44(79)	14	2	17			5						
<i>Tryngites subruficollis</i>		1		1									
<i>Philomachus pugnax</i>	1	80	3	166(3)									

Table 1. (continued).

	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
<i>Haematopus ostralegus</i>													
<i>Recurvirostra avosetta</i>		2(19)	1	1105	7(8)	(3)	84	(2)	10	48	6		9
<i>Vanellus vanellus</i>	92	(117)			95(9)	(1)			2			5	
<i>Pluvialis apricaria</i>	12	(7)	1	23									3
<i>Pluvialis squatarola</i>				80	23		7		45	1			23
<i>Charadrius hiaticula</i>		(2)		43	33(7)	(4)	358	3(5)	15		6		50
<i>Charadrius dubius</i>		(14)			1(4)			1(2)					13
<i>Limosa limosa</i>				171	4				12				21
<i>Limosa lapponica</i>				335	1					7			
<i>Numenius phaeopus</i>				8								1	
<i>Numenius arquata</i>		4(18)	1	206	23					42	1		
<i>Tringa erythropus</i>				1									2
<i>Tringa totanus</i>	7	(4)	1	131	337	(1)		9	48		1	17	62
<i>Tringa nebularia</i>				4	6			1	15		1		
<i>Tringa ochropus</i>		2			2			2					13
<i>Tringa glareola</i>					1								625
<i>Actitis hypoleucos</i>					25			9					186
<i>Arenaria interpres</i>		5(5)					7		7		1		11
<i>Phalaropus lobatus</i>	45			61									2
<i>Scolopax rusticola</i>			1					1			7		
<i>Gallinago gallinago</i>					11				2		13		307
<i>Lymnocyptes minimus</i>	2				6				1		2		1
<i>Calidris canutus</i>	9			597	8				1	3			80
<i>Calidris alba</i>	6			35				8			1		26
<i>Calidris minuta</i>					3						28	4	246
<i>Calidris temminckii</i>													18
<i>Calidris maritima</i>				3									
<i>Calidris alpina</i>			15	2891	1027		372	11	543	50	164	217	1482
<i>Calidris ferruginea</i>				2	22				1	6			164
<i>Philomachus pugnax</i>					2				1			3	76

Table 1. (continued).

	A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1	L1	M1
<i>Haematopus ostralegus</i>	4							63	126(16)		16	124(309)	
<i>Recurvirostra avosetta</i>		1(2)		5	(2)		38	1	18(11)			7(57)	
<i>Vanellus vanellus</i>		1	412	7		68(68)			(1)		14	755(4204)	
<i>Pluvialis apricaria</i>					1			3			13	388	
<i>Pluvialis squatarola</i>	55			4				64	10		39	8	
<i>Charadrius hiaticula</i>	143	28(53)		34	7(6)	1	9	12	10		12	2(10)	6
<i>Charadrius dubius</i>	13			1		5					1	16(129)	2
<i>Charadrius alexandrinus</i>				3			1					7(94)	
<i>Limosa limosa</i>				1					3				
<i>Limosa lapponica</i>	34			1	1			32	13		34	2(141)	
<i>Numenius phaeopus</i>	4			8					30		2	1	
<i>Numenius arquata</i>	5			1		1		14	42		70	61(54)	
<i>Tringa erythropus</i>	11			1				1			3	4	
<i>Tringa totanus</i>	110	8		2		5		7	90		46	57(59)	2
<i>Tringa stagnatilis</i>						1							
<i>Tringa nebularia</i>	2					4		7	1		44	10	
<i>Tringa ochropus</i>				1		25					75	36	1
<i>Tringa glareola</i>	20			1		63					6	4	135
<i>Actitis hypoleucos</i>	57	2		7		27		1	1		8	207	3
<i>Arenaria interpres</i>	14	1			1			7	1	11	7	3	1
<i>Scolopax rusticola</i>					43						2	26	
<i>Gallinago gallinago</i>	180	15			5	318					44	73	4
<i>Lymnocyptes minimus</i>	11				2	20					6	37	
<i>Limnodromus scolopaceus</i>	1												
<i>Calidris canutus</i>	96	20		24	12			12	4		4	1	
<i>Calidris alba</i>	32			40	3								
<i>Calidris minuta</i>	122	9		7	19	77		3	2	1	16	24	9
<i>Calidris temminckii</i>	3			2									1
<i>Calidris maritima</i>										8			
<i>Calidris alpina</i>	2193	227		28	5	7		505	242	1	516	56	19
<i>Calidris ferruginea</i>	102	5		3	1	4		1					5
<i>Limicola falcinellus</i>	7												
<i>Philomachus pugnax</i>	30	1		7		12		1			4	148	2

Table 1. (continued).

		N1	O1	P1	Q1	R1	S1	T1	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1	L1	M1	N1	O1	P1	Q1	R1	S1	T1										
<i>Haematopus ostralegus</i>	Oystercatcher																																																						
<i>Himantopus himantopus</i>	Black-winged Stilt	2	5			13(75)	(23)	3(5)																																															
<i>Recurvirostra avosetta</i>	Avocet	7	7			(3)	1(58)																																																
<i>Glaucopis pratensis</i>	Common Pratincole	14																																																					
<i>Vanellus vanellus</i>	Lapwing	1	6		1(4)		5	(18)																																															
<i>Pluvialis apricaria</i>	Golden Plover	34				13	1	1																																															
<i>Pluvialis squatarola</i>	Grey Plover	7				3	8	73(74)																																															
<i>Charadrius hiaticula</i>	Ringed Plover	54	33		(3)	6	31(9)	4																																															
<i>Charadrius dubius</i>	Little Ringed Plover	2				8	3	3																																															
<i>Charadrius alexandrinus</i>	Kentish Plover	6				12	28																																																
<i>Eudromias morinellus</i>	Dotterel	57				13	6																																																
<i>Limosa limosa</i>	Black-tailed Godwit	15				14	26(6)	41(39)																																															
<i>Limosa lapponica</i>	Bar-tailed Godwit	12				6	5																																																
<i>Numenius phaeopus</i>	Whimbrel	6				13	6																																																
<i>Numenius arquata</i>	Curllew	57				14	26(6)	41(39)																																															
<i>Tringa erythropus</i>	Spotted Redshank	15				1	1																																																
<i>Tringa stagnatilis</i>	Redshank	12				2	3																																																
<i>Tringa nebularia</i>	Marsh Sandpiper	22	10			25	29																																																
<i>Tringa glareola</i>	Greenshank	1				42	1																																																
<i>Xenus cinereus</i>	Wood Sandpiper	4	1	10	28	4	125																																																
<i>Actitis hypoleucos</i>	Terek Sandpiper	4	1	10	28	4	125																																																
<i>Arenaria interpres</i>	Common Sandpiper	4	1	10	28	4	125																																																
<i>Scolopax rusticola</i>	Turnstone	6				5																																																	
<i>Phalaropus lobatus</i>	Woodcock	5	1		6	1	5	(2)																																															
<i>Gallinago gallinago</i>	Red-necked Phalarope	5	1		6	1	5	(2)																																															
<i>Calidris canutus</i>	Common Snipe	304	21		11	33	352																																																
<i>Calidris alba</i>	Knot																																																						
<i>Calidris minima</i>	Sanderling	857	93		2	258	436	81(53)																																															
<i>Calidris temminckii</i>	Little Stint	287	3		2	38	79																																																
<i>Calidris alpina</i>	Temminck's Stint	211	8		1	17	108																																																
<i>Calidris ferruginea</i>	Dunlin	181	1		1	17	108																																																
<i>Limicola falcinellus</i>	Curlew Sandpiper																																																						
<i>Philomachus pugnax</i>	Broad-billed Sandpiper																																																						
	Ruff																																																						

KEY

A	W.I.W.O., Netherlands: Medusa Bay, Western Taimyr, Siberia.
B	Rassio Wader Ringing Station, Finland: Rassio, Siilinjärvi.
C	Sappi Bird Observatory, Finland: Sappi Island, W.Finland.
D	Helsinki Ringing Centre, Finland: Finland (including Rassio Wader R.S. & Sappi B.O.).
E	R.H.D.Lambeck, The Netherlands: Varanger Peninsula, N.E. Norway.
F	D.Bloomqvist & O.C.Johansson, Univ. of Göteborg, Sweden: S.W. Sweden.
G	M. Desholm, Biologisk Institut Aarhus Universitet, Denmark: Tipperne Nature Reserve.
H	Ole Thorup, Denmark: Tipperne Nature Reserve & SW Jutland, Denmark.
I	Borders Ringing Group, U.K.: Border Region & North Northumberland

Table 2. Reported totals of waders ringed outside Europe during 1996.

		A	B	C	D	E	F	G	H
<i>Haematopus longirostris</i>	Pied Oystercatcher		253	3					
<i>Haematopus fuliginosus</i>	Sooty Oystercatcher		77	19					
<i>Himantopus himantopus</i>	Black-winged Stilt			26					
<i>Recurvirostra americana</i>	American Avocet							73	
<i>Recurvirostra novaehollandiae</i>	Red-necked Avocet			3					
<i>Glareola maldivarum</i>	Oriental Pratincole			1					
<i>Vanellus miles</i>	Masked Lapwing		1						
<i>Pluvialis fulva</i>	Pacific Golden Plover		6	2					20
<i>Pluvialis squatarola</i>	Grey Plover			47	1				
<i>Charadrius vociferus</i>	Killdeer							267	
<i>Charadrius melanops</i>	Black-fronted Plover		1	3					
<i>Charadrius mongolus</i>	Lesser Sandplover		14	71					
<i>Charadrius leschenaultii</i>	Greater Sandplover			912					
<i>Charadrius veredus</i>	Oriental Plover			2					
<i>Charadrius ruficapillus</i>	Red-capped Plover		8	8	3				
<i>Charadrius pallidus</i>	Chestnut-banded Sandplover	2							
<i>Charadrius bicinctus</i>	Double-banded Plover		36						
<i>Charadrius cinctus</i>	Red-kneed Dotterel			15	3				
<i>Limosa limosa</i>	Black-tailed Godwit		1	7	5				
<i>Limosa lapponica</i>	Bar-tailed Godwit		176	1592	209	337			
<i>Numenius phaeopus</i>	Whimbrel			41	1				
<i>Numenius madagascariensis</i>	Far Eastern Curlew		4	1	5				
<i>Tringa stagnatilis</i>	Marsh Sandpiper				1				
<i>Tringa nebularia</i>	Greenshank		109	4	1				
<i>Tringa glareola</i>	Wood Sandpiper	1			1				
<i>Xenus cinereus</i>	Terek Sandpiper			762	3				
<i>Actitis hypoleucos</i>	Common Sandpiper			1					
<i>Heteroscelus brevipes</i>	Grey-tailed Tattler		3	443	108				
<i>Arenaria interpres</i>	Turnstone		144	104	2				
<i>Gallinago hardwickii</i>	Japanese Snipe		62						
<i>Limnodrumus semipalmatus</i>	Asiatic Dowitcher			3					
<i>Calidris canutus</i>	Knot		59	509	143	875			
<i>Calidris tenuirostris</i>	Great Knot		36	1582	597				
<i>Calidris alba</i>	Sanderling		429	44					
<i>Calidris pusilla</i>	Semipalmated Sandpiper						11(57)		
<i>Calidris mauri</i>	Western Sandpiper						89(213)		
<i>Calidris ruficollis</i>	Red-necked Stint		3722	1354	2				
<i>Calidris minuta</i>	Little Stint	34							
<i>Calidris subminuta</i>	Long-toed Stint				1				
<i>Calidris acuminata</i>	Sharp-tailed Sandpiper		149		16				
<i>Calidris ferruginea</i>	Curlew Sandpiper	20	1008	438	16				
<i>Limicola falcinellus</i>	Broad-billed Sandpiper			138					

KEY

- A Nairobi Ringing Group, Kenya: Lake Magadi.
- B Victorian Wader Study Group, Australia: Victoria, south-east Australia.
- C N.W.Australia Wader Expedition 1996: Roebuck Bay, 80 Mile Beach & Port Hedland, N.W.Australia.
- D Broome Bird Observatory, N.W.Australia: Roebuck Bay.
- E New Zealand Wader Study Group: Auckland Harbours of Manukan, Kaipara & Firth of Thames, New Zealand.
- F B.K.Sandercock & R.Lanctot, c/o Simon Fraser University, Canada: Safety Sound, Alaska.
- G L.W.Oring, Reno, Nevada, USA: NE California & Canson Lake, Nevada.
- H O.W.Johnson, Montana State Univ., Bozeman, USA: Honolulu, Oahu, Hawaii.