

Recent Publications⁷³ on waders

compiled by Henk Koffijberg

In trying to make these lists really as complete as possible, and the next one even more complete and up to date, your help is necessary!! Please send new titles, abstracts, reprints, copies, reports, and (important too!) omissions or corrections to: Henk Koffijberg, Glenn Millerweg 102, 1311 RW Almere, The Netherlands.

Remember to include, if possible, the address of the first author, and translations of titles if they are in other languages than English.

For help with this issue I am very grateful to T. Piersma, I. Bainbridge, P. Triplet, K.-M. Exo, V. Morozov.

Translated titles from languages other than English are bracketed; with round brackets if the translation is by the author(s), square brackets if not.

N.B. a copy of your paper or abstract would be very helpful to enable me to add some keywords or give added annotation to the titles.

So far, almost 7,000 titles have been stored in the WSG/RPW database. Still not enough, so keep sending more!! (actually, I'm still not receiving every wader paper published, it's a shame, isn't it??)

BREEDING

Exo, K.M., Becker, P.H. & Sommer, U. 1998. Umweltchemikalien in Eiern von Binnenlandund Wattenmeerbrütern des Austernfischers (*Haematopus ostralegus*). (Environmental chemicals in eggs of inland and Wadden Sea breeding Oystercatchers (*Haematopus ostralegus*)). *J. Ornithol.* 139(4): 401-405. In German with English summary. (Inst. Vogelforschung, Vogelwarte Helgoland, An der Vogelwarte 21, D-Wilhelmshaven, Germany, e-mail: exo@ifv-

terra.mare.fh-wilhelmshaven.de

Groen, N.M. & Yurlov, A.K. 1999. Body dimensions and mass of breeding and hatched Black-tailed Godwits (*Limosa l. limosa*): a comparison between a West Siberian and a Dutch population. *J. Ornithol.* 140(1): 73. (Inst. Systematics & Popul. Biol., Univ. Amsterdam, P.O. Box 94766, NLGT Amsterdam, Netherlands)

Hughey, K.E.D. 1998. Nesting home range sizes of Wrybill (*Anarhynchus frontalis*) and Banded Dotterel (*Charadrius bicinctus*) in relation to braided riverbed characteristics. *Notornis* 45(2): 103-111.

Koffijberg, K. 1998. Broedvogelinventarisatie van Kluut, plevieren, meeuvens en sterns in Groningen in 1996. [Breeding bird survey of Avocet, plovers, gulls and terns in the province of Groningen in 1996]. *Grauwe Gors* 26(3):8489. In Dutch. (Noordpad 52, NL-6822 JJ Arnhem, Netherlands). Waders: *Recurvirostra avosetta*, *Charadrius hiaticula*, *Charadrius dubius*, *Charadrius alexandrinus*

Tomkovich, P.S. 1998. (Mating system and parental care in the Spoon-billed Sandpiper *Eurynorhynchus pygmeus*). *Russian J. Ornithol.* 31: 3-6. In Russian with English summary.

Tulp, I. 1998. Reproductie van Strandplevieren *Charadrius alexandrinus* en Bontbekplevieren *Charadrius hiaticula* op Terschelling, Griend en Vlieland in 1997. (Reproduction of Kentish Plovers *Charadrius alexandrinus* and Ringed Plovers *Charadrius hiaticula* on three Dutch Wadden Sea islands in 1997). *Limosa* 71(3): 109-120. In Dutch with English summary. (Tedingstr.72, NL-6822 DE Arnhem, Netherlands)

BEHAVIOUR, ECOLOGY & EVOLUTION

Alerstam, T. & Hedenstrom, A. (eds.) 1998. Optimal migration. *J. Avian Biol.* 29(4): 339-638. (Munksgaard International Publishers Ltd., P.O. Box 2148, DK-1016 Copenhagen K, Denmark, <http://www.oikos.ekol.lu.se> for electronic orders). Special issue of

the Journal of Avian Biology containing papers on Migration: theory, process and pattern; flight; physiology and stopover; and orientation and navigation. Papers on waders or general interest are listed in this RPW.

Alerstam, T. & Hedenstrom, A. 1998. The development of bird migration theory. *J. Avian Biol.* 29(4): 343-369. (Dept. Anim. Ecol., Lund Univ., Ecol. Bldg., S-22362 Lund, Sweden, e-mail : Thomas.Alerstam@zooekol.lu.se).

Alexander, R. McN. 1998. When is migration worthwhile for animals that walk, swim or fly? *J. Avian Biol.* 29(4): 387-394. (Sch. Biol., Univ. Leeds, LS2 9JT, UK)

Appleman, A. 1998. The impact of record rains during August 1998 on two Bush Stone-curlew nest sites in Townsville. *Stilt* 33: 39-40. (P.O. Box 211, Hyde Park, QLD 4812, Australia). *Burhinus magnirostris*.

Byrkjedal, I. & Thompson, D. 1998. *Tundra plovers: the Eurasian, Pacific and American Golden Plovers and Grey Plover*. London : T&A.D. Poyser, 422 p. ISBN 0-85661-109-3. *Pluvialis* spp.

Chudleigh, B. 1998. New Zealand Dotterel (*Charadrius obscurus*) eating plant material. *Notornis* 45(2): 155.

Davis, C.A. & Smith, L.M. 1998. Behavior of migrant shorebirds in playas of the southern high plains, Texas. *Condor* 100(2): 266-276.

Farmer, A.H. & Wiens, J.A. 1998. Optimal migration schedules depend on the landscape and the physical environment: a dynamic modeling view. *J. Avian Biol.* 29(4): 405-415. (Midcontinent Ecol. Sci. Ctr., 4512 McMurry Ave., Fort Collins, Colorado 80525-3400, USA, email: adrian.farmer@usgs.gov). On the development of a dynamic state variable model of individual migrating shorebirds for use in testing hypotheses about spring migration strategies of *Calidris melanotos*.

Figueroa, J. & Bertolero, A. 1998. Sex differences in the stopover ecology of Curlew Sandpipers *Calidris ferruginea* at a refuelling area during autumn



- migration. *Bird Study* 45(3): 313-319. Dept. Anim. Biol. (Vertebrate), Fac. Biol., Univ. Barcelona, Avda. Diagonal 645, E-08028 Barcelona, Spain)
- Hedenstrom, A. & Alerstam, T. 1998. How fast can birds migrate?. *J. Avian Biol.* 29(4): 424-432. (Dept. Anim. Ecol., Univ. Lund, Ecol. Bldg., S62 Lund, Sweden, e-mail: Anders.Hedenstrom@zooekol.lu.se). Waders: *Calidris canutus*.
- Holloway, S. 1997. *Winter distribution and disturbance of wildfowl and waders on Findhorn Bay*. BTO Research Report No. 179. Thetford : British Trust for Ornithology, (BTO, The Natl. Ctr. Ornithol., The Nunnery, Thetford, Norfolk IP24 2PU, UK)
- Hötker, H. 1999. What determines the time-activity budgets of Avocets (*Recurvirostra avosetta*)?. *J. Ornithol.* 140(1): 57. (Forschungszentrum -und Technologiezentrum Westküste der Christian-Albrechts-Univ. Kiel, Hafentörn, D-25761 Büsum, Germany, e-mail hhoetker@ftz-west.uni-kiel.de)
- Houston, A.I. 1998. Models of optimal avian migration: state, time and predation. *J. Avian Biol.* 29(4): 395-405. (Ctr. Behav. Biol., Sch. Biol. Sci., Univ. Bristol., Woodland Rd., Bristol BS8 1UG, UK, e-mail: A.I.Houston@bristol.ac.uk)
- Jenni, L. & Jenni-eiermann S. 1998. Fuel supply and metabolic constraints in migrating birds. *J. Avian Biol.* 29(4): 521. (Swiss Ornithol. Inst., CH-6204 Sempach, Switzerland, e-mail: jennil@orninst.ch)
- Johansson, O.C. 1998. *Habitat selection, reproductive success and population dynamics in Lapwings (Vanellus vanellus) and Dunlins (Calidris alpina)*. PhD thesis Univ. Göteborg. ISBN 91-628-2974-2.
- Kerbiriou, C. 1998. (Spotted Redshank *Tringa erythropus* diet on wintering sites). *Alauda* 66(2): 166. In French.
- Knopf, F.L. 1998. Foods of Mountain Plovers wintering in California. *Condor* 100(2): 382-384. *Charadrius montanus*.
- Kvist, A., Klaassen, M. & Lindström, Å. 1998. Energy expenditure in relation to flight speed: what is the power of mass loss rate estimates? *J. Avian Biol.* 29(4): 485. (Dept. Anim. Ecol., Lund Univ., Ecol. Bldg., SE-22362 Lund, Sweden, e-mail: Anders.Kvist@zooekol.lu.se)
- Liechti, F. & Bruderer, B. 1998. The relevance of wind for optimal migration theory. *J. Avian Biol.* 29(4): 561-568. (Swiss Ornithol. Inst., CH-6204 Sempach, Switzerland, e-mail: LiechtiF@orninst.ch).
- McNamara, J.M., Welham, R.K. & Houston, A.I. 1998. The timing of migration within the context of an annual routine. *J. Avian Biol.* 29(4): 416-423. (Sch. Math., Univ. Walk, Bristol, BS8 1TW, UK, e-mail: John.McNamara@bristol.ac.uk)
- Meissner, W. 1998. Fat reserves in Dunlins *Calidris alpina* during autumn migration through Gulf of Gdansk. *Ornis Svensica* 8(3): 91-102. (Dept. Vertebrat. Ecol. & Zool., Univ. Gdansk, Al. Legionow 9, PL-80-441Gdansk, Poland).
- Mel'nikov, Yu.I. 1997. [Factors limiting numbers of stenobiotic waterbird species during their breeding season]. In: *Fauna and ecology of terrestrial vertebrates of Siberia*. Krasnoyarsk. p. 107-116. In Russian. *Limnodromus semipalmatus*.
- Minton, C. & Collins, P. 1998. Banded Stilt *Cladorhynchus leucocephalus* attempting to copulate with a stick. *Aust. Bird Watcher* 17(7): 343. (165 Dalgetty Rd., Beaumaris, VIC 3191, Australia)
- BEHAVIOUR, ECOLOGY & EVOLUTION**
- Minton, C.D.T. 1998. Pied Oystercatcher feeding on golf course. *Stilt* 33: 37. *Haematopus longirostris*.
- Minton, C. 1998. Annual variation in the moult score of two Ruddy Turnstones *Arenaria interpres*. *Stilt* 33: 38.
- Norris, K., Bannister, R.C.A. & Walker, P.W. 1998. Changes in the number of Oystercatchers *Haematopus ostralegus* wintering in the Burry Inlet in relation to the biomass of Cockles *Cerastoderma edule* and its commercial exploitation. *J. Appl. Ecol.* 35(1): 75-85.
- Owner, D. 1997. *The ecology and management of the Pied Oystercatcher (Haematopus longirostris) in northern New South Wales*. B. App. Sci. Hons. thesis, Southern Cross Univ., Lismore.
- Piersma, T. 1998. Phenotypic flexibility during migration: optimization of organ size contingent on the risks and rewards of fueling and flight. *J. Avian Biol.* 29(4): 511-520. (Neth. Inst. Sea Res. NIOZ, P.O. Box 59, NL-1790 1790 AB Den Burg, Texel, Netherlands, e-mail theunis@nioz.nl). *Limosa lapponica*, *Pluvialis apricaria*, *Philomachus pugnax*, *Calidris canutus*, *Numenius tahitiensis*
- Sandberg, R. & Holmquist, B. 1998. Orientation and longmigration routes: an attempt to evaluate compass cue limitations and required precision. *J. Avian Biol.* 29(4): 626-636. (Dept. Anim. Ecol., Lund Univ., Ecol. Bldg., SE62 Lund, Sweden, e-mail: Roland.Sandberg@zooekol.lu.se). *Calidris canutus*.
- Serra, L. & Rusticali, R. 1998. Biometrics and moult of Grey Plover (*Pluvialis squatarola*) in northeastern Italy. *Vogelwarte* 39(4): 281-292.
- Sutherland, W.J. 1998. Evidence for flexibility and constraint in migration systems. *J. Avian Biol.* 29(4): 441-446. (Sch. Biol. Sci., Univ. East Anglia, Norwich, NR4 7TJ, UK). Waders: *Calidris melanotos*
- Totterman, B. 1998. An observation of Black-winged Stilts foraging on the seashore with Pied Oystercatchers. *Stilt* 33: 38-39. (Empire Vale, Ballina, NSW 2478, Australia). *Himantopus himantopus* and *Haematopus longirostris* on the beach.
- Triplet, P., Bacquet, S., Morand, M. & Lahilaire, L. 1998. La distance denvol, un indicateur de dérangements : l'exemple de quelques espèces d'oiseaux en milieu estuarien. [Take off distance, an indicator of disturbance : examples of some birds of estuaries]. *Alauda* 66(3): 199-206. In French with English



- summary. (SMACOPI, Réserve Naturelle de la Baie de Somme, 1 Place de l'Amiral Courbet, F-80100 Abbeville, France). Objective of the study was to measure take off distance of birds following the intrusion of humans in their feeding grounds and to discuss possible use of this parameter as an indicator of disturbance pressure.
- Waders observed and disturbed:
Haematopus ostralegus, *Calidris alpina*, *Numenius phaeopus*, *Tringa totanus*.
- Underhill, L., Piersma, T. & Cadée, N. 1998. Intercontinental studies on an intercontinental migrant: ecophysiological research in the Netherlands on Knots from South Africa. *Bird Numbers* 7(2): 31-36. (Piersma: NIOZ, P.O. Box 59, NL-1790 AB Den Burg, Texel, Netherlands) 10 *Calidris canutus* were caught at Langebaan Lagoon, South Africa, in January, and transported to the Netherlands to take part in ecophysiological experiments.
- Warnock, N. & Bishop, M.A. 1998. Spring stopover ecology of migrant Western Sandpipers. *Condor* 100(3): 456-467. *Calidris mauri*.
- Weber, T.P., Alerstam, T. & Hedenstrom, A. 1998. Stopover decisions under wind influence. *J. Avian Biol.* 29(4): 552. (Dept. Anim. Ecol., Univ. Lund, Ecol. Bldg., S62 Lund, Sweden, e-mail: Thomas.Weber@zooekol.lu.se).
- Wehner, R. 1998. Navigation in context: grand theories and basic mechanisms. *J. Avian Biol.* 29(4): 370-386. (Dept. Zool., Univ. Zürich, Winterthurerstrasse 190, CH-Zürich, Switzerland, email: rwehner@zool.unizh.ch)
- Wolf, C. 1998. *Ethökologische Untersuchungen am Austernfischer (Haematopus ostralegus) : Chancen und Risiken für einen Küstenvogel im Binnenland*. [Ethoecological studies of the Oystercatcher (*Haematopus ostralegus*) : chances and risks of a coastal bird inland]. Dissertation Univ. Köln. In German.
- ## DISTRIBUTION & FAUNISTICS
- Andres, B.A. & Browne, B.T. 1998. Spring migration of shorebirds on the Yakutat forelands, Alaska. *Wilson Bull.* 110(3): 326-331.
- Balachandran, S. & Hussain, S.A. 1998. Moult, age structure, biometrics and subspecies of Lesser Sand Plover *Charadrius mongolus* wintering along the southcoast of India. *Stilt* 33: 3-9. (11/100, Central St., Agasteeswaram & P.O., Kanyakumari District, Tamil Nadu 629701 India)
- Barter, M.A., Tonkinson, D., Lu, J.Z., Zhu, S.Y., Kong, Y., Wang, T.H., Li, Z.W. & Meng, X.M. 1998. Shorebird numbers in the Huang He (Yellow River) delta during the 1997 northward migration. *Stilt* 33: 1526. (21 Chivalry Ave., Glen Waverley, VIC 3150, Australia). On the basis of this study it is believed that the delta supports at least 500 000 shorebirds during northward migration. The delta is internationally significant for at least 15 shorebird species. Substantial numbers of *Numenius minutus* were found.
- Biddau, L. & Fasola, M. 1998. Variability of wintering waders at a roost in coastal Kenya. *Scopus* 20: 23-28.
- Chernichko, I.I. 1998. (New data on breeding of the Black-tailed Godwit *Limosa limosa* in southern Ukraine). In: *Information materials of the Working Group on Waders* 11: 50-51. In Russian with English summary.
- Creed, K.E. & Bailey, M. 1998. Decline in migratory waders at Pelican Point, Swan River, Western Australia. *Stilt* 33: 10-14. (GPO Box K803, Perth 6001, WA, Australia). Numbers of migratory *Limosa lapponica*, *Calidris ruficollis*, *C. ferruginea*, *C. acuminata*, and *Pluvialis squatarola* have declined during the 26 year study.
- Desholm, M. 1998. Length of stay and volume of autumn staging Dunlins *Calidris alpina* at the Tipperne reserve, Denmark. *Ornis Svecica* 8(1): 1-10. (Dept. Mar. Ecol., Inst. Biol. Sci., Univ. Aarhus, Finlandsgade 14, DK-8200 Aarhus N, Denmark). Just counting the maximum numbers is not enough for assessing the international importance of staging areas.
- Van Dijk, A.J., Hustings, F., Sierdsema, H. & Meijer, R. 1998. *Kolonievogels en zeldzame broedvogels in Nederland in 1995*. (Colonial and rare breeding birds in The Netherlands in 1995). *Limosa* 71(4): 153165. In Dutch with English summary. (SOVON Vogelonderzoek Nederland, Rijksstraatweg 178, NL-6573 DG Beek-Ubbergen, Netherlands).
- Breeding waders: *Himantopus himantopus*, *Recurvirostra avosetta*, *Charadrius hiaticula*, *C. alexandrinus*, *Calidris alpina*, *Actitis hypoleucus*, *Arenaria interpres*.
- Van Dijk, A.J., Boele, A., Zoetebier, D. & Meijer, R. 1998. *Kolonievogels en zeldzame broedvogels in Nederland in 1996*. [Colonial and rare breeding birds in The Netherlands in 1996]. SOVON-monitoringrapport 1998/07, Beek-Ubbergen : SOVON, 69 p. In Dutch with English summary. (Rijksstraatweg 178, NL-6573 DG BeekNetherlands).
- Breeding waders: *Himantopus himantopus*, *Recurvirostra avosetta*, *Charadrius dubius*, *C. hiaticula*, *C. alexandrinus*, *Calidris alpina*, *Philomachus pugnax*, *Actitis hypoleucus*.
- Dorogoi, I.V. 1997. (The fauna and distribution of the waders in NorthAsia). In: *Species diversity and population status of waterside birds in North-east Asia*. Magadan. p. 53. In Russian with English summary.
- Dorogoi, I.V. & Beaman, M. 1998. (New data on breeding of the Semipalmated Sandpiper *Calidris pusilla* in Eurasia). In: *Information materials of the Working Group on Waders* 11: 48-49. In Russian with English summary.
- Dorogoi, I.V. & Beaman, M. 1998. (A vagrant Western Sandpiper *Calidris mauri* at the Sea of Okhotsk). In: *Information materials of the Working Group on Waders* 11: 49. In Russian with English summary.
- Engilis Jr., A., Oring, L.W., Carrera, E., Nelson, J.W. & Lopez, A.M. 1998. Shorebird surveys in Ensenada Pabellones and Bahia Santa Maria, Sinaloa, Mexico: critical winter habitats for Pacific Flyway shorebirds. *Wilson Bull.* 110(3): 332-341.
- Fokin, S. & Zverev, P. 1997. [Results of Woodcock ringing in central Russia]. Hunter library (suppl. to "Okhotnichyi prostory"). Reutov : Publ. House "ERA". p. 60-66. In Russian. *Scolopax rusticola*.



- Fraser, P.A., Lansdown, P.G. & Rogers, M.J. 1999. Report on scarce migrant birds in Britain in 1996. *Brit. Birds* 92(1): 3-35. (c/o 2 Churchtown Cottages, Towednack, St. Ives, Cornwall TR26 3AZ, UK). Waders: *Charadrius alexandrinus*, *Calidris temminckii*, *C. melanotos*, *Tringa subruficollis*, *Phalaropus lobatus*, *P. fulicarius*.
- Garmash, B. 1998. (A breeding record of the White-tailed Lapwing *Vanellus vanellus* in the Crimea, Ukraine). In: *Information materials of the Working Group on Waders* 11: 50. In Russian with English summary.
- Gavrilov, V.V. 1998. (Morphometric characteristics in waders breeding at North Yakutia). *Ornitologiya* 28: 200. In Russian with English summary.
- Gavrilov, V.V. 1998. (Body size dimorphism and moult in adult Sanderling (*Calidris alba*) migrating in July from Yugorski Peninsula). *Ornitologiya* 28: 237. In Russian.
- Gratto-Trevor C.L., Johnston, V.H. & Pepper, S.T. 1998. Changes in shorebird and Eider abundance in the Rasmussen Lowlands, NWT. *Wilson Bull.* 110(3): 316-325.
- Gromadzka, J. & Zielinski, M. 1996. (Ringing of waders (*Charadrii*) at the Vistula river mouth in 1995-1996). *Notatki Ornitol.* 3: 344-351. In Polish with English summary.
- Van der Have, T. 1998. Spring migration of Broad-billed Sandpipers in Khor Dubai. In: Keijl, G.O. & Ruiters, P.S. (eds.). *Waders and other waterbirds in the United Arab Emirates, autumn 1994 & spring 1995*. WIWO-report 62, Zeist, p. 78. *Limicola falcinellus*.
- Van't Hoff, J. 1998. *Wadvogeltellingen langs de Groninger Noordkust tussen 1973 en 1997*. [Shorebirds counts along the northern coast of Groningen, 1973-1997]. [Groningen]: Wadvogelwerkgroep van de Vereniging Avifauna Groningen, 94 p. In Dutch. (Stadsweg 65, NL-9918 PL Garrelsweer, Netherlands). Analysis of shorebird counts along the northern coast of the province Groningen, Netherlands, eastern part of the Wadden Sea. Waders: *Haematopus ostralegus*, *Charadrius hiaticula*, *Pluvialis apricaria*, *P. squatarola*, *Vanellus vanellus*, *Arenaria interpres*, *Calidris alpina*, *C. canutus*, *C. alba*, *Philomachus pugnax*, *Tringa erythropus*, *T. totanus*, *T. nebularia*, *Actitis hypoleucos*, *Limosa lapponica*, *Numenius arquata*, *N. phaeopus*, *Recurvirostra avosetta*.
- Hui, W. & Barter, M. 1998. Estimates of the numbers of waders in the Dongsha Islands, China. *Stilt* 33: 41-42. (203 Room No. 173, Jian Jun Dong Lu Rd., Yancheng 224002 Jiangsu Prov., China)
- Ivanovsky, V.V. 1997. (Breeding expansion of the Greenshank in Belarus). *Berkut* 6(1-2): 29-32. In Russian with English summary. *Tringa nebularia*
- Kalyakin, V.N. 1998. (A nesting record of the Temminck's Stint *Calidris temminckii* on Novaya Zemlya archipelago). In: *Information materials of the Working Group on Waders* 11: 47-48. In Russian with English summary.
- Karpov, F.F. 1998. (Winter record of Spotted Redshank *Tringa erythropus* in Kazakhstan). In: *Information materials of the Working Group on Waders* 11: 51-52. In Russian with English summary.
- Karpova, N.V., Savchenko, A.P., Prokofiev, S.M. & Kutyannina, A.V. 1997. [Shanks (Tringinae) of Zisyenissei Siberia]. In: *Fauna and ecology of terrestrial vertebrates of Siberia*. Krasnoyarsk. p. 54-71. In Russian.
- Keijl, G.O., Ruiters, P.S., van der Have, T.M., bij de Vaate, A., Marteijn, E.C.L. & Noordhuis, R. 1998. *Waders and other waterbirds in the United Arab Emirates, autumn 1994 & spring 1995*. Zeist : WIWO (Foundation Working Group International Wader and Waterfowl Research). WIWO-report 62, 133 p. Available from: Stichting WIWO, Fehta 23, NL3633 CT Vreeland, Netherlands. Price Dfl. 25 + 15 admin. costs, postal giro account 2666009. Main aims of the study were to discover important areas for migrating *Limicola falcinellus*, and to study migration ecology. Other aims were to estimate numbers of waterbirds in wetlands in the UAE; to study invertebrate fauna of Khor Dubai and other wetlands; and to study the departure of migrating waders in spring (*Calidris ferruginea*, *Calidris minuta* most numerous). Data on many migrating wader species.
- Koks, B.J. & Hustings, F. 1998. *Broedvogelmonitoring in het Nederlandse Waddengebied in 1995 en 1996*. [Monitoring breeding birds in the Dutch Wadden Sea area in 1995 and 1996]. SOVON-rapport 1998/05. Beek-Ubbergen : SOVON, 82 p. In Dutch with English and German summaries. (SOVON, Rijksstraatweg 178, NLGD Beek-Ubbergen Netherlands). Numbers and recent trends of breeding: *Haematopus ostralegus*, *Recurvirostra avosetta*, *Charadrius dubius*, *C. alexandrinus*, *C. hiaticula*, *Vanellus vanellus*, *Calidris alpina*, *Philomachus pugnax*, *Gallinago gallinago*, *Numenius arquata*, *Limosa limosa*, *Tringa totanus*, *Arenaria interpres*.
- Komisja Faunistyczna SO PTZool 1996. (Rare birds recorded in Poland in 1995). *Notatki Ornitol.* 3-4: 301-317. In Polish with English summary. (Komisja Faunistyczna SO PTZool, ul. Sienkiewicza 21, PL-50-335 Wroclaw, Poland). Waders: *Haematopus ostralegus*, *Himantopus himantopus*, *Burhinus oedicnemus*, *Charadrius alexandrinus*, *C. leschenaultii*, *Calidris maritima*, *Tringa stagnatilis*, *Xenus cinereus*, *Phalaropus fulicarius*
- Kondratyev, A.V. & Andreev, A.V. 1998. (Probable breeding of the Nordmanns Greenshank *Tringa guttifer* in Magadan Region, Far East). In: *Information materials of the Working Group on Waders* 11: 50. In Russian with English summary.
- Korzyukov, A. & Gridnev, A. 1998. (A long-living Kentish Plover *Charadrius alexandrinus*). In: *Information materials of the Working Group on Waders* 11: 52. In Russian with English summary.
- Krupa, R. 1997. Phenology and dynamics of autumn migration of Grey Plover (*Pluvialis squatarola*) through the Gulf of Gdansk in years 1984. *Ring* 19(1): 93-104. (Zool. Dept., Agric. & Techn. Univ. Olsztyn, PL-10-975 Olsztyn-Kortowo, Poland, ekrupi@moskit.art.olszty.pl)



- Kuzniak, S., Lorek, G. & Lewandowski, M. 1997. (Occurrence of the Black-winged Stilt *Himantopus himantopus* in Poland). *Notatki Ornitol.* 2: 131-139. In Polish with English summary. (Sikorskiego 28 m. 10, PL-64-100 Leszno, Poland). 3 Pairs breeding in 1996.
- Larousse, A. 1998. Afflux de Bécasseaux minutes *Calidris minuta* en France à l'automne 1996. [Influx of Little Stints in France in the autumn of 1996]. *Ornithos* 5: 49-53. In French with English summary.
- Van der Lee, M. & Witte, G. 1998. De Bontbekplevier als broedvogel. [Ringed Plovers as breeding birds]. *Graspieper* 18(3): 113-117. In Dutch. (Buurtje 30, NL-1619 JS Andijk, Netherlands). *Charadrius hiaticula*, breeding numbers in the province Noord-Holland, Netherlands.
- Martynov, A., Nikerov, Yu., Petrunin, V. & Chelintsev, N. 1997. [The experience of Woodcock roding counts in the Moscow Region]. Hunter library (suppl. to "Okhotnichyi prostoy"). Reutov : Publ. House "ERA". p. 44-48. In Russian. *Scolopax rusticola*.
- Maumary, L. & Gysel, S. 1998. Seltene Vogelarten und ungewöhnliche Vogelbeobachtungen in der Schweiz im Jahre 1997. (Rare and unusual bird observations in Switzerland in 1997). *Ornithol. Beob.* 95(4): 259-281. In German with English summary. (Prazéchaud 40, CH-1010 Lausanne, Switzerland). Waders: *Glareola pratincola*, *Charadrius dubius*, *Lymnocryptes minimus*, *Gallinago media*, *Numenius phaeopus*, *Tringa totanus*, *T. stagnatilis*, *Phalaropus lobatus*.
- Meissner, W. 1997. Autumn migration of Wood Sandpiper (*Tringa glareola*) in the region of the Gulf of Gdańsk. *Ring* 19(1-2): 75-91. (Dept. Vertebrat. Ecol. & Zool., Univ. Gdańsk, al. Legionow 9, PL-80-441 Gdańsk, Poland)
- Melnikov, Yu.I. 1997. [The catching experience, ringing and colour marking of Asiatic Dowitcher (*Limnodromus semipalmatus*)]. In: *Fauna and ecology of terrestrial vertebrates of Siberia*. Krasnoyarsk. p. 117-125. In Russian.
- Milton, D.A. 1998. An assessment of the importance of the Tonda wetlands in southwestern Papua New Guinea to shorebirds and waterbirds. *Stilt* 33: 27-31. (336 Prout Rd., Burbank, QLD 4156, Australia).
- Minton, C. 1998. Birds of a feather *Stilt* 33: 37-38. (165 Dalgetty Rd., Beaumaris, VIC 3191, Australia). Two (ringed) *Arenaria interpres* were captured together on five occasions over the last ten years.
- Percival, S.M., Sutherland, W.J. & Evans, P.R. 1998. Intertidal habitat loss and wildfowl numbers: applications of a spatial depletion model. *J. Appl. Ecol.* 35(1): 57-63.
- Qninba, A., Thévenot, M., Dakki, M., Benhoussa, A. & El Agbani, A. 1998. Observations hivernales au Maroc du Phalarope à bec large *Phalaropus fulicarius*. (Winter sightings of Grey Phalarope *Phalaropus fulicarius* in Morocco). *Alauda* 66(2): 113. In French with English summary. (Fac. Sci. Kénitra, Dept. Biol., B.P. 133, Kénitra, Morocco). Analysis of sightings during 19261998 suggest presence of scattered wintering birds in the Atlantic of the coast off northern Morocco.
- Reed, J.M., Silbernagle, M.D., Evans, K., Engilis, A. & Oring, L.W. 1998. Subadult movement patterns of the endangered Hawaiian Stilt (*Himantopus mexicanus knudseni*). *Auk* 115(3): 791-797.
- Rogers, M.J. & Rarities Committee 1998. Report on rare birds in Great Britain in 1997. *Brit. Birds* 91(11): 455-517. Information on 26 wader species. Photographs of *Hoplopterus spinosus*, 1st summer or adult *Calidris mauri*, juvenile *C. bairdii*, adult *Micropalama himantopus*.
- Schepers, F.J., Keijl, G.O., Meininger, P.L. & Rigoulot, J.P. 1998. *Oiseaux d'eau dans le Delta du Sineet la Petit Côte, Sénégal, Janvier 1997*. Zeist : WIWO (Foundation Working Group International Wader and Waterfowl Research). WIWO-report 63, 240 p. In French with English summary. Available from: Stichting WIWO, Fehta 23, NL-3633 CT Vreeland, Netherlands. Price Dfl. 20 + 15 admin. costs, postal giro account 2666009. Special emphasis on the winter distribution of *Philomachus pugnax* and *Limosa limosa*.
- Van Wetten, J.C.J. & Spierenburg, P. (eds.) 1998. *Waders and waterfowl in the floodplains of the Logone, Cameroun, January, 1993*. Zeist : WIWO (Foundation Working Group International Wader and Waterfowl Research). WIWO-report 67, 32 p. Available from: Stichting WIWO, Fehta 23, NL-3633 CT Vreeland, Netherlands. Price Dfl. 20 + 15 admin. costs, postal giro account 2666009. Special emphasis on the winter distribution of *Philomachus pugnax* and *Limosa limosa*.
- Wilson, J.R. & Hassell, C. 1998. Wader counts on the Lacepede Islands, Western Australia. *Stilt* 33: 49. (13/27 Giles St., Kingston, ACT 2604, Australia)
- Zielinski, M. & Studzinski, S. 1996. (Avifauna of the marshland of Blota Rakutowskie near Włocławek). *Notatki Ornitol.* 3: 259-300. In Polish with English summary. (Stacja Ornitol. IE PAN, ul. Nadwiślańska 108, PL-87-800 Włocławek, Poland). Information on account 2666009). Most numerous of 20 wader species recorded were: *Calidris minuta*, *C. ferruginea*, *Haematopus ostralegus*, and *Numenius arquata*.
- Shevchenko, V.L. 1998. (Situation with Sociable Plover *Chettusia gregaria* in the area north from the Caspian Sea). In: *Information materials of the Working Group on Waders* 11: 45-47. In Russian with English summary.
- Shuford, W.D., Page, G.W. & Kjelmyr, J.E. 1998. Patterns and dynamics of shorebird use of California's Central Valley. *Condor* 100(2): 227-244.
- Volet, B. 1998. Übersicht über das Brutgeschehen und andere ornithologische Ereignisse 1995 und 1996 in der Schweiz. (Rare and unusual records of breeding, migrating and wintering bird species, 1995 and 1996). *Ornithol. Beob.* 95(4): 283-296. In German with English and French summary. (Schweizerische Vogelwarte, CH-6204 Sempach, Switzerland).
- Waders: *Gallinago gallinago*, *Numenius arquata*, *Himantopus himantopus*, *Burhinus oedicnemus*, *Charadrius alexandrinus*, *C. morinellus*, *Tringa stagnatilis*.



migrating *Charadrius dubius*, *C. hiaticula*, *Pluvialis squatarola*, *Calidris minuta*, *C. Temminckii*, *C. ferruginea*, *C. alpina*, and *Philomachus pugnax*.

Zykov, V.B. & Revyakina, Z.V. 1996. (Migration of shorebirds on the north-east of Sakhalin Island). In: *Birds of the wetlands of southern Far East and their protection* Vladivostok. p. 205-213. In Russian

MISCELLANEOUS

Blokhin, Yu.Yu. 1997. [Woodcock hunting bag during the roding season in Russia]. Hunter library (suppl. to "Okhotnichyi prostory"). Reutov : Publ. House "ERA". p. 48-54. In Russian. *Scolopax rusticola*.

Chelintsev, N. 1997. [Theoretical basis of Woodcock counts for roding]. Hunter library (suppl. to "Okhotnichyi prostory"). Reutov : Publ. House "ERA". p. 38-43. In Russian. *Scolopax rusticola*.

Fokin, S. 1997. [What are the results of the investigation of Woodcocks wings]. Hunter library (suppl. to "Okhotnichyi prostory"). Reutov : Publ. House "ERA". p. 57-59. In Russian. *Scolopax rusticola*.

Green, A.J. & Hilton, G.M. 1998. Management procedures required to increase chironomid availability to waders feeding on artificial lagoons remain unclear. *J. Appl. Ecol.* 35(1): 9-12.

Gudmundsson, G.A. & Alerstam, T. 1998. Optimal map projections for analysing long-distance migration. *J. Avian Biol.* 29(4): 597-605. (Icelandic Inst. Nat. Hist., P.O. Box 5320, IS-125 Reykjavik, e-mail: mummi@nattfs.is)

Ming, M., Jianjian, L., Chengjia, T., Pingyue, S. & Wei, H. 1998. The contribution of shorebirds to the catches of hunters in the Shanghai area, China during 1997. *Stilt* 33: 32-36. (Xinjiang Inst. Biol., Pedol. & Desert Res., Academia Sinica, No 40 Beijing Rd., Urumqi 830011, Xinjiang, China)

Pennycuick, C.J. 1998. Towards an optimal strategy for bird flight research. *J. Avian Biol.* 29(4): 449-457. (Sch. Biol. Sci., Univ. Bristol, Woodland Rd., Bristol BS8 1UG, UK, e-mail: C.Pennycuick@bristol.ac.uk)

Rykovskiy, A. & Kuzyakin, V. 1997. [Observations for roding in Belorussia]. Hunter library (suppl. to "Okhotnichyi prostory"). Reutov : Publ. House "ERA". p. 76. In Russian. *Scolopax rusticola*.

Spedding, G.R. & Lissaman, P.B.S. 1998. Technical aspects of microscale flight systems. *J. Avian Biol.* 29(4): 458-468. (Dept. Aerospace Engineering, Univ. Southern California, Los Angeles, CA 90089-1191, USA, e-mail: geoff@ostrich.usc.edu)

Thomas, A.L.R. & Hedenstrom, A. 1998. The optimum flight speeds of flying animals. *J. Avian Biol.* 29(4): 469-477. (Oxford Univ., Dept. Zool., South Parks Rd., Oxford OX1 3PS, UK, e-mail: adrian.thomas@zoo.ox.ac.uk)

Zverev, P., Kozlova, M. & Romanov, Yu. 1997. [Observations of roding in Tver Region]. Hunter library (suppl. to "Okhotnichyi prostory"). Reutov : Publ. House "ERA". p. 84-94. In Russian. *Scolopax rusticola*.

