

Recent Publications on waders

compiled by
Henk Koffijberg

In trying to make these lists really as complete as possible, and the next one even more complete and up to date, your help is necessary!! Please send new titles, abstracts, reprints, copies, reports, and (important too!) omissions or corrections to: **Henk Koffijberg, Glenn Millerweg 102, 1311 RW Almere, The Netherlands.**

Remember to include, if possible, the address of the first author, and translations of titles if they are in other languages than English.

Thanks to everyone who contributed to this issue.

Translated titles from languages other than English are bracketed; with round brackets if the translation is by the author(s), square brackets if not.

N.B. a copy of your paper or abstract would be very helpful to enable me to add some keywords or give added annotation to the titles.

PLEASE keep sending your titles in - I am still not receiving every wader paper published.

BREEDING

Abel, V.J. & Ritchison, G. 1999. Nest and roost site selection by American Woodcock in central Kentucky. *Trans. Kentucky Acad. Sci.* 60: 31-36. (Dept. Biol. Sci., Eastern Kentucky Univ., Richmond, KY 40475, USA). *Scolopax minor*.

Amat, J.A., Fraga, R.M. & Arroyo, G.M. 1999. Replacement clutches by

Kentish Plovers. *Condor* 101(4): 746-751. (Estac. Biol. Doñana, C.S.I.C., Apartado 1056, E-41080 Sevilla, Spain, e-mail: aguilar@cica.es). *Charadrius alexandrinus* breeding strategy in southern Spain.

Andres, B.A. 1999. Effects of persistent shoreline oil on breeding success and chick growth in Black Oystercatchers. *Auk* 116(3): 640-650. *Haematopus bachmani*.

Bertolero, A. & Vilalta, A.M. 1998. La perdiu de mar *Glareola pratincola* al delta de l'Ebre: seguiment de poblacio i biologia reproductora. (The Collared Pratincole *Glareola pratincola* at the Ebro delta: population monitoring and breeding biology. *Butll. Parc Natural de l'Ebre* 10: 14-19. In Spanish with English summary. (Parc Natural del Delta de l'Ebre, Plaça 20 de maig, 2. S-43580 Deltebre, Spain).

Exo, K.-M. 2000. Ökologie des Kiebitzregenpfeifers zur Brutzeit - eine Pilotstudie im Lena Delta. [Breeding ecology of Grey Plovers - a pilot study in the Lena Delta]. *Jahresbericht Inst. f. Vogelforschung Vogelwarte Helgoland* 1998/1999 no. 4: p. 17. In German. (Vogelwarte Helgoland, An der Vogelwarte 21, D-26386 Wilhelmshaven, Germany, e-mail: exo@ifv-terrmare.fh-wilhelmshaven.de). *Pluvialis squatarola*.

Fojt, E., Triplet, P., Robert, J.-C. & Stillman, R.A. 2000. Comparison of the breeding habitats of Little Ringed Plover *Charadrius dubius* and Kentish Plover *Charadrius alexandrinus* on a shingle bed. *Bird Study* 47(1): 8-12. (Stn. Biol. Blanquetaque, F 80 132 Port-le-Grand, France, e-mail: triplet@dyadel.net).

Grant, M.C., Lodge, C., Moore, N., Easton, J., Orsman, C. & Smith, M. 2000. Estimating the abundance and hatching success of breeding Curlew *Numenius arquata* using survey

data. *Bird Study* 47(1): 41-51. (RSPB, Dunedin House, 25 Ravelston Terr., Edinburgh EH4 3TP, UK, e-mail:murray.grant@rspb.org.uk)

Hötker, H. & Segebade, A. 2000. Effects of predation and weather on the breeding success of Avocets *Recurvirostra avosetta*. *Bird Study* 47(1): 91-101. (Forschungs- und Technologiezentrum Westküste der Christian-Albrechts-Univ. Kiel, Hafentörn, D-25761 Büsum, Germany, e-mail: hhoetker@ftz-west.uni-kiel.de)

Johnson, D.D.P. & Briskie, J.V. 1999. Sperm competition and sperm length in shorebirds. *Condor* 101(4): 848-854. (Edward Grey Inst. Field Ornithol., Dept. Zool., Univ. Oxford, South Parks Rd., Oxford, OX1 3PS, UK, email:dominic.johnson@zoo.ox.ac.uk).

Koffijberg, K. 2000. Broedvogelinventarisatie van Kluut, plevieren, meeuvens en sterns in Groningen in 1997 en 1998. [Breeding bird survey of Avocet, plovers, gulls and terns in the province of Groningen in 1997 en 1998]. *Grauwe Gors* 28(1): 5-13. In Dutch. (Noordpad 52, NL-6822 JJ Arnhem, Netherlands, e-mail: kko@xs4all.nl). Waders: *Recurvirostra avosetta*, *Charadrius hiaticula*, *Charadrius dubius*, *Charadrius alexandrinus*

Lank, D.B., Coupe, M. & Wynne-Edwards, K.E. 1999. Testosterone-induced male traits in female ruffs (*Philomachus pugnax*): autosomal inheritance and gender differentiation. *Proc. R. Soc. Lond. B* 266: 2323-2330. (Dept. Biol. Sci., Simon Fraser Univ., Burnaby, BC, Canada V5A 1S6).

Opermanis, O. 2000. Nest site selection and hatching success of Little Ringed Plover *Charadrius dubius* at the coast of Gulf of Riga, eastern Baltic Sea. *Ornis Svecica* 10(1): 25-31. (Lab. Ornithol., Inst. Biol., Miera 3, LV-2169, Salaspils,



Latvia, e-mail: otars@parks.lv).
Post, W. 1996. Late autumnal breeding by Killdeer. *Fla. Field Nat.* 24: 109. (Charleston Mus., 360 Meeting St., Charleston, SC 29403, USA). *Charadrius vociferus* seen with young in November.

Sandercock, B.K., Lank, D.B. & Cooke, F. 1999. Seasonal declines in the fecundity of arctic-breeding sandpipers: different tactics in two species with an invariant clutch size. *J. Avian Biol.* 30(4): 460-468. (Dept. Environm. Sci., Policy & Management, Univ. California Berkeley, 151 Hilgard Hall, Berkeley, CA 94720-3110, USA, e-mail: bsander@nature.berkeley.edu). *Calidris mauri*, *C. pusilla*.

Soloviev, M.Y. & Tomkovich, P.S. (comp.) 1999. Arctic breeding birds : an international breeding conditions survey. *Newsletter No. 1:* 1-16. (Dept. Vertebrat. Zool., Biol. Fac., Moscow State Univ., Moscow, 119899, Russia, e-mail: soloviev@soil.msu.ru). Detailed information on environmental conditions on the breeding areas of Arctic nesting birds. With information on breeding waders in 1998. Database:<http://soil.msu.ru/~soloviev/arctic/>

Tomkovich, P.S., Gill Jr., R.E. & Dementiev, M.N. 1998. Surfbird in its non-surfing habitats. *Dutch Birding* 20(5): 233-237. (Zool. Mus., Moscow State Univ., Bolshaya Nikitskaya Str. 6, Moscow 103009, Russia, e-mail: tomkovic@1.zoomus.bio.msu.ru). First impressions of breeding biology and behaviour of *Aphriza virgata* on its breeding grounds in Alaska.

Winton, B.R. & Leslie, D.M. Jr. 1997. Breeding ecology of American Avocets (*Recurvirostra americana*) in north-central Oklahoma. *Bull. Okla. Ornithol. Soc.* 30: 25-32. (USFWS, Lower Rio Grande NWR, Rt. 2, Box 202-A, TX 78516, USA).

BEHAVIOUR, ECOLOGY AND EVOLUTION

Ali, D. & Khalil, R. 1998. Breeding behaviour of Kittlitz's Plover. *Dutch Birding* 20(3): 115-118. (16 Ali Ibrahim Ramez Street, Heliopolis, Cairo, Egypt). *Charadrius pecuarius*, Egypt.

Balachandran, S., Hussain, S.A. & Underhill, L.G. 2000. Primary moult, biometrics, mass and age composition of Grey Plovers *Pluvialis squatarola* in southeastern India. *Bird Study* 47(1): 82-90. (Avian Demograph. Unit, Dept. Stat. Sci., Univ. Cape Town, Rondebosch, 7701 South Africa)

Barbosa, A. & Moreno, E. 1999. Evolution of foraging strategies on shorebirds: an ecomorphological approach. *Auk* 116(3): 712-725.

Bruinzeel, L.W., Piersma, T. & Kersten, M. 1999. Low costs of terrestrial locomotion in waders. *Ardea* 87(2): 199-205. (Zool. Lab., Ctr. Ecol. & Evol. Stud., Univ. Groningen, P.O. Boz 14, NL-9750 AA Haren, Netherlands, e-mail: L.W.Bruinzeel@biol.rug.nl). *Arenaria interpres*, *Calidris canutus*, *Pluvialis squatarola*, *Haematopus ostralegus*, *Limosa lapponica*, *Tringa totanus*.

Burton, N.H.K. 2000. Winter site-fidelity and survival of Redshank *Tringa totanus* at Cardiff, south Wales. *Bird Study* 47(1): 102-112. BTO, The Nunnery, Thetford, Norfolk, IP24 2PU, UK, e-mail: niall.burton@bto.org)

Cullen, S. & Robertson, G.J. 1999. Temporal changes in the anti-predator flocking behavior of wintering shorebirds. *Waterbirds* 22: 156-159. (Manomet Obs. Conserv. Sci., P.O. Box 1770, Manomet, MA 02345, USA, e-mail: sacullen@sfsu.ca).

Dekker, D. 1998. Over-ocean flocking by Dunlins, *Calidris alpina*, and the effects of raptor predation at Boundary Bay, British Columbia. *Can. Field-Nat.* 112: 694-697. (3819 112A St., Edmonton, AB T6J 1K4, Canada).

Exo, K.-M. & Schmidt, S. 2000. Raumnutzungsmuster von Laro-Limikolen im Spiekerooger Rückseitenwatt. [Spatial patterns of gulls and waders on the tidal flats of Spiekeroog, German Wadden Sea]. *Jahresbericht Inst. f. Vogelforschung Vogelwarte Helgoland 1998/1999 no. 4:* p. 12-13. In German. (Vogelwarte Helgoland, An der Vogelwarte 21, D-26386 Wilhelmshaven, Germany, e-mail: exo@ifv-terramare.fh-wilhelmshaven.de). *Haematopus ostralegus*, *Numenius arquata*.

Harrington, B.A. 1999. *The hemispheric globetrotting of the White-rumped Sandpiper*. In: Able, K.P. (ed.). *Gathering of angels : migrating birds and their ecology*. Ithaca : Cornell Univ. Press, p. 119-134. ISBN: 0-8014-3362-2. *Calidris fuscicollis*.

Hui, C.A. & Beyer, W.N. 1998. Sediment ingestion of two sympatric shorebird species. *Sci. Total Environ.* 224: 227-233. (e-mail: Nelson Beyer@usgs.gov). *Pluvialis squatarola* digesta contained ca. 29% sediment, *Catoptrophorus semipalmatus* ca. 3%.

Ketzenberg, C. 1999. Grundstoffwechsel und untere kritische Temperatur bei Goldregenpfeifern (*Pluvialis apricaria*). (Basal metabolic rate and lower critical temperature of Golden Plovers (*Pluvialis apricaria*)). *Vogelwarte* 40(102): 139-142. In German with English summary. (Inst. Vogelforschung "Vogelwarte Helgoland", An der Vogelwarte 21, D-26386 Wilhelmshaven, Germany, e-mail: christiane.ketzenberg@ifv.terramare.de)



- Lislevand, T. Lansdown, P.G. & Rogers, M.J. 2000. Common Sandpiper diving to escape Merlin. *Brit. Birds* 93(2): 93. (Fosswinkelsgate 21, N-5007 Bergen, Norway, e-mail: terje.lislevand@zoo.uib.no). *Actitis hypoleucus*.
- Rogers, K.G. & Rogers, A. 1999. Australian Ravens preying on a Banded Stilt. *Aust. Bird Watcher* 18(3): 128-130. *Cladorhynchus leucocephalus*.
- Senner, S.E. 1999. *Converging north: Dunlins and Western Sandpipers on the Copper River Delta*. In: Able, K.P. (ed.). *Gathering of angels : migrating birds and their ecology*. Ithaca : Cornell Univ. Press, p. 135-148. ISBN: 0-8014-3362-2. *Calidris maritima*, *C. mauri*.
- Shackford, J.S., Leslie, D.M. Jr. & Harden, W.D. 1999. Range-wide use of cultivated fields by Mountain Plovers during the breeding season. *J. Field Ornithol.* 70(1): 114-120. (Oklah. Coop. Fish Wildl. Res. Unit, Biol. Resource Div., US Geol. Surv., Dept. Zool., Oklah. State Univ., Stillwater, OK 74078-3051, USA). *Charadrius montanus*.
- Smith, K.W., Reed, J.M. & Trevis, B.E. 1999. Nocturnal and diurnal activity patterns and roosting sites of Green Sandpipers *Tringa ochropus* wintering in southern England. *Ring. & Migr.* 19(4): 315-322. (RSPB, The Lodge, Sandy, Bedfordshire SG19 2DL, UK)
- Sorace, A., Landucci, G., Ruda, P. & Carere, C. 1999. Age class, morphometrics and body mass of Woodcocks (*Scolopax rusticola*) wintering in Central Italy. *Vogelwarte* 40(1-2): 57-62 (SROPU, Via Roberto Crippa 60, D/8, I-00125, Roma (Acilia), Italy, e-mail: a.sorace@iss.it)
- Vieuxtemps, D. 1998. Exploitation d'un tas de fumier par le Petit Gravelot (*Charadrius hiaticula*). [Exploitation of a dunghill by a Ringed Plover (*Charadrius hiaticula*)]. *Aves* 35(2): 126. In French.
- Weidensaul, S. 1999. *Living on the wind : across the hemisphere with migratory birds*. New York : North Point Press. ISBN: 0-86547-543-1.
- Waders: *Limosa lapponica baueri*, *Arenaria interpres*, *Calidris canutus rufa* in Delaware Bay.
- ## DISTRIBUTION AND FAUNISTICS
- Agler, B.A. ...[et al.]. 1999. Decline in marine bird populations in Prince Williams Sound, Alaska coincident with a climatic regime shift. *Waterbirds* 22: 98-103. (P.O. Box 1063 Westbrook, CT 06498, USA, e-mail: skuas@yahoo.com). Increase in *Haematopus bachmani*.
- Benner, W. 1998. Broad-billed Sandpiper - first record for lower 48 states. *Kingbird* 48: 182-185. (113 Shore Rd., Glen Cove, NY 11542, USA). *Limicola falcinellus*.
- Berlijn, M. 1997. Grijze Strandloper bij Lepelaarsplassen in juli 1996. (Semipalmated Sandpiper at Lepelaarsplassen in July 1996). *Dutch Birding* 19(4): 185-187. In Dutch with English summary. *Calidris pusilla*.
- Berrevoets, C.M., Strucker, R.C.W. & Meininger, P.L. 2000. *Watervogels in de Zoute Delta 1998/99. [Waterbirds in the salt waters of the Delta area, SW-Netherlands, 1998/99]*. Middelburg : Rijksinstituut voor Kust en Zee RIKZ, 80 p. In Dutch with English summary. (RIKZ, P.O. Box 8039, NL-4330 EA Middelburg, Netherlands). Results of monthly counts of waterbirds in the southern Delta area, SW-Netherlands. ISBN 90-369-3464-8, Report RIKZ-2000.003. Giving detailed information on the occurrence of many wader species in the Delta area.
- Brei, A. 1997. Early Stilt in northern Illinois. *Meadowlark* 6: 139-140. (5601 Whiting Rd., Popular Grove, IL 61065, USA). *Himantopus mexicanus*.
- Browne, S. 1997. The first White-rumped Sandpiper *Calidris fuscicollis* in Turkey and the Middle East. *Sandgrouse* 19(2): 146.
- Butcher, S., Dean, B. & Rodgers, N. 1996. Observations during the breeding season of the Common Snipe in Lawrence and Mercer counties of western Pennsylvania. *Pa. Birds* 10: 42-44. (11 Norwick Dr., Youngstown, OH 44505, USA). Possible breeding of *Gallinago gallinago* south of known breeding limits.
- Carter, R.M. & Eastman, C.M. 1998. Sharp-tailed Sandpiper observed in Orangeburg county, South Carolina. The first sight record for South Carolina. *Chat* 62: 38-40. (4165 E. Buchanan Dr., Columbia, SC 29206, USA). *Calidris acuminata*.
- Corse, C.J. & Summers, R.W. 1999. The seasonal pattern of numbers, population structure and migration of Purple Sandpipers *Calidris maritima* in Orkney. *Ring. & Migr.* 19(4): 275-282. (Garrisdale, Lynn Park, Kirkwall, Orkney KW15 1SL, UK)
- Dierschke, V. 2000. Tagzug von See-, Wasser- und Watvögeln über die Deutsche Bucht bei Helgoland. [Diurnal migration of sea-, water- and shorebirds at Helgoland]. *Jahresbericht Inst. f. Vogelforschung Vogelwarte Helgoland 1998/1999* no. 4: p. 7. In German. (Vogelwarte Helgoland, Inselstation Helgoland, P.O. Box 1220, D-27494 Helgoland, Germany, e-mail: volker-ifv@t-online.de). Migration patterns of *Calidris maritima*.
- Eakin, R.R. & Brinker, L. 1997. An aberrant Purple Sandpiper in Maine. *Northeast Nat.* 4: 51-54. Partial albino *Calidris maritima*.



- Feddema, J. & Kuipers, R. 1998. *Broedvogels Noord-Friesland buitendijks 1998. [Coastal breeding birds in Noord-Friesland 1998].* Ferwerd : Wadvogelwerkgroep FFF Fryske Feriening foar Fjildbiology. In Dutch. Breeding waders: *Haematopus ostralegus, Vanellus vanellus, Charadrius hiaticula, Limosa limosa, Tringa totanus, Recurvirostra avosetta* along the Frisian coast of the Dutch Wadden Sea.
- Feddema, J., Hiemstra, H. & Kuipers, R. 1999. *Broedvogels Noord-Friesland buitendijks 1999. [Coastal breeding birds in Noord-Friesland 1999].* Ferwert : Wadvogelwerkgroep FFF Fryske Feriening foar Fjildbiology. In Dutch. Breeding waders: *Haematopus ostralegus, Vanellus vanellus, Charadrius hiaticula, Limosa limosa, Tringa totanus, Recurvirostra avosetta* along the Frisian coast of the Dutch Wadden Sea.
- Flint, P.R., Stewart, P.E. & Kirwan, G.M. 1997. A review of claimed records of Lesser Sand Plover *Charadrius mongolus* from Cyprus and Turkey. *Sandgrouse* 19: 133-139.
- Fraser, P.A., Lansdown, P.G. & Rogers, M.J. 1999. Report on scarce migrant birds in Britain in 1997. *Brit. Birds* 92(12): 618-658. (c/o 2 Churchtown Cottages, Towednack, St. Ives, Cornwall TR26 3AZ, UK). Waders: *Charadrius alexandrinus, Calidris temminckii, C. melanotos, Tringa subruficollis, Phalaropus lobatus, P. fulicarius.*
- Goedbloe, J. 1997. Grote Geelpootruiters bij Grijpskerke en in Braakman in 1995. (Greater Yellowlegs at Grijpskerke en in Braakman in 1995). *Dutch Birding* 19(4): 166-170. In Dutch with English summary. *Tringa melanoleuca.*
- Green, M. 1999. Bar-tailed Godwits *Limosa lapponica* on south Swedish shores in spring - emergency stopovers or a regular occurrence?. *Ornis Svecica* 9(3): 133-142. (Dept. Anim. Ecol., Lund Univ., Ecol. Bldg., S-223 62 Lund, Sweden, e-mail: martin.green@zooekol.lu.se).
- Groot, H., Mom, H.E. & Spoel, D. van der 1998. Bartrams Ruiter op Maasvlakte in oktober 1995. (Upland Sandpiper at Maasvlakte in October 1995). *Dutch Birding* 20(2): 61-64. In Dutch with English summary. (Zijlweg 168, NL-2015 BJ Haarlem, Netherlands, e-mail: hans uit Haarlem@hotmail.com) *Bartramia longicauda.*
- Haggerty, T.M. & Garner, J.T. 1998. First nesting record for the Black-necked Stilt (*Himantopus mexicanus*) in the Tennessee valley. *Alabama Birdlife* 44(1): 8-10. (Biol. Dept., Univ N. Alabama, Florence, AL 35632-0001, USA).
- Henderson, I. 1999. Long-term declines in breeding waders in N Ireland. *BTO News* 227: 8-9. (BTO, Terrestrial Ecol. Unit, The Nunnery, Thetford, Norfolk IP24 2PU, UK). Decline in breeding *Vanellus vanellus* (-66%), *Gallinago gallinago* (-30%), *Numenius arquata* (-58%), and *Tringa totanus* (-56%) over the period 1987-1999.
- Hess, P. 1998. Status and field identification problems of the Willet subspecies in Pennsylvania. *Pa. Birds* 12: 42-46. (1412 Hawthorne St., Natrona Heights, PA 15065, USA). Western and eastern races of *Catoptrophorus semipalmatus* (*C. s. inornatus* and *C.s. semipalmatus*).
- Hirschfeld, E., Roselaar, C.S. & Shirihai, H. 2000. Identification, taxonomy and distribution of Greater and Lesser Sand Plovers. *Brit. Birds* 93(4): 162-189. (Södra Förstadsgatan 62, SE-211 42 Malmö, Sweden). *Charadrius leschenaultii, C. mongolus.*
- Holloway, S., Austin, G. & Rehfisch, M. 1999. Declines in wintering non-estuarine coastal waders. *BTO News* 225: 10-11. (BTO, Wetland & Coastal Ecol. Unit, The Nunnery, Thetford, Norfolk IP24 2PU, UK). *Arenaria interpres* -20%, *Calidris maritima* -16%.
- Holt, P. 1999. Long-billed Dowitcher *Limnodromus scolopaceus* at Bharatpur, Rajasthan, India: a new species for the Indian subcontinent. *Forktail* 15: 95.
- Hötker, H. 1998. *Choice of winter quarters in Avocets (Recurvirostra avosetta)*. In: Spina, F. & Grattarola, A. *Biologia e conservazione della fauna. Proceedings of the 1st meeting of the European Ornithologists' Union*, p. 118-122. (Forschungs- und Technologiezentrum Westküste der Christian-Albrechts-Univ. Kiel, Hafentörn, D-25761 Büsum, Germany, e-mail: hhoetker@ftz-west.uni-kiel.de)
- Hötker, H. 1999. Integrated population monitoring of Wadden Sea birds: the example of the Avocet *Recurvirostra avosetta*. *Senckenbergiana maritima* 29(suppl.): 75-76
- Houston, G.S., Drury, S.C. & Holroyd, G. 1999. Upland Sandpiper banding in North America. *N. Am. Bird Bander* 24: 1-2. (863 Univ. Dr., Saskatoon, SK S7N 0J8, Canada). *Bartramia longicauda.*
- Jehl, J.R. Jr. 1999. Population studies of Wilson's Phalaropes at fall staging areas, 1980-1997: a challenge for monitoring. *Waterbirds* 22(1): 37-46. (Hubbs Sea World Res. Inst., 2595 Ingraham St., San Diego, CA 92109, USA, e-mail: jjehl@hswri.org). *Phalaropus tricolor* general decline on breeding grounds and 50% less at staging areas.
- Knolle, P. 1998. IJslandse Grutto's bij Markelo in april 1997. (Icelandic Black-tailed Godwits at Markelo in April 1997). *Dutch Birding* 20(2): 73-75. In Dutch with English summary. (Venderinklanden 13,



NL-7542 MK Enschede, Netherlands). *Limosa limosa islandica*.

Köhler, P. & Köhler, U. 1999. Extension of the known non-breeding range of the Bar-tailed Godwit (*Limosa lapponica*) in southern Africa: a major wintering site in Mozambique. *Vogelwarte* 40(102): 142-144. (Rosenstr. 18, D-85774 Unterföhring, Germany).

Kuipers, R. 1996. *Broedvogels Noord-Friesland buitendijks 1995*. [*Coastal breeding birds in Noord-Friesland 1995*]. Holwerd : Wadvoogdwerkgroep FFF Frysk. Feriening foar Fjildbiology, 15 p. In Dutch. Breeding waders: *Haematopus ostralegus*, *Vanellus vanellus*, *Charadrius hiaticula*, *Limosa limosa*, *Tringa totanus*, *Recurvirostra avosetta* along the Frisian coast of the Dutch Wadden Sea.

Kuipers, R. & Feddema, J. 1996. *Broedvogels Noord-Friesland buitendijks 1996*. [*Coastal breeding birds in Noord-Friesland 1996*]. Holwerd : Wadvoogdwerkgroep FFF Frysk. Feriening foar Fjildbiology. In Dutch. Breeding waders: *Haematopus ostralegus*, *Vanellus vanellus*, *Charadrius hiaticula*, *Limosa limosa*, *Tringa totanus*, *Recurvirostra avosetta* along the Frisian coast of the Dutch Wadden Sea.

Mawhinney, K., Allen, B. & Benedict, B. 1999. Status of the American Oystercatcher, *Haematopus palliatus*, on the Atlantic coast. *Northeast Nat.* 6: 177-182. (Atlantic Coop. Wildl. Ecol. Res. Network, Univ. New Brunswick, P.O. Box 45111, Fredericton, NB, E3B 1R7 Canada). Northward breeding range extension.

McCulloch, N. 1999. St. Helena Wirebird: the forgotten plover. *Bull. ABC* 6(2): 95-99. *Charadrius sanctaeheleneae*.

Meek, H.A. 1999. Het Bokje in de

Bergvennen. [*Lymnocryptes minimus* at the Bergvennen]. *Vogeljaar* 47(5): 211-213. In Dutch. (De Plevier 7, NL-7591 JJ Denekamp, Netherlands, e-mail: meek@xs4all.nl).

Meijer, P.C. & Roos, M. 1999. Witstaartkievit te Assendelft in februari-maart en september-oktober 1998. (White-tailed Lapwing at Assendelft in February-March and September-October 1998). *Dutch Birding* 21(1): 15-19. In Dutch with English summary. (Bakboordlaan 3, NL-4338 KG Woerden, Netherlands, e-mail: pcmeijer@worldonline.nl). *Vanellus leucurus*.

Meininger, P.L., Berrevoets, C.M. & Strucker, R.C.W. 1999. *Kustbroedvogels in het Deltagebied: een terugblik op twintig jaar monitoring (1979-1998)*. [*Coastal breeding birds in the Delta area: twenty years of monitoring (1979-1998)*]. Middelburg : Rijksinstituut voor Kust en Zee RIKZ, 241 p. In Dutch. (RIKZ, P.O. Box 8039, NL-4330 EA Middelburg, Netherlands). Breeding waders: *Himantopus himantopus*, *Recurvirostra avosetta*, *Charadrius dubius*, *C. hiaticula*, *C. alexandrinus* in the southern Delta area, SW-Netherlands. Data on population, numbers, distribution, trends, breeding success, and ringing. ISBN 90-369-3414-1, Report RIKZ-99.025.

Meissner, W. 1999. Biometrics of Redshank (*Tringa totanus*) caught in the region of the Gulf of Gdansk during autumn migration. *Vogelwarte* 40(102): 110-116. (Dept. Vertebrat. Ecol. & Zool., Univ. Gdansk, al. Legionow 9, PL-80-441 Gdansk, Poland, e-mail: biowm@iuniv. gda.pl)

Olioso, G. 1998. Statut des limicoles en Vaucluse et aux environs immédiats. [Status of waders in Vaucluse and direct vicinity]. *Faune de Provence* 19: 51-58. In French with English summary. (M.N.H.M., le Mail, F-26230 Grignan, France). 32

Species observed. More frequent are: *Vanellus vanellus*, *Gallinago gallinago*, *Tringa ochropus*, *Actitis hypoleucos*, *Charadrius dubius*, *Burhinus oedicnemus*, *Scolopax rusticola* breed regularly.

Pullan, D. 1999. The Short-billed Dowitcher in Aberdeenshire - a new British bird. *Birding World* 12(9): 371-374. *Limnodromus griseus*.

Qninba, A., Dakki, M., Aziz El Agbani, M., Benhoussa, A. & Thévenot, M. 1999. Hivernage au Maroc des gravelots et pluviers (Aves: Charadrii, Charadriinae) et identification des sites d'importance internationale. (Overwintering plovers (Aves, Charadrii, Charadriinae) in Morocco and identification of internationally important sites for these species). *Alauda* 67(3): 161-172. In French with English summary.

Robinson, J.A. & Aumann, G. 1997. An American Woodcock nest in Galveston county, Texas. *Bull. Texas Ornithol. Soc.* 30: 20-23. (Dept. Biol., Univ. Houston, Houston, TX 77204-5513, USA). *Scolopax minor*.

Sauvage, A. 2000. Les limicoles sur les bassins de décantation de la sucrerie d'Attigny, dans les vallées de l'Aisne et de la Chiers (Ardennes): phénologie de la migration, reproduction et hivernage. (Waders on the settling ponds of the Attigny sugar factory, in the Aisne valley and in the Chiers valley (Ardennes): migration phenology, breeding and wintering. *L'Orfraie* (special issue): 1-220. In French with English summary. (23 rue Jean Moulin, F-08090 Aiglemont, France, e-mail: alain-sauvage@wanadoo.fr). Wader counts within the German OAG Münster's programme of inland wader counts in Europe, 1978 to 1998. Detailed information on 37 wader species in northern France.

De Scheemaeker, F., De Ruwe, F. & Lust, P. 1999. Broedvogels in Noord-West Vlaanderen in 1997. (Breeding



birds in North West Flanders in 1997). *Mergus* 13(2): 61-103. In Dutch with English and French summary. (Ronselarestr. 105, B-8380 Brugge, Belgium). Waders: *Haematopus ostralegus*, *Himantopus himantopus*, *Recurvirostra avosetta*, *Charadrius dubius*, *C. hiaticula*, *C. alexandrinus*, *Vanellus vanellus*, *Gallinago gallinago*, *Scolopax rusticola*, *Limosa limosa*, *Numenius arquata*, *Tringa totanus*.

Senner, S.E. & McCaffery, B.J. 1997. *Surfbird (Aphriza virgata)*. In: A. Poole, P. Stettenheim & F. Gill (eds.), *The Birds of North America*, No. 266. (The Birds of North America, c/o The Acad. Natural Sci. Philadelphia, 1900 Benjamin Franklin Parkway, Philadelphia, PA 19103-1195, USA).

Sikora, A. 1998. First record of White-rumped Sandpiper *Calidris fuscicollis* in Poland. *Notatki Ornitol.* 39(4): 263-264.

De Souza, J.A. 1999. Nota sobre la presencia de *Calidris alpina arctica* (Schioler, 1922) en Galicia. [A short note on *Calidris alpina arctica* (Schioller, 1922) in Galicia, northwest Spain]. *Chioglossa* 1: 140-141. In Spanish. (Grupo Naturalista Hábitat, Apartado 805, E-15080 La Coruña, Spain).

De Souza, J.A., Caeiro, M.L., Rosende, F., Monteagudo, A. & Fafian, J.M. 1999. Estacionamientos, estructura y patrones de residencia de la población invernante del Chorlitejo Patinegro (*Charadrius alexandrinus*) en Galicia: un análisis preliminar. (Non-breeding range, population structure and residency patterns of the Kentish Plover (*Charadrius alexandrinus*) in Galicia (NW Spain): a progress report). *Chioglossa* 1: 23-45. In Spanish with English summary. Wintering population of local origin, 150-200 birds. Unexpected sex ratio favouring females: 1:3.1 to 1:4.5 in December to February.

Svingen, P. 1998. The American Avocet in Minnesota. *Loon* 70: 11-20. (2602 E. 4th St., Duluth, MN 55812, USA). *Recurvirostra americana* increase to regular migrant and occasional breeder.

Tomkovich, P.S. & Serra, L. 1999. Morphometrics and prediction of breeding origin in some holarctic waders. *Ardea* 87(2): 289-300. (Zool. Mus., Moscow Lomonosov State Univ. Bol'skaya Nikitskaya Str. 6, Moscow, Russia, e-mail: tomkovic@1.zoomus.bio.msu.ru). *Charadrius hiaticula*, *C. semipalmatus*, *Pluvialis squatarola*, *Calidris canutus*, *C. alba*, *C. maritima*, *C. alpina*, *Limosa limosa*, *L. lapponica*, *Arenaria interpres*.

Tree, A.J. 1999. The 1999 tern and wader expedition to Namibia. *Safring News* 28(1&2): 3-8. (P.O. Box 211, Bathurst, 6166, South Africa, e-mail: tony.tree@pixie.co.za). Ringed *Arenaria interpres* from Canada, Finland, and Poland. Ringed *Calidris alba* from U.K. and Iceland.

Tree, A.J. 1999. Ageing and sexing the Blacksmith Plover in the hand. *Safring News* 28(1&2): 27-28. *Vanellus armatus*.

Tree, A.J. 1999. The occurrence of the White-fronted Plover in Zimbabwe in the latter part of the 20th century. *Honeyguide* 45(1): 5-9. *Charadrius marginatus*.

Weston, M.A. & Elgar, M.A. 2000. The effect of a major rainfall event on Hooded Plovers on a salt-lake in Western Australia. *Emu* 100(1): 64-69. (Dept. Zool., Univ. Melbourne, Parkville, Vic. 3052, Australia). *Thinornis rubricollis*.

Wiegant, W.M., Bruin, A. de & CDNA 1999. Rare birds in the Netherlands in 1997. *Dutch Birding* 21(2): 65-81. (CDNA: P.O. Box 45, NL-2080 AA Santpoort-Zuid, Netherlands, e-mail: cdna@dutchbirding.nl). Waders: *Burhinus oedicnemus*, *Glareola*

pratincola, *Pluvialis dominicus*, *Vanellus gregarius*, *Calidris pusilla*, *C. melanotos*, *Limicola falcinellus*, *Limnodromus scolopaceus*.

Wiegant, W.M., Bruin, A. de & CDNA 1998. Rare birds in the Netherlands in 1996. *Dutch Birding* 20(4): 145-167. Waders: *Burhinus oedicnemus*, *Glareola pratincola*, *Charadrius leschenaultii*, *Pluvialis dominicus*, *P. fulva*, *Vanellus gregarius*, *Calidris pusilla*, *C. ruficollis*, *C. fuscicollis*, *C. melanotos*, *Limicola falcinellus*, *Tryngites subruficollis*, *Gallinago media*, *Limnodromus scolopaceus*, *Xenus cinereus*.

Wiegant, W.M., Steinhaus, G.H. & CDNA 1997. Rare birds in the Netherlands in 1995. *Dutch Birding* 19(3): 97-115. Waders: *Burhinus oedicnemus*, *Glareola pratincola*, *Pluvialis dominicus*, *P. fulva*, *Vanellus gregarius*, *Calidris melanotos*, *Limicola falcinellus*, *Limnodromus scolopaceus*, *Bartramia longicauda*, *Tringa melanoleuca*, *T. flavipes*, *Phalaropus tricolor*.

Wijpkema, J. & Wijpkema, T. 1999. Fuegian Snipe. *Dutch Birding* 21(4): 205-206. (Damsterweg 67, NL-9628 BS Siddeuren, Netherlands, e-mail: j.t.wijpkema@wxs.nl). *Gallinago stricklandii* at Cape Horn.

Wijpkema, J. & Wijpkema, T. 1997. Tuamotu Sandpiper. *Dutch Birding* 19(2): 76-80. *Prosobonia cancellata*.

Smith, K. 1997. Breeding waders of wet meadows in Hertfordshire in 1997. *Hertfordshire Bird Report* 1997, p. 383-388. Breeding numbers for *Vanellus vanellus*, *Gallinago gallinago*, *Tringa totanus*, 1982-1996.

MISCELLANEOUS

Amat, J.A. 1999. Foot losses of metal banded Snowy Plovers. *J. Field Ornithol.* 70(4): 555-557. (Estac. Biol. Doñana, C.S.I.C.,



- Apartado 1056, E-41080 Sevilla, Spain, e-mail: aguilar@cica.es). *Charadrius alexandrinus*.
- Darby, P.C. 1999. Radio transmitter retrieval in wetlands using a magnetic probe. *J. Field Ornithol.* 70(4): 587-590. (Dept. Wildl. Ecol. Conserv. Fla. Coop. Fish Wildl Res. Unit., P.O. Box 110450, Univ. Florida, Gainesville, FL 32611-0450, USA)
- Didyk, A.S. & Burt, D.B. 1997. *Himasthla limnodromi* n. sp. (Digenea: Echinostomatidae) from the Short-billed Dowitcher, *Limnodromus griseus* (Aves: Scolopacidae). *J. Parasitol.* 83: 1124-1127. (Dept. Biol., Bag Serv. No. 45111, Univ. New Brunswick, Fredericton, NB, E3B 6E1, Canada).
- Dowling, B. & Weston, M.A. 1999. Managing a breeding population of the Hooded Plover *Thinornis rubricollis* in a high-use recreational environment. *Bird Conserv. International* 9(3): 255-270.
- Erwin, R.M. 1996. Dependence of waterbirds and shorebirds on shallow-water habitats in the Mid-Atlantic coastal region: an ecological profile and management recommendations. *Estuaries* 19: 213-219. (e-mail:rme5g@virginia.edu).
- Kreuder, C. ...[et al.] 1999. Avian pox in Sanderlings from Florida. *J. Wildl. Dis.* 35: 582-585. (Care Rehab. Wildl. Inc., P.O. Box 150, Sanibel, FL 33957, USA). *Calidris alba*.
- Teunissen, W. 2000. Betekenis van vrijwillige bescherming voor weidevogels. (Meadow bird protection by volunteers and the number of meadowbirds). *Levende Natuur* 101(1): 7-11. In Dutch with English summary. (SOVON Vogelonderzoek Nederland, Rijksstraatweg 178, NL-6573 DG Beek-Ubbergen, e-mail: Wolf.Teunissen@sovon.nl). In general hatching is increased and the species that do benefit produce more chicks, but since chick survival is not affected, the required recruitment to maintain a stable population in the protected areas will not be reached. *Vanellus vanellus*, *Limosa limosa*, *Haematopus ostralegus*, *Tringa totanus*.
- Tsipoura, N. & Burger, J. 1999. Shorebirds and surf clams: an unusual interaction. *Waterbirds* 22: 140-141. (Dept. Life Sci., Rutgers Univ., 604 Allison Rd., Piscataway, NJ 08854, USA, e-mail: tsipoura@rci.rutgers.edu). 39 *Calidris alpina* found with bills caught between valves of *Spisula solidissima*.
- Whittingham, M.J., Percival, S.M. & Brown, A.F. 1999. Evaluation of radiotelemetry methods in measuring habitat choice by young Golden Plover *Pluvialis apricaria* chicks. *Bird Study* 46(3): 363-368. (Ecol. Behav. Grp., Dept. Zool., Univ. Oxford, South Parks Rd., Oxford OX1 3PS, UK, e-mail: mark.whittingham@zoo.ox.ac.uk).
- Yates, B. & Triplet, P. 1998. *Concilier la conservation des milieux naturels et leur ouverture au public. Deuxieme rapport entrant dans le cadre du projet INTERREG II. [Conservation of the natural environment and its access by public. Second report of the INTERREG II Project].* [S.l.]: [s.n.], 55 p. In French. (2 Watch Cottages, Winchelsea, East Sussex, TN36 4LU, UK, e-mail: yates@clara.net). Contributions on the protection of the Baie de Somme and Rye estuary and public access.

