BIRD-BANDING

INDEX TO VOLUMES I-VI

1930-1935

BIRD-BANDING

INDEX TO VOLUMES I-VI

1930-1935

PREPARED BY

MAURICE BROUN

PUBLISHED WITH THE ASSISTANCE OF

THE EASTERN BIRD-BANDING ASSOCIATION, THE INLAND BIRD-BANDING ASSOCIATION, AND THE AUSTIN ORNITHOLOGICAL RESEARCH STATION

BY

THE NORTHEASTERN BIRD-BANDING ASSOCIATION 210 SOUTH STREET, BOSTON

BIRD-BANDING

INDEX TO VOLUMES I-VI

1930-1935

See

See

Accipiter cooperi. See Hawk, Cooper's Accipiter nisus. See Hawk, Sparrow Anser brachyrhynchos. See Goose. Pink-footed Acrocephalus arundinaceus. See War-Anser fabalis fabalis. See Goose, Bean bler, Reed Antrostomus vociferus vociferus. See Acrocephalus palustris. See Warbler, Whip-poor-will, Eastern Little Swamp Actitis macularia. See Snadpiper, Spotted Aphisigraph, use of, in studying nesting habits of birds, iv. 209 Apus apus. See Swift. European Ægithalos caudatus europæus. Apus melba melba. See Swift, Alpine "Aquila," 36–37, 1929 and 1930, (rev.), Titmouse, Long-tailed Agelaius phœniceus phœniceus.
Blackbird, Eastern Red-winged See iv. 117–118 AGOSTINI, A. See Chigi, F. Aquila chrysaëtos chrysaëtos. Aix sponsa. See Duck, Wood Alauda arvensis arvensis. See Sky-Lark Eagle, European Golden Aquila chrysaëtos canadensis. Eagle, American Golden Albertson, W. Remating of two pairs of Common Ardea cinerea cinerea. See Heron, Terns (rev.), vi. 42 European See also Resühr, L. B. Albinism in Auk, Razor-billed, i. 102 Ardea herodias herodias. See Heron, Great Blue in Grackle, Purple, ii. 130, iii. 179 in Junco, Slate-colored, ii. 169, iii. 73 Ardea purpurea. See Heron, Purple Arenaria interpres interpres. See Turn-Alca torda. See Auk, Razor-billed stone, European Alcedo atthis ispida. See Kingfisher, Arenaria interpres morinella. Turnstone, Ruddy European Ashmore, S. E. Alcidæ, banding of, in the Gulf of St. Lawrence, i. 95-103
ALEXANDER, W. B.
Helgoland Bird Observatory (rev.), Time of Singing of the Goatsucker (rev.), vi. 77 v. 140 ASTLEY, A. Alle alle. See Dovekie ALLEE, W. C. See Masure, R. H. Young Swallows assist in Building the Second Nest (rev.), vi. 74 The Book of Bird Life (rev.), i. 147
Sex Rhythm in the Ruffed Grouse
and Other Birds (rev.), v. 144 Astragalinus tristis tristis. See Goldfinch, Eastern Auk, Razor-billed Albinistic, i. 102 Banding Bats (rev.), vi. 72 Banding of, i. 96-97 ALLEN, FRANCIS H.

The Rôle of Anger in Evolution, Mortality, i. 97 Recoveries, ii. 88, iv. 163 (rev.), vi. 40-41 Returns, i. 102 Mrs. Nice on Territory, vi. 99-102 Aluco pratincola. See Owl, Barn Austin, Oliver L., i. 130, ii. 77 Avian Mortality, ii. 166-169 Ammodramus savannarum australis. Duration of Life of the Roseate Tern, See Sparrow, Eastern Grasshopper iii. 34 Ammospiza caudacuta nelsoni. The Austin Ornithological Research Sparrow, Nelson's Station, iii. 51-63 Anas platyrhynchos platyrhynchos. See Mallard, Common The Status of the Cape Cod Terns in 1932, iii. 143-156 A Cowbird Attempts to Parasitize Anas rubripes rubripes. See Duck, Red-legged Black Barn Swallows, iii. 178 Anas rubripes tristis. See Duck, Com-The Occurrence of Botulism in Hermon Black ring Gulls, iii. 178

Austin, Oliver L. (con.)
The Status of Cape Cod Terns in Baldwin, S. Prentiss Correspondence Concerning Bird-Banding and Terminology, i. 91 1934, v. 155-171 Austin, Oliver L., Jr., i. 130, ii. 134, vi. 24 Bird-Banding by Systematic Trapping (rev.), ii. 134 See also Lincoln, Frederick C. Cobb Island, iii. 12–25 BALDWIN, S. PRENTISS, and KENDEIGH, An Interesting Great Horned Owl Capture, iii. 33 S. CHARLES Tree Sparrow Movements on Cape The Mechanical Recording of the Cod, iii. 81-85 Nesting Activities of Birds (rev.), Further Contributions to the Knowlii. 88 The Physiology of the Temperature edge of the Cape Cod Sterning, of Birds (rev.), iv. 116 iii. 123-139 The Birds of Newfoundland Labrador BALDWIN, S. PRENTISS, KENDEIGH, S.C., (rev.,) iv. 162 and Franks, R. W. The Protection of Hawks and Owls The Status of Cape Cod Terns in 1933, iv. 190-198 in Ohio (rev.), v. 100 Bands, colored and enamelled, i. 158, v. 102 Review by, iv. 207-208 Austin, Oliver L., Jr., and Dalla-VALLE, J. M. Directions for making celluloid, ii. 44 The Statistical Trends of Banding, Method of applying celluloid, iii. 35 i.20-28BARON, S. Nest Mortality (rev.), vi. 42 Austin, Oliver L., Jr., and Low, S. H. Bartel, Karl E.
Three Great Blue Heron Recoveries, Notes on the Breeding of the Tree Swallow, iii. 39-44 v. 48 Austin Ornithological Research Station, North Eastham, Massachusetts, Bats, banding of, vi. 72 ii. 134, iii. 28, 51–63, 108, 119, iv. 50, 52, 70, 94, 157–159, v. 47, 184, BEALS, MARIE V. A White-throated Sparrow Recov-189, 192, vi. 67 ered in Maryland, iv. 56 Contributions from, i. 20–28, ii. 166–169, 178–184, iii. 39–44, 51–65, 81–84, 123–139, 143–156, 176–179, iv. 76–87, 109–111, 190–198, v. 24– Beck, G.
The Feeding Habits of Four Hens (rev.), v. 100
Belgium, bird-banding in, v. 96-97, vi. 37 30, 36–41, 85–88, 155–171, vi. 16–22, 61–65 Benson, S. B. See Ritter, William List of species banded during 1930 and 1931, iii. 59-63 Bessere, J., and Drost, R. Bird Migration and Electricity (rev.) Avocet, European, recoveries of, iii. 36 vi. 72 Biological Survey, its first decade of bird-banding, ii. 27-32 Bæolophus bicolor. See Titmouse, Tufted Figures for bandings in North America, 1920 to 1932, v. 97, 1920 to 1934, vi. 37, 1920 to 1935, vi. 140 Bird-Banding, by Systematic Trapping (rev.), ii. 134

Manual of (rev.), i. 50 BAILEY, VERNON Pole Traps for Taking Birds Without Injury (rev.), vi. 140 Baldpate, recoveries of, iv. 21, 23, 24, 146, 181 BALDWIN, DOROTHY A. Opportunities of, v. 64-69 Interesting Chickadee Records, iv. 55 Secondary Results of, i. 67-69 Stations, Distribution of, i. 127–136, vi. 25–28 A Travelling Potter Trap, iv. 160
Three Returning Mated Pairs of
Chickadees, v. 47 Statistical Trends of, i. 20–28 Returning Chickadee Mates, iv. 35 Technique (rev.), vi. 108, 140 Black-capped Chickadee Age Rec-Terminology, i. 14-19, 91-94, 148 Bird-Banding in Antarctica, v. 187 Belgium, v. 96–97, vi. 37 Denmark, iii. 36, v. 50–51 ords, vi. 69 Percentages of Surviving Chickadees

Finland, vi. 108

France, v. 140–141, vi. 72 Germany, v. 140

of Different Ages, vi. 69 Some Experience with the Northern

Shrike, vi. 70 A Tree Sparrow Age Record, vi. 104

Bird-Banding in Antarctica Bluebird, Eastern (con.) Great Britain, i. 195, ii. 88, vi. 37, 140 Holland, iii. 37, v. 139–140 Hungary, iv. 117, v. 196 Group habit in, v. 40 Juveniles feeding young of second brood, iv. 199 Mating of, i. 70–71, ii. 43, v. 40 Italy, vi. 72 Measurements of, v. 58, 62 Japan, iii. 1-2 Mortality of, iv. 111, v. 41 North America, ii. 27-32, v. 97, vi. 37, 140 Nesting habits of, i. 171, iv. 109, vi. Russia, v. 96 117 Nesting of, successful in spite of Sweden, v. 49-50 Switzerland, iv. 117, v. 139 Protocalliphora, iii. 73 BISSONNETTE, THOMAS HUME Protocalliphora infestation of, i. 169-172, iii. 26, 73 Recoveries of, iv. 111 Experiments on the Modification of the Sexual Cycle in Starlings (reviews of five papers), iii. 79-80 ONNETTE, THOMAS HUME, and WADLUND, ARTHUR P. R. Returns of, iv. 111 BISSONNETTE, Returns of nestlings, v. 39–40 Studies of, on Cape Cod, v. 39-41 Weights of, iv. 53, v. 59 BOARDMAN, C. E. Testis Activity in Sturnus vulgaris, in Relation to Artificial Sunlight and to Electric Lights of Equal Midwinter Banding of Eastern Snow Buntings, Lapland Longspurs, and Horned Larks in North Dakota, Heat and Luminous Intensities, iv. 8-18 Blackbird, Brewer's v. 129–131 First Nesting and Banding Record in Bobolink Measurements and weights of, v.60-61 Illinois, i. 188 Physiological experiments with, vi. Bob-white Counts of red blood cells in, vi. 145 External parasites collected from, Blackbird, Eastern Red-winged External parasites collected from, Measurements and weights of, v. iv. 73 58 - 59Group habit in, iii. 117 Mobility of, as indicated by returns, Measurements of, v. 60–61 Recovery of, vi. 136 iv. 1–7 Population studies of, vi. 76 Return of, ii. 185, iii. 32, 113, vi. 136 Returns of, iv. 2, 6 Boggs, Marion A., i. 81 Sex recognition in, vi. 147 Blackbird, European Longevity of Brown Thrashers, v.191 Age records, ii. 43, v. 49, 200 Some Age-Records of Catbirds, Bigamy in, vi. 74 Brown Thrashers, Red-eyed Tow-Migration of, i. 148 hees, White-throated Sparrows, Migratory instinct of, dying out, iv. and Song Sparrows, vi. 134 Bombycilla cedrorum. See Waxwing, Roosting habits of, vi. 77 Blackbird, Florida Red-winged Cedar Homing instinct in, v. 192 Blackbird, Red-winged. See Blackbird, Bonasa umbellus umbellus. See Grouse, Eastern Ruffed Botulism, occurrence of, in a Herring Eastern and Florida Red-winged Gull, iii. 178 Blackbird, Rusty BOULTON, RUDYERD External parasites taken from, iv. 73 Measurements of, v. 60-61 Traveling With the Birds (rev.), iv. Blackcap 211 Recovery of, and speed of migration, BOWDISH, BEECHER S. v. 196 A Common Tern Recovery, ii. 185 Blood-Parasites of Birds, vi. 130-133 The Number of Eggs Laid by the Bluebird, Eastern Vesper Sparrow, iii. 33 Albinistic Juncos, iii. 73 Banding and study of, during three A Tree Sparrow over Eight Years years, vi. 117-125 Complicated family history of, iv. Old, iii. 73 114-115BRAND, ALBERT R. A Method for the Intensive Study of External parasites collected from,

iv. 72

Bird Song (rev.), vi. 76

Branta canadensis canadensis. See Goose, Canada. Braucher, P. F. See Riddle, Q. Braun, Howard W. Studies of Warbler Migration near Canton, Ohio, vi. 81–89 The Semi-Spring Plumage of Male Indigo Buntings, vi. 135 BRETSCH, CLARENCE Eastern Red-winged Blackbird Returns, iii. 113 Brinkmann, M. The Increase of White Storks in Oberschlesien since 1928 (rev.), v. 200 "British Birds," Review of, i. 195 Broun, Maurice, i. 86, 131
First Banding of the Little Blue Heron in New England, ii. 34 Repeating White-throats, ii. 37 A Return Song Sparrow a Victim of a Return Sparrow Hawk, iii. 119 Some Rare or Unusual Birds Banded on Cape Cod, iii. 176 Some Live Weights and Measurements of Small Birds, iv. 52 A Palm Warbler Recovered in Newfoundland, iv. 156 Some Interesting Recoveries, iv. 157 Shorebird-Banding on Cape Cod, v. 36–38 Semipalmated Sandpiper Recovery, v. 47 Migratory Movements of Eastern Fox Sparrows on Cape Cod, in Relation to the Weather, v. 85–88 BRYANT, LINCOLN, JR.
Some Notes on the Breeding of the Vesper Sparrow, ii. 178–184 BRYENS, OSCAR MCKINLEY
Three Snow Bunting Returns-W, and a Recovery, i. 187 A Recovery and a Return from the Highway, ii. 85 More Snow Bunting Returns-W, ii. A Prairie Horned Lark Return, ii. 130 A Snow Bunting Recovered in Greenland, iii. 68 Another Snow Bunting Recovery, iii. 69 Nine More Snow Bunting Returns-W. iii. 175 Two Pairs of Tree Swallows Mated during Two Seasons, iii. 177 Eighteen More Snow Bunting Returns-W, iv. 206 Eastern Savannah Sparrow Returns, Bryson, D. See Searle, William, Jr.

Buchan, J. N. S. See Harrison, T. H. Bulbul, Brown-eared, bandings and returns of, in Japan, iii. 2 Bunting, Corn Nesting habits, v. 202-203, vi. 41-42 Nesting success, vi. 42 Bunting, Indigo Group habit in, iii. 110, v. 153 Plumage, vi. 135 Returns, i. 134, iii. 110, vi. 135 Bunting, Snow External parasites collected from, iv. 75 Midwinter banding of, in North Dakota, v. 129–131 Recoveries, i. 187, ii. 127, iii. 68 Returns, i. 187, ii. 127, iii. 175, iv. 206 Territory in, vi. 110 Trapping, v. 129 Bunting, Yellow Age record, v. 200 Thyroid studies of, vi. 145 Burkitt, J. P. Study of the English Robin by means of marked birds, i. 152, 168 Bush-tit, Black-eared, nesting habits of, vi. 143 Bussman, Josef Experiments with the Terragraph on the Activities of Nesting Birds, iv. Buteo borealis borealis. See Hawk. Eastern Red-tailed Buteo buteo buteo. See Buzzard. Common Buteo lineatus lineatus. See Hawk, Northern Red-shouldered Butorides virescens virescens. SeeHeron, Eastern Green. BUTTS, WILBUR K., i. 121, 140 A Study of the Chickadee and Whitebreasted Nuthatch by Means of Marked Individuals, i. 149-168, ii. 1-26, 59-75 Buzzard, Common Age record, v. 139 Return of, ii. 190 Calcarius lapponicus lapponicus. Longspur, Lapland "Canadian Field-Naturalist" i. 90 Canvas-back Recoveries of, iii. 142, iv. 90, 146 Sex ratio in, v. 195 Capella delicata. See Snipe, Wilson's Caprimulgus europæus europæus. See Goatsucker Cardinal, Eastern Age records, v. 100, 200

Chappellier, M. A.
Reports on Banding of Rooks and Cardinal, Eastern (con.) Courtship, v. 53 Herons in France (rev.), v. 140-141 External parasites collected from, Charadriidæ, table showing bandings iv. 73 and returns of, in Japan, iii. 2 Mating, i. 70–71, vi. 112 Cardinalis cardinalis cardinalis. SeeCharadrius semipalmatus. See Plover. Cardinal, Eastern Semipalmated Carduelis cannabina. See Linnet Carduelis spinus. See Siskin, European Chardonneret trap, i. 81, 82 Chat, Yellow-breasted Carpodacus mexicanus frontalis. Banding of, near Canton, Ohio, vi. 88 Finch, House Weights of, iv. 53 "Check-List of the American Ornithologists' Union" (rev.), iii. 77 Carpodacus purpureus purpureus. See Finch, Eastern Purple Chickadee, Black-capped Castel Fusano, ornithological station Age records, ii. 24, iii. 118, iv. 55, Trapping and banding at, ii. 133–134, vi. 69, 136 iv. 59–67 External parasites collected from, Catbird Age Records, v. 52, vi. 67, 134 iv, 71 Bee-eating, i. 43 Group habit in, ii. 9–10 Mating of, and adoption of young. Distribution (local), i. 185 External parasites collected from, Measurements of, iv. 52, v. 58-59 iv. 72 Foot disease, i. 33–34 Migration of, ii. 1, 72 Plumage of, iv. 160 Measurements of, v. 58–59 Mating, i. 70 Recoveries of, ii. 22, iv. 115 Returns of, v. 47-48, vi. 35, 136 Migration study, from 1929 to 1934, v. 182 Sex differentiation in, ii. 20 Returns, i. 186, v. 183 .Study of, by means of marked individuals, i. 149-168, ii. 1-26 Trapping, i. 185 Weights of, iv. 52, v. 59 Survival percentages, vi. 69 Territorial range of, ii. 9, 21 Cathartes aura septentrionalis. SeeTrapping of, i. 167 Weights of, iv. 52, v. 59 Vulture, Turkey CATHELIN, F. Bird Migration and Electricity (rev.), Chickadee, Carolina Remating of, iv. 157 Territorial range of, iv. 157 Censuses (miscellaneous papers reviewed by Mrs. Nice), v. 199, vi. Weight of, iv. 157 Chigi, Francesco 76, 141–142 Methods of Capturing Birds at the Centurus carolinus. See Woodpecker, Ornithological Station of Castel Red-bellied Cepphus grylle grylle. See Guillemot, Fusano, Italy, iv. 59–67 Homing Pigeons (rev.), vi. 38 Experiments in Raising Swallows Black Certhia familiaris americana. See Creeper, Brown (rev.), vi. 74 CHIGI, F., AGOSTINI, A., and Chætura pelagica. See Swift, Chimney ROTONDI, M. Chaffinch Age records of, iv. 117, v. 49 Migration of the European Quail (rev.), vi. 140 Chloris chloris. See Greenfinch Flight of, in relation to the wind, u. 190 Chamæa fasciata fasciata. See Wren-Christofferson, K. Tit, Gambel's Male Eastern Red-wing Returns and CHAPMAN, FRANK M. Recoveries, vi. 136 Common Black Duck, Red-legged Black Duck, and Mallard Sex-My Tropical Air Castle (rev.), i. 85 Handbook of Birds of Eastern North Ratios, vi. 138 America (rev.), iii. 75 CHAPMAN, LAWRENCE B. Ciconia alba. See Stork, White Ciconia ciconia. See Stork, A Plea for Cooperative Ornithology, $_{
m White}$ Studies of a Tree Swallow Colony, Ciconia nigra. See Stork, Black

Cinclus cinclus gularis. See Dipper

vi. 45–57

Corvidæ in France Circus cyaneus. See Harrier, Hen Rookeries and roosts of (rev.), vi. 142 Circus hudsonius. See Hawk, Marsh Corvus brachyrhynchos brachyrhyn-Circus pyargus. See Harrier, Montagu's CLANCEY, P. A. chos. See Crow, Eastern Habits of Kingfishers (rev.), vi. 143 Corvuscornix cornix. See Crow, Hooded Corvus corone. See Crow, Carrion CLARY, MARJORIE D. Trapping Birds with Nesting-Materials, ii, 88 Corvus frugilegus. See Rook COTTAM, CLARENCE Night Migration of Eastern Chipping Cobb Island, iii. 12-25 Sparrows, iv. 54 Cochran, Mrs. Arch Two Migrating Returns of Olive-Nelson's Sparrow and Tree Swallow backed Thrushes, vi. 66 Wintering in New Jersey, iv. 115 Coturnix coturnix coturnix. See Quail, Cogels, Joseph Photograph by, of Breeding Colony Migratory of Black-headed Gulls, vi. 23 Coturnix coturnix japonica. See Quail, Migratory Chinese Colaptes auratus luteus. See Flicker, Cowbird, Eastern Northern Age record, ii. 127 Cole, Leon J. The Relation of Light Periodicity to Attempt to parasitize Barn Swallows, the Reproductive Cycle, Migration, iii. 179 External parasites collected from, iv. 73, vi. 145 and Distribution of the Mourning Dove (rev.), v. 142 Homing instinct, i. 42 Colinus virginianus virginianus. See Measurements of, v. 60-62 Bob-white Parasitizing Song Sparrows, iii. 46-COLLENETTE, D. L. Bird-trapping in a Suburban Garden 50, iv. 129 Reared by Maryland Yellow-throat, [in Essex, England] (rev.), i. 196 iii. 166 Compsothlypis americana pusilla. See Study in the Biology of Social Para-Warbler, Northern Parula sitism (rev.,) i. 48 Conservation, v. 100–101 Weights, i. 192, iv. 53, v. 61 Progress of, in Canada, ii. 105-115 Creeper, Brown Coot, European Return of, vi. 136 Weights of, iv. 52 Late nesting of, due to drought, vi. 145 Territorial behavior of, v. 143 CRIDDLE, NORMAN Coragyps atratus atratus. See Vulture, The Number of Eggs per Nest of the Black Vesper Sparrow, iii. 114 Cormorant, Blue-eyed Crossbill, European, i. 147–148 Banding of, in the Antarctic, v. 188 Crow, Carrion Return of, v. 188 Age record, v. 145 Cormorant, Common. See Cormorant, Permanent mating of a pair of, v. 145 European Crow, Eastern Cormorant, Double-crested Age record, i. 91, ii. 192 Bandings of, in Gulf of St. Lawrence, Banding of, ii. 131 i. 103 Movements of, on Cape Cod, v. 192 Colony in the Gulf of St. Lawrence, Recoveries of, i. 91, iv. 157, v. 193 Return of, v. 192 Natural History of (rev.), i. 85–86 Sex ratios and weights of, vi. 65-66 Recoveries of, ii. 135 Crow, Hooded Cormorant, European (Phalacrocorax Migration of, iii. 120 carbo and subsp.) Recoveries and returns of, ii. 189 Age record, ii. 43, v. 140 Crowell, Ethel M., i. 133, ii. 77 Banding of, in Gulf of St. Lawrence, i. 103, ii. 33 Two Common Tern Returns and a Roseate Tern Recovery, iii. 33 Recoveries, i. 195 Cryptoglaux acadica acadica. See Owl. Return to natal colony, ii. 33, 128, Saw-whet v. 132–133 Curlew, European Corn-Bunting. See Bunting, Corn Age records, v. 49

Early-summer wandering of, iii. 120

Migration of, i. 148

Corthylio calendula calendula.

Kinglet, Eastern Ruby-crowned

Cutler, Mrs. Frederick Morse A Chickadee Recovery, iv. 115 Cyanocitta cristata cristata. See Jay, Northern Blue Cygnus olor. See Swan, Mute

Dafila acuta acuta. See Pintail, Eura-

Dafila acuta tzitzihoa. See Pintail, American

Daley, Florence K.

Immature Returning Chipping Sparrows, ii. 79

Song Sparrow, Junco, and Purple Finch Recoveries, ii. 83

Dallavalle, J. M. SeeOliver L., Jr.

DAMRACH, CHARLES A. See Hicks, Lawrence E.

DANFORTH, C. H., and PRICE, J. B. Failure of Theelin and Thyroxin to Affect Plumage and Eye-color of the [Brewer's] Blackbird (rev.), vi. 145

Darling, J. N.

A Statement from the Biological Survey, v. 89

DAVIS, EDWARD M.

Notes on Barn Swallows, iv. 116 Banding Barn Swallows, v. 92

DAVIS, RUSSELL S.

Some Shrike Notes, iii. 117 Delichon urbica. See Martin, House Dendroica æstiva æstiva. See Warbler,

Eastern Yellow Dendroica cærulescens cærulescens. See Warbler, Black-throated Blue

Dendroica castanea. See Warbler, Baybreasted

See Warbler, Dendroica coronata. Myrtle

Dendroica discolor discolor. See Warbler, Northern Prairie

Dendroica magnolia. See Warbler, Magnolia

Dendroica palmarum hypochrysea. See Warbler, Yellow Palm

Dendroica palmarum palmarum. See Warbler, Western Palm Dendroica pensylvanica. See Warbler,

Chestnut-sided Dendroica pinus pinus. See Warbler,

Northern Pine Dendroica striata. See Warbler, Black-

poll Dendroica tigrina. See Warbler, Cape May

Dendroica vigorsi vigorsi. See Warbler, Northern Pine

Dendroica virens virens. See Warbler, Black-throated Green

Denmark, bird-banding in, iii. 36, v. 50 - 51

"Der Vogelzug," a New Ornithological Journal (rev.), i. 83

Dipper, European, nesting habits of, vi. 143

Disease, foot, on birds at Summerville, S. C., ii. 35

Dolichonyx oryzivorus. See Bobolink DOMITZ, GUSTAVE, JR.

Banding Tree Sparrows, v. 136

Doppelmair, G.

Banding of Mallards and Blackheaded Gulls near Leningrad (rev.), v. 96

Dove, Eastern Mourning

Age record, vi. 67 External parasites collected from,

Measurements of, v. 58-59

Migration and distribution of, i. 196, iii. 90, vi. 61–65

Migration speed of, vi. 64-65

Recoveries of, i. 142, iii. 90, vi. 61-64 Reproductive cycle, migration, and distribution of, as affected by light periodicity, v. 142
Returns, iii. 35, vi. 61
Weight of, v. 59
Dove, Inca, biology of, v. 201

Dove, Mourning. See above Dove, Turtle, age records, v. 49

Dovekie, measurements and weights of. v. 58–59

Dowitcher, Eastern, bandings of, on Cape Cod, v. 37, vi. 22

Dowitcher, Long-billed, banding of, on Cape Cod, vi. 22

Drost, Rudolf, i. 83, 86-90, 147, 148, 154, 168, 194, ii. 42, 86, 132, 190 Research on Bird Migration at Helgoland (rev.), v. 196

On the Causes of the Fall Migration Direction (rev.), v. 198 Migration Speed of a Turnstone

(rev.), vi. 141

Bird Migration and Moonlight (rev.),

Dryobates major major. See Woodpecker, Great Spotted

Dryobates pubescens medianus. See Woodpecker, Northern Downy

Dryobates villosus villosus. See Woodpecker, Eastern Hairy

Duck, Common Black Age records of, i. 91

Attempted introduction of, into California, v. 150

Edwards, Helen M. Duck, Common Black (con.) Recoveries of, i. 91, ii. 192, iv. 26, 29, Some White-throated Sparrow and 90, 91, 94, 95, 99, 137, 140, 144, 181 Field Sparrow Returns, iii. 178 An American Woodcock Recovery of Sex-ratio of, vi. 138 Interest, v. 91 A Return-2 Myrtle Warbler, v. 92 Duck, Greater Scaup, recoveries of, iv. Eichler, W. Duck, Lesser Scaup Migration of the Song Thrush (rev.), Age record, v. 195 Recoveries of, iii. 142, iv. 29, 90, 91, v. 196 Eider, American 97, 146, 181, 183 Sex ratio in, v. 195 Bandings of, on the North Shore of the Gulf of St. Lawrence, vi. 32 Duck, Red-legged Black, sex-ratios of, Recovery, ii. 184 EISENTRAUT, M. vi. 138 Duck, Ring-necked Age record, v. 195 Recoveries of, iv. 26, 90, 91, 181 Banding Bats (rev.), vi. 72 ELIOT, SAMUEL A., JR. Banding Wilson's Petrels, iv. 45-49 Sex ratio in, v. 195 Banding Some Birds of Prey, iv. 202-Duck, Ruddy, recoveries of, iv. 189 Duck, Tufted 204Emberiza calandra calandra. See Age record, ii. 43 Migration habits of the sexes of, v. Bunting, Corn Emberiza citrinella. See Bunting, Duck, Wood, recoveries of, iv. 24, 25, Yellow Emberiziidae (Emberizinæ?), bandings 90, 91 and returns of, in Japan, iii. 2 Ducks Empidonax flaviventris.
catcher, Yellow-bellied See Fly-Distribution of returns from North American banded, iii. 140–142, iv. Empidonax minimus. See Flycatcher, 19-32, 88-99, 132-146, 177-189 Least Table showing bandings and returns Empidonax virescens. See Flycatcher, of, in Japan, iii. 2 Dumetella carolinensis. See Catbird Acadian Sandpiper, DUPOND, CH. Ereunetes mauri. SeeReports of Bird-banding in Belgium Western Ereunetes pusillus. See Sandpiper, (rev.), v. 96–97, vi. 37 Dyes and paints, use of, on feathers of Semipalmated Errington, Paul L.
Mobility of the Northern Bob-white living birds in making special studies, i. 152, vi. 1 Indicated by Banding Returns, iv. Eagle, American Golden, growth, i. 48 Eagle, European Golden Management of Bob-whites in Iowa Age record, ii. 43 (rev.), v. 101 Studies of, in Scotland, vi. 74 Eagle, Sea, incubation of, vi. 74 Population Studies on the Bob-white (rev.), vi. 76 EATON, RICHARD JEFFERSON
The Migratory Movements of Cer-Erismatura jamaicensis rubida. Duck, Ruddy tain Colonies of Herring Gulls in Euphagus carolinus. See Blackbird, Eastern North America, iv. 165-Rusty 176, v. 1-19, 70-84 EATON, WARREN F. Euphagus cyanocephalus. See Blackbird, Brewer's Mortality of Banded Hawks and European banding operations, reviewed Owls, iv. 49 from "Der Vogelzug," i. 83, 86-90 Eighteen Years of Wyanokie (rev.), European birds Age records, i. 87–90 Ecological papers (reviewed by Mrs. Migration and recoveries of, i. 87-90, Nice), v. 99, 198-199, vi. 39, 145-194 - 195146 European ornithological journals, brief **Ecotoparasites** comments on, iv. 154 And Bird-Banding, i. 51-60, iv. 68-75

Correspondence concerning, v. 148

On birds at Summerville, S. C., ii. 34

Eustis, George D., i. 128

Some Song Sparrow Returns, ii. 184

Evolution, The Rôle of Anger in (rev.), vi. 40

Falco æsalon. See Merlin

Falco peregrinus anatum. See Hawk, Duck

Falco peregrinus peregrinus. See Falcon, Peregrine

Falco sparverius sparverius. See Hawk, Eastern Sparrow

Falco tinnunculus. See Kestrel

Falcon, Peregrine

Age record, vi. 73, 108 Range of vision of, vi. 74 Recoveries of, ii. 88, vi. 108

FELTES, CHARLES H.

Notes on Banding Cedar Waxwings in California, vi. 104

Finch, Eastern Purple

Age records, i. 190, ii. 186, iii. 113, v. 52, 142, vi. 105, 109
Banding of ten thousand at one

station, i. 145

External parasites collected from, iv. 73

Measurements of, v. 60–62 Migration and distribution, ii. 130 Moult, i. 136-139, ii. 83

Plumage, iv. 161, v. 194

Recoveries, i. 15, 145, ii. 83, 130, 186,

iv. 100, 158, vi. 102–103
Returns, i. 18, 136, 190–191, ii. 80, iv. 107, 161, v. 194, vi. 105–106
Sex analysis of, vi. 106

Weights of, v. 61

Finch, House, age records and weights of, v. 52

Finland, bird-banding in, vi. 108

Fleas, i. 57–59, 146

FLETCHER, LAURENCE B., i. 78, 128, A Common Tern Recovery, i. 145

Known History of Four Chipping Sparrow Nestlings, i. 145

Flicker, Northern, measurements and weights of, v. 58-59

Florida cærulea cærulea. See Heron, Little Blue

FLOYD, CHARLES B., i. 20, 22, 45, 128, ii. 77

A List of the Active Banding Stations in the Territory of the Northeastern Bird-Banding Association, i. 127–136

Further Banding Notes from Tern Island, Massachusetts, i. 181–184 Report of Tern Banding on Cape Cod

during 1931, iii. 63–65 Unusual Nesting Sites of Barn Swallows, iii. 74

FLOYD, CHARLES B. (con.)

Strange Disappearance of Nesting Penikese Island Terns, iii. 173

Common Tern Recovery in Ontario, iv. 160

Further Notes from Penikese Island Terns, iv. 200-202

A Female House Wren Recovery,

An Age Record of the Common Tern, vi. 35

Flycatcher, Acadian

Banding of, on Cape Cod, iii. 176,

Measurements and weights of, iv. 52 Flycatcher, Least

Measurements and weights of, v.58-59

Return of, v. 191 Flycatcher, Northern Crested Age record, vi. 67

External parasites collected from, iv. 71

Protocalliphora in nest of, i. 171 Flycatcher, Pied, recovery of, vi. 146 Flycatcher, Spotted, recovery of, v. 50 Flycatcher, Yellow-bellied, banding of,

on Cape Cod, iii. 176

FOGG, WENDELL F. An Early Successful Bird-Banding Venture in England, iii. 66

FORBUSH, EDWARD HOWE, i. 81, 125 Birds of Massachusetts and Other New England States, Vol. III (rev.), i. 86

France, bird-banding in, v.140-141, vi.72 Franke, Hans

Bird Calls and Songs (rev.), v. 99 Franks, R. W. See Baldwin, S.

Prentiss Fratercula arctica arctica. See Puffin

FRIEDMANN, HERBERT Cowbirds: A Study in the Biology of Social Parasitism (rev.), i. 48

The New Study of Bird Behavior, i. 61 - 66

Bird Distribution and Bird-Banding, ii. 45-51

The Size and Measurement of Territory in Birds, iv. 41-45

Advances in Life History Work (rev.),

Mrs. Nice on the Song Sparrow (rev.),

The Instinctive Emotional Life of Birds (rev.), vi. 43

Bird Societies (rev.), vi. 147

Reviews by, i. 147–148, 194–195, ii. 41–43, 86–87, 132–133, 189–191, iii. 36–37, 78–79, 120, 180, iv. 58, 163–164, 211–212

Frieling, H. GILLESPIE, MABEL (con.) Sex-Ratio of Ducks (rev.), v. 195 Some Details of the Migration Habits Remarks on the Genetics of Bird of White-throated Sparrows, ii. Migration (rev.), v. 197 137 - 165Fringilla cœlebs. See Chaffinch A Towhee Recovery, v. 48 Fuertes, Louis Agassiz, i. 86 GILLET, L. B. Fulica atra atra. See Coot, European Thrushes of Our Woods (rev.), vi. 144 Gnatcatcher, Blue-gray, mating, i. 72 Gadwall, recoveries of, iv. 90, 146 Goatsucker, time of singing of, vi. 77 GAIN, L. Godwit, Black-tailed, recoveries of, iii. Banding of Penguins with Celluloid 36, iv. 117 Rings, i. 158, 168 Gallinule, Florida, dummy nests of, vi. 70 Golden-eye, American, recovery of, iii. 142 Gannet, recovery of, ii. 192 Goldfinch, Eastern Garrulus glandarius. See Jay, European External parasites collected from, Gavia stellata. See Loon, Red-throated Geist, R. M. Measurements and weights of, v. Notes on the Infestation of Wild 60 - 62Birds by Mallophaga (rev.), vi. 145 Goldfinch, European, interesting record Gelochelidon nilotica aranea. See Tern, of, ii. 85 Gull-billed Goose, Bean Geothlypis trichas brachidactvla. See Age record, vi. 73 Yellow-throat, Northern Migration of, iii. 120 Geothlypis trichas trichas. See Yellow-Goose, Canada throat, Maryland Germany, bird-banding in, v. 140 GLIBERT, H. A. Banding at Kingsville, Ontario, ii. 135 - 136Capture and banding of, in California, The Golden Eagle in Scotland (rev.), iii. 37 vi. 74 Migration routes of, ii. 135 GILL, GEOFFREY
A Problem in Catbird Distribution, Recoveries of, ii. 135, iii. 118, vi. i. 185–187 Goose, Hutchins's, age record, iii. 114 Wood Thrush Returns, i. 191 Goose, Pink-footed, weights of 337 individuals of, vi. 143 Some Notes on Starlings, ii. 186 A Wood Thrush Recovery, iii. 177 Gorsuch, D. M. A Migration Study of Cathirds from Life History of the Gambel Quail in 1929 to 1934, v. 182–187 GILLESPIE, JOHN A., i. 92, ii. 59 Arizona (rev.), vi. 74 Gould, V. E., photograph by, v. 45 Homing Instinct in Cowbirds, i. 42 Grackle, Bronzed Rynchops nigra, the Black Skimmer: Age records, iii. 88, v. 142
Banded with celluloid bands, i. 158 Some Returns and Recoveries, ii. 52-58 External parasites collected from, iv.73 Notes on Osprey Migration and Measurements of, v. 60-61 Mortality, iii. 67 Migration of, in Indiana, iii. 85-94 Juvenile Towhees Return to Birth-Recoveries, i. 45, 91, ii. 192, iii. 86, place, iv. 51 92, iv. 158 The Homing Instinct in the Rough-Weight of, v. 61 winged Swallow, v. 43 Grackle, Florida, external parasites collected from, iv. 73 Value of Colored Bands (correspondence), v. 48 Grackle, Purple GILLESPIE, MABEL, i. 92, 93, 131, 148, Age record, vi. 69 ii. 171 Suggestions for a Revised Bird-Banding Terminology, i. 14–19 Grackle Recoveries, i. 45 Albinism in, ii. 130, iii. 179 External parasites collected from, iv. 73 Recoveries of, ii. 174-178 Methods of Capturing Wrens, i. Returns of, ii. 129 81 - 82Behavior and Local Distribution of Trapping, ii. 178

Tufted Titmice in Winter and

Spring, i. 113–127

Great Britain, bird-banding in, i. 195, ii. 88, vi. 37, 142

Grebe, Great Crested Albinism in, ii. 87 Late nesting of, due to drought, vi. 145 Migration of, ii. 132 Territory in, vi. 73 GREEN, WYMAN R.
The Banding of Chimney Swifts at Chattanooga, Tenn., i. 104-112 Chimney Swift Banding Operations at Chattanooga (rev.), i. 196 Greenfinch Age records, ii. 191 Recoveries of, ii. 191, v. 139 Griffin, D. R. Marking Bats (rev.), vi. 72 Grosbeak, Eastern Evening Age records, ii. 131, iii. 113, vi. 38, Migration, i. 40-41, v. 175-181, vi. 71 Moult, i. 43 Recoveries, i. 40-41, 145, ii. 78, 131, iv. 206, v. 175, vi. 107 Returns, ii. 131 Grosbeak, Rose-breasted Age record, ii. 185 Measurements, v. 60-61 Returns of, ii. 185, 187, v. 193 Weights, i. 193, v. 61 GROSS, ALFRED O. Banding the Last Heath Hen, ii. 99 - 105Photographs by, i. 3–11, 74, 75, ii. 99, 101, 103 Two Labrador Banding-Records, vi. 23-25Groton, Mass., i. 130, iii. 26, 32, iv. 70, 100–109, v. 184, 186 Grouse, Eastern Ruffed, sex rhythm in, v. 144-145 Grouse, Willow, nesting studies of, v. 201-202Guillemot, Black Banding of, in Gulf of St. Lawrence, i. 96, 97, 103 Recoveries of, ii. 88 Gull, Black-headed Age records, ii. 43, v. 50, 51 Geographical shifting of breedingspots of, iv. 164 Migration of, v. 50, vi. 25 Photograph of breeding colony of, Recoveries, i. 88, 89, ii. 190, 191, iii. 122, iv. 117, v. 51, 96, 196, vi. 24 Return of, to natal colony, iv. 117 Transference of eggs of Common Gull ot nesting, vi. 108

Gull, California Recoveries of, ii. 192 Staining, an experiment in, ii. 135 Gull, Common Age records, v. 50, 51 Recoveries of, ii. 191 Transference of eggs of, to nesting Black-headed Gulls, vi. 108 Gull, Glaucous, recoveries, i. 90 Gull, Great Black-backed Age record, v. 49
Banding of, in the Gulf of St. Lawrence; i. 96, 103 Mortality, i. 91 Recoveries of, v. 50 Gull, Herring Age records, iii. 37, v. 1, 50, 99, vi. 73, 142 Banding of, in the Gulf of St. Lawrence, i. 96-97, 103 Botulism in a, iii. 178 External parasites collected from, iv. 71 Food of, iv. 201 Migration and distribution in eastern North America, iv. 165–176, v. 1-19, 70-84 Recoveries, i. 91, ii. 77, 192, iv. 168, v. 1, 70, 189–190 Gull, Laughing Breeding of, on Cobb Island, iii. External parasites collected from, iv. 71 Gull, Lesser Black-backed, migration of, v. 196 Gull, Ring-billed, banding of, in Gulf of St. Lawrence, i. 95, 103

Hæmatopus ostralegus. See Oystercatcher, European Hæmatopus palliatus palliatus. See Oyster-catcher, American HAMER, A. H. Sexual Selection and Territorialism (rev.), vi. 144 Harding, Katherine C., i. 129, 135, 171, 172, 173 A Change in Nesting Habits of the Wood Pewee, i. 144 Age Record of Black-capped Chickadee 93789, iii. 118 Harkin, J. B. Banding Crows, ii. 131 Harrier, Hen Age record, v. 140 Migration impulse in, ii. 133

Harrier, Montagu's, age record. v, 140

Heilfurth, F.

The Biology of the Inca Dove (rev.),

HARRINGTON, ALICE B., i. 21, 132 Report of the Recording Secretary of the Northeastern Bird-Banding Association for 1930, ii. 76–78 Report of the Recording Secretary of the Northeastern Bird-Banding Association for the Year 1931, iii. HARRISON, T. H., and Buchan, J. N. S. Territory in the St. Kilda Wren (rev.), vi. 73 HAVERSCHMIDT, FR. Bird-banding in the Antarctic, v. 187 Hawk, Cooper's, growth, i. 48 Hawk, Desert Sparrow, growth, i. 48 Hawk, Duck, recoveries, i. 131, 144 Hawk, Eastern Red-tailed, recoveries, i. 50, 131, iii. 72 Hawk, Eastern Sparrow Measurements and weights, v. 58–59 Migration of, vi. 71 Recoveries, i. 131, 141, vi. 70 Return of, iii. 119 Hawk, Marsh Growth, behavior, and taming of (rev.), vi. 144
Mortality of, iv. 50
Recoveries of, iv. 50, 202
awk, Northern Red-shouldered, Hawk, measurements of, v. 58 Hawk, Red-shouldered, measurements of, v. 58 Hawk, Red-tailed Growth, i. 48 Recoveries, i. 50, 131, iii. 72 Hawk, Sparrow (American) Growth, i. 48 Measurements and weights, v. 58-59 Migration, vi. 71 Recoveries, i. 131, 141, vi. 70 Return, iii. 119 Hawk, Sparrow (European) Age record, v. 139 Recoveries of, vi. 108 Hawk, Western Red-tailed Growth, i. 48 Recoveries, i. 50 Hawks, status of, in Switzerland, iv. 153; strict protection of, in Germany, iv. 150 Hawks and Owls in Ohio, the protection of (rev.), v. 100 Hawks of North America (rev.), vi. 115

Heath Hen, banding and photographing

Results on Ringing Falcons (rev.),

of the last, ii. 99–105 Hedymeles ludoviciana. See Grosbeak,

Rose-breasted HEIDEMANN, J.

vi. 72

v. 201 Heleodytes zonatus zonatus. See Wren, Banded Cactus Helgoland Biological station, i. 83, 86, 147, 194, ii. 86, 190, iv. 212, v. 140, 196, vi. 72, 108 Hen, Heath, banding and photographing of the last, ii. 99-105 Hen, Water, table showing bandings and returns of, in Japan, iii. 2 HERMAN, CARLTON M. Bluebirds and English Sparrows in a Cliff Swallow Colony, vi. 137 Heron, Black-crowned Night Age record, vi. 142 Explanation of cover design, ii. 39 Recoveries, i. 91, vi. 106 Heron, Eastern Green, measurements and weight of, v. 58-59 Heron, European, or Gray Age record, iii. 175, v. 50, 140 An early banding of, in England, iii. 66-67, 174-175 Banding methods in France, v. $140 - \bar{1}41$ Distribution of, v. 141 Recoveries of, vi. 72 Heron, Great Blue, recoveries of, v. 48-49 on, Green, measurements and weight of, v. 58-59 Heron, Heron, Little Blue Banding of, in New Jersey, ii. 35 Banding of, on Cape Cod, v. 36 First banding of, in New England, Parasites collected from, iv. 70 Heron, Louisiana, age record, v. 195, vi. 38 Heron, Night (Eurasian) Nesting of, in Hungary, v. 201 Table showing bandings and returns of, in Japan, iii. 2 Heron, Purple, age record, v. 197 Heron, Yellow-crowned Night, mating, i. 72 HERRICK, FRANCIS H. Wild Birds at Home (rev.), vi. 148 Hesperiphona vespertina vespertina. See Grosbeak, Eastern Evening HEYDER, RICHARD Roosting Habits of the European Blackbird (rev.), vi. 77 HEYDWEILLER, A. MARGUERITE Tail Plumes as a Means of Marking Individual Birds, v. 45–47

HEYDWEILLER, A. MARGUERITE (con.) A Comparison of Winter and Summer Territories and Seasonal Variations of the Tree Sparrow (Spizella a. arborea), vi. 1–11

HICKS, LAWRENCE E.

Ohio Game and Song Birds in Winter (rev.), iii. 121

Starling-Banding in Central Ohio during 1932, iv. 112

Returns of Banded Purple Martins, iv. 113–114

Starling-Banding in Central Ohio during Winter of 1932-1933, v. 42-43

Starling-Banding in Central Ohio during Winter of 1933-1934, v.

Individual and Sexual Variations in the European Starling, v. 103-118 How Many Broods Does the Starling

Raise?, vi. 58-61 A Ten Year Study of a Bird Population in Central Ohio (rev.), vi. 76 A Preliminary List of the Breeding Birds of Ohio (rev.), vi. 141

HICKS, LAWRENCE E., and DAMRACH, CHARLES A.

Sex Ratios and Weights in Wintering Crows, vi. 65

A Study of the European Starling (rev.), vi. 141

HINCHMAN, RICHARD M.

East-West and West-East Purple Finch Recoveries, ii. 186

A Few Herring Gull Recoveries, v. 189 HINGSTON, R. W

The Meaning of Animal Colour and Adornment (rev.), vi. 40

Hirundo daurica nipalensis. See Swallow, Mosque

Hirundo erythrogaster. See Swallow,

Hirundo javanica. See Swallow, Liu-Kiu

Hirundo rustica gutturalis. See Swallow, Chimney

Hirundo rustica rustica. See Swallow, European

Hirundo tahitica frontalis. See Swallow, Welcome Hoesch, W.

Effects of Drought Upon Breeding (rev.), v. 199 Hoffman, E. C.

Weighings of the Northern Form of the Eastern Song Sparrow, i. 80 Banding Starlings, ii. 36

Plumage Pattern of the Screech Owl, ii. 38

HOFFMAN, E. C. (con.)

A Blue Jay Sight Return-7, ii. 129 A Seven-and-a-Half-Year-Old Blue Jay, iii. 70

HOFFMAN, PAUL WILLIAM

Dummy Nests of the Florida Galli-

nule, vi. 70 Holland, bird-banding in, iii. 37, v. 139-140

Holzfuss, E.

The Stork Nest Census in Pommerania in 1934 (rev.), vi. 112 Homing experiments with ducks trapped

in Louisiana, v. 195

Homing Experiments with Starlings, 1934 (rev.), vi. 141

Homing Experiments with Swallows (rev.), vi. 37

Homing instinct, the operation of, v. 149 - 155

Homing Pigeons (rev.), vi. 38

Hornberger, F.

Finnish Migrants from English Eggs (rev.), v. 95 Howard, H. Eliot, i. 61-66

The Nature of a Bird's World (rev.), vi. 79–80

Hungary, bird-banding in, iv. 117, v. 196 HUXLEY, JULIAN

A Natural Experiment on the Territorial Instinct (rev.), v. 143 Hydranassa tricolor ruficollis. See

Heron, Louisiana See

Hydroprogne caspia imperator. Tern, American Caspian Hylocichla fuscescens fuscescens. See

Veery Hylocichla guttata faxoni. See Thrush.

Eastern Hermit Hylocichla minima aliciæ. See Thrush.

Gray-cheeked Hylocichla mustelina. See Thrush,

WoodHylocichla ustulata swainsoni.

Thrush, Olive-backed

Hytönen, Ö. See Välikangas, I.

Icteria virens virens. See Chat, Yellowbreasted

Icterus bullocki. See Oriole, Bullock's Icterus galbula. See Oriole, Baltimore Incubation, as recorded with the terragraph, iv. 38

Incubation rhythm in the Lesser Whitethroat (rev.), v. 201

Iridoprocne bicolor. See Swallow, Tree Italy, bird-banding in, vi. 72

Jaeger, Parasitic, age record, v. 52

JÄGERSKIÖLD, L. A. Swedish Banding Papers (rev.), v. 49 - 50Jay, Blue. See Jay, Northern Blue Jay, Canada, migration, i. 43 Jay, Central American Brown, nesting habits of, vi. 143 Jay, European Invasion of, in central Europe, iii. 120 Migration of, in the Danzig area, ii. 87 Jay, Northern Blue Age record, ii. 129, iii. 70, v. 142, vi. 35, 73, 142 External parasites collected from, Measurements of, v. 58-59 Recoveries, i. 91 Return of, ii. 129 Weights, i. 192, v. 59 Johnson, Charles W. Notes on Protocalliphora during the Summer of 1930, i. 169–173 Notes on Protocalliphora during the Summer of 1931, iii. 26–29 Johnson, R. A.

A New Method of Banding Sea Ducks, vi. 32 Johnson, R. A., and H. S. A Study of the Nesting and Family Life of the Red-throated Loon (rev.), vi. 143 JONES, FRANK M. Insect Coloration and the Relative Acceptability of Insects to Birds (rev.), vi. 78 Junco, Slate-colored Age records, vi. 68, 142 Albinism in, ii. 169, iii. 73 Disease in, ii. 35 External parasites collected from, iv. 74 Food of, i. 36 Group habit in, i. 78 Incubation period of, i. 39 Mating of, i. 70 Measurements of, iii. 31, v. 60-61 Migration of, i. 68, 69 Nesting habits of, i. 36-40 Plumage of, i. 39, ii. 173 Recoveries of, i. 144, ii. 82, 83, 186, iv. 158 Return of, i. 36 Trapping, ii. 128 Voice of, ii. 173 Weights of, v. 61 Junco, White-winged Distribution of, ii. 172 Plumage of, ii. 170 Junco aikeni. See Junco, White-winged

Junco hyemalis hyemalis. See Junco, Slate-colored Jung, C. S. Early Bird-Banding in Europe, iii. 174 Keck, W. N.
The Control of the Secondary Sex Characters in the English Sparrow (rev.), vi. 112 See also Witschi, E. Kendeigh, S. C. The Rôle of Environment in the Life of Birds (rev.), vi. 39 See also Baldwin, S. Prentiss Kestrel Age records, v. 140, vi. 38, 72 Distribution and migration of, vi. 72 Killdeer, banding of, on Cape Cod, vi. 20 Kinæsthetic memory and distant orientation of birds, discussion of, iv. 211 Kingbird, Arkansas, trapping of, by use of nesting materials, ii. 188 Kingbird, Eastern, measurements and weights of, v. 58-59 Kingfisher, Eastern Belted, measurements of, v. 58-59 Kingfisher, European, nesting habits of, vi. 143 Kinglet, Eastern Golden-crowned, weight of, iv. 53 Kinglet, Eastern Ruby-crowned External parasites collected from, iv. 72 Weight of, iv. 53 Kittiwake, recoveries of, ii. 88, 192, iii. 121 - 122Kluijver, H. N. The Biology of the Starling (rev.), iv. 209–210 The Starling in Relation to the Fruit Industry in Holland (rev.), v. 140 Косн, Ј. С. Migration and the Wind (rev.), v. 138 Kochs, W. Bigamy in the European Blackbird (rev.), vi. 74 KRISZAT, G. See Uexküll, J. V. Küchler, W. Seasonal Changes in the Histological Structure of the Thyroid Cland

(rev.), vi. 145

Northern

Lanius collurio.

backed

Lack, David and Lambert

Territory Reviewed (rev.), v. 97-98

Lagopus lagopus. See Grouse, Willow

Lanius borealis borealis. See Shrike,

See Shrike, Red-

Lanius ludovicianus ludovicianus. See Shrike, Loggerhead

Lapwing

Age record, ii. 43, iii. 191, iv. 117,

v. 49, 51, 140, vi. 38

Early-summer wandering of, iii. 120 Migration and distribution of, v. 51 Recoveries of, ii. 190, 191

Trapping of, v. 197 Lark, Northern Horned

Measurements of, v. 58-59

Midwinter banding of, in North Dakota, v. 129–131

Trapping, v. 129 Lark, Prairie Horned

External parasites collected from, iv.71 Food of, ii. 131

Returns of, ii. 130 Lark, Sky. See Sky-Lark

Larus argentatus. See Gull, Herring Larus argentatus smithsonianus. See Gull, Herring

Larus atricilla. See Gull, Laughing Larus canus. See Gull, Common Larus delawarensis. See Gull, Ringbilled

Larus fuscus fuscus. See Gull, Lesser Black-backed

Larus marinus. See Gull, Great Blackbacked

Larus ridibundus ridibundus. See Gull, Black-headed

Laskey, Amelia R. (Mrs. Frederick C.)
Mating and Territory Study of
Mockingbirds (rev.), v. 53
Two Pairs of Mockingbirds Remate

for the Second Year, v. 132

Brown Thrasher Banding Records from Nashville, Tennessee, v. 133 White-crowned and Gambel's Spar-

row Returns, v. 135 Eastern Field Sparrow Migration in Tennessee, v. 172

Two Maryland Yellow-throat Returns, vi. 69

Mates for Three Years in Succession (rev.), vi. 112 Law, J. Eugene

The Spring Molt in Zonotrichia (rev.),

LEBEURIER, E., and RAPINE, J. The Biology of the Sky-lark (rev.), vi. 144

LEOPOLD, ALDO Game Management (rev.), iv. 207-

The Conservation Ethic (rev.), v. 100 LEWIS, HARRISON F., i. 94, 135, 148, ii. 77

The Natural History of the Doublecrested Cormorant (rev.), i. 85

Lewis, Harrison F. (con.)
Correspondence Concerning Bird-Banding Terminology, i. 93-94

Notes on Banding Operations on the North Shore of the Gulf of St. Lawrence in 1929, i. 95-103

Correspondence Concerning a Proposed Addition to Banding Terminology, i. 148

A Banded Adult Common Cormorant, ii. 33

Common Cormorant Return to a Natal Colony, ii. 128

Banding Provides the First Certain Record of the Eurasian Pintail (Dafila a. acuta L.) in North America, iv. 112–113

Return of Banded Adult European Cormorant to Its Native Colony, v. 132-133

Limnodromus griseus griseus.

Dowitcher, Eastern

Limnodromus griseus scolopaceus. See

Dowitcher, Long-billed Limosa limosa limosa. See Godwit, Black-tailed

Lincoln, Frederick C.

Bird-Banding: Its Second Decade Under the Biological Survey, ii.

Protocalliphora Infestation of Barn and Bank Swallows, ii. 33

Common Tern Recovered in Guadeloupe, ii. 81

Another Banded European Widgeon, ii. 126

More about Mallard No. 555414, iii. 32 The Fifth Return of Mallard No.

555414, iii. 110 A Longevity Record for the Hutchins'

Goose, iii. 114 State Distribution of Returns from

Banded Ducks, iii. 140-142, iv. 19-32, 88-99, 132-146, 177-189 Mallard No. 555414 Returns Again, iv. 156

The Operation of Homing Instinct, v. 149–155

Waterfowl Flyways of North America (rev.), vi. 72 See also Phillips, John C.

LINCOLN, FREDERICK C., and BALDWIN, S. Prentiss

Manual for Bird Banders (rev.), i. 50 Linnet, flight of, in relation to the wind, ii. 190

LINSDALE, J. M., and SUMNER, E. L., SR. Variability in Weight in the Goldencrowned Sparrow(rev.), v.142

LINSDALE, J. M., and SUMNER (con.) Winter Weights of Golden-crowned and Fox Sparrows (rev.), v. 200-

LLOYD, HOYES, i. 159, 168 Progress of Conservation in Canada, ii. 105-115

Longevity. See Age records Longspur, Lapland

Midwinter banding of, in North Dakota, v. 129–131

Trapping, v. 129 Loon, Red-throated, a study of the nesting and family life of (rev.),

Lophortyx gambeli. See Quail, Gambel's LÖPMANN, A.

Incubation Rhythm in the Lesser White-throat (rev.), v. 201

LORENZ, KONRAD

The Kumpan in the Bird's World: The Fellow-Member of the Species as Releasing Factor of Social Behavior (rev.), vi. 113, 146-147

Low, Seth H.

A Junco Recovery, ii. 82

Further Notes on the Nesting of the Tree Swallows, iv. 76–87

Notes on the Nesting of Bluebirds, iv. 109-111

Nest Distribution and Survival Ratio of Tree Swallows, v. 24-30

Bluebird Studies on Cape Cod, v. 39 - 41

Notes on Cape Cod Crow Movements, v. 192

Methods of Trapping Shore Birds, vi. 16–22

Notes on the Survival, Winter Distribution, and Migration Speed of Eastern Mourning Doves, vi. 61–65 A Coastal Group of Canada Geese,

vi. 67

See also Austin, Oliver L., Jr.

Loxia curvirostra curvirostra. See Crossbill

Lyon, W. C., i. 158 Brewer's Blackbirds: First Nesting and Banding Record in Illinois, i.188

McAtee, W. L.

Conservation of Game or of Wild Life—Which? (rev.), v. 101

Effectiveness in Nature of the Socalled Protective Adaptations in the Animal Kingdom, chiefly as Illustrated by the Food Habits of Nearctic Birds (rev.), vi. 78–79

McCabe, T. T.

Territory (rev.), iv. 56–57

McCann, Horace D.

Purple Grackle Returns at Paoli, Pennsylvania, ii. 129

Albinism in a Purple Grackle, ii. 130 Recoveries of Purple Grackles at Paoli, Pennsylvania, ii 174

McIlhenny, E. A. Returns of Banded Ducks Liberated Outside their Migration Route.

Twenty-two Years of Banding Migratory Wild Fowl at Avery Island, Louisiana (rev.), v. 195 Bird City (rev.), vi. 44

McPheters, Byron W. Nesting White-throated Sparrow Returns, iv. 113

MAGEE, M. J.

Evening Grosbeak Recoveries Indicating an East and West Movement, i. 40-41

More Notes on the Spring Moult of the Evening Grosbeak, i. 43

Some Purple Finch Notes, Principally on the Moult of the Primaries and Secondaries, i. 136–139

Ten Thousand Purple Finches Banded

at One Station, i. 145 Evening Grosbeak, Robin, and Purple Finch Recoveries, i. 145

More Data on "How Long do Purple Finches Live?", i. 190–191

An Easterly-Wandering Purple Finch, ii. 130

Interesting History of Evening Grosbeak No. 462165, ii. 131

Some Banding Results after Eleven Years of Banding at Sault Ste. Marie, Michigan, 1921-1931, iii. 111-113

An Eastern Evening Grosbeak Re-

covery of Interest, iv. 206 The Distribution of Michigan Recovered Eastern Evening Grosbeaks near the Atlantic Seaboard, v. 175–181, vi. 71

Eastern Purple Finch Recoveries in and away from the Eastern Part of the Upper Peninsula of Michigan, vi. 102-103

How Long Do Purple Finches Live? vi. 104-105

Sex Analysis of One Hundred and Thirty-seven Purple Finch Returns,

Notes from Sault Ste. Marie, Michigan, vi. 107

Banding Notes from Sault Ste. Marie, Michigan (rev.), vi. 109

Magpie, European, age record, v. 140 Mailliard, Joseph

Gleanings from Recent Bird-Banding (rev.), i. 48

Reaction toward Capture among Certain Sparrows (rev.), i. 48

Mallard, Common

Nesting habits of, iii. 32, 110, iv. 156 Recoveries, i. 189, 190, iii. 142, iv. 21, 25, 29, 30, 31, 90, 94, 95, 97–99, 135, 144, 146, 179, 181, 183, 189, v. 95, 96, 139

Returns, i. 50, 189, 190, iii. 32, 110,

iv. 156, v. 95, 151, 153 Sex-ratios of, vi. 138 Mallophaga, i. 53–55, 146, iv. 68–75, vi. 145

Manwell, Reginald D., and Herman, Carlton M.

Blood-Parasites of Birds and Their Relation to Migratory and Other Habits of the Host, vi. 130-132 Notes on Eastern Song Sparrow

Repeats, vi. 133

Mareca americana. See Baldpate Mareca penelope. See Widgeon, European

Marples, B. J.

The Winter Starling Roosts of Great Britain, 1932–1933 (rev.), vi. 75 Marples, George

Observations on Times of Feeding (rev.), vi. 140

Parasite on Robin and Great Tit (rev.), vi. 145

Martin, House

Homing experiment with, v. 94, vi. 37 Migration of, iii. 79

Returns of, v. 97

Martin, Purple External parasites collected from, iv. 71

Recovery of, iv. 113

Returns, i. 191, ii. 86, iv. 112 Masure, R. H., and Allee, W. C

The Social Order in Flocks of the Common Chicken and the Pigeon

(rev.), v. 203–204 Flock Organization of the Shell Parrakeet (Melopsittacus undulatus) (rev.), vi. 43

MAY, JOHN B., i. 130, 144, ii. 77

The Distribution of the Roughwinged Swallow in New England, i. 29–33

Hawks of North America (rev.), vi. 115

Reviews by, i. 48–50, 85–86, 91, 147, 195–196, ii. 40–41, 43–44, 87–88, 134–136, 191–192, iii. 35–36, 37, MAY, JOHN B., Reviews by (con.) 75-78, 121-122, 180-181, iv. 56-58, 162-163, v. 146-147

MAYR, ERNST

Bernard Altum and the Territory Theory (rev.), vi. 109–110 Meadowlark, Eastern Age record, vi. 142

Disease in, ii. 35

External parasites collected from, iv. 73 Measurements of, v. 60-61

Megaceryle alcyon alcyon. See Kingfisher, Eastern Belted

MEINERTZHAGEN, R.

The relation between plumage and environment, with especial reference to the Outer Hebrides (rev.), v. 143

Melanerpes erythrocephalus. See Woodpecker, Red-headed

MELENEY, GRACE COIT

Bird-banding in a New York City High School, ii. 82

Melospiza georgiana. See Sparrow. Swamp

Melospiza lincolni lincolni. See Sparrow, Lincoln's

Melospiza melodia beata. See Sparrow, Mississippi Song

Melospiza melodia melodia. See Sparrow, Eastern Song

Melzer, James P

A Rose-breasted Grosbeak Returning

Ratio, v. 193 Another Common Tern Recovery in Puerto Rico, vi. 69

Merlin, recoveries of, ii. 88

MEYER, O. Mating of the Welcome Swallow

(rev.), vi. 42 Michael, C. W.

Feeding Habits of the Black-bellied Plover in Winter (rev.), vi. 144

MICHENER, H. and J. R.

Ages of House Finches Trapped during February, 1933, at Pasadena, California (rev.), v. 52

Mockingbirds, their Territories and Individualities (rev.), vi. 110

Micropalama himantopus. See Sandpiper, Stilt

Micropus apus. See Swift, European Micropus melba melba. See Swift, Alpine

MIDDLETON, A. D.

Periodic Fluctuations in British Game Populations (rev.), vi. 75

MIDDLETON, RAYMOND J.
Complete Record of a Wintering Lincoln's Sparrow, i. 140

MIDDLETON, RAYMOND J. (con.) House Wren Returns, i. 141 A Mourning Dove Recovery, i. 142 A Migrating White-throated Sparrow Return, 143 Slate-colored Junco Recovery, i. 144 Song Sparrow Returns-3, iii. 34 Starling, Barn Swallow, and Whitethroated Sparrow Recoveries, iii. 34 Two House Wren Returns-25 and a Mourning Dove Return-15, iii. 35 Known History of Eastern Robin 626740, iv. 56 Brown Thrasher, Oven-bird, Mourning Dove, Crested Flycatcher, and Catbird Age-Records, vi. 67 Eastern Tree Sparrow and Slatecolored Junco Age-records, vi. 68 Purple Grackle Age-records, vi. 69 Eastern Sparrow Hawk Recoveries in North and South Carolina and Georgia, vi. 70 Migration, theoretical considerations of (rev.), ii. 41-42 Migration and electricity (rev.), vi. 71 Migration and moonlight (rev.), vi. 71 Migration and solar cycles (rev.), vi. 38 Migration and the wind (rev.), v. 138 Migration at Rossitten (rev.), v. 94 Migration on the Baltic coast, autumn of 1931 (rev.), iii. 120 MILLIKEN, A. A Return-2 Baltimore Oriole, iii, 32 Mimus polyglottos leucopterus. Mockingbird, Western Mimus polyglottos polyglottos. See Mockingbird, Eastern MINER, JACK A Red-tailed Hawk Recovery, iii. 72 An Interesting Canada Goose Recovery, iii. 118 Miner, Manley F. Migration of Canada Geese from the Jack Miner Sanctuary and Banding Operations (rev.), ii. 135–136 Mites, i. 55–56, 146 Mniotilta varia. See Warbler, Black and White Mockingbird, Eastern Age records, vi. 111 External parasites collected from, iv. 72 Mating and territory study of (rev.), v. 53 Mating of, v. 132, vi. 112 Measurements of, iv. 52, v. 58–59 Recovery of, iii. 118 Territory of, v. 53

Weight of, iv. 52, v. 59

Mockingbird, Western
Age record, v. 52
Territories and individualities in, vi. 110-111 Voice of, vi. 111 MOFFITT, JAMES Banding Canada Geese in California in 1931 (rev.), iii. 37 See Cowbird. Molothrus ater ater. Eastern Moreau, R. E. A Contribution to Tropical African Bird-Ecology (rev.), v. 198 Motacilla alba. See Wagtail, White Motacilla cinerea. See Wagtail, Gray Motacilla flava. See Wagtail, Blueheaded Yellow Mountfort, G. R. The Influence of Territory on the Life of Birds (rev.), vi. 39 Murre, Brünnich's, banding of, at Wells River, Vt., iv. 115 Murre, Common Age records, i. 98 Banding of, in Gulf of St. Lawrence, i. 95, 96, 103 Mortality, i. 99 Recoveries, i. 98 Muscicapa hypoleuca. See Flycatcher, Pied Muscicapa striata. See Flycatcher, Spotted Musselman, T. E. Two Additional Foot Diseases on Birds, i. 33–34 Three Years of Eastern Bluebird Banding and Study, vi. 117-125 Myiarchus crinitus boreus. See Flycatcher, Northern Crested Myiochanes virens. See Pewee, Eastern Wood Nannus hiemalis hiemalis. See Wren, Eastern Winter Nelson, Theodora Growth Rate of the Spotted Sandpiper Chick with Notes on Nesting Habits, i. 1–12 NETHERSOLE-THOMPSON, D. Some Aspects of the Territory Theory (rev.), vi. 40 a rufina. See Pochard, Red-Netta rufina. crested Nettion carolinense. See Teal, Greenwinged Nettion crecca. See Teal, European NICE, L. B. Review by, iv. 116-117 See also Nice, Margaret Morse

NICE, MARGARET MORSE

Do Birds Usually Change Mates for the Second Brood?, i. 70-72

Spring Arrivals of Song Sparrows in 1930, i. 140

The Technique of Studying Nesting Song Sparrows, i. 177–181

Returns of Song Sparrows in 1931, ii. 89-98

Measurements of White-throated and Other Sparrows to Determine Sex, iii. 30-31

The Song Sparrow Breeding Season of 1931, iii. 45–50
Birds of Oklahoma (rev.), iii. 77
Locating Returned Song Sparrows

Banded as Nestlings, iv. 51-52

Nesting Success during Three Seasons in a Song Sparrow Population, iv. 119-131

Some Ornithological Experiences in Europe, iv. 147–154

Robins and Carolina Chickadees Remating, iv. 157

Relations between the Sexes in Song

Sparrows (rev.), v. 53 Migratory Behavior in Song Sparrows (rev.), v. 54

The Opportunity of Bird-banding, v. 64–69

The Theory of Territorialism and Its

Development (rev.), v. 98 The Eighth International Ornitho-

logical Congress, vi. 29–31 Some Observations on the Behavior of Starlings and Grackles in Relation to Light (rev.), vi. 78

Edmund Selous—An Appreciation, vi. 90-95

Les Oiseaux et le "Cantonnement"

(rev.), vi. 99-102 Recent Literature (Reviews), iii. 79-80, iv. 117-118, 209-210, v. 49-54, 94–102, 137–146, 195–204

NICE, MARGARET MORSE, and NICE, L.B. A Study of Two Nests of the Blackthroated Green Warbler, iii. 95–105, 157–172

Nichols, John T., i. 68, 90, 141, 186 Trap-shy House Sparrows, i. 80 A Five-year-old Downy Woodpecker,

i. 142

A Banded Little Blue Heron in New Jersey, ii. 35

Distribution and Seasonal Movements of the House Sparrow, v. 20-23

Sex Ratio in House Sparrows, v. 188 Seasonal and Individual Variations in House Sparrows, vi. 11-15

Nichols, John T. (con.) House Sparrow Replacement and a Severe Winter, vi. 96–98

Review by, i. 86-90

Nicholson, E. M. Greenland Birds Field-notes on

(rev.), vi. 110 Noble, G. K., and Vogt, William An Experimental Study of Sex Recognition in Birds (rev.), vi. 147

 $m Noll, \, H.$

The Effect of Drought on Breeding Birds (rev.), vi. 145

Numenius arquatus arquatus.

Curlew, European Nuthatch, Red-breasted, weights of, i. 193

Nuthatch, White-breasted Age records, i. 83, ii. 71, iii. 34 Breeding habits of, ii. 68-69 External parasites collected from. iv. 71

Mating of, i. 142, ii. 70 Measurements of, v. 58, 62 Migration of, ii. 59–62 Population density in, ii. 62 Recovery of, ii. 61 Return of, iii. 113

Sex differentiation in, ii. 68 Study of, by means of marked individuals, i. 149-168, ii. 59-76

Territory in, ii. 64-68 Weights of, i. 193, v. 59

Nycticorax nycticorax hoactli. Heron, Black-crowned Night See

Nycticorax nycticorax nycticorax. See Heron, Night

Nyroca affinis. See Duck, Lesser Scaup Nyroca americana. See Redhead

Nyroca collaris. See Duck, Ringnecked

Nyroca ferina ferina. See Pochard, Common

Nyroca fuligula. See Duck, Tufted Nyroca marila. See Duck, Greater Scaup

Nyroca valisineria. See Canvas-back

Cceanites oceanicus. See Petrel, Wil-

Oceanodroma leucorhoa leucorhoa. See Petrel, Leach's

Olstad, O. Nesting Studies of the Willow Grouse

(rev.), v. 201 Oort, E. D. van Results of Bird-banding in Holland

(rev.), v. 139 Oporornis agilis. See Warbler, Connecticut

Oporornis formosus. See Warbler, Kentucky Oporornis philadelphia. See Warbler, Mourning Oriole, Baltimore Experiment in transporting to a distance, ii. 79 External parasites collected from, iv. 73 Measurements and weights of, v. 60-62 Return of, iii. 32 Oriole, Bullock's, trapping of, by use of nesting materials, ii. 188 Oriole, European (Oriolus oriolus). récovery of, iv. 164 Ornithological journals, foreign and domestic, exchanging with "Bird-Banding," vi. 139
OSBORN, REGINALD A. Interesting History of Two White-breasted Nuthatches, i. 142 Osprey Nesting habits of, iii. 119 Notes on migration and mortality of. iii. 67-68 Recoveries of, iii. 67, 119, iv. 49 Otocoris alpestris alpestris. See Lark, Northern Horned Otocoris alpestris praticola. See Lark, Prairie Horned Otus asio nævius. See Owl. Eastern Screech Otus asio quercinus. See Owl, Southern California Screech Ouzel, Dusky, bandings and returns of, in Japan, iii. 2 Ouzel, Eye-browed, bandings and returns of, in Japan, iii. 2 Ouzel, Ring, migration of, i. 194 Oven-bird Age record, vi. 67 Brooding and rate of feeding of, iii. 164 - 165External parasites collected from, iv. 73 Measurements and weights of, iv. 53, v. 60-61 Owl, Barn Capture of, in a New York City high school, ii. 82 Growth, i. 48 Recoveries of, i. 50, iv. 49, 202 Owl, Eastern Screech, plumage pattern of, ii. 38 Owl, Great Horned Capture of, iii. 33 Recoveries of, iv. 49 Owl, Long-eared Growth, i. 48

Recovery i. 50

Owl, Pacific Horned, growth, i. 48 Owl, Saw-whet Capture of, in a New York City apartment, ii. 82 Measurements of, v. 58-59 Owl, Screech Growth, i. 48 Plumage pattern, ii. 38 Owl, Southern California Screech, or Pasadena Screech Owl, growth, i. 48 Oyster-catcher, American Age record, iii. 37 Breeding of, on Cobb Island, iii. 17-22Oyster-catcher, European Age record, iii. 37, v. 140 Recoveries of, iii. 36 Palmgren, Pontus Observations on Territory in Finland (rev.), vi. 40 A Method for Registering Variation of Bird Song in the Course of a Day (rev.), vi. 77 Pandion haliaëtus carolinensis. Osprev Parasites, bird, i. 51, 169, ii. 33, iii. 26, 72, iv. 68, 109
Suggestions for collecting external, i. 146, iv. 75; blood, vi. 130 Parrakeet, Shell, flock organization of, vi. 43 Partin, J. L. A Year's Study of House Finch $Weights_{rev.}, v. 52$ Partridge, Hungarian, nesting habits of, vi. 111 Parus cæruleus cæruleus. See Titmouse, Blue Parus major major. See Titmouse, Great Parus major newtoni. See Titmouse, Great Parus palustris communis. See Titmouse, Marsh Passer domesticus domesticus. Sparrow, House Passer montanus montanus. See Sparrow, European Tree Passerculus sandwichensis savanna. See Sparrow, Eastern Savannah Passerella iliaca iliaca. See Sparrow, Eastern Fox Passerina cyanea. See Bunting, Indigo Peabody, W. Rodman Note on Tree Sparrow Groups, ii. 39 Pelican, Eastern Brown, external para-

sites collected from, iv. 70

Pelidna alpina sakhalina. See Sandpiper, Red-backed

Penguin, Adélie

Banding of, in the Antarctic, v. 187 Return of, v. 187

Penguin, Gentoo

Banding of, in the Antarctic, v. 187 Return of, v. 187

Penikese Island, Buzzard's Bay, Mass. Strange disappearance of nesting Terns from, iii. 173–174

Further Notes of Terns from, iv.

200-202, v. 44 Recoveries of Herring Gulls banded from, v. 189

Penthestes atricapillus atricapillus. See Chickadee, Black-capped

Penthestes carolinus carolinus. SeeChickadee, Carolina

Perdix perdix. See Partridge, Hungarian

PERKINS, SAMUEL E., III

Indiana Bronzed Grackle Migration, iii. 85-94

An Eastern Phœbe with a Reproductive Period of at Least Nine Years, vi. 136

Peters, Harold S.

Ectoparasites and Bird-banding, i. 51-60

Suggestions for Collecting External Parasites of Birds, i. 146

External Parasites Collected from Banded Birds, iv. 68-75

Ectoparasites (Correspondence), v.

Peterson, Roger Tory

A Field Guide to the Birds (rev.), v. 146

Petrel, Leach's, measurements and weight of, v. 58-59

Petrel, Wilson's, capture and banding of, off Cape Cod, iv. 45-49

Pettingill, Olin S., Jr.

Observations on the Nesting Activities of the Hermit Thrush, i. 72-77 Two Common Tern Recoveries on their Wintering Grounds, iii. 31

Pewee, Eastern Wood

Measurements and weight of, iv. 52 Nesting-habits, a change in the, i. 144

Phalacrocorax atriceps. See Cormorant, Blue-eyed

Phalacrocorax auritus auritus. Cormorant, Double-crested

Phalacrocorax carbo carbo. See Cormorant, European

Phalacrocorax carbo sinensis. See Cormorant, European

Phalacrocorax carbo subcormanus. See Cormorant, European

Phalarope, Wilson's, banding of, on Cape Cod, v. 37-38, vi. 22 PHILLIPS, JOHN C., and LINCOLN, FREDERICK C.

American Waterfowl: Their Present Situation and the Outlook for their Future (rev.), ii. 40

Philohela minor. See Woodcock

Phœbe, Eastern

Age record, vi. 136

External parasites collected from, iv.71 Mating, i. 70

Measurements, v. 58–59

Recovery of, iii. 89

Reproductive period of at least nine years, vi. 136

Returns of, vi. 68, 136

Weights, i. 192, iv. 52, v. 58

Phœnicurus ochrurus. See Redstart, Black

Phœnicurus ochrurus gibraltariensis. See Redstart, Black

Phœnicurus phœnicurus. See Redstart, Common European

Phylloscopus trochilus. See Warbler, Willow

Physiological experiments, vi. 145

Physiology of reproduction in birds, v. 142, vi. 112; of the migratory instinct, iv. 163, v. 137, vi. 38; of the temperature of birds, iii. 36, iv. 116

Pica pica pica. See Magpie, European Pickens, A. L.

Evening Drill of Chimney Swifts During the Late Summer (rev.), vi. 112

Pigeon, Homing, homing instincts and powers of orientation in, vi. 38

PIGGOTT, JOHN W. A Returning Pair of Barn Swallows, i. 82

Pintail, American

Age records, ii. 192

Recoveries of, i. 189, 190, ii. 192, iii. 142, iv. 21, 23, 24, 29, 31, 90, 99, 135, 137, 142, 146, 181, 183, 185, 187, v. 195

Returns of, i. 189 Sex-ratio in, v. 189

Pintail, Eurasian

First certain record of, in North America, iv. 112

Recoveries of, ii. 190, v. 51

Pipilo erythrophthalmus alleni. Towhee, White-eyed

Pipilo erythrophthalmus erythrophthalmus. See Towhee, Red-eyed

Pipilo fuscus petulans. See Towhee, Brown Piranga erythromelas. See Tanager, Scarlet Piranga rubra rubra. See Tanager, Summer Pisobia fuscicollis. Sandpiper, SeeWhite-rumped Sandpiper, Pisobia melanotos. SeePectoral Pisobia minutilla. See Sandpiper, Least Planesticus migratorius migratorius. See Robin, Eastern
Plectrophenax nivalis nivalis.
Bunting, Snow See Plover, Black-bellied Banding of, on Cape Cod, vi. 20 Feeding habits of, in winter, vi. 144 Plover, Semipalmated, banding of, on Cape Cod, v. 37, vi. 20 Plover, Wilson's, breeding of, on Cobb Island, iii. 17–22 Pochard, Common, migrating habits of the sexes, v. 195 Pochard, Red-crested, late nesting of, due to drought, vi. 145 Podiceps cristatus cristatus. See Grebe, Great Crested Pomerat, C. M. A New Problem for Bird-Banders, v. 42 Poncy, Robert Permanent Mating of a Pair of Carrion Crows (rev.), v. 145 Poœcetes gramineus gramineus. See Sparrow, Eastern Vesper Population Studies (papers reviewed by Mrs. Nice), vi. 75-76 PRICE, JOHN B. An Experiment in Staining California Gulls (rev.), ü. 135 Some Flocking Habits of the Crowned Sparrows (rev.), iii. 38 See also Danforth, C. H. Progne subis subis. See Martin, Purple Protective coloration (papers reviewed by Mrs. Nice), vi. 78–79 Protocalliphora, i. 169–173, ii. 33, iii. 26–29, v. 194 Prunella modularis occidentalis. SeeSparrow, Hedge Psaltriparus melanotis melanotis. See Bush-tit, Black-eared Psilorhinus mexicanus cyanogenus. See Jay, Central American Brown

Ptarmigan, Willow. See Grouse, Willow

Banding of, in the Gulf of St. Law-

Puffin, Atlantic

Nesting, i. 96

Age records, i. 98

rence, i. 96-103

Pygoscelis adeliæ. See Penguin, Adélie Pygoscelis papua. See Penguin, Gentoo Quail, table showing bandings and returns of, in Japan, iii. 2 Quail, Gambel's, life history of, in Arizona (rev.), vi. 74 Quail, Migratory Introduction of, in the Northeastern States, v. 150 Migrational studies of, ii. 133, vi. 140 - 141Weights of, iv. 117-118 Quail, Migratory Chinese, attempted introduction of, in Washington, Querquedula cyanoptera. See Teal, Cinnamon Querquedula discors. See Teal, Bluewinged Quiscalus quiscula æneus. See Grackle, Bronzed Quiscalus quiscula aglæus. See Grackle, Florida Quiscalus quiscula quiscula. SeeGrackle, Purple Rail, King, external parasites collected from, iv. 70 Rail, Northern Clapper, breeding of, on Cobb Island, iii. 17-22 Virginia, measurements weight of, v. 58-59 Rallus elegans elegans. See Rail, King Rallus limicola limicola. See Rail, Virginia Rallus longirostris crepitans. See Rail, Northern Clapper RAPINE, J. See Lebeurier, E. Raptores, studies in the growth of young, i. 48 Redhead Age record, vi. 142 Recoveries of, iii. 142, iv. 90, 142, 146, 185, 187 Redshank, age record, v. 197 Redstart, American Banding of, near Canton, Ohio, vi. 88 Brooding and rate of feeding of, iii. 164-166 Returns, i. 190, iii. 74 Sex ratio in, vi. 88 Redstart, Black Homing instinct in, v. 138 Migration, iii. 180 Redstart, Common European Feeding rate of, iv. 118 Migration of, iii. 180 Nesting of, v. 197 Physiological experiments with, v. 137 Red-wing, Eastern. Rossitten Bird Observatory, i. 83, 86, See Blackbird, Eastern Red-winged 148, 194, ii. 42, 86, iii. 180, iv. 212, Red-wing, Florida. See Blackbird. v. 94, 138, 140, vi. 72, 108, 112 Florida Red-winged ROTONDI, M. See Chigi, F. Regulus satrapa satrapa. See Kinglet, ROWAN, WILLIAM Eastern Golden-crowned The Riddle of Migration (rev.), iii. RESUHR, L. B., and ALBERTSEN, W. Recoveries of Black-headed Gulls in Fifty Years of Bird Migration (rev.), Relation to Birthplace (rev.), v. 196 v. 97 Return of young birds to their natal RÜPPELL, W. areas, discussion of, v. 152 Experiments on Distant Orientation RICHMOND, W. K.
Quest for Birds (rev.), vi. 44 in the Starling (rev.), v. 138

Do Wandering Titmice have a Homing Instinct? (rev.), v. 138 Richmondena cardinalis cardinalis. See Cardinal, Eastern Homing Experiments with Swallows (rev.), vi. 37–38 Homing Experiments with Starlings, RIDDLE, O., and BRAUCHER, P. F. Studies on the Physiology of Reproduction in Birds (rev)., v. 142 1934 (rev.), vi. 141 Russell, E. S. RINTOUL, JAMES Correspondence concerning the mak-An Introduction to the Study of Animal Behavior (rev.), vi. 115 ing of celluloid bands, ii. 44 Riparia riparia. See Swallow, Russia, bird-banding in, v. 96 Rynchops nigra. See Skimmer, Black Bank RYVES, LIEUT.-Col. and Mrs. B. H. Rissa tridactyla tridactyla. See Kittiwake The Breeding-habits of the Corn-RITTER, WILLIAM, and BENSON, S. B. bunting as Observed in North Is the Poor Bird Demented? Another Case of "Shadow Boxing" (rev.), Cornwall: with Special Reference to its Polygamous Habit (rev.), v. 202-203 v. 143-144 Supplementary Notes on the Breed-ROBERTS, M. B. See Shaver, J. M. ing-habits of the Corn-bunting as Roberts, Thomas S. Birds of Minnesota (rev.), iii. 180 Observed in North Cornwall in Robertson, John McB. 1934 (rev.), vi. 41–42 Some Results of Bird Banding in 1928 (rev.), i. 49 Robin, Eastern Sanborn, H. C. Age record, iii. 113, vi. 109 The Inheritance of Song in Birds Body temperature of, iv. 116 (rev.), vi. 77 Sanden, Walter von External parasites collected from, iv.72 Malaria parasites in, vi. 132 On Quiet Paths (rev.), vi. 115 Mating, i. 70 Observations on Mute Swans (rev.), Measurements, v. 58, 62 Migration of, iii. 89 Sanderling, botulism in, iii. 178 Sandpiper, Eastern Solitary, bandings Nesting habits of, i. 71 Recoveries, i. 91, 145, iii. 89, iv. 101 of, on Cape Cod, v. 37 Returns, iv. 56, 157, vi. 106 Sandpiper, Least Weights, i. 193, v. 59 Bandings of, on Cape Cod, v. 37, Robin, European, age records, ii. 192, vi. 22 Return of, vi. 22 v. 49 Sandpiper, Pectoral, bandings of, on Cape Cod, v. 37, vi. 22 Robinson, H. W. Do Puffins get their Rings off? (rev.), Sandpiper, Red-backed i. **1**96 Bandings of, on Cape Cod, vi. 22 Frank W., photograph of Robl. External parasites collected from Hutchins's Goose by, iii. 115 RookBanding methods of, in France, v. Sandpiper, Semipalmated 140-141 Bandings of, on Cape Cod, v. 37,

vi. 22 Recovery of, v. 47

Return of, vi. 22

Distribution of, v. 141

Life history of (rev.), vi. 44 Mating of year-old birds, v. 141 Sandpiper, Solitary, bandings of, on Cape Cod, v. 37, vi. 22 Sandpiper, Spotted Bandings of, on Cape Cod, v. 37 vi. 20 Food of, i. 8 Growth rate of chick, with notes on nesting habits, i. 1-13 Incubation period of, i. 8 Measurements of, i. 10, 12 Plumage of, i. 10 Voice of, i. 2 Sandpiper, Stilt, bandings of, on Cape Cod, v. 37, vi. 22 Sandpiper, Western Bandings of, on Cape Cod, v. 37, vi. 22 Measurements of bill, v. 38 Sandpiper, White-rumped Bandings of, on Cape Cod, v. 37, vi. 22 External parasites collected from, iv. 70 Northern Red-breasted, Sapsucker, mating constancy, i. 91 Sapsucker, Yellow-bellied, meas ments and weight of, v. 58-59 measure-SAVARY, WALTER B., i. 132 A Pine Warbler Return, i. 190

A Second Pine Warbler Return, v. 191

Sayornis phœbe. See Phœbe, Eastern Scardafella inca inca. See Dove, Inca SCHENK, JAKOB Statistics of Bird-Banding in Hun-

gary (rev.), v. 197 Ornithological Excursions in a Hun-

garian Puszta (rev.), v. 197 SCHIERMANN, GOTTFRIED

Studies of Avian Ecological Succession (rev.), vi. 76

Schifferli, Herr A. Reports of Bird-Banding in Switzerland (rev.), v. 139

Schildmacher, H.

Experiments on the Physiology of Migration (rev.), v. 137-138

SCHMID, B. How Far Does the Falcon See? (rev.), vi. 74

SCHUSTER, L.

At the Eyrie of the Sea Eagle (rev.), vi. 74

Schüz, Ernest

Migration of the Scandinavian Lesser Black-backed Gull (rev.), v. 196 The 28th Annual Report of the Vogelwarte of Rossitten (rev.), vi. 108

Observations on Ringed Storks in the Breeding Season (rev.), vi. 112

Scolopax rusticola rusticola. See Woodcock, European

SEARLE, WILLIAM, JR., and BRYSON, D. Distribution and Number of the Dipper on the North and South Esks (Midlothian) (rev.), vi. 143

Storks in Austria (rev.), vi. 112

Seiurus aurocapillus. See Oven-bird Seiurus noveboracensis noveboracensis. See Water-Thrush, Northern

Selous, Edmund

The Romance of the Animal World (rev.), vi. 79 The Romance of Insect Life (rev.),

An Appreciation of, vi. 90–95

Setophaga ruticilla. See Redstart, $\mathbf{American}$

Sex differentiation by measurements, iii. 30, vi. 8

Sex-ratio, as a factor in determining territorial adjustments, ii. 49; in the House Sparrow, v. 188; of ducks, v. 195; of warblers, vi. 88

Sex-ratios and weights in wintering crows, vi. 65

Sex recognition in birds (rev.), vi. 147 Sex Rhythm in the Ruffed Grouse and Other Birds (rev.), v. 144

Sexual cycle in birds, studies on, iv. 8 Sexual selection and territorialism (rev.), vi. 144

Sexual selection theory (discussion of), vi. 40-41

Sexual variations in the Starling, v. 103 Shaver, Jessie M., and Roberts, M. B.

A Brief Study of the Courtship of the Eastern Cardinal (rev.), v. 53

Shelley, Lewis O.
On the Status of Juncos in the East Having White Wing-bars, ii. 169

A Slate-colored Junco Recovery, ii. 186

Inbreeding Downy Woodpeckers. iii. 69

Some Notes on the Hairy Woodpecker, iv. 204

Some Unusual Barn Swallow Nesting-Sites, v. 48

Two Pairs of Tree Swallows Mated during Two Successive Seasons, v. 91

Returns of Tree Swallows at East Westmoreland, N. H., v. 93 Tree Swallow Tragedies, v. 134

Herring Gull Recovery from Panama, v. 189

SHELLEY, LEWIS O. (con.) A Least Flycatcher Return-1, v. 191 Breeding Birds Successful Despite

Protocalliphora, v. 194 Notes on the 1934 Tree Swallow Breeding-Season, vi. 33–35

A Downy Woodpecker with a Broken Bill, vi. 35

Early Banding and Returning of an Eastern Phoebe in New Hamp-

shire, vi. 68
Pair of Downy Woodpeckers
Mated during Four Consecutive Years, with Notes on the Male, vi. 135

Known History of Eastern Song Sparrows F-121239 and 34-148621, vi. 137

Notes on the Growth, Behavior, and Taming of Marsh Hawks (rev.). vi. 144

Shorebirds, banding of, on Cape Cod, Mass., v. 36-38; methods of trapping, vi. 16-22 Short, Mrs. Mack

Some Tufted Titmice History, iv. 159 Shoveller, recoveries of, iii. 142, 146 Shrike, Loggerhead, weight of, iii. 117 Shrike, Northern

Measurements and weight of, v. 58 - 59

Some experiences with, vi. 70

Shrike, Red-backed, recoveries of, ii. 190, v. 96

Sialia sialissialis. See Bluebird, Eastern Siskin, European

Recovery of, v. 97

Spring migration and distribution in Europe, ii. 87

Siskin, Pine, weight of, i. 192

Sitta canadensis. See Nuthatch, Redbreasted

Sitta carolinensis carolinensis. See Nuthatch, White-breasted

Sitta carolinensis cookei (carolinensis). See Nuthatch, White-breasted Skimmer, Black

Breeding of, on Cobb Island, iii.

17 - 22External parasites collected from,

Recoveries and returns of, ii. 52-58 SKOVGAARD, PETER

Danish Banding Papers (rev.), v.

SKUTCH, A. F.

Helpers at the Nest (rev.), vi. 143 Sky-lark, biology of (rev.), vi. 144 SMILEY, ALBERT K., Jr., and SMILEY, DANIEL, JR.

An Unusual Duck Hawk Recovery, i. 144

Smith, Lester W., i. 132, 141, 169

A Saw-whet Owl Banded, and other Experiences with this Species, i. 42 A Fox Sparrow with the Trap Habit, ii. 83

SMITH, RONALD W.

Redstart and Yellow Warbler Returns-25, iii. 74

SMITH, WENDELL P., i. 135, 187, vi. 4 The Further History of a Nesting Pair of Juncos, i. 36-40

A Possible Migrating Family Group, i. 77-79

Irregular Molting of a Savannah Sparrow, ii. 35

A Song Sparrow Return-4, ii. 36 Possible Migrating Family Groups, iii. 116-117

Banding of a Brünnich's Murre at Wells River, Vermont, iv. 115 Observations of the Nesting Habits

of the Black and White Warbler, v. 31–35

Snipe, Wilson's

Banding of, on Cape Cod, vi. 20 Recovery of, iv. 157

Social order in Common Chicken and

in the Pigeon (rev.), v. 203-204 Somateria mollissima dresseri. Eider, American

Song, bird, in connection with territory, vi. 100; method for intensive study of, vi. 76-77; method for registering variation in the amount of, vi. 77

Song in Birds, The Inheritance of (rev.), vi. 77

Sparrow, Chipping. Eastern Chipping. See Sparrow,

Sparrow, Clay-colored, capture of, on Cape Cod, Mass., ii. 134

Sparrow, Eastern Chipping

Age record, i. 145, iii. 113 External parasites collected from,

iv. 74 Foot disease in, ii. 35

Mating, constancy of, i. 70

Measurements and weights of, iv. 53, v. 60-61

Migration of, iv. 54

Recoveries, i. 188, ii. 82, 121, 189 Returns, i. 47, 145, ii. 79, 189, 119,

iv. 104, vi. 127

Survival ratios in, vi. 127 Sparrow, Eastern Field

External parasites collected from, iv. 74

Foot disease in, ii. 35

Sparrow, Eastern Tree (con.)
Incubation period of, vi. 7
Measurements of, iii. 30, iv. 53, v.
60-61
Migration and local movements of,
on Cape Cod, iii. 81–84
Molt of, vi. 10–11
Photograph of a "plumed" indi-
vidual, v. 45
Recoveries of, i. 189, iii. 85
Returns of, i. 143, 188, ii. 78, 126,
iii. 73, 113, iv. 107, 159, v. 136,
vi. 104, 136
Sex differentiation in, vi. 8
Tail plumes as a means of marking,
v. 45–46
Territories and seasonal variations
of, vi. 1–11
Weights of, iii. 30, iv. 53, v. 61, vi. 9
Sparrow, Eastern Vesper
Eggs per nest of, ii. 179, iii. 33, 114, 116
External parasites collected from,
iv. 74
Incubation period of, ii. 179
Measurements, iv. 53, v. 60-61
Nesting habits of, ii. 178, iii. 33, 114
Plumage of, ii. 181
Recovery of, iv. 159
Weights, i. 192, iv. 53, v. 61
Sparrow, European Tree
Age récords, iv. 117
Thyroid studies of, vi. 145
Sparrow, Field. See Sparrow, Eastern
Field
Sparrow, Fox See Sparrow, Eastern Fox
Sparrow, Gambel's
Age record, v. 52
Returns, i. 46, v. 135
Status of, in Michigan, ii. 43
Sparrow, Golden-crowned
Flocking habits of, iii. 38
Homing instinct in, v. 138
Weights of, v. 142, 200
Sparrow, Grasshopper, measurements
and weights of, v. 60-61
Sparrow, Harris's
Age record, vi. 38
Migrational study, i. 174–176
Migration of, i. 69
Trapping, i. 174
Sparrow, Hedge age records, vi. 73
Sparrow, House
Distribution and seasonal movements
of, v. 20-23
Individual variations in, vi. 11–15
Molt of, vi. 15
Recoveries and returns of, v. 23, 96
Replacement of, vi. 96–98 Secondary sev characters in vi. 112
Secondary sex characters in, vi. 112 Sex ratio in v. 188

Sparrow, House (con.) Thyroid studies in, vi. 145 Trap-shy, i. 80 Sparrow, Lark, banding of, on Cape Cod, <u>i</u>ii. 177 Sparrow, Lincoln's External parasites collected from, iv. Measurements of, iii. 30, v. 60-61 Weights of, iii. 30, v. 61 Wintering at Norristown, Pa., i. 140 Sparrow, Mississippi Song Age records, iii. 34 Breeding season of 1931, iii. 45-50 Mating of, v. 53-54 Measurements of, iii. 30-31 Migration of, correlated with the weather, ii. 94 Migratory behavior in, v. 54 Nesting habits of, iii. 45-50, iv. 119 - 131Parasitized by Cowbirds, iii. 46-50, iv. 121-130 Returns of, ii. 96-97, iv. 51-52 Study of local population, ii. 89–98, iv. 119-131, v. 54 Territory in, îi. 90–97, v. 144 Weights of, iii. 30-31 Sparrow, Nelson's, wintering of, in New Jersey, iv. 115 Sparrow, Nuttall's Group habit in, i. 49 Range of flocks in winter, i. 48-49 Sparrow, Puget Sound White-crowned, flocking habits of, iii. 38 Sparrow, Savannah. See Sparrow, Eastern Savannah Sparrow, Song. See Sparrow, Eastern and Mississippi Song Sparrow, Swamp External parasites collected from, iv. 75 Measurements and weights of, iv. 54, v. 60-61 Sparrow, Tree (American). See Sparrow, Eastern Tree Sparrow, Tree (European). See Sparrow, European Tree Sparrow, Vesper. See Sparrow, Eastern Sparrow, White-crowned External parasites collected from, iv. 74 Flocking habits, iii. 38 Group habit, i. 78 Measurements of, iv. 53, v. 60-61 Recovery of, ii. 39 Return of, v. 135 Weights, i. 192, iv. 53, v. 61

Sparrow, White-throated Age record, vi. 135 External parasites collected from, iv. 74 Group-habit, i. 77, ii. 153, iii. 116, v. 153 Measurements of, iii. 30, iv. 54, v. 60-61 Migrational study, i. 174–176 Migration of, i. 69, ii. 137-165 Recoveries, i. 141, 185, iii. 35, iv. 56, Returns, i. 16, 84, 143, ii. 78, 116, 144, 178, iv. 113, v. 102, vi. 126 Territorial range in, ii. 147 Weights, i. 193, iii. 30, iv. 54, v. 61 Sphyrapicus varius ruber. See S sucker, Northern Red-breasted Sphyrapicus varius varius. See Sapsucker, Yellow-bellied Spinus pinus pinus. See Siskin, Pine Spinus spinus. See Siskin, European Spinus tristis tristis. See Goldfinch. Eastern. Spizella arborea arborea. See Sparrow, Eastern Tree. Spizella monticola monticola. Sparrow, Eastern Tree Spizella pallida. See Sparrow, Claycolored Spizella passerina passerina. Sparrow, Eastern Chipping Spizella pusilla pusilla. See Sparrow, Eastern Field Sprake, Leslie Perdix the Partridge (rev.), vi. 44 Squatarola squatarola. See Plover, Black-bellied Starling, European Age records, ii. 192, v. 49, 100, 126, 142, 200, vi. 38, 109, 142 Biology of (rev.), iv. 209-210 Distribution of, v. 118-128 External parasites collected from, iv. 72 Feeding rate of, iv. 210 Homing instinct in, v. 138, vi. 141 Incubation period of, iv. 209 Individual and sexual variations in, v. 103-117 Measurements of, v. 58-59, 114-116 Migration of, iii. 120, v. 119-128, 139 Nesting habits of, iv. 209, vi. 58-61 Plumage of, ii. 187, v. 114 Protocalliphora and mites in nest of, iii. 27-28Recoveries of, ii. 192, iii. 34, iv. 112, 117, v. 119–128, 142 Returns of, iv. 112, v. 42-43, 93, vi. 141 Sexual cycles in, iii. 79

Starling, European (con.) Weights of, v. 59, 108-110 Winter roosts of, in Great Britain, vi. 75 STEINFATT, O The Nest Life of the Night Heron (rev.), v. 201 Steganopus tricolor. See Phalarope, Wilson's Stelgidopteryx ruficollis. See Swallow, Rough-winged Stelgidopteryx ruficollis serripennis. See Swallow, Rough-winged Stercorarius parasiticus. See Jaeger, Parasitic Sterna antillarum antillarum. SeeTern, Least Sterna caspia imperator. American Caspian See Tern. Sterna dougalli dougalli. See Tern, Roseate Sterna forsteri. See Tern, Forster's Sterna hirundo hirundo. See Tern, Common Sterna paradisæa. See Tern, Arctic Sterna sandvicensis. See Tern, Sand-Sterning, ecological study of Cape Cod, iii. 124, iv. 190 Stevens, O. A.
Some Secondary Results of Bird-Banding, i. 67-69 Hours of the Day when Harris's and White-throated Sparrows were Trapped during Migration, i. 174--176 The Distribution of Bird-Banding Stations, vi. 25–28 STEVENSON, J. Experiments on the Digestion of Food by Birds (rev.), v. 100 STEWART, PAUL A. What was Wrong with This House Wren?, ii. 38 A New North American Ectoparasite for the Starling, iii. 72 A Red-bellied Woodpecker Six and a Half Years of Age, iv. 56 STIMMELMAYR, ANTON, and STIMMEL-MAYR, ALEX Bird Migration and Electricity (rev.), vi. 71–72 Stork, Black, migration of, v. 51 Stork, White Age records, v. 52 Departure of, from Rossitten, iv. 212 Explanation for throwing young of, from nest, vi. 74–75 Migration of, ii. 86, 190, iii. 79, v. 51,

94 - 95

Stork, White (con.) Observations on, in the breeding season, vi. 112 Recoveries of, i. 88, ii. 190, v. 51 Statistics of, vi. 112 Time required to reach maturity, iii. 79 STRABALA, LONY B. Notes on the Slate-colored Junco. ii. 128 Streptopelia turtur turtur. See Dove, Turtle Stresemann, Erwin, i. 83 Aves (rev.), vi. 43 Sturnus vulgaris vulgaris. See Starling, European Summerville, S. C., i. 84, 130, ii. 34-35' 37, 78, 116-125, 185-189, iii. 108, iv. 70, 159, vi. 125-130
SUMNER, E. L., JR.
Comparative Studies in the Growth of Young Raptores (rev.), i. 48 The Behavior of Some Young Raptorial Birds (rev.), vi. 114-115 Sumner, E. L., Sr.

The "Homing Instinct," Winter
Territory and Individual Flight
Lines (rev.), v. 138 Wren-tit Banded in 1925 Again Trapped (rev.), v. 200 See also Linsdale, J. M. Summer, F. B.

Does "Protective Coloration" Protect? Results of Some Experiments with Fishes and Birds (rev.), vi. 78-79 Sun-spot activity, relationship with living things, ii. 107-110 SUTTON, GEORGE MIKSCH Eskimo Year: A Naturalist's Adventures in the Far North (rev.), iv. 44 Swallow, Bank Protocalliphora infestation of, ii. 33 Recoveries and returns of, vi. 106, 109 Swallow, Barn Attempted parasitizing of, by Cowbirds, iii. 178–179 External parasites collected from, Nesting habits of, iii. 74, v. 48 Protocalliphora infestation of, i. 171, ii. 33, iii. 26–27 Recovery of, iv. 157 Returns of, i. 82, iii. 35 Swallow, Chimney, study of, and methods of banding in Japan, iii. 1-11 Swallow, European Experiments in raising, vi. 74

Swift, Chimney (con.) Swallow, European (con.) Homing instinct in, v. 138, vi. 37 Migrational studies of, iii. 79 External parasites collected from, iv. 71 Returns of, iv. 117, 164, v. 97, 197 Young of, assist in building the second nest, vi. 74 Foot disease in, i. 34 Migration of, i. 104 Recoveries, i. 196, ii. 192 Swallow, Liu-Kiu, migrant to Japan, iii.1 Returns, i. 191 Swallow, Mosque, study of, and meth-Trapping of, i. 107, 109 ods of banding in Japan, iii. 1-11 Weights, i. 192 Swallow, Rough-winged Swift, European Distribution of, in New England, Age records, v. 50 i. 29–35 Mating, nesting, and returns of, i. 147 Homing instinct in, v. 43-44 Recovery of, iv. 164 Nesting habits of, i. 33 Return of, to natal area, ii. 86 Switzerland, bird-banding in, iv. 117, Swallow, Tree v. 139 Age record, iii. 178 Breeding season of 1934, notes on Sylvia atricapilla. See Blackcap Sylvia borin. See Warbler, Garden vi. 33–34 External parasites collected from, Sylvia curraca curraca. See Whitethroat, Lesser iv. 71 Incubation period of, iii. 41 Sylvia undata dartfordiensis. See War-Mating of, v. 28, 91, vi. bler, Dartford SZIDAT, L. Measurements of, v. 57–59 Mortality of, iii. 44, iv. 86, v. 25, 29, Why Does the Stork Throw Its Young from the Nest? (rev.), vi. 48-51 Nest distribution, v. 24–30 vi. 74 Nesting efficiency of, vi. 143 TABER, WILLIAM BREWSTER, JR.
The Fall Migration of Mourning Nesting habits of, iii. 38-44, iv. 76, 160, v. 24, vi. 33–35, 48 Doves (rev.), i. 196 Plumage of, iv. 79 Protocalliphora infestation of, i. 169, Tanager, Scarlet External parasites collected from, 171, iii. 26–28 Recoveries of, v. 28, vi. 56 Returns of, iii. 40, 72, iv. 76, v. 24, iv. 73 Measurements and weight, v. 60-61 Tanager, Summer, occurrence of a 93, vi. 48, 52 pair of, on Cape Cod, iii. 176 Survival ratio of, v. 24–30 Territory and box preferences, iv. 77 Teal, Blue-winged Recoveries of, iii. 142, iv. 29, 31, 90, 91, 99, 137, 144, 181 Weights of, v. 60 Wintering of, in New Jersey, iv. 115 Swallow, Welcome, mating of, for six Sex ratio in, v. 195 Teal, Cinnamon, recoveries of, iv. 24, years, vi. 42 Swallows (European) 146, 187 Disastrous mortality of, in central Teal, European, return of, to natal Europe, in September, 1931, due to a severe cold spell, iii. 78 area, v. 151 Teal, Green-winged Recoveries, i. 189, 190, iv. 21, 32, 90, Effects of 1931 disaster of, iv. 164 99, 146, 183, 185, 187 Swallows (Japanese), studies of, by the Returns, i. 189 banding method, iii. 1-11 Swan, Mute Telmatodytes palustris. See Wren, Long-billed Marsh Population fluctuations among, vi. Tern, American Caspian 144 Territorial behavior of, v. 143 Banding of, in the Gulf of St. Law-Sweden, bird-banding in, v. 49-50 rence, i. 103 Breeding of, on Cobb Island, iii. 22-23 Swift, Alpine Recovery of, i. 91 Age record of, iv. 117, v. 139 Return of, to natal area, v. 139 Tern, Arctic Swift, Chimney Age record, v. 50 Banding of, in Cape Cod tern rook-Aërial evolutions of migrating, vi. 112 eries, iii. 63 Banding of, at Chattanooga, Tenn., i. 104–112, 196 Distribution, vi. 23

Tern, Sandwich (con.) Tern, Arctic (con.) Recoveries of, ii. 192, iii. 37, vi. 50, vi. 37 Tern Island, Chatham, Mass., i. 20, 128, 181–184, iii. 63–65, 123–139, Experiments in changing eggs of, with other species, vi. 43 Recoveries, i. 91, iv. 163, v. 50 Return of, vi. 24 iv. 190-198, vi. 155-170 Tern, Common Tern rookeries of Cape Cod Ages of breeding adults, iii. 136-139 Age records of, ii. 192, iii. 136, vi. Bandings in, during 1931, iii. 63-65 Status of, during 1932, iii. 143–156 Status of, during 1933, iv. 190–198 Status of, during 1934, v. 155–171 Banding of, in Cape Cod tern rookeries, iii. 63-65 Terragraph, experiments with, on the Breeding of, on Cobb Island, Va., activities of nesting birds, iv. 33 iii. 17–22 Territorialism and its development, the Food of, i. 184, v. 157 theory of (rev.), v. 98 Incubation period of, iii. 127–128 Territorialism and sexual selection Mating of, iii. 132, vi. 42 Mortality of, iii. 134, iv. 193, v. 165 (rev.), vi. 144 Territory, definition of, vi. 110; size and measurement of, iv. 41; mean-Nesting habits of, i. 182, iii. 123-126, ing of, in the life of birds (rev.), Recoveries of, i. 91, 145, ii. 77, 81, 185, 192, iii. 31, iv. 160, vi. 35, 69 vi. 110; Territory theory, and Bernard Altum Returns of, ii. 77, iii. 33, 134-136, 173 Statistics of banding at Tern Island, (rev.), vi. 109; questions of, iv. 56-57, v. 97-98, vi. 79-80, 99-102; Mrs. Nice on (rev.), 99-102 Chatham, Mass., i. 20–26 Territorial selection in, iii. 130-133 Thalasseus maximus maximus. See Tern, Royal Trapping of, i. 81, 183 Tern, Forster's THIENEMANN, J. Breeding of, on Cobb Island, iii. Rossitten (rev.), v. 94 Vom Vogelzuge in Rossitten (rev.), 17-22Nesting habits of, iii. 21 v. 94 Voice of, iii. 23 Thomas, Edward S. A Study of Starlings Banded at Columbus, Ohio, v. 118-128 Tern, Gull-billed Breeding of, on Cobb Island, iii. 17-22Thomson, A. Landsborough Migration of, iii. 120 The Migration of British and Irish Tern, Least Woodcock: Results of the Marking Method (rev.), i. 195 Thornthwaite, C. W. Breeding of, on Cobb Island, iii. External parasites collected from, Ecological papers by (rev.), v. 99 Thrasher, Brown iv. 71 Tern, Roseate Age records, v. 191, vi. 67, 134 Age record, iii. 34
Banding of, in Cape Cod tern rookeries, iii. 63-65 External parasites collected from, iv. 72 Mating, i. 70 Breeding when one year old, i. 184 Measurements and weight, v. 58-59 First record from Newfoundland, iii. Recoveries of, v. 133, 191 Returns of, v. 133, 191 Incubation period of iii. 127–128 Thrush, Eastern Hermit Nesting habits of, iii. 123–126 External parasites collected from, Recovery of, iii. 34, 75 Statistics of banding at Tern Island, iv. 72 Food of, i. 76 Chatham, Mass., i. 20–26 Trapping of, i. 81, 183 Measurements and weights of, v. 58 - 59Tern, Royal Nesting activities of, i. 72–77 Return of, ii. 78 Breeding of, on Cobb Island, iii. 22 - 23Weights of, iv. 52 External parasites collected from, Thrush, Gray-cheeked, measurements iv. 71 and weight, iv. 52 Tern, Sandwich Thrush, Hermit. See Thrush, Eastern Age records, ii. 192, v. 50, 140, vi. 73 Hermit

Thrush, Olive-backed Towhee, Brown, territorial defense of, External parasites collected from, v. 144 iv. 72 Towhee, Red-eyed Return of, vi. 66 Age record, vi. 134 Thrush, Pale, bandings and returns of, External parasites collected from, in Japan, iii. 2 Thrush, Song Juveniles return to birthplace, iv. 51 Age records, ii. 192 Mating, constancy of, i. 70 Migration of, v. 196 Measurements and weights, v. 60-62 Thrush, Wood Plumage of, ii. 37 Age record, iii. 177 Recoveries of, ii. 185, v. 48 External parasites collected from, Returns of, ii. 36, 124, iv. 51, vi. 128 iv. 72 Variation in irises and rectrices, Measurements and weight, v. 58-59 ii. 37 Recovery of, iii. 177 Returns, i. 83, 142, 191, ii. 78 Weights of, iv. 53, v. 61 Towhee, Spotted, age record, ii. 135 Towhee, White-eyed Thryothorus ludovicianus ludovicianus. See Wren, Carolina External parasites collected from, Ticks, i. 56-57, 146, iv. 69; on Towhees iv. 73 and White-throated Sparrows, ii. Variations in irises and rectrices of. ii. 37 TINBERGEN, N.
On the Meaning of Territory in the TOWNSEND, CHARLES W. An Estimate by Means of Bands of the Number of Terns on Penikese Life of Birds (rev.), vi. 110 Island, Mass., in 1933, v. 44 ostoma rufum. See Thrasher, Food Preferences of the Long-eared and Other Owls (rev.), v. 100 Toxostoma The Egg as a Brood-Object (rev.), Brown vi. 43 Tringa solitaria solitaria. See Sand-Titmice, homing instinct in wandering, piper, Eastern Solitary v. 138 Troglodytes aëdon aëdon. See Wren, Titmouse, Blue Eastern House Age records of, iv. 117 Troglodytes troglodytes hirtensis. See Homing instinct, v. 138 Wren, St. Kilda Local movements of, iv. 58 Turdus merula merula. See Blackbird, Recovery of, iv. 117, v. 138 European Titmouse, Great Turdus migratorius migratorius.
Robin, Eastern Age record, v. 139 Breeding of, iv. 117 Turdus philomelos philomelos. See Homing instinct, v. 138 Thrush, Song Local movements of, iv. 58 Turdus torquatus. See Ouzel, Ring Turnstone, European Migrant in eastern Neufähr, iii. 37 Nesting of, v. 96, 197, vi. 143 Parasite on, vi. 145 Recoveries of, iv. 117, v. 96, 138 Speed of flight, vi. 141 Turnstone, Ruddy Titmouse, Long-tailed, three adults of, feeding young at one nest, vi. 74 Banding of, on Cape Cod, v. 37, vi. 20 Titmouse, Marsh, age record, v. 139 Botulism in, iii. 178 Titmouse, Tufted Tyrannus tyrannus. See Kingbird, Age record, iv. 160 Eastern Behavior and local distribution of, in Tyrannus verticalis. See Kingbird, winter and spring, i. 113–127 Arkansas External parasites collected from, Tyto alba pratincola. See Owl, Barn iv. 71 Food of, i. 125 Uchida, Seinosuke Group habit in, i. 116-122 Studies of Swallows by the Banding Method, iii. 1–11 UEXKÜLL, J. V., and KRISZAT, G. Return of, iv. 159 Totanus calidris. See Redshank Totanus flavipes. Rambles through the Worlds of SeeYellow-legs, Animals and Men (rev.), v. 203 Lesser University of Michigan Biological Totanus melanoleucus. See Yellow-

Station, contribution from, i. 1–13

legs, Greater

Uria aalge aalge. See Murre, Common lomvia lomvia. See Murre, Brünnich's Uria troille troille. See Murre, Common URNER, CHARLES A. Birds of Union County, N. J. and Its Immediate Vicinity: A Statistical Study (rev.), vi. 76 Valikangas, I., and Hytönen, O. Bird-ringing in Finland during 1930-32 (rev.), vi. 108 Vanellus vanellus. See Lapwing Van Tyne, Josselyn Status of Gambel's Sparrow in Michigan (rev.), ii. 43 Winter Returns of the Indigo Bunting in Guatemala, iii. 110 Veery External parasites collected from, iv. 72 Measurements and weights of, iv. 52, v. 58–59 Return of, ii. 78 Venables, L. S. V. Notes on Territory in the Dartford Warbler (rev.), v. 203
Venables, L. S. V., and Lack, D.
Territory in the Great Crested Grebe (rev.), vi. 73 Vermivora celata celata. See Warbler, Orange-crowned Vermivora leucobronchialis. See Warbler, Brewster's Vermivora peregrina. See Warbler, Tennessee Vermivora pinus. See Warbler, Bluewinged Vermivora ruficapilla ruficapilla. See Warbler, Nashville Vireo, Bell's, nesting of, i. 71 Blue-headed, Protocalliphora Vireo, infestation of, i. 172 Vireo, Philadelphia Banding of, on Cape Cod, iii. 176 Weight of, iv. 53 Vireo, Red-eyed External parasites collected from, iv. 72 Measurements of, v. 58-59 Weights of, iv. 53, v. 59 Vireo belli. See Vireo, Bell's Vireo olivaceus. See Vireo, Red-eyed Vireo philadelphicus. See Vireo, Philadelphia Vireo solitarius solitarius. See Vireo, Blue-headed Vogt, William. See Noble, G. K. Vulture, Black, external parasites

collected from, iv. 70

Vulture, Turkey Bandings and recoveries of, iv. 49 External parasites collected from, iv. 70 Wadlund, P. R. See Bissonnette, Thomas Hume Wagner, George Mortality in Marsh Hawks, iv. 50 Wagtail, Blue-headed Yellow (Motacilla flava), migration of, i. 148 Wagtail, Gray (Motacilla cinerea), migration of, i. 148 Wagtail, White (Motacilla alba), migration of, i. 148 Warbler, Audubon's, returns, i. 46, 47 Warbler, Bay-breasted, banding of, near Canton, Ohio, vi. 88 Warbler, Black and White Banding of, near Canton, Ohio, vi. 86, 88 External parasites collected from, iv. 72 Incubation period of, v. 31 Measurements of, v. 34, 58-59 Nesting habits of, v. 31-35 Plumage of, v. 35 Sex ratio of, vi. 86, 88 Weights, i. 193, v. 59 Warbler, Blackburnian Banding of, near Canton, Ohio, vi. 88 Return of, ii. 78 Sex ratio in, vi. 88 Warbler, Black-poll Banding of, near Canton, Ohio, vi. 88 Weights of, iv. 53 Warbler, Black-throated Blue Banding of, near Canton, Ohio, vi. Brooding and rate of feeding of, iii. 164 - 165Protocalliphora infestation of, i. 171 Sex ratios in, vi. 86, 88 Warbler, Black-throated Green Banding of, near Canton, Ohio, vi. 86, 88 Brooding, and rate of feeding of, iii. 159 - 168Incubation period of, iii. 95, 157 Nesting studies of two nests of, iii. 95–105, 157–172 Recovery of, v. 135 Sex ratio in, vi. 86, 88 Voice of, iii. 96, 168–170 Warbler, Blue-winged Banding of, near Canton, Ohio, vi. 86, 88 Sex ratio in, vi. 88 Warbler, Brewster's, banding of, near Canton, Ohio, vi. 86

Warbler, Canada Warbler, Myrtle (con.) Banding of, near Canton, Ohio, vi. 88 External parasites from, iv. 73 Sex ratio in, vi. 88 Measurements of, v. 58-59 Weight of, iv. 53 Recovery of, iv. 158 Warbler, Cape May Returns, i. 47, v. 92 Banding of, at Canton, Ohio, vi. Sex ratio in, vi. 86 Weights, i. 193, iv. 53, v. 56, 59 Warbler, Nashville, banding of, near Canton, Ohio, vi. 86, 88 External parasites collected from, iv. 72 Warbler, Cerulean Warbler, Northern Parula Banding of, on Cape Cod, iii. 177 Banding of, near Canton, Ohio, vi. 86 Banding of, near Canton, Ohio, vi. Brooding, and rate of feeding of, iii. 86, 88 164 - 165Warbler, Chestnut-sided Warbler, Northern Pine Banding of, near Canton, Ohio, vi. 88 Age record, v. 191 Brooding and rate of feeding of, iii. Measurements and weights of, iv. 53, $164 - 1\overline{6}6$ v. 60-61 External parasites collected from, Returns of, i. 190, vr. 191 iv. 73 Warbler, Northern Pairie Measurements and weight of, v. Measurements of, v. 60-61 Weights of, iv. 53, v. 61 Protocalliphora infestation of, i. 171 Warbler, Orange-crowned, banding of, Sex ratio in, vi. 88 near Canton, Ohio, vi. 86 Warbler, Connecticut Warbler, Palm. See Warbler, Western Banding of, near Canton, Ohio, vi. 88 Palm and Yellow Palm Weight of, iv. 53 Warbler, Dartford, territory in, v. 203 Warbler, Eastern Yellow Warbler, Parula. See Warbler, Northern Parula Warbler, Pine. See Warbler, Northern Age record, iii. 113, vi. 109 Brooding and rate of feeding of, iii. Pine Warbler, Prairie. See Warbler, North-164 - 165Measurements and weights of, v. ern Prairie Warbler, Reed, destruction of nests of, 58 - 59Returns, i. 190, iii. 74, vi. 107 by the wind, vi. 146 Warbler, Garden, age record of, in Warbler, Tennessee Banding of, near Canton, Ohio, vi. captivity, v. 142 Warbler, Hooded 86, 88 Banding of, near Canton, Ohio, vi. 88 Sex ratio in, vi. 88 Weight of, iv. 53 Weight of, iv. 53 Warbler, Western Palm Warbler, Kentucky Banding of, near Canton, Ohio, vi. 88 Measurements and weights of, iv. 53 Sex ratio in, vi. 88 Recovery of, iv. 156 Spring banding record of, on Cape Warbler, Little Swamp, first record of, Cod, iii. 177 Warbler, Willow in Morocco, iii. 120 Warbler, Magnolia Banding of, near Canton, Ohio, vi. Age records, v. 50 European races of, killed at Helgo-Brooding and rate of feeding of, iii. land lighthouse, ii. 190 Warbler, Wilson's 164 - 166External parasites collected from, iv.72 Banding of, near Canton, Ohio, vi. 88 Sex ratio in, vi. 86 Sex ratio in, vi. 88 Warbler, Worm eating, banding of, on Cape Cod, iii. 176–177 Warbler, Mourning Banding of, near Canton, Ohio, vi. 88 Warbler, Yellow. See Warbler, Eastern Sex ratio in, vi. 88 Warbler, Myrtle Yellow Warbler, Yellow Palm Age determination of, v. 56 Banding of, near Canton, Ohio, vi. Measurements of, v. 60–61 Waterfowl, American: Their Present

Situation and the Outlook for Their

Future (rev.), ii. 40

Brooding and rate of feeding of, iii.

164-166

Waterfowl flyways of North America (rev.), vi. 72

Water-Hen, bandings and returns of, in Japan, iii. 2

Water-Thrush, Northern

External parasites collected from.

Measurements and weights of, iv. 53, v. 60-61

Waxwing, Bohemian, European invasion of, i. 90, iv. 163

Waxwing, Ćedar

Measurements and weights of, iv. 53, v. 58-59

Recovery of, iv. 158

WEEKS, E. C.

A Chipping Sparrow Recovery, ii. 82 An Old Song Sparrow, iii. 119

A Beginning in a Territorial Study of the Eastern Robin, vi. 104

Weller, Thomas H.

A Twelve-year-old Blue Jay Recaptured, vi. 35

WELTER, W. A.

The Natural History of the Longbilled Marsh Wren (rev.), vi. 111

Wendland, V.

Counts of Nesting Raptores in Northern Germany (rev.), v. 199 Western Bird-Banding Association, i.

46, 49 WETHERBEE, Mrs. KENNETH B., i. 133 White-throated Sparrow Bandings

and Repeats, iii. 68 Two Pairs of Tree Swallows Mated during Two Successive Seasons,

Nesting Bluebirds Successful in Spite of Protocalliphora, iii. 73-74

Some Complicated Bluebird Family History, iv. 114

Three Tree Swallows Feed a Family of Nestlings, iv. 116

A Pair of Tree Swallows Attempt to Raise Two Families in One Season, iv. 160

A Chickadee Changes Color of Tail, iv. 160

Eastern Bluebirds in Juvenal Plumage Feed Young of Second Brood, iv. 199

Some Measurements and Weights of Live Birds, v. 55–64

A Singing Female Song Sparrow, vi. 32

WEYDEMEYER, WINTON Efficiency of the Nesting of the Tree

Swallow (rev.), vi. 143

WHARTON, WILLIAM P., i. 130, 169, 172, 173, ii. 77, iii. 108, iv. 70, v. 184

WHARTON, WILLIAM P. (con.) A White-throated Sparrow Return-

4W, i. 84

A Sparrow Hawk Recovery, i. 141 Parasites on Birds Taken at Summerville, S. C., ii. 34

Foot Disease in Birds at Summerville, S. C., ii. 35

Wing Injury, ii. 36

Variation in Towhee Irises and Rectrices, ii. 37

Returns of Wintering Birds to Summerville, S. C., ii. 116

A Towhee Recovery, ii. 185 A Cape Cod White-throated Sparrow Recovered in South Carolina, ii. 185

New Returning Species, ii. 186

A Chipping Sparrow Recovery, ii. 189 A Correction, ii. 189

A Mockingbird Recovery, iii. 118

Banding at Groton, Mass., 1929-31, iv. 100-109

Trapped Recoveries of throated and Vesper Sparrows in South Carolina, iv. 159

Black-throated Green Warbler

Recovery, v. 135 Survival as Indicated by Returns to Summerville, S. C., vi. 125-130

Whip-poor-will, Eastern, measurements and weight of, v. 58-59 White, Francis B., i. 134

Winter Banding at Concord, N. H., iii. 113

Winter Banding at Concord, N. H., 1932-33, iv. 159

An Eastern Fox Sparrow Return and Seven Recoveries, v. 91

Winter Banding at Concord, N. H.,

1933-34, v. 190 Returns of Black-capped Chickadee, Brown Creeper, and Tree Sparrow, vi. 136

White-throat, Lesser

Incubation rhythm in, v. 201

Physiological experiments with, vi. 38 WHITTLE, CHARLES L., i. 59, 78, 81, 130, 135, 157, 158, 168, 171, 186, iv. 70, v. 183, vi. 4

Returning Western Birds, i. 46 Remarkable Returns, i. 47

A Song Sparrow Return and Re-

covery, i. 83 A Wood Thrush Return-1S, i. 83 An Old White-breasted Nuthatch. i. 83

Wood Thrush Returns-S, i. 142 Two White-throated Sparrow Recoveries, i. 142

WHITTLE, CHARLES L. (con.) WILCOX, LEROY Tree Sparrow Returns-W during the Osprey Notes, iii. 119 Season of 1929–30, i. 143 Willet, breeding of, on Cobb Island, iii. A Song Sparrow Return-3S, i. 144 15-22A Danvers, Mass., Chipping Sparrow Williams, H. S. Recovered in Iowa, i. 188
'estfield, Mass., Tree Sparrow NestBuilding—New Style (rev.), vi.75 Westfield, Mass., Wilsonia canadensis. See Warbler, Returns-W, i. 188 Canada Wilsonia citrina. See Warbler, Hooded Yellow Warbler and Redstart Returns in Wolfville, N. S., i. 190 WING, LEONARD W. A New Trigger for Traps, iii. 71 Examine Birds Killed by Automobiles, i. 190
Purple Martin and Chimney Swift Migration and Solar Cycles (rev.), vi. 38 WINTERBOTTOM, J. M. Returns, i. 191 Additional Live Bird Weights, i. 192 Bird Population Studies: A Pre-Our Cover Design, ii. 39 Unusual Peterboro, N. H., Purple Finch Returns, ii. 80 Witherby, H. F Moulting of Adult Female Purple Finches, ii. 83 Interesting Record of a Banded (rev.), ii. 43 European Goldfinch, ii. 85 New Fairfield, Conn., Tree Sparrow (rev.), ii. 87 Returns-W, ii. 126 Fox Sparrow Recoveries and Returns, ii. 127 Second Red-winged Blackbird Return-S, ii. 185 Rose-breasted Grosbeak Returns, ii. 187 A Third Red-winged Blackbird Recoveries, ii. 39 turn-S, iii. 32 Additional History of White-breasted Nuthatch No. 56530, iii. 34 Device for Applying Celluloid Bands, iii. 35 The Roseate Tern, a New Recorded Species from Newfoundland, iii. 75 Wood, Harold B. Are Nesting Territories Álways Available for Returning Juvenile Song Sparrows?, iii. 106 ii. 79 Juvenile Eastern Song Sparrow Returns to Birthplace, iii. 179 Color Variability of the Rump Plumage of the Purple Finch, iv. rows, vi. 106 161-162 WOOD, MERRILL Additional Plumage-Color Change of an Eastern Purple Finch, iii. 179 B69309, v. 194 Woodcock, European Reviews by, i. 86, ii. 133-134, iii. 181-182, iv. 211

WHITTLE, HELEN GRANGER, i. 130, 135,

Rose-breasted Grosbeak, ii. 185

Migration and distribution of, v. 51

Recoveries of, ii. 43, 126, v. 51

A Northern Shrike Repeat, i. 143

"Sight"-Return

ii. 65, 70, 71

Widgeon, European

Wilcox, LeRoy

Six-Year-Old

liminary Analysis of the Gold Coast Avifauna (rev.), v. 200 Birds Ringed in Iceland and Recovered in the British Islands The "British Birds" Marking Scheme Recovery of Marked Birds (rev.), v. 49
WITHERBY, H. F., and LEACH, E. P.
Movements of Ringed Birds from Abroad to the British Islands and from the British Islands Abroad (rev.), iii. 121-122 WITMER, S. W. Three White-crowned Sparrow Re-WITSCHI, E., and KECK, W. N. Differential Effect of Some Gonadotropic Substances on Development of Cyclical Sex Characters in the English Sparrow (rev.), vi. 112 A Bee-eating Catbird, i. 43 Experiments in Transporting Birds, Banding Notes on Black-crowned Night Herons, Bank Swallows, Eastern Robins, and Song Spar-Queer Albinism in a Purple Grackle, Age records, ii. 43, 191, vi. 38 Migration of, i. 195–196 Recoveries of, v. 91 Woodpecker, Eastern Hairy Mating of, iv. 204 Return of, iii. 113 Woodpecker, Great Spotted Invasion of, at Helgoland, in 1929, i. 148, ii. 43 Invasion of, in upper Italy, in 1931, iii. 120

Woodpecker, Northern Downy Age records, i. 142, vi. 36 External parasites collected from, iv. 71 Inbreeding of, iii. 69-70 Mating of, vi. 135-136 Measurements of, v. 58-59, 62 Parasites in nest of, iii. 28–29 Voice of, iii. 70 Weights, i. 192, v. 59 Woodpecker, Red-bellied, age record, iv. 56 Woodpecker, Red-headed, age record, vi. 142 WOOLMAN, E., photographs by, ii. 55, 57WOROBIEW, K. A. The Bird-Preserve of the Volga Delta (rev.), v. 96 Wren, Banded Cactus, nesting habits of, vi. 143 Wren. Carolina External parasites collected from, iv. 72 Methods of capturing, i. 81, 82 Wren, Eastern House Body temperatures of, iv. 116-117 External parasites collected from, iv. 71 Mating, i. 70, 71 Measurements and weights of, v. 58-59, 62Methods of capturing, i. 81 Protocalliphora in nest of, iii. 27 Recoveries of, v. 47 Returns, i. 141, iii. 35, iv. 102, v. 152 Use of celluloid bands on, i. 158 Wren, Eastern Winter Methods of capturing, i. 81 Weights of, iv. 52 Wren, House. See Wren, Eastern House Wren, Long-billed Marsh Incubation period of, vi. 111-112 Territory in, vi. 111 Wren, Prairie Marsh. See Wren, Longbilled Marsh Wren, St. Kilda, numbers, territory and food-habits of, vi. 73 Wren, Winter. See Wren, Eastern Winter Wren-Tit, Gambel's, age records, v.

52, 200

WYNNE-EDWARDS, V. C. Distribution and Habits of Birds on the North Atlantic (rev.), vi. 79 XAVER, FRANZ Bird Children of the Waika Reefs (rev.), v. 145-146 YEATES, G. K. Life of the Rook (rev.), vi. 44 Yeatter, R. A. The Hungarian Partridge in the Great Lakes Region (rev.), vi. 111 Yellowhammer (Emberiza citronella), age records of, iv. 117 Yellow-legs, Greater, bandings of, on Cape Cod, v. 37, vi. 22 Yellow-legs, Lesser Bandings of, on Cape Cod, v. 37, vi. 22 Recovery of, vi. 22 Yellow-throat, Maryland, return of, vi. 69 Yellow-throat, Northern Banding of, near Canton, Ohio, vi. 88 Brooding and rate of feeding of, iii. 165-166 External parasites collected from, iv. 73 Measurements, v. 60–61 Sex ratio in, vi. 88 Weights, i. 193, v. 61 Zamelodia ludoviciana. See Grosbeak, Rose-breasted Zenaidura macroura carolinensis. See Dove, Eastern Mourning Zonotrichia albicollis. See Sparrow,

White-throated See Sparrow, Zonotrichia coronata. Golden-crowned Zonotrichia leucophrys gambeli. See Sparrow, Gambel's Zonotrichia leucophrys leucophrys. See Sparrow, White-crowned Zonotrichia leucophrys pugetensis. See Sparrow, Puget Sound Whitecrowned Zonotrichia querula. See Sparrow, Harris's Zonotrichiæ, the spring molt in, i. 49