

INDEX TO VOLUME 46

Compiled by Linda Wiley

This index is for new papers published in this volume of *Bird-Banding* as well as a subject and species index to papers reviewed in Volume 46, Recent Literature sections, and a title and author index to book and monograph reviews. Items indexed from Recent Literature are identified by (r), those from books and monographs by (rev).

- Accipiter* spp., autumn migration, 365-367(rev)
- , geographic variation, measurements, ecology, feeding adaptations, 190-191(rev)
- A. gentilis*, neuromorphology of muscles, 261(r)
- A. tachiro*, subspecies, plumage, 93(r)
- Acrocephalus* spp., relationship between *A. baeticatus* and *A. dumetorum*, 93(r)
- A. schoenbaenus*, advertising song, territorial defense, 96(r)
- A. scirpaceus*, advertising song, territorial defense, 96(r)
- Additional Evidence of Song-misprinting in the White-crowned Sparrow, 269-272
- Aegolius acadicus*, migration, 101-105
- AGE, CRITERIA
- Acorn Woodpeckers, 171(r)
- Lesser Scaup, 91(r)
- Swamp Sparrow, 348(r)
- , LIFE EXPECTANCY
- compensation for calculating average, 241-247
- further life expectancy for various birds, 241-247
- , LONGEVITY
- Albatrosses, 1-6
- Blue Jay, 250
- Brown Noddy, 250
- Glaucous-winged Gull, 166
- North American Birds, 55-73, 77(r), 78(r)
- of 18 Australian Birds, 348(r)
- Agelaius tricolor*, movements in Central Valley, Cal., 220-229
- A. phoeniceus*, recoveries, 78(r)
- , tagged with leg streamers, 171(r)
- , roosting with *Quiscalus quiscalus*, 213-216
- Alauda arvensis*, migration, 173(r)
- Albatross, Laysan, see *Diomedea immutabilis*
- , White-capped, see *D. cauta*
- Alcidae, banding, oil pollution, sport shooting, 88(r)
- Alectoris* spp., relationship with man, 265-266(r)
- Amandava amandava*, exploitation of food source, 264(r)
- Ammospiza maritima*, space-related behavior, 181(r)
- Amytornis woodwardi*, occurrence, nesting, affinity with *Meliphaga albilineata*, 246(r)
- Anas crecca*, reproductive biology and behavior, 356(r)
- A. platyrhynchos*, blood cells, 262(r)
- , distribution during hunting season, 33-39
- , marking by freeze branding, 204-206
- , nesting persistence, 87(r)
- , oxygen affinity of blood, 89(r)
- A. strepera*, nesting persistence, 87(r)
- Anatidae, relationship with man, 265-266(rev)
- ANATOMY AND MORPHOLOGY, see also Development
- Avian Biology, 362-364(rev)
- circulating blood cells, 262(r)
- dermal sensory structures, 89(r)
- dermo-epidermal interactions, 262(r)
- foot papillae, variation, 355(r)
- Glandula proctodealis, Quail, 263(r)
- histopathology, plastic embedding technique, 261(r)
- middle ear, Tawny Owl, 91(r)
- neuromorphology of muscles, 261(r)
- oral pigmentation of 4 birds, 263(r)
- pecten, 91(r)
- stereotoxic topography of the brain, Quail, 262(r)
- Andropadus milanensis*, variation in iris color, 95(r)
- Anous stolidus*, longevity, 250-251
- Anser anser*, blood cells, 262(r)
- A. coerulescens*, migration of yearlings and adults, 40-46
- A. indicus*, ontogeny of "perceptual sharpening" in nestlings, 257(r)
- Antbird, see Formicariidae
- Anthus* spp., evolution of, 184(r)
- A. spinoletta*, eco-distribution, 184(r)
- Aphelocephala nigricincta*, torpidity, 90(r)
- Applegate, R. D., Co-roosting of Barred Owls and Common Grackles, 169
- Apteryx* spp., pecten, 91(r)
- A. australis*, mating behavior, 255(r)
- Apus apus*, neuromorphology of muscles, 261(r)
- Aquila chrysaetos*, capturing by helicopter, 217-219
- , census in Finland, 259(r)
- A. nipalensis*, eating termites, 264(r)

- Ardea cinerea*, neuromorphology of muscles, 261(r)
- A. herodias*, colonial nesting, social feeding, 256(r)
- , status in Canadian prairies, 176(r)
- Arenaria interpres*, in Japan, 172(r)
- , migration, measurements, plumage, weights, 290-301
- Asio otus*, prey in Hungary, 186(r)
- Athene brama*, predation on gerbils, 86(r)
- Atlapetes brunneinucha* and *A. gutturalis*, weights, 202
- Auk, see Alcidae
- Autumn Hawk Flights, 365-367(rev)
- Avadavit, Red, see *Amandava amandava*
- Avian Biology, 362-364(rev)
- Avian Energetics, 359-362(rev)
- Avian Speciation in Tropical South America, 191(rev)
- Aythya affinis*, eye color changes with age, 91(r)
- Balph, M. H., Wing Length, Hood Coloration, and Sex Ratio in Dark-eyed Juncos Wintering in Northern Utah, 126-130.
- BANDING, RECOVERIES AND RETURNS**
- Black-throated Blue Warbler, 344-347
- Brown-headed Cowbirds, 78(r), 171(r)
- Common Grackle, 78(r)
- Common Yellowthroat, 344-347
- Herring Gull, 230-235
- Knot, 290-301
- Palm Warbler, 344-347
- Panamanian birds, 19-27
- Red-winged Blackbird, 78(r)
- Ring-billed Gull, 171(r), 348(r)
- Starlings, 78(r)
- Turnstone, 290-301
- Wedge-tailed Shearwater, 77(r)
- , **REPORTS**
- Auks, 88(r)
- Australia, 348(r)
- Haiti, 344-347
- Japan, 172(r)
- Panama, 19-27
- Powdermill, 77(r)
- Baptista, L. F. and H. Wells, Additional Evidence of Song-misprinting in the White-crowned Sparrow, 269-272.
- Barbet, see *Trachyphonus d'arnaudii*
- Bee-eater, see *Merops apiaster*
- BEHAVIOR**, see also Nesting and Reproduction, Feeding
- , **AREA FIDELITY & TERRITORY**
- colonization by introduced birds, 176(r)
- Kookaburra, 82(r)
- Lek structure, Ruffs, 84-85(r)
- migrant versus resident, White-throated Sparrows, 236-240
- Red-shouldered Hawk, 180(r)
- Sage Grouse, 83, 84(r)
- Sedge and Reed Warbler, 96(r)
- , **DEVELOPMENT OF**
- Bluebird, 273-289
- call, Quail, 265(r)
- depth avoidance, Common Eider, 178(r)
- perceptual sharpening, Barhead Geese, 257(r)
- predatory behavior, American Kestrel, 178(r)
- , **MISCELLANEOUS**
- auxiliary social system, *Kookaburra*, 82(r)
- behavioral dimorphism of male Ruffs, 84-85(r)
- Brain and Behavior, 368-370(rev)
- coexistence of emberizine sparrows, 350(r)
- dirt bathing, Pileated Woodpecker, 251
- following ants, 258(r)
- head twitching, *Cracidea*, 83(r)
- host-parasite interactions, *Vidua*, 188-190(rev)
- owls, 370-371(rev)
- parental coloration, Zebra Finch, imprinted or learned, 86(r)
- prior exposure, effects of, 178(r)
- response of sedentary to wintering White-crowned Sparrows, 186(r)
- roosting congregations of Common Grackle with other species, 213-216
- , **PAIRING (COURTSHIP)**
- Bengalese Finch, 179(r)
- Budgerigars, 258(r)
- "Extramareital" courting, Gulls, 257(r)
- Kookaburra, 82(r)
- Marbled Murrelet, 141-154
- Ruffs, 84-85(r)
- Sage Grouse, 83, 84(r)
- Zebra Finch, 86(r)
- , **PARENTAL**
- Gulls, response to call of hatching chicks, 85(r)
- Kookaburra, 82(r)
- , **POSTURES AND DISPLAYS**
- Cracidae, 83(r)
- Ruff, 84-85(r)
- Sage Grouse, 83, 84(r)
- Behavior, Mimetic songs and song dialects, and relationships of the parasitic indigobirds (*Vidua*) of Africa, 188-190(rev)
- Birds: Brain and Behavior, 368-370(rev)
- Birds of the World: a Check List, 192-194(rev)
- Birds of Western North America, 194(rev)

- Blackbird, see *Turdus merula*
 —, Brewer's, see *Euphagus cyanocephalus*
 —, Red-winged Blackbird, see *Agelaius phoeniceus*
 —, Tri-colored Blackbird, see *A. tricolor*
 Blackcap, see *Sylvia atricapilla*
 Blokpoel, H. and J. Burton, Weather and Height of Nocturnal Migration in Eastcentral Alberta: A Radar Study, 311-327
 Bluebird, see *Sialia sialis*
 Boag, D. A., Patagonal streamers as markers for Red Grouse chicks, 248
Bonasa umbellus, capturing with a lift-net, 77(r)
 Boyd, H., see Maltby-Prevett, L. S. and
Brachyramphus marmoratus, breeding biology, sex ratios, sexual dimorphism, breeding behavior, 141-154
 Brambling, see *Fringilla montifringilla*
 Brandon-Cox, H., Summer of a Million Wings, Arctic Quest for the Sea Eagle, 373(rev)
 Brant, see *Branta bernicla*
Branta bernicla, migration route, 155-161
B. canadensis, Capturing nesting birds with mist nets, 168
 Bray, E. and R. E. Johnson, A. L. Kolz, A Removable Car-top Antenna System for Radio-tracking Birds, 15-18
 Breeding Biology, see Nesting and Reproduction
 Breeding Biology of the Gray Gull, *Larus modestus*, 266(rev)
 Brown, W. Y. and W. B. Robertson, Jr., Longevity of the Brown Noddy, 250-251
Bubo virginianus, gastric digestion, 260(r)
 —, reproductive performance, 302-304
Bubulcus ibis, mortality, migration, feeding on other birds in the Dry Tortugas, 7-14
 —, thermoregulation in nestlings, 89(r)
Bucephala clangula, discontinuous incubation 255(r)
 Budgerigars, see *Melopsittacus*
 Bulbul, Stripe-cheeked, see *Andropadus milanensis*
 Bullfinch, see *Pyrrhula pyrrhula*
 Burton, J., see Blokpoel, H. and —
Buteo jamaicensis, gastric digestion, 260(r)
 —, nests used by Great Horned Owls, 302-304
B. lineatus, population ecology, pesticides, territorial behavior, habitat destruction, 180(r)
B. oreophilus, *B. tachardus* has priority, 93(r)
B. platypterus, kills only when hungry, 95(r)
B. swainsoni, gastric digestion, 260(r)
Butorides spp., species limits and variations, 92(r)
 Buzzard, Mountain, see *Buteo oreophilus*
Calidris alpina, winter census in Scotland, 181(r)
C. canutus, migration, measurements, weights, plumage, 290-301
 —, winter census in Scotland, 181(r)
 Campbell, R. W., Longevity record of a Glaucous-winged Gull, 166
Campylorhynchus brunneicapillus, nesting in cactus, 256(r)
Cardinalis cardinalis, molt 305-310
Carduelis carduelis, hybrid, 95(r)
 Carlson, K. L., and L. C. Binford, Birds of Western North America, 194(rev)
Carpodacus erythrinus, cold weather tolerance, 183(r)
C. mexicanus, nesting in cactus, 256(r)
Casmerodius albus, movement in So. America, 207-212
Catharus spp., metabolic rates, 183(r)
Celeus undatus, range, 191-192(rev)
 Central Valley, Cal., movements of Tricolored Blackbirds in, 220-229
Centrocercus urophasianus, auditory component of strut display, 83(r)
 —, structure of lek, 84(r)
 Chabreck, R. H. and J. D. Schroer, Effects of neck-collars on the reproduction of Snow Geese, 346-347
 Chaffinch, see *Fringilla coelebs*
 Chat, Crimson, see *Ephthianura tricolor*
Chen caerulescens, chronology of migration, 254(r)
 —, neck-collars, 346-347
 —, egg weight and mortality, 349(r)
 Chickadee, see *Parus* spp.
 Chicken, see *Gallus domesticus*
Clangula hyemalis, capturing and marking, 248-250
 Clements, J. F., Birds of the World: A Check List, 192-194(rev)
Coereba flaveola, weights, 202-203
Colaptes a. auratus, nest in river bank, 82(r)
 —, competition for nest sites, 256(r)
Colinus virginianus, olfactory thresholds, 261(r)
 Columbidae, bibliography of N.A. species, 372(rev)
 —, glycogen utilization during shivering, 183(r)
 —, initial orientation, 80(r), 175(r)
Columba livia, blood cells, 262(r)
 —, feeding behavior, 368-370(rev)

- , glycogen utilization during shivering, 183(r)
- , homing of "wild" urban pigeons, 254(r)
- , olfactory thresholds, 261(r)
- , optical parameters in homing, 255(r)
- , oxygen affinity of blood, 89(r)
- , relationship with man, 265-6(rev)
- , roosting associations, 214
- C. palumbus*, variation in foot papillae, 355(r)
- Communication, see Vocalization
- Contribution to an Annotated Bibliography of North American Cranes, Woodcock, Snipe, Doves, and Pigeons, 372(rev)
- Coragyps atratus*, feeding on iguana eggs, 359(r)
- Cordon-bleu, see *Uraeginthus*
- Cormorant, Double-crested, see *Phalacrocorax auritus*
- , Olivaceous, see *P. olivaceus*
- Corvidae, lice fauna, 259(r)
- Corvus monedula*, symbiosis with Lesser Kestrel, 350(r)
- C. c. corax*, metabolism, weight, plumage, 90(r)
- C. fragilegus*, lice of, 259(r)
- , neuromorphology of muscles, 261(r)
- , relationship with man, 265-6(rev)
- Cotinga, Plum-throated, see *Cotinga maynana*
- , Guianan Red, see *Phoenicircus carnifex*
- , Pompadour, see *Xipholena punicea*
- Cotinga maynana*, range, 191-2(rev)
- Coturnix coturnix*, ontogeny of call, 265(r)
- , blood cells, 262(r)
- , morphology of the Glandula proctodealis, 263(r)
- , neuromorphology of muscles, 261(r)
- , oxygen affinity of blood, 89(r)
- , stereotaxic topography of the brain, 262(r)
- Cowbird, Brown-headed, see *Molothrus ater*
- Crane, Sandhill, see *Grus canadensis*
- Crane, F. T., see DeHaven, R. W. and —
- Crow, see Corvidae
- Cuckoos, see Cuculidae
- , Squirrel, see *Piaya cayana*
- Cuculidae, recordings of W. African, 186-188(r)
- Cuthbert, F. J. and W. E. Southern, A method for marking young gulls for individual identification, 252
- Cyanocitta cristata*, "further" life expectancy, 241-7
- , in captivity for 18 years, 250
- C. stelleri*, sexual dimorphism, 342-343
- Dacelo gigas*, auxiliary social system, 82(r)
- Davitashvili, L., A Doctrine of Evolutionary Progress, 196(rev)
- DeHaven, R. W. and F. T. Crase, P. P. Woronecki, Movements of Tricolored Blackbirds Banded in the Central Valley of California 1965-1972, 220-9
- Delichon urbica*, growth of nestlings, 329-40
- , neuromorphology of muscles, 261(r)
- Dendrocolaptidae, ant-following, 258(r)
- Dendrocopos*, feeding suet causes loss of facial feathers, 131-4
- Dendroica caerulescens*, returns, Haiti, 344-7
- D. palmarum*, returns, Haiti, 344-7
- DEVELOPMENT
- and growth, Bluebird, 273-89
- and nutrition, 353(r)
- energy budget of nestling Starling, 354(r)
- eye color, Lesser Scaup, 91(r)
- growth curves, Sooty Terns, 135-40
- initial size and subsequent growth in Passerines, 329-40
- of Passerines (energy costs), 82(r)
- ossification progress, House Sparrow, 184(r)
- perceptual sharpening, Barheaded Goose, 257(r)
- photoacceleration of embryogenesis, 353(r)
- post-natal digestive system, Jackdaw and Rook, 184(r)
- shoulder muscles, 261(r)
- skeletal musculature of chick embryos, 261(r)
- thermoregulation, Cattle Egrets, 89(r)
- DeWeese, L. R. and R. E. Pillmore, M. L. Richmond, A device for inspecting nest cavities, 162-5
- Dinsmore, J. J., see Harrington, B. A. and —
- Diomedea cauta*, breeding on Australian islands, 356(r)
- D. immutabilis*, longevity, 1-6
- Diomedidae, longevity, mortality rates, 1-6
- Display, see Behavior
- Doctrine of Evolutionary Progress (Aromorphosis theory), 196(rev)
- Dotterel, see *Eudromias morinellus*
- Dove, Inca, see *Scardafella inca*
- , Mourning, see *Zenaidura macroura*
- , Rock, see *Columba livia*
- , Ruddy Ground, see *C. talpacoti*
- , White-tipped, see *Leptotila verreauxi*
- , White-winged, see *Zenaida asiatica*
- Dove, Nikolayev, nocturnal midair roosting, 85(r)
- Dryocopus pileatus*, dirt-bathing, 251
- Dunlin, see *Calidris alpina*

- Eagle, Bald, see *Haliaeetus leucocephalus*
 —, Golden, see *Aquila chrysaetos*
 —, Steppe, see *A. nipalensis*
 —, White-tailed, see *Haliaeetus albicilla*
 Eckert, A. W., see Karalus, K. E. and —
- ECOLOGY**
 analysis of vegetational factors in
 habitat selection, 258(r)
 birds in nutrient cycling, (180r)
 energy flow in communities, 179(r)
 Sea otter structure near shore communities, 88(r)
 seed dispersal by birds, 87(r)
 species diversity, 180(r)
- , **INTERSPECIFIC**
Accipiter, 190-1(rev)
 Avifauna of So. America, 191-2(rev)
 Emberizine sparrows, 350(r)
 exploitation of food source, 264(r)
 in a poplar plantation, 350(r)
 White-striped Honeyeater - White-throated Grass-Wren, 264(r)
- , **OF**
 Black-tailed Godwit, 255(r)
 Crimean Chaffinch, 259(r)
 Hawaiian Honeycreeper, 94(r)
 Owls, 370-1(rev)
 Red-shouldered Hawk, 180(r)
 Snowy Owl, 87(r)
- Egret, Cattle, see *Bubulcus ibis*
 —, Great, see *Casmerodius albus*
 —, Snowy, see *Egretta thula*
- Egretta sacra*, breeding on Australian Islands, 356(r)
- E. thula*, movement in So. Am., 207-12
- Eider, Common, see *Somateria mollissima*
- Elaenia*, weights, 202-3
- Ellis, D. H., First Experiments with Capturing Golden Eagles by helicopter, 217-19
- Emberizine spp., coexistence, 350(r)
- Eminia lepida*, affinity with Oriole Warbler, 93(r)
- ENVIRONMENTAL QUALITY**
 DDT - migratory songbirds, 182(r)
 environmental education, 259(r)
 extinction in Louisiana of Brown Pelican and environmental pollutants, 351(r)
 oil pollution - Auks, 88(r)
 pesticide residues, 351(r)
 Red-shouldered Hawk - habitat destruction by pesticides in Md., 180(r)
- Epthianura tricolor*, torpidity, 90(r)
- Eremophila alpestris*, eco-distribution, evolution of *Eremophila* spp., 184(r)
- Estrilda* spp., food source, 264(r)
- Eudromias morinellus*, eco-distribution, evolution, 184(r)
- Eudyptula minor*, breeding on Australian islands, 356(r)
- Euphagus cyanocephalus*, further life expectancy, 241-7
 —, winter distribution, and fluctuations, effects of snow and elevation, 106-125
- Euphonia cayennensis*, range, 191-2 (rev)
- EVOLUTION AND GENETICS**
Anthus spp., 184(r)
 Arcto-alpine avifauna, 184(r)
 E. Africa, 95(r)
Eremophila spp., *Lagopus* spp., 184
 Gray-capped Warbler, 93(r)
 rates of speciation in Tropical America, 191-2(rev)
 social system of Kookaburras, 82(r)
 Venezuelan avifauna, 92(r)
- Evolution, Gravitation, and Weightlessness, 372(rev)
- Falco naumanni*, reproductive biology, 350(r)
- F. peregrinus*, gastric digestion, 260(r)
F. rusticolus, gastric digestion, 260(r)
F. sparverius, development of predatory behavior, 178(r)
 —, food caching behavior, 178(r)
 —, kills only when hungry, 95(r)
- Falcon, Peregrine, see *Falco peregrinus*
- Fall Remex and Rectrix Molt in the Cardinal, 305-10
- Farner, D. S. and J. R. King (eds.), Avian Biology, 362-4(rev)
- FEATHERS**, see **PLUMAGE**
- Field Guide to Birds' Nests of 285 Species Found Breeding in the U. S. East of the Mississippi River, 371-2(rev)
- Finch, Bengalese, see *Lonchura striata*
 —, Chestnut-capped Brush, see *Atlapetes bruneinucha*
 —, House, see *Carpodacus mexicanus*
 —, Melba, see *Pytilia melba*
 —, Yellow-thighed, see *Pseliophorus tibialis*
 —, Yellow-throated Brush, see *Atlapetes gutturalis*
- Finland, bird census and success, 259(r)
- Fisher, H. I., Longevity of the Laysan Albatross, *Diomedea immutabilis*, 1-6
- Firefinch, see *Lagonosticta*
- Flatbill, Olivaceous, see *Rhynchocyclus olivaceus*
- Fleet, R. R., The Red-tailed Tropicbird on Kure Atoll, 364-5(rev)
- Flicker, Yellow-shafted, see *Colaptes auratus*
- Flight, Evolution, Gravitation, and Weightlessness, 372(rev)
- Flycatcher, Boat-billed, see *Megarhynchus pitangus*
 —, Northern Royal, see *Onychorhynchus mexicanus*
 —, Ochre-bellied, see *Pipromorpha oleaginea*

- , Ruddy-tailed, see *Terenotriccus erythrurus*
- FOOD AND FEEDING, BEHAVIOR**
- Black-bellied Plovers, 181(r)
- brain and behavior, 368-70(rev)
- Crested Guineafowl with vervet monkeys, 84(r)
- estrildines, viduines, 264(r)
- food caching, Am. Kestrel, 178(r)
- Gray Jays carry seeds, 87(r)
- interspecific, mimicry, 178(r)
- Red-tailed Wheatear, 186(r)
- searching, Red-winged Blackbird, 86(r)
- searching - *Turdus* spp., 179(r)
- , **DIGESTION**
- gastric, of raptors, 260(r)
- Norwegian Grouse, 183(r)
- Owls - of prey bones, 95(r)
- Rock Ptarmigan, 260(r)
- White-bearded Manakins, 96(r)
- , **FOOD, Barn Owl, 359(r), 185-6(r)**
- Great Horned Owl, 302-40
- Long-eared Owl, 186(r)
- Murres, 181(r)
- Nutcracker and timber pests, 351(r)
- Pinon seed - Pinon Jay, 86(r)
- sequential feeding and growth, 353(r)
- termites - Steppe Eagle, Yellow-billed Kites, 264(r)
- , **PREDATORY BEHAVIOR, *Accipiter*, 190-1(rev)**
- American Kestrel, 178(r)
- Black Vultures feeding on iguana eggs, 359(r)
- Cattle Egrets, 7-14
- Hawks, 95(r)
- Herring Gull, 81(r)
- Little Owl, 86(r)
- Siberian Nutcracker, 351(r)
- Snowy Owl, 178(r)
- Formicariidae, ant-followers, 258(r)
- Francis Lee Jaques/Artist of the Wilderness World, 97(rev)
- Franks, E. C., Bias Reduction in Bird Life Expectancy Estimates, 241-7
- Fringilla coelebs*, hybrid, 95(r)
- , metabolism during molt, 183(r)
- , molt, 356(r)
- , mortality of early versus late broods, 254(r)
- , photoperiod control of annual cycles, 90(r)
- F. coelebs solomkoi*, ecology, 259(r)
- F. montifringilla*, hybrid, 95(r)
- Fulica picapicensis*, should be genus *Nesotrochis*, 185(r)
- F. podagrica*, composite of several species, 185(r)
- Gadwall, see *Anas strepera*
- Galbulidae, 191-2(rev)
- , zoogeography, 191-2(rev)
- Gallus domesticus*, growth on pigeon milk, 90(r)
- , oxygen affinity of blood, 89(r)
- Gates, J. E. and D. M. Gates, Apparent brooding behavior of a male Rufous-sided Towhee, 253
- Gavia immer*, breeding and mortality, 177(r)
- Geographic differentiation in the genus *Accipiter*, 190(rev)
- Geothlypis trichas*, banded, Haiti, 344-7
- Glandula proctodealis, morphology, 263(r)
- Glyphorhynchus spirurus*, weights 202-3
- Godwit, Black-tailed, see *Limosa limosa*
- Goldeneye, see *Bucephala clangula*
- Goldfinch, European, see *Carduelis carduelis*
- Goodman, I. J. and M. W. Schein (eds.), Birds: Brain and Behavior, 368-70(rev)
- Goose, Barheaded, see *Anser indicus*
- , Canada, see *Branta canadensis*
- , Grey Lag Goose, see *Anser anser*
- , Snow Goose, see *A. caerulescens*
- , Snow, see *Chen caerulescens*
- Goshawk, see *Accipiter gentilis*
- Goshawk, African, see *A. tachiro*
- Grackle, Common, see *Quiscalus quiscula*
- Granatina*, food source, 264(r)
- Grebe, Great Crested, see *Podiceps cristatus*
- Greenwood, R. J., An Attempt to Freeze-brand Mallard Ducklings, 204-6
- Grouse, Norwegian, see *Lagopus lagopus*
- , Ruffed, see *Bonasa umbellus*
- , Sage, see *Centrocercus urophasianus*
- Groves, S. and G. Peabody, Dead Herring Gull inside dead Goosefish, 76
- Growth and Development of Eastern Bluebirds, 273-289
- Gruiformes, Annotated bibliography, 372(rev)
- Grus canadensis*, footprint measurements, 355(r)
- , range in Siberia, migration, 185(r)
- Guineafowl, see *Numida meleagris*
- Guineafowl, Crested, see *Guttera edouardi*
- Gull, Dominican, see *Larus dominicanus*
- , Glaucous-winged, see *L. glaucescens*
- , Gray, see *L. modestus*
- , Great Black-backed, see *L. marinus*
- , Herring, see *L. argentatus*
- , Laughing, see *L. atricilla*
- , Lesser Black-backed, see *L. fuscus*
- , Ring-billed, see *L. delawarensis*
- , Silver, see *L. novaehollandiae*
- Guttera edouardi*, feeding relationship with Vervet monkeys, 84(r)

- Gymnorhinus cyanocephalus*, Pinon seed assessment, 86(r)
- Gyr Falcon, see *Falco rusticolus*
- Haematopus fuliginosus*, 356(r)
- H. ostralegus*, relationship with man, 265-6(rev)
- , winter census in Scotland, 181(r)
- H. unicolor*, variation, New Zealand, 91(r)
- Haffer, J. Avian Speciation in Tropical South America, 191-2(rev)
- Haliaeetus albicilla*, coastal and reproductive success in Finland, 259(r)
- , Norway, 373(rev)
- H. leucocephalus*, coastal habitat, 88(r)
- , gastric digestion, 260(r)
- Hailman, J. P., Analysis of Aggression in White-throated Sparrow Types of Different Proportions, 236-40.
- Harrington, B. A. and J. J. Dinsmore, Mortality of transient Cattle Egrets at Dry Tortugas, Florida, 7-14
- Harrison, Hal H., Field Guide to Birds' Nests, 371-2(rev)
- Hatch, J. J., Homing Experiments with Arctic Terns Released over Land and Sea, 47-54
- Hawk, Broad-winged, see *Buteo platypterus*
- , Red-shouldered, see *B. lineatus*
- , Red-tailed, see *B. jamaicensis*
- , Swainson's, see *B. swainsoni*
- Heintzelman, D. S., Autumn hawk flights, 365-7(rev)
- Helmitheros vermicivorus*, banded in Haiti, 344-7
- Hermit, Long-tailed, see *Phaethornis superciliosus*
- Heron, Great Blue, see *Ardea herodias*
- , Green, see *Butorides virescens*
- , Gray, see *Ardea cinerea*
- , Reef, see *Egretta sacra*
- , Striated, see *Butorides striatus*
- Heyland, J. D., see Maltby-Prevett, L. S. and—
- Hirundo*, heat loss, 355(r)
- Holroyd, G. L. and J. G. Woods, Migration of the Saw-whet Owl in Eastern North America, 101-5
- Homing, see Orientation and—
- Honeyeater, White-fronted, see *Phylidonyris albigrons*
- , White-striped, see *Meliphaga albilineata*
- Hoover, E. E., see Jackson, J. A. and—
- Houston, S., Reproductive performance of Great Horned Owls in Saskatchewan, 302-4
- HYBRIDS AND HYBRIDIZATION**
- European Goldfinch X E. Greenfinch Chaffinch X Brambling, 95(r)
- Hyllocichla* spp., Metabolic rates in relation to ambient, 183(r)
- H. mustelina*, further life expectancy, 241-7
- Hypergerus atriceps*, affinity with Gray-capped Warbler, 93(r)
- Immigration, see Populations
- Hypochera*, seed-eating, 264(r)
- Ibis, White-faced, see *Plegadis chihi*
- Icterus galbula*, further life expectancy, 241-7
- Iguana, predation on eggs by Vultures, 359(r)
- Indigo Bird, see *Hypochera*
- Initial Size and Subsequent Growth in Passerine Nestlings, 329-40
- Iridoprocne bicolor*, Utilizing vacated Sapsucker nest holes, 256(r)
- Jacamars, see Galbulidae
- Jackdaw, see *Corvus monedula*
- Jackson, J. A. and E. Hoover, A Potentially Harmful Effect of Suet on Woodpeckers, 131-4
- Japan, Turnstone study, 172(r)
- Jay, Blue, see *Cyanocitta cristata*
- , Gray, see *Perisoreus canadensis*
- , Ground, see *Podoces panderi*
- , Pinon, see *Gymnorhinus cyanocephalus*
- , Steller's, see *Cyanocitta stelleri*
- Jacques, F. P., Francis Lee Jaques/Artist of the Wilderness World, 97(rev)
- Jessen, R. L., see Langowski, D. J. and—
- Johnson, R. E., see Bray, O. E. and—
- Judd, W. W., A Blue Jay in captivity for 18 years, 250
- Junco hyemalis*, pseudoscrapions on, 76
- , wing length, plumage, ratio of Utah wintering birds, 126-30
- Kadlec, J. A., Recovery Rates and Loss of Aluminum, Titanium, and Incoloy Bands on Herring Gulls, 230-5
- Karalus, K. E. and A. W. Eckert, The Owls of North America, 370-1(rev)
- Kendeigh, S. C. and J. Pinowski (eds.), Productivity, Population Dynamics and Systematics of Granivorous Birds, 367-8(rev)
- Kennard, J. H., Longevity records of North American Birds, 55-73
- Kestrel, American, see *Falco sparverius*
- , Lesser, see *F. naumanni*
- Kilham, L., Dirt-bathing by a Pileated Woodpecker, 251
- King, J. R., see Farner, D. S. and—
- Kite, Yellow-billed, see *Milvus migrans*
- Kiwi, see *Apteryx*
- Knot, see *Calidris canutus*
- Kookaburra, see *Dacelo gigas*
- Korzhuev, P., Evolution, gravitation, and weightlessness, 372(rev)
- Lagonosticta*, food source, 264(r)
- , Relationships with parasitic Vidua, mimetic songs of Vidua, 188-90(rev)
- Lagopus* spp., evolution, 184(r)

- L. lagopus*, gastroliths, 183(r)
 —, marked with patagial streamers, 248
 —, metabolic response in chicks, 352(r)
L. mutus, digestion, 260(r)
 —, eco-distribution, 184(r)
 Langowski, D. J. and R. L. Jessen, Distribution and Chronology of Mallards Harvested in Minnesota, 33-9
 Lapwing, see *Vanellus vanellus*
 Lark, Shore, see *Eremophila alpestris*
Larus argentatus, courting, 257(r)
 —, marking of young, 252
 —, measurements, taxonomy, 358(r)
 —, predation by Goosefish, 76
 —, preying on Common Eider, 81(r)
L. atricilla, response to calls of hatching chicks, 85(r)
L. delawarensis, marking young, 252
 —, seasonal distribution based on band recoveries, 171(r), 348(r)
L. dominicanus, breeding on Australian islands, 356(r)
 —, distinct from *L. fuscus*, 92(r)
L. fuscus, distinct from *L. dominicanus*, 92(r)
 —, "extramarital" courting 257(r)
 —, status in Africa, 92(r)
 —, taxonomy and measurements, 358(r)
L. glaucescens, longevity, 166
L. marinus, feeding, 264(r)
L. modestus, breeding, 266-7(rev)
L. novaehollandiae, breeding on Australian islands, 356(r)
L. pacificus, breeding on Australian islands, 356(r)
 Leafscraper, Scaly-throated, see *Sclerurus guatemalensis*
 Leck, C. F., Weights of Migrants and Resident Birds in Panama, 201-3
 LeCroy, M., Easily built portable blind, 166-8
Leptoptilos crumeniferus, marking with bill-tag, 343-4
 Lewis, J. C., The World of the Wild Turkey, 98(rev)
Limosa l. melanuroides, breeding and ecology, 255(r)
 Life expectancy, see Age
 Loftin, H., Recaptures and Recoveries of Banded Native Panamanian Birds, 19-27
Lonchura spp., food source, 264(r)
L. striata, social behavior in captivity, 179(r)
 Longevity, see Age
 Loon, Common, see *Gavia immer*
 Lumsden, H. G., Differential Migration in Yearling and Adult Lesser Snow Geese, 40-6
 Magpie, see *Pica pica*
 Mallard, see *Anas platyrhynchos*
 Maltby-Prevett, L. S. and H. Boyd, J. D. Heyland, Observations in Iceland and Northwest Europe of Brant from the Queen Elizabeth Islands, N.W.T., Canada, 155-61
 Man and Birds, 265(rev)
 Manakin, see *Pipra*
 —, Golden-collared, see *Manacus vitellinus*
 —, Lance-tailed, see *Chiroxiphia lanceolata*
 —, White-bearded, see *Manacus manacus*
Manacus manacus, fruit digestion, 96(r)
 —, range, 191-2(rev)
M. vitellinus, weights, 202-3
 MANAGEMENT
 Nutcrackers and timber pests, 351(r)
 Wildlife management in USSR, 196(rev)
 Martin, Gray-breasted, see *Progne chalybea*
 —, House, see *Delichon urbica*
 MEASUREMENTS
 Dark-eyed Junco, 126-130
 Herring Gull, 358(r)
 Knot, 290-301
 Lesser Black-backed Gull, 358(r)
 Owls, 370-1(rev)
 Passerines, nestlings, 329-40
 Sandhill Crane, footprints, 355(r)
 Steller's Jay, 342-3
 Turnstone, 290-301
 White-crowned Sparrows, 269-72
Megarhynchus pitangus, weights, 202-3
Melamprosops phaeosoma, new species, Maui, Hawaii, 94(r)
Melanerpes formicivorus, aging, 171(r)
Meleagris gallopavo, World of the Wild Turkey, 98(rev)
 —, blood cells, 262(r)
Meliphaga albilineata, affinity with African Sugarbirds, 94(r)
 —, occurrence, nesting, affinity with White-throated Grass-Wren, 264(r)
Melospiza georgiana, age criteria, 348(r)
Merops apiaster, trapping in burrows, 172(r)
 MIGRATION (see also ORIENTATION and HOMING)
 Autumn hawk flights, 365-7(rev)
 coastal versus inland, 349(r)
 weather versus height, 311-27
 —, RADAR STUDY
 Doppler signature, 174(r), 175(r)
 forecasting daily variations, 80(r)
 radar, 173(r), 174(r), 311-27, 349(r)
 —, REGIONAL
 Alberta, 311-27
 Bermuda, 79(r)
 Denmark, 173(r)
 Florida (T.V. tower kill), 175(r)
 North Atlantic, 78(r)

—, SPECIES

- Brant, 155-61
 Cattle Egret, 7-14
 Knot, 290-301
 Lesser Snow Goose, 40-6
 Sandhill Crane, 185(r)
 Saw-whet Owl, 101-105
 Skylark, 173(r)
 Snow Goose, 254(r)
 Turnstone, 290-301
- , ZUGUNRUHE
 in caged warblers, 254(r)
 Sylviid Warblers, 172(r)
- Migration and Morphometrics of
 European Knot and Turnstone on
 Ellesmere Island, Canada, 290-301
- Milvus migrans parasiticus*, eating ter-
 mites, 264(r)
- Minnesota, distribution of mallards,
 33-9
- Molothrus ater*, recoveries, 78(r), 171(r)
 roosting with *Quiscalus quiscula*,
 213-16
- Molt, see Plumages and—
 Morphology, see Anatomy and—
 Morrison, R. I. G., Migration and
 Morphometrics of European Knot
 and Turnstone on Ellesmere Is-
 land, Canada, 290-301

MORTALITY

- Bubulcus ibis*, 7-14
- Moseley, L. J. and H. C. Mueller, A
 device for color-marking nesting
 birds, 341-2
- Murre, see *Uria* spp.
 Murrelet, Marbled, see *Brachyramphus*
marmoratus
- Myioborus miniatus*, weights, 201-3
- Natural History of Vermont, 195(rev)
- Nesotrochis steganinos*, new paleo spe-
 cies, 185(r)

NESTING AND REPRODUCTION,
BREEDING BIOLOGY

- Black-tailed Godwit, 255(r)
 Common Loon, 177(r)
 energetics, 359-62(rev)
 Gray Gull, 266(rev)
 Green-winged Teal, 356(r)
 Ilisk, Ground Jay, 256(r)
 Lesser Kestrel, 350(r)
 Marbled Murrelet, 141-154
 Penduline Tit, 83(r)
 Red-tailed Tropicbird, 364-5(rev)
 Wedge-tailed Shearwater, 81(r)

—, EGGS

- eggs of sandpipers, gulls, 81(r)

—, INCUBATION, BROODING

- Bluebird, 273-89, 350(r)
 Cattle Egret, 89(r)
 discontinuous, 255(r)
 Rufous-sided Towhee, 253
 temperature regulation, 88(r)
 thermoregulation in eggs and chicks,
 Willow Ptarmigan, 352(r)

—, MISCELLANEOUS

- nesting in cactus, 256(r)
 device for inspecting nest cavities,
 161-5
 egg weight and mortality of Snow
 Goose, 349(r)
 field guide to nests, 371-2(rev)
 flexibility of clutch size, passerines,
 82(r)
 initial size and subsequent growth of
 nestlings, 329-40
 nesting density, Snowy Owl, 87(r)
- , BEHAVIOR
- Great Blue Heron, colonial nesting,
 256(r)
 Green-winged Teal, 356(r)
 nest persistence, waterfowl, 87(r)
 Red-tailed Tropicbird 364-5(rev)
 Rufous-sided Towhee, 253
 Sapsucker nest holes used by various
 birds, 256(r)
 Seaside Sparrows, 181(r)
 Spectacled Owl, Striped Owl, 81(r)
 symbiosis between Lesser Kestrel
 and Jackdaws, 350(r)
 White-throated Grass Wren, White-
 lined Honeyeater, 264(r)
 Yellow-shafted Flicker, 82(r)
- , SUCCESS
- Chaffinch, 254(r)
 Common Eider, 81(r)
 Golden Eagle, 259(r)
 Great Horned Owl, 302-4
 Red-tailed Tropicbird, 364-5(rev)
 Snow Goose, 349(r)
 White-tailed Eagles, 259(r)
- Noddy, Brown, see *Anous stolidus*
- Nucifraga caryocatactes macrorhynchos*
 feeding on timber pests, 351(r)
- Numida meleagris*, blood cells, 262(r)
- , plumage, 184(r)
- Nutcracker, Siberian, see *Nucifraga*
caryocatactes
- Nuthatch, Red-breasted, see *Sitta*
canadensis
- Nyctea scandiaca*, digestion, 260(r)
- , nesting density, distribution in
 U.S.S.R., 87(r)
- , winter hunting behavior, 178(r)
- O'Connor, R. J., Initial Size and Sub-
 sequent Growth in Passerine Nest-
 lings, 329-40
- Oenanthe* spp., evolution, 184(r)
- O. oenanthe*, eco-distribution 184(r)
- , neuromorphology of muscles, 261(r)
- O. xanthopygma*, food and feeding,
 186(r)
- Oldsquaw, see *Clangula hyemalis*
- Olog, C. C., Vagrancy of Neotropical
 Cormorant, Egrets, and White-
 faced Ibis, 207-12
- ORIENTATION AND HOMING
- mode of study, 176(r)
 "nonsense" homing, 47-54
 of wild urban pigeons, 254(r)

- optical parameters, 255(r)
 —, ORIENTATION
 clock shifting, 175(r)
 compass, Garden Warblers, 172(r)
 initial orientation, 80(r)
 Oriole, Baltimore, see *Icterus galbula*
 Oropendola, Para, see *Psarocolius bifasciatus*
 Osprey, see *Pandion haliaetus*
 Owl, spp., see Strigidae
 —, Barn, see *Tyto alba*
 —, Barred, see *Strix varia*
 —, Great Horned, see *Bubo virginianus*
 —, Little, see *Athene noctua*
 —, Long-eared, see *Asio otus*
 —, Saw-whet, see *Aegolius acadicus*
 —, Snowy, see *Nyctea scandiaca*
 —, Spectacled, see *Pulsatrix perspicillata*
 —, Striped, see *Rhinoptynx clamator*
 —, Tawny, see *Strix aluco*
 Owls of North America, 370-1
 Oystercatchers, see *Haematopus*
 —, Sooty, see *H. fuliginosus*
Padda orizyavora, color discrimination, 261(r)
 PALEONTOLOGY
 flightless birds of West Indies, 185(r)
 Panama, banding, returns, 19-27
 —, weights, 202-3
Pandion haliaetus, census in Chesapeake Bay, 182(r)
 PARASITES AND DISEASE
 fungus of House Sparrow, 182(r)
 lice fauna of Corvidae and Ploceidae, 259(r)
 PARASITISM BY BIRDS
 Parasitic Vidua, relationship with host Firefinches, 188-90(rev)
 Parrot, Caica, see *Pionopsitta caica*
 Parthenogenesis, 185(r)
 Partridge, see *Alectoris* and *Perdix*
Parus bicolor, life expectancy, 241-7
P. caeruleus, nestling growth, 329-40
P. spp., utilizing vacated sapsucker nest holes, 256(r)
Passer, spp., productivity, bioenergetics, population dynamics, systematics, 367-8(rev)
P. domesticus, fungus in feather and skin, 182(r)
 —, growth of nestlings, 329-40
 —, lice of, 259(r)
 —, metabolism during molt, 183(r)
 —, neuromorphology of muscles, 261(r)
 —, oxygen affinity of blood, 89(r)
 —, ossification in immatures, 184(r)
 —, variation in foot papillae, 355(r)
P. montanus, lice of, 259(r)
 —, nesting, 350(r)
Passerina cyanea, weights, 202-3
 Payne, R. B. Behavior, mimetic Songs and song dialects, and relationships of the Parasitic Indigo-birds of Africa, 188-90(rev)
 Paynter, R. A., Jr. (ed.), Avian Energetics, 359-62(rev)
Pelagodroma marina, breeding on Australian island, 357(r)
Pelecanus occidentalis carolinensis, extinction in Louisiana, 351(r)
 Pelican, Brown, see *Pelecanus occidentalis*
 Penguins, see *Pygoscelis*
 —, Little, see *Eudyptula minor*
Perdix perdix, acclimatization, metabolism, 352(r)
Perisoreus canadensis, carrying mistletoe seeds on neck feathers, 87(r)
 Petrel, White-faced Storm, see *Pelagodroma marina*
Petroica goodenovi, torpidity, 90(r)
 Pheasant, see *Phasianus colchicus*
Phaethon rubricauda, breeding biology, biology, behavior, success, 364-5(rev)
Phaethornis superciliosus, neuromorphology of muscles, 261(r)
Phalacrocorax auritus, Canadian colonies, 176(r)
P. olivaceus, in So. America, 207-12
Phasianus colchicus, acclimatization, metabolism, 352(r)
 —, variation in foot papillae, 355(r)
Philohela minor, annotated bibliography, 372(rev)
Philomachus pugnax, Behavioral dimorphism, structure of the lek, 84-5(r)
Phoenicircus carnifex, range, 191-2(rev)
 PHOTOPERIOD
 control of annual cycles in Chaffinch, 90(r)
Phylidonyris albifrons, torpidity, 90(r)
 PHYSIOLOGY, ENERGETICS
 acclimatization in pheasants and partridge, 352(r)
 acid-base balance, 352(r)
 Avian Biology, 362-4(rev)
 Avian Energetics, 359-62(rev)
 bioenergetics of *Passer*, 367-8(rev)
 cold weather tolerance, 183(r)
 glycogen utilization, 183(r), 260(r)
 metabolism in eggs and chicks, 352(r)
 metabolism during molt, 183(r)
 metabolism of forest thrushes, 183(r)
 Penguins, 89(r)
 Scarlet Grosbeak, 183(r)
 torpidity, Australian birds, 90(r)
 weight and plumage, 90(r)
 —, MISCELLANEOUS
 blood flow in reproductive tracts, 354(r)
 changes in pCO₂ and pH, 354(r)
 circulating cells of blood, 262(r)
 composition of pigeon milk, 90(r)
 energy budget, nestling Starlings, 354(r)
 eye proteins, 358(r)
 glycogen levels in embryo, 354(r)

- heat loss in flying passerines, 355(r)
 hematocrits - flight strength, 182(r)
 hematological values of some large birds, 88(r)
 oil on feathers, 351(r)
 stomach loads and salt gland secretions, 354(r)
 urate excretion, 352(r)
- , SENSORY
 acoustic perception, Barn Owl, 85(r)
 chlorine ester hydrolase activity in nasal gland, 260(r)
 color discrimination, 261(r)
 olfactory thresholds, 261(r)
 respiratory heat and water exchange in Penguins, 89(r)
 skin lipids, 89(r)
- Piaya cayana*, weights, 202-3
Pica pica, lice of, 259(r)
 Pigeon, see *Columba*
 Pillmore, R. E., see DeWeese, L. R. and—
- Pinkowski, B. C., Growth and Development of Eastern Bluebirds, 273-89
Pionopsitta caica, range, 191-2(rev)
Pipilo erythrophthalmus, apparent brooding by a male, 253
 Pipit, Rock, see *Anthus spinoletta*
Pipra spp., range, 191-2(rev)
Pipromorpha oleaginea, weights, 202-3
Pranga rubra, weights, 201-3
Plegadis chihi, movement in So. America, 207-12
- Ploceidae, lice fauna, 259(r)
 —, exploitation of a food source, 264(r)
Ploceus cucullatus, egg temperature regulation, attentiveness, 88(r)
- Plover, Black-bellied, see *Pluvialis squatarola*
- PLUMAGES AND MOLT
 African Goshawk, 93(r)
 Cardinal, 305-10
 Chaffinch, 355(r)
 chemical composition and morphology of Guineafowl, 93(r)
 Knot, 290-301
 Oystercatcher, 91(r)
 Turnstone, 290-301
 wax imprint of feathers, 91(r)
 White-crowned Sparrow, 269-272
 Woodpecker, facial feather loss, 131-4
- Pluvialis squatarola*, foraging behavior, 181(r)
Podiceps cristatus, neuromorphology of muscles, 261(r)
Podoces panderi ilensis, biology of, 256(r)
- Pomeroy, D. E., Marking Marabou Storks, 343-4
- POPULATIONS, MOVEMENTS, DYNAMICS
 Brewer's Blackbird, 106-25
 colonizing New Zealand and Australia, 176(r)
 Mallard, 33-9
- Olivaceous Cormorant, White-faced Ibis, Great Egret, 207-12
Passer spp., 367-8(rev)
 Tricolored Blackbird, 220-9
- , RATIO
 Common Eider, 177(r)
 Dark-eyed Junco, 126-30
- , STATUS, CENSUS
 biomass of passerines in Kenya, 86(r)
 Chesapeake Bay breeding birds, 182(r)
 Double-crested Cormorant, 176(r)
 Golden Eagle, Finland, 259(r)
 Great Blue Heron, 176(r)
 Lesser Black-backed Gull, 92(r)
 Red-shouldered Hawk, 180(r)
 Wading birds, Scotland, 181(r)
 White-tailed Eagle, Finland, 259(r)
- Progne chalybea*, returns, Panama, 23
 Present Status and Developmental Trends of Wildlife Management Science in USSR, 196(rev)
 Productivity, Population Dynamics and Systematics of Granivorous Birds, 367-8(rev)
- Promerops*, related to Sturnidae by analyses of proteins, 94(r)
Psarocolius bifasciatus, range, 191-2(rev)
Pselliophorus tibialis, weights, 202-3
Psophia crepitans, range, 191-2(rev)
 Pseudoscorpions on Dark-eyed Junco, 76
 Ptarmigan, Rock, see *Lagopus mutus*
 —, Willow, see *L. lagopus*
- Puffinus griseus*, breeding on Australian Islands, 356(r)
- P. pacificus*, breeding cycle, 81(r)
 —, breeding on Australian Islands, 356(r)
 —, first overseas recoveries, 77(r)
P. tenuirostris, breeding on Australian Islands, 356(r)
- Pulsatrix perspicillata*, breeding behavior, 81(r)
- Pustmueller, C. J., New method for sexing Steller's Jays, 342-3
- Pygoscelis* spp., respiratory heat and water exchange, 89(r)
- Pyrrhula pyrrhula*, neuromorphology of muscles, 261(r)
 —, relationship with man, 265-6(rev)
- Pytilia melba*, parasitic Paradise Whydah mimics the song of host, 96(r)
- Quail, see *Colinus virginianus*
 —, European, see *Coturnix coturnix*
- Quiscalus quiscula*, development of roosting congregations with associated species, counts at roosts, 213-6
 —, recoveries, 78(r)
- Rails, see *Fulica*, *Nesotrochis*, *Rallus*, *Cyanolimnas*
Rallus sumiderensis, should be *Cyanolimnas cerverei*, 185(r)

- Ramphastidae, distinguishing characters, vocalizations, speciation, ranges, 191-2(rev)
- Raven, see *Corvus corax*
- Raynor, G. S., A Solar Time Classification for Data with Diurnal Variability, 28-32
- Redshank, see *Tringa totanus*
- Redstart, Slate-throated, see *Myioborus miniatus*
- Red-tailed Tropicbird on Kure Atoll, 364-5(rev)
- Reese, J. G., Fall Remex and Rectrix Molt in the Cardinal, 305-10
- Reeves, Henry M., Contribution to an Annotated Bibliography of North American Cranes, Woodcock, Snipe, Doves, and Pigeons, 372 (rev)
- Remiz pendulinus*, breeding biology, 83(r)
- Reproductive Performance of Great Horned Owls in Saskatchewan, 302-4
- RESEARCH METHODS,
ANALYSIS
- compensating for bias in average life expectancy, 241-7
- model for energy flow, 179(r)
- nestling growth curves, 135-40
- of owl pellets, 95(r)
- of vegetational factors in habitat selection, 258(r)
- urine/plasma ratio error, 352(r)
- , CAPTURE TECHNIQUES
- Bee-eaters in burrows, 172(r)
- for Golden Eagles, helicopter, 217-19
- for Oldsquaw, 248-50
- lift-net, 77(r)
- mist nets for population studies, 176; and for nesting birds, 168
- slip noose, 78(r)
- waterfowl, 248-50
- , MARKING
- banding (guide), 77(r)
- color-marking, 341-2
- freeze branding, 204-6
- glued-on tags, 252
- leg streamers, 171(r)
- longevity of bands, 230-5
- neck-collars, 346-7
- patagial streamers, 248
- with nasal saddles, Marabou Stork, 343; and Oldsquaw, 248-50
- , MISCELLANEOUS
- building of portable blind, 166-8
- device for inspecting nest cavities, 162-5
- electrophoresis, 94(r)
- holding tube for wing examination, 74-5
- plastic imbedding, 261(r)
- radar study of migration, 311-27
- radar vs. field observations, 173(r)
- removable car-top antenna, 15-18
- solar time classification, 28-32
- Rhea americana*, blood analysis, 89(r)
- Rhinoptynx clamator*, breeding in captivity, 81(r)
- Rice bird, see *Padda orizyvara*
- Richmond, L. see Deweese, L. R. and—
- Ricklefs, R. E. and S. C. White, A Method for Constructing Nestling Growth Curves from Brief Visits to Seabird Colonies 135-40
- Ricklefs, R. E., Dwarf eggs laid by a Starling, 169
- Robertson, W. B., Jr., see Brown, W. Y. and—
- Robin, American, see *Turdus migratorius*
- Robin, Red-capped, see *Petroica goodenovii*
- Rook, see *Corvus frugilegus*
- Ruff, see *Phalommachus pugnax*
- Sapsucker, Yellow-bellied, see *Sphyrapicus varius*
- Scardafella inca*, nesting in cactus, 256(r)
- Scaup, Lesser, see *Aythya affinis*
- Schein, M. W., see Goodman, I. J. and—
- Schroer, J. D., see Chabreck, R. H. and—
- Scotland, winter census, 181(r)
- Sealy, S. G., Aspects of the Breeding Biology of the Marbled Murrelet in British Columbia, 141-54
- Seel, D. C. A tube for holding birds during examination of molt in the flight feathers, 74-5
- Shearwater, Short-tailed, see *Puffinus tenuirostris*
- , Sooty, see *P. griseus*
- , Wedge-tailed, see *Puffinus pacificus*
- Sialia sialis*, growth and development, measurements, behavior, compared with Robin, 273-89
- , incubation period, 350(r)
- Siskin, see *Spinus spinus*
- Sitta canadensis*, using sapsucker holes, 256(r)
- Skylark, see *Alauda arvensis*
- Somateria mollissima dresseri*, depth avoidance in young, 178(r)
- , nesting success, 81(r)
- , sex ratio, 177(r)
- Song, see Vocalizations
- South America, avian speciation, 191 (rev)
- , bird movements in, 207-12
- Southern, W. E., see Cuthbert, F. J., and—
- Sparrows
- , Golden-crowned, see *Zonotrichia atricapilla*
- , House, see *Passer domesticus*
- , Rufous-collared, see *Zonotrichia capensis*

- , Seaside Sparrow, see *Ammospiza maritima*
- , Swamp, see *Melospiza georgiana*
- , Tree, see *Passer montanus*
- , White-crowned, see *Zonotrichia leucophrys*
- , White-throated, see *Z. albicollis*
- Sphenorhynchus abdimii*, acid-base maintenance during panting, 352(r)
- Sphyrapicus varius*, nests - competition for, predation on, uses by other birds, evolution of, 256(r)
- Spinus spinus*, cold weather tolerance, 183(r)
- S. xanthogaster*, weights, 202-3
- Sporophila aurita*, weights, 202-3
- Starling, see *Sturnus vulgaris*
- Steganura* spp., food source, 264(r)
- Stepney, P. H. R., Wintering Distribution of Brewer's Blackbird: Historical Aspect, Recent Changes, and Fluctuations, 106-25
- Sterna albifrons*, color-marking on nest, 341-2
- S. bergii*, breeding on Australian islands, 356(r)
- S. fuscata*, growth curves for nestling birds, 135-40
- S. hirundo*, orientation, 47-54
- S. paradisaea*, orientation, 47-54
- Stewart, P. A., Development of Roosting Congregations of Common Grackles and Associated Species, 213-16
- Stork, Abdim's, see *Sphenorhynchus abdimii*
- , Marabou, see *Leptoptilos crumeniferus*
- Strigidae (Owl), digestion affects osteological composition of pellets, 95(r)
- , of North America, 370-1(rev)
- Strix aluco*, structure and function of the middle ear, 91(r)
- S. varia*, co-roosting with Common Grackles, 169
- Sturnidae, related to African Sugarbirds, 94(r)
- Sturnus vulgaris*, color discrimination, 261(r)
- , energy budget of nestlings, 354(r)
- , evicting flickers from nests, 256(r)
- , laid dwarf eggs, 169
- , recoveries, 78(r)
- , relationship with man, 265-6(r)
- , roosting with *Quiscalus quiscula*, 213-16
- Sugarbirds, African, see *Promerops*
- Summer of a Million Wings, Arctic Quest for the Sea Eagle, 373(rev)
- Swallow, Tree, see *Iridoprocne bicolor*
- , Greater Striped, see *Hirundo cuculata*
- , White-throated, see *H. albigularis*
- Swift, European, see *Apus apus*
- Sylvia atricapilla*, Zugunruhe, whirring, 254(r)
- Sylvia borin*, endogenous temporal control of migratory restlessness, 172(r)
- , innate magnetic compass for orientation 172(r)
- , Zugunruhe, whirring, 254(r)
- Taeniopygia guttata*, imprinting vs. learning 86(r)
- Tanager, Blue-gray, see *Thraupis episcopus*
- , Crimson-backed, see *Ramphocelus dimidiatus*
- , Palm, see *Thraupis palmarum*
- , Plain-colored, see *Tangara inornata*
- , Silver-throated, see *Tangara icteroccephala*
- , Summer, see *Piranga rubra*
- Tanagra fulvicrissa*, weights, 202-3
- Tangara inornata*, weights, 202-3
- TAXONOMY, SYSTEMATICS
- Accipiter*, 93(r)
- Acrocephalus*, 93(r)
- Andropadus*, 95(r)
- Buteo oreophilus*, 93(r)
- critical list of Moore's collection, Occidental College, 358(r)
- egg white protein analysis, skulls, peptide maps, 263(r)
- electrophoresis, 94(r)
- Eminia*, 93(r)
- eye protein, taxonomic tool, 358(r)
- herons, 92(r)
- Melanprosops*, 94(r)
- owls, 370-1(rev)
- Passer* spp., 367-8(rev)
- Promerops*, 94(r)
- rails, 185(r)
- Smirnov taxonomic analysis, 358(r)
- taxonomy of Herring Gull and Lesser Black-backed Gull, 358(r)
- Vidua*, 188-90(rev)
- White-crowned Sparrows, 269-272
- White-lined Honeyeater, 264(r)
- Teal, Green-winged, see *Anas crecca*
- Tern, Arctic, see *Sterna paradisaea*
- , Common, see *S. hirundo*
- , Crested, see *S. bergii*
- , Least, see *S. albifrons*
- , Sooty, see *S. fuscata*
- Territory, see Behavior
- Thamnophilus punctatus*, weights, 202-3
- Thompson, Z. Natural History of Vermont, 195(rev)
- Thrasher, Bendire's, see *Toxostoma bendirei*
- , Brown, see *T. rufum*
- , Curve-billed, see *T. curvirostre*
- Thraupis episcopus*, weights, 202-3
- T. palmarum*, weights, 202-3
- Thrush, see *Catharus* spp.
- , Ruddy-capped Nightingale, see *Catharus frantzii*

- , Song, see *Turdus philomelos*
 —, Swainson's, see *Catharus ustulata*
 —, Wood, see *Hylocichla mustelina*
 Tit, Blue, see *Parus caeruleus*
 —, Penduline, see *Remiz pendulinus*
 Titmouse, Tufted, see *Parus bicolor*
 Toucans, see Ramphastidae
 Towhee, Rufous-sided, see *Pipilo erythrophthalmus*
Toxostoma spp., nesting in cactus, 256(r)
Toxostoma rufum, further life expectancy, 241-7
Trachyphonus d'arnaudii emini, duet development, 265(r)
Tringa totanus, winter census in Scotland, 181(r)
 Tropicbird, Red-tailed, see *Phaethon rubricauda*
 Trumpeter, Gray-winged, see *Psophia crepitans*
Turdus merula, feeding behavior, 179(r); neuromorphology of shoulder muscles, 261(r)
 —, *T. migratorius*, roosting with *Q. quiscula*, 213-26; growth and development, 273-89
 —, *T. philomelos*, feeding, 179(r)
 Turkey, see *Meleagris gallopavo*
 Turnstone, see *Arenaria interpres*
Tyranniscus vilissimus, weights, 202-3
Tyto alba, feathers leave waxy imprint on a window pane, 91(r)
 —, locatable and nonlocatable acoustic signals, 85(r)
 —, pellet contents, 185(r), 186(r), 359(r), 96(r)
 Ulfstrand, S. (ed.), Visible bird migration at Falsterbo, Sweden, 97(rev)
Uraeginthus, food source, 264(r)
Uria spp., feeding ecology, 181(r)
Vanellus vanellus, relationship with man, 265-6(rev)
 —, winter census in Scotland, 181(r)
Vermivora chrysoptera, song elements, variation, response, specificity, 96(r)
 Vermont: Natural History, 195(rev)
Vidua, food source, 264(r)
 —, host-parasite interactions, mimetic song, song dialects, relationships between various *Vidua*, 188-90(rev)
Vidua paradisaea, vocal mimicry of hosts song, 96(r)
Vireo philadelphicus, weights, 202-3
 Visible Bird Migration at Falsterbo, Sweden, 97(rev)
 VOCALIZATIONS AND SOUNDS
 auditory component of strut display of Sage Grouse, 83(r)
 singing during solar eclipse, 177(r)
 White-crowned Sparrow: song-misprinting, 186(r), 269-72
- , RECORDINGS
 bird sounds, Nearctic, 97(r)
 Doves and Cuckoos, West Africa, 186-8(r)
 —, SONGS
 Barbet, duet development, 265(r)
 Golden-winged Warbler, 96(r)
 Sedge and Reed Warbler, 96(r)
 Vidua, mimetic song, 96(r)
 White-crowned Sparrows, 186(r), 269-72
 Vulture, Black, see *Coragyps atratus*
 Warbler, African Reed Warbler, see *Acrocephalus baeticus*
 —, Black-throated Blue, see *Dendroica caerulescens*
 —, Blyth's Reed Warbler, see *Acrocephalus dumetorum*
 —, Chestnut-capped, see *Basileuterus delatarii*
 —, Garden, see *Sylvia borin*
 —, Golden-winged, see *Vermivora chrysoptera*
 —, Gray-capped, see *Eminia lepida*
 —, Oriole, see *Hypergerus atriceps*
 —, Palm, see *Dendroica palmarum*
 —, Reed Warbler, see *Acrocephalus scirpaceus*
 —, Sedge Warbler, see *A. schoenbaenus*
 —, Wilson's, see *Wilsonia pusilla*
 —, Worm-eating, see *Helmitheros vermivorus*
 Wattel, J., Geographic Differentiation in the Genus *Accipiter*, 190-1(rev)
 Waxbill, see *Estrilda granatina*
 Weather and Height of Nocturnal Migration in Eastcentral Alberta: A Radar Study, 311-27
 Weaverbird, Village, see *Ploceus cucullatus*
 WEIGHTS, *Atlapetes*, 202
 —, bluebirds, 273-89
 —, Bunting, Indigo, 202-3
 —, *Coereba flaveola*, 202-3
 —, *Elaenia*, 202-3
 —, finches, 202-3
 —, flycatchers, 202-3
 —, Golden Eagle, 217-19
 —, Knot, 290-301
 —, manakins, 202-3
 —, Murrelet, Marbled, 141-54
 —, Panamanian birds, 201-3
 —, passerine nestlings, 239-40
 —, Raven, 90(r)
 —, tanagers, 202-3
 —, Turnstones, 290-301
 —, vireos, 202-3
 —, warblers, 202-3
 —, woodcreepers, 202-3
 Wells, H., see Baptista, L. F., and—
 Wheatear, see *Oenanthe oenanthe*
 —, Redtailed, see *O. xanthopyrmyna*
 White, S. C., see Ricklefs, R. E. and—
 Whiteface, Banded, see *Aphelocephala nigricincta*

- Whydah, see *Steganura* spp.
 Whydah, Paradise, see *Vidua paradisaea*
Wilsonia pusilla, weights, 202-3
 Woodcreeper, see Dendrocolaptidae
 Woodpecker, Acorn, see *Melanerpes formicivorus*
 —, Downy, see *Dendrocopos pubescens*
 —, Hairy, see *D. villosus*
 —, Pileated, see *Dryocopus pileatus*
 —, Waved, see *Celeus undatus*
 Woods, C. A. Banding and Recaptures of Wintering Warblers in Haiti, 345-6
 Woods, J. G., see Holroyd, G. L. and—
 World of the Wild Turkey, 98(rev)
 Woronecki, P. P., see DeHaven, R. W. and—
 Worth, C. B. Pseudoscorpions on a Dark-eyed Junco, 76
 Wren, Cactus, see *Campylorhynchus brunneicapillus*
 —, White-throated Grass Wren, see *Amytornis woodwardi*
Xipholena punicea, range, 191-2(rev)
 Yellowthroat, Common, see *Geothlypis trichas*
Zenaida asiatica, nesting in cactus, 256(r)
Zenaidura macroura, nesting in cactus, 256(r)
- Zicus, M. C. Capturing nesting Canada Geese with mist nets, 168
Zonotrichia albicollis, aggression between winter residents and spring migrants, 236-40
 —, "further" life expectancy, 241-7
Z. atricapilla, further life expectancy, 241-7
Z. capensis, weights, 202-3
Z. leucophrys, song-misprinting of *nuttalli* and *pugelensis*, taxonomy, plumage, measurements, 186(r), 269-72
- ZOOGEOGRAPHY AND DISTRIBUTION
 owls, 370-1(rev)
 Ring-billed Gull, 171(r)
 Rock Ptarmigan, 184(r)
 —, RANGE
 of various South American birds, 191-2(rev)
 Oystercatcher (N.Z.), 91(r)
 Ring-billed Gulls, 348(r)
 Sandhill Crane, 185(r)
 Scotland, European Oystercatcher, 181(r)
 —, ZOOGEOGRAPHY
 Cape Henrietta Maria, Ontario, 263(r)
 Seabirds, Australian Islands, 356(r)