

INDICES TO VOLUME 59

COMPILED BY EDWARD H. BURTT, JR., AND C. COLLEEN BILSING

Three indices follow: an author index, a subject/geographic index, and a taxonomic index of avian species mentioned in the volume.

Author Index

(An "r" following a page number indicates the author of a publication that has been reviewed in our recent literature section.)

- Adams, N. J., 43-45
Aerts, R. M. A. P. A., 413 (r)
Alcover, J. A., 301-302 (r)
Ambrose, S. J., 419 (r)
Anderson, B. W., 295-296 (r)
Antunez, A., 94-95 (r)
Appak, B. A., 81 (r)
Atkin, L., 84-85 (r)
Austin-Smith, P. J., 321-330
Aylesworth, A., 194 (r)
Bahamondes, I., 93-94 (r)
Bailey, E. D., 95 (r)
Bain, C. A. R., 43-45
Baird, D., 296 (r)
Baker, J. A., 95 (r)
Baker, M. C., 203 (r)
Baker, R. H., 203 (r)
Bancroft, R. P., 321-330
Banderet, G., 293-294 (r)
Banks, R. C., 76 (r)
Barry, S. J., 300 (r)
Barry, T. W., 300 (r)
Baur, S., 294 (r)
Becker, D. M., 416 (r), 417-418 (r)
Bednarz, J. C., 412 (r)
Beezley, J. A., 297 (r)
Belton, W., 420 (r)
Bennet, P. M., 299 (r)
Berrett, D. G., 304-305 (r)
Berthelot, J. Y., 290 (r)
Bhunya, S. P., 422 (r)
Biermann, G. C., 33-36
Bildstein, K. L., 189-191
Birkhead, T. R., 84-85 (r)
Bjorge, R. R., 417 (r)
Blanc, T., 293-294 (r)
Blattner, M., 301 (r)
Boag, D. A., 302 (r)
Bock, C. E., 91 (r)
Bodsworth, F., 425-426 (r)
Bolen, E. G., 143-148
Booth, D. T., 196 (r), 199 (r)
Borgia, G., 92-93 (r)
Borowicz, V. A., 423 (r)
Bosakowski, T., 361-368
Boyce, M. S., 93 (r)
Bradshaw, S. D., 419 (r)
Brooks, B. L., 200 (r)
Brooks, R. P., 286-287
Brown, C. J., 194 (r)
Brown, W. L., 303-304 (r)
Bruce, C. R., 198 (r)
Bruner, P. L., 304-305 (r)
Bryan, T., 300-301 (r)
Buchanan, J. B., 13-21
Buhler, U., 298 (r)
Bulger, J. B., 13-21
Bunck, C. M., 198-199 (r)
Burger, A. E., 345-354
Burger, J., 413 (r)
Burford, M. W., 202 (r)
Busto, B., 201 (r)
Butler, R. W., 395-402
Buurma, L. S., 409 (r)
Caccamise, D. F., 84 (r)
Cain, B. W., 298 (r)
Cannings, R. A., 424 (r)
Cannings, R. J., 90 (r), 424 (r)
Cannings, S. G., 424 (r)
Cantin, R., 293-294 (r)
Capen, D. E., 87 (r)
Carlsson, B. G., 292-293 (r)
Carman, G. J., 78 (r)
Cartar, R. V., 412 (r)
Carter, R. E., 194 (r)
Castilla, J. C., 93-94 (r)
Castro, G., 369-380
Cave, D. J., 203-204 (r)
Chadwick, N. L., 87-88 (r)
Chandler, C. R., 269-277
Chandler, W. J., 95-96 (r)
Chapelaine, G., 120-127
Chernov, A. V., 81 (r)
Chiasson, R. D., 321-330
Cicero, C., 201 (r)
Clamens, A., 290 (r)
Coleman, T. S., 302 (r)
Collopy, M. W., 414-415 (r)
Cooper, J., 81 (r), 155-156, 202-203 (r)
Cooper, J. A., 297 (r)
Craig, A. J. F. K., 410-411 (r)
Craig, R. J., 22-32

- Cramm, P., 290 (r)
 Crawford, R. D., 422 (r)
 Cruz, A., 416 (r)
 Cully, J. F., 195-196 (r)
 Curio, E., 195 (r)
 Cypher, B. L., 81-82 (r)
 Darley, J. A., 355-360
 Date, E. M., 95 (r)
 Davidson, N. C., 88-89 (r)
 Davis, W. E., Jr., 1-2, 295 (r)
 Dean, W. R. J., 294 (r)
 De Graf, R. M., 87 (r)
 De Lotelle, R. S., 295 (r)
 Delroy, L. B., 193 (r)
 Demaine, C., 77-78 (r)
 de Nie, H. W., 199 (r)
 Dhondt, A. A., 194-195 (r)
 Dickerman, R. W., 206 (r)
 Di Silvestro, R. L., 95-96 (r)
 Dobson, A. P., 78-79 (r)
 Dolbeer, R. C., 296-297 (r)
 Dowsett, R. J., 192 (r), 423 (r)
 Dowsett-Lemaire, F., 192 (r), 423 (r)
 Draulans, D., 196 (r)
 Dronneau, C., 290 (r)
 Drummond, H., 290-291 (r)
 Duffy, D. C., 197 (r), 412-413 (r)
 Duncan, J. R., 301 (r)
 Dunn, E. H., 239-246
 Earle, R. A., 301 (r), 408 (r), 419 (r)
 Early, T., 296 (r)
 Edwards, T. C., Jr., 414-415 (r)
 Eisikowitch, D., 423 (r)
 Ellis, K., 296 (r)
 Emslie, S. D., 91-92 (r)
 Eno, A. S., 95-96 (r)
 Enoksson, B., 194 (r)
 Epting, R. J., 295 (r)
 Erskine, A. J., 110-119
 Erwin, R. M., 135-142
 Evans, P. R., 88-89 (r)
 Falls, B., 201 (r)
 Febrian, M. I., 417 (r)
 Fedynich, A. M., 418 (r)
 Ficken, M. S., 408 (r)
 Finn, J. T., 87-88 (r)
 Fischl, J., 84 (r)
 Fjeld, P. E., 291 (r)
 Flemming, S. P., 321-330
 Flickinger, E. L., 198-199 (r)
 Florit, F., 301-302 (r)
 Ford, J., 302 (r)
 Forsman, E. D., 198 (r), 300-301 (r)
 Fowler, J. A., 89-90 (r)
 Fraga, R. M., 80 (r)
 Friedmann, H., 207 (r)
 Fujimaki, Y., 88 (r)
 Fuller, R. J., 198 (r)
 Gawlik, D. E., 189-191
 George, T. L., 197 (r)
 Gersani, M., 410-411 (r)
 Gibbs, J. P., 130-134
 Gochfeld, M., 413 (r)
 Godfrey, R. D., 418 (r)
 Goldstein, H., 423 (r)
 Graber, J. W., 301 (r)
 Graber, R. R., 301 (r)
 Graves, G. R., 421 (r)
 Greenberg, R., 149-154
 Gruter, M., 78 (r)
 Gupta, S. K., 199 (r)
 Gutierrez, M., 80-81 (r)
 Gutierrez, R. J., 81 (r)
 Haig, S. M., 193 (r)
 Hakayama, H., 419 (r)
 Hall, H. D., 298 (r)
 Hall, J. A., 247-251
 Halterman, M. D., 298-299 (r)
 Handel, C. M., 215-223
 Harper, P. C., 89-90 (r), 302 (r)
 Harvey, P. H., 299 (r)
 Hawks, C. A., 76 (r), 77 (r)
 Hendricks, P., 94 (r), 197-198 (r)
 Henninger, C., 293-294 (r)
 Herbert, L., 91 (r)
 Herman, S. G., 13-21
 Herter, D. R., 252-257
 Heseltine, S., 412-413 (r)
 Heusmann, H W, 258-261, 296 (r)
 Higuchi, H., 85 (r), 91 (r)
 Hill, J. R., III, 334-336, 408-409 (r)
 Hilty, S. L., 303-304 (r)
 Hirano, T., 85 (r)
 Hofshi, H., 410-411 (r)
 Hollander, R., 197 (r)
 Holmes, R. T., 295 (r)
 Horn, A. G., 224-226
 Hornero, E., 77 (r)
 Hornfeldt, B., 292-293 (r)
 Horton, S. P., 295 (r)
 Hostetler, M. E., 189-191
 Hough, D. J., 426 (r)
 Howard, R. A., Jr., 81 (r)
 Howells, W. W., 290 (r), 413 (r)
 Huff, M. H., 414 (r)
 Hulsman, K., 422-423 (r)
 Hunter, M. L., 130-134
 Hunter, W. C., 295-296 (r)
 Hurlbert, S. H., 83 (r)
 Hussell, D. J. T., 82 (r)
 Hustler, K., 290 (r), 413 (r)
 Hutchinson, A. E., 130-134
 Imber, M. J., 79 (r)
 Ingold, J. L., 227-234

- Isenmann, P., 290 (r)
 Ishida, K., 198 (r)
 Iverson, S. S., 337-344
 Ivey, G. L., 77 (r)
 Jackel, S., 300 (r)
 Jackson, D. B., 198 (r)
 James, H. F., 202 (r)
 James, P. C., 209-214, 300 (r)
 Jehl, J. R., Jr., 200 (r)
 Jensen, K. C., 157-160
 Jensen, P. B., 199 (r)
 Johnson, N. K., 201 (r)
 Johnson, S. R., 3-6
 Johnston, V. H., 193 (r)
 Jones, G., 200 (r)
 Jonsson, P. E., 292 (r)
 Jorde, D. G., 183-188
 Jover, L., 417 (r)
 Jull, A. J. T., 202 (r)
 Junor, F. J. R., 416 (r)
 Katzir, G., 410-411 (r)
 Keith, J. D., 83 (r)
 Kellner, C. J., 55-59
 Kerlinger, P., 7-12
 Kern, M. D., 196 (r)
 Kersten, M., 299 (r), 418 (r)
 Kienholz, D., 420 (r)
 Kiff, L. F., 426 (r)
 King, J. R., 418-419 (r)
 King, K. A., 298 (r)
 Kirk, E. L., 301 (r)
 Kirkham, I. R., 3-6
 Knittle, C. E., 416-417 (r)
 Knopf, F. L., 297-298 (r)
 Koff, L., 207 (r)
 Kopachena, J. G., 302 (r)
 Korpimaki, E., 291-292 (r), 410 (r), 423 (r)
 Korzeniewska, E., 299 (r)
 Kowalski, U., 78 (r)
 Koyama, M., 79 (r)
 Krebs, J. R., 203 (r)
 Kress, S. W., 161-170
 Kroodsmma, R. L., 294-295 (r)
 Kurochkin, E. N., 202 (r)
 Kushlan, J. A., 85-86 (r)
 Lack, P. C., 86 (r)
 La Cock, G. D., 155-156, 412-413 (r)
 Lane, P. A., 301 (r)
 Layman, S. A., 298-299 (r)
 Lee, A. K., 78 (r)
 Leger, C., 411 (r)
 Lein, M. R., 7-12
 Lemon, R. E., 95 (r)
 Lennartz, M. R., 389-394
 Leslie, C. W., 425 (r)
 Lewald, J., 299-300 (r)
 Lingle, G. R., 183-188
 Link, M. A., 296-297 (r)
 Llorente, G. A., 417 (r)
 Lock, A. R., 420 (r)
 Loffredo, C. A., 92-93 (r)
 Lofgren, O., 292-293 (r)
 Lopez, M., 83 (r)
 Lowther, P. E., 51-54
 Lubben, I., 300 (r)
 Luder, R., 305 (r)
 Lyon, B. C., 412 (r)
 Lyon, B. E., 93 (r)
 McCoy, P. C., 202 (r)
 McGillivray, W. B., 33-36
 McGregor, P. K., 203 (r)
 McKeever, L., 96-97 (r)
 McNeil, R., 403-404, 411 (r)
 McWhirter, D., 88 (r)
 MacInnes, C. D., 239-246
 Maiti, B. R., 199 (r)
 Mancini, K. M., 67-75
 Mannan, R. W., 295 (r)
 Manuwal, D. A., 414 (r)
 Marshall, B. E., 416 (r)
 Martin, A. P., 296 (r)
 Martin, P. S., 202 (r)
 Martin, R. F., 303 (r)
 Masatomi, H., 79 (r)
 Mason, J. R., 199-200 (r)
 Mason, P., 92 (r)
 Matsumura, I., 79 (r)
 Matsuo, T., 79 (r)
 Matthysen, E., 289 (r)
 Meslow, E. C., 198 (r)
 Miller, E. H., 403-404
 Mills, A. M., 331-333
 Miskelly, C. M., 201-202 (r)
 Mitchell, E. S., 22-32
 Mitchell, J. E., 22-32
 Mock, P. J., 171-182
 Moller, A. P., 84-85 (r)
 Mohanty, M. K., 422 (r)
 Montgomerie, R. D., 93 (r)
 Moreno, E., 90-91 (r)
 Morioka, H., 88 (r)
 Morrison, M. L., 86-87 (r)
 Morsbach, R. J., 194 (r)
 Mosimann, P., 301 (r), 305 (r)
 Mueller, A. J., 298 (r)
 Murphy, J., 296 (r)
 Murphy, M. E., 418-419 (r)
 Myers, J. P., 369-380
 Naef-Daenzer, B., 301 (r)
 Nagy, K. A., 419 (r)
 Nahif, A. A., 303 (r)
 Navizet, G., 290 (r)
 Nettleship, D. N., 120-127, 161-170
 Newsome, A. V., 355-360

- Newton, I., 204-206 (r)
 Noble, R. E., 409 (r), 417 (r)
 Nordin, K. E., 33-36
 Nores, A. I., 80-81 (r)
 Norman, J. L., 192 (r)
 Norton, R. L., 91 (r)
 Noske, R. A., 94 (r)
 Obst, B. S., 419 (r)
 Oggler, P. A., 289 (r)
 Ohmart, R. D., 295-296 (r)
 Oliphant, L. W., 421-422 (r)
 Olson, S. L., 202 (r), 419 (r), 420 (r), 421 (r)
 Orians, G. H., 79-80 (r)
 Oring, L. W., 193 (r)
 Ortiz-Crespo, F. I., 77 (r)
 Palomo, L. J., 94-95 (r)
 Parkes, K. C., 60-62
 Parkhurst, J. A., 286-287
 Parkin, D. T., 194 (r)
 Parrish, J. R., 128-129
 Patton, J. L., 421 (r)
 Paullin, D. G., 77 (r)
 Paulson, D. R., 405-407
 Payne, R. B., 91 (r)
 Pekins, P. J., 46-50
 Percival, S. M., 198 (r)
 Perrins, C. M., 93 (r)
 Peterson, T. L., 297 (r)
 Petit, D. R., 278-279
 Petit, L. J., 278-279
 Pienkowski, M. W., 198 (r)
 Piersma, T., 299 (r), 418 (r)
 Pitts, T. D., 309-313
 Pogson, T. H., 252-257
 Popp, J. W., 385-388
 Porter, R. D., 416-417 (r)
 Potter, G. A., 411 (r)
 Potti, J., 90 (r)
 Powlesland, R. G., 293 (r)
 Pratt, H. D., 304-305 (r)
 Prescott, H. W., 411 (r)
 Prinzing, R., 300 (r)
 Progulsk, D. R., 87-88 (r)
 Purchase, D., 192 (r)
 Quinney, T. E., 82 (r)
 Raikow, R. J., 423-424 (r)
 Ramo, C., 201 (r)
 Raphael, M. G., 280-285
 Recher, H. F., 295 (r)
 Regelman, K., 195 (r)
 Reynolds, J. D., 82 (r)
 Rich, T., 82-83 (r)
 Richins, G., 296 (r)
 Ricklefs, R. E., 419 (r)
 Rieger, J. P., 297 (r)
 Riekert, B. R., 194 (r)
 Ritchison, G., 37-42, 55-59
 Robbins, M. B., 421 (r)
 Roberts, T. H., 418 (r)
 Robertson, J. S., 289 (r)
 Robinson, A. C., 193 (r)
 Rohwer, S., 262-265
 Rose, R. K., 269-277
 Rothstein, S. I., 92 (r)
 Ruiz, X., 417 (r)
 Runde, D. E., 87 (r)
 Runyan, C. S., 411 (r)
 Rusch, D. H., 67-75
 Ryder, J. P., 193 (r)
 Salathe, T., 412 (r)
 Salvador, C. S., 80 (r)
 Sanchez-Reyes, A. F., 417 (r)
 Santana, C. E., 411 (r)
 Scarlett, T., 414 (r)
 Schamel, D., 235-238
 Schlorff, R. W., 252-257
 Schmidt, K. H., 289 (r)
 Schmidt, M. B., 294 (r)
 Schmutz, S. M., 421-422 (r)
 Schreiber, R. W., 171-182
 Scott, D. M., 355-360
 Scott, D. P., 415 (r)
 Sedgwick, J. A., 297-298 (r)
 Semm, P., 77-78 (r)
 Senar, J. C., 381-384
 Severinghaus, L. L., 196-197 (r), 413 (r)
 Serov, G. D., 83-84 (r)
 Shank, C. C., 88 (r)
 Sieg, C. H., 416 (r), 417-418 (r)
 Silversides, F. G., 422 (r)
 Sladen, F. W., 91 (r)
 Smith, A. R., 300 (r)
 Smith, K. G., 414 (r)
 Smith, M. F., 421 (r)
 Smith, P. C., 321-330
 Socha, L. O., 207 (r)
 Sonerud, G. A., 291 (r)
 Spaans, A. L., 413 (r)
 Speich, S., 298 (r)
 Speiser, R., 361-368
 Stafford, C. J., 298 (r)
 Stafford, T. W., Jr., 202 (r)
 Stangel, P. W., 389-394
 Steadman, D. W., 202 (r)
 Storaas, T., 415-416 (r)
 Summers, R. W., 78 (r)
 Suter, W., 202-203 (r)
 Swallow, S. K., 81 (r)
 Swenson, J. E., 157-160
 Takami, M., 88 (r)
 Taylor, P. B., 294 (r)
 Tazawa, H., 419 (r)
 Teather, K. L., 293 (r)

- Teixeira, R. M., 203–204 (r)
Temple, S. A., 200 (r), 302–303 (r), 411 (r)
Thompson, S., 298 (r)
Timossi, I. C., 86–87 (r)
Tinbergen, J. M., 203–204 (r)
Toepfer, J. E., 157–160
Tomialojc, L., 409–410 (r)
Tove, M. H., 101–109
Tracy, D. M., 235–238
Tuttle, R. M., 195 (r)
Underhill, L. G., 78 (r), 420 (r)
Vacca, M. M., 215–223
Van Ruijn, J. G., 203–204 (r)
Van Vessem, J., 196 (r)
Vargas, J. M., 94–95 (r)
Veen, J., 203–204 (r)
Verbeek, N. A. M., 423 (r)
Vilella, F. J., 409 (r), 417 (r), 420 (r)
Village, A., 192–193 (r)
von Maltitz, F., 294 (r)
Voous, K. H., 203–204 (r)
Walker, M. M., 78 (r)
Walter, C. B., 202–203 (r)
Walter, M. A., 198 (r)
Walters, D., 194 (r)
Waltner, M., 78 (r)
Wang, H. C., 422 (r)
Warkentin, I. G., 209–214
Wassmer, B., 290 (r)
Weary, D. M., 95 (r)
Weatherhead, P. J., 293 (r)
Weishu, H., 192 (r)
Wendelken, P. W., 303 (r)
Wesolowski, W. T., 409–410 (r)
Wetton, J. H., 194 (r)
Whitelaw, D. A., 78 (r)
Whyte, R. J., 143–148
Williams, S. L., 76 (r), 77 (r)
Williams, T. C., 63–66
Wilson, R. P., 43–45, 345–354
Wiltschko, R., 78 (r)
Wiltschko, W., 78 (r)
Winkler, R., 305 (r)
With, K. A., 86–87 (r)
Wood, D. S., 405–407
Woodall, P. F., 289 (r)
Woodward, S., 130–134
Woronecki, P. P., 296–297 (r)
Yahner, R. H., 81–82 (r), 415 (r)
Ynterma, J. A., 91 (r)
Yom-Tov, Y., 423 (r)
Young, A.D., 266–268
Yunick, R. P., 314–320
Zamorano, E., 94–95 (r)
Zink, R. M., 421 (r)
Zwank, P. J., 409 (r), 417 (r), 420 (r)

Subject/Geographic Index

The subject/geographic index includes entries for states, provinces of Canada, countries other than the United States and Canada, and some specific localities (e.g., Canary Islands): entries under the same headings used to categorize reviews; and a few additional headings that reflect specific topics (e.g., techniques). Since reviews are arranged by subject and cross-referenced within the review sections of the Journal, they are indexed primarily by geographic location.

- Afghanistan, 303
- Africa
 - central, 192, 419
 - eastern, 192, 419
 - southern, 197, 419
- Alaska, 101-109, 215-223, 235-238, 252-257
- Alberta, 7-12, 33-36, 209-214, 417
- Argentina, 77, 80, 83, 92
- Arizona, 91-92, 210-214, 295-296
- Arkansas, 55-59
- Australia, 94, 192, 193, 289, 295, 302, 422-423
- banding and longevity
 - aging by iris color, 60-62
 - aging by plumage wear, 235-238
 - longevity record, 403-404
 - mortality
 - Brown Pelican, 171-182
 - Snowy Owl, 7-12
 - neck bands, effect on Canada Geese, 239-246
 - release calls, 227-234
 - residence trapping bias, 381-384
 - resightings, 252-257
- behavior
 - aggression, interspecific
 - Common Loons, 3-6
 - Western Meadowlarks, 224-226
 - chick mobility, 247-251
 - courtship feeding, 33-36
 - female song, 55-59
 - kleptoparasitism
 - Bald Eagles, 183-188
 - Broad-tailed Hummingbird, 128-129
 - Prothonotary Warbler, 278-279
 - mobbing, 269-277
 - nest defense, 135-142
 - plasticity of foraging, 286-287
 - release calls, 227-234
 - response to conspecific song, 37-42
 - timing of migration, 314-320
- Belgium, 194
- Belize, 405-407
- Bolivia, 77, 83
- Brazil, 420
- breeding bird censuses, 214
- British Columbia, 90, 252-257, 298-299, 411, 424
- California, 77, 86-87, 200, 201, 252-257
- Canada
 - arctic, 412
 - Hudson Bay, 82
- Canary Islands, 301-302
- Chile, 77, 80, 83, 93-94
- China, 192
- Colombia, 303-304
- Colorado, 210-214, 297-298
- Connecticut, 22-32
- conservation and environmental quality
 - Bald Eagles, 22-32
 - blood and feather sampling, 389-394
 - culvert use by swallows, 337-344
 - distribution
 - Ferruginous Hawk, 209-214
 - Northern Gannet, 120-127
 - Snowy Plover, 13-21
 - human disturbance, 321-330
 - mortality of pelicans, 171-182
 - re-establishment of puffins, 161-170
- Cuba, 171-182, 202
- Dominican Republic, 421
- ecology
 - depth gauges, 345-354
 - energy budget, 22-32
 - foraging, 385-388
 - hybridization, Mallard/American Black Duck, 258-261
 - nest-site selection, 361-368
 - time budget, 22-32
 - winter movements, 157-160
- England, 78-79, 88-89, 93, 203, 204-206
- Europe, 192
- Finland, 291-292, 410, 423
- Florida, 85, 171-182, 269-277, 295, 414
- food and feeding
 - energy budget, 22-32
 - foraging on horse dung, 385-388
 - kestrels eat trout, 286-287
- kleptoparasitism
 - Bald Eagle, 183-188
 - Broad-tailed Hummingbird, 128-129
 - Prothonotary Warbler, 278-279
- time budget, 22-32

- France, 290
Guam, 62–66
Guatemala, 206, 303
Gulf of Maine, 111–119, 161–170
Gulf of St. Lawrence, 112–119, 120–127
Hawaii, 202, 304–305, 420
Idaho, 82–83, 209–214
Illinois, 301
Israel, 410, 423
Japan, 76, 79, 85, 88, 95, 108, 198
Kansas, 51–54, 91, 210–211, 227–234
Kentucky, 37–42
Kenya, 86, 413
Labrador, 425
Maine, 130–134
Manitoba, 3–6, 224–226, 301, 302
Massachusetts, 87–88, 116–119, 258–261, 296
Mauritius, 302–303
Michigan, 297
migration, orientation, and homing
 Asiatic migrants to western Aleutians, 101–109
 Brant, 110–119
 estimating energetic cost of flight, 369–380
 flight range of Mallards, 143–148
 landmark use, 337–344
 migratory patterns of pelicans, 171–182
 radar data analysis, 63–66
 resightings of migrant cranes, 252–257
 routes of swallows, 395–402
 sex differences, 314–320
Minnesota, 193, 200, 201, 297, 301, 420
Montana, 157–160, 194, 210–214, 416, 417
morphology and anatomy
 iris color, 60–62
 spotting pattern of eggs, 51–54
Namibia, 78
Nebraska, 183–188, 210–214
nesting and reproduction
 aggression, interspecific, 3–6
 chick mobility, 247–251
 clutch size, 355–360
 courtship feeding, 33–36
 cowbird parasitism, 331–333
 eggs, spotting pattern, 51–54
 human disturbance, 321–330
 laying season, 355–360
 nest box size, 309–313
 nest defense, 135–142
 nest depth, 334–336
 nest predation
 Canada Geese, 215–223
 Red-winged Blackbird, 189–191
 nest-site selection, 361–368
 portable candler, 266–268
 reproductive frequency, 155–156
 site-tenacity, 337–344
Netherlands, 203, 413
Nevada, 13–21, 210–214
New Brunswick, 110–119
New Hampshire, 87
New Jersey, 135–142, 361–368
New Mexico, 195, 197, 210–214, 412
New York, 60–62, 81, 114–119, 227–234, 314–320, 361–368
New Zealand, 79, 89–90, 201, 293
Newfoundland, 120–127
North America, 395–402
North Carolina, 171–182, 269–277, 295
North Dakota, 210
North Sea, 409
Northwest Territories, 239–246
Norway, 415–416
Nova Scotia, 110–119, 321–330, 420
Ohio, 195, 227–234
Oklahoma, 192, 210–214, 337–344
Ontario, 82, 112–119, 331–333, 355–360
Oregon, 13–21, 77, 198, 252–257, 300–301, 411
parasites and diseases
 cowbird parasitism, 331–333
Pennsylvania, 149–154, 227–234, 269–277, 286–287, 334–336, 415
Peru, 77
Phillipines, 88
physiology
 estimating flight cost, 369–380
 lipid dynamics, 143–148
plumages and molts
 aging, 235–238
 plumage dimorphism, 149–154
 rectrix molt, 60–62
Poland, 409–410
population dynamics
 clutch size, 355–360
 life table, 171–182
 longevity record, 403–404
 neck bands, effect of, 239–246
 reproductive frequency, 155–156
 Tree Swallows, 395–402
 winter mortality, 7–12
Prince Edward Island, 110–119
Puerto Rico, 409, 411, 416, 417, 420
Quebec, 112–119, 120–127
Russia, 83–84, 107–108
 Crimea, 81
Scotland, 192–193, 198, 200
songs and vocalizations
 female song, 55–59
 mobbing, auditory stimuli, 269–277
 release calls, 227–234
 response to conspecific song, 37–42

- South Africa, 43-45, 78, 81, 155-156, 194,
202-203, 294, 296, 301, 410-411, 412-
413
- South America, 425
- South Carolina, 171-182, 189-191
- South Dakota, 210-214
- South Pacific, 302
- Spain, 90, 95, 381-384, 417
- Sudan, 197
- Sweden, 194, 292-293
- Switzerland, 289, 293-294, 301, 305
- systematics
- Couch's Kingbird, 405-407
 - hybridization in Mallards and American
Black Ducks, 253-261
- Taiwan, 196, 413
- techniques
- aging by iris color, 60-62
 - autoradiography, 43-45
 - blood and feather sampling, 389-394
 - censusing Great Blue Herons, 130-134
 - computer census recording, 280-285
 - depth gauges, 345-354
 - distribution indices, 67-75
 - estimating flight cost, 369-380
 - guyed extension ladder, 262-265
 - ink, 76
 - nest predation, investigator impact, 215-
223
 - portable candler, 266-268
 - radar data recording, 63-66
 - radio harness, 46-50
 - residence trapping bias, 381-384
 - specimen labels, 76
- Tennessee, 278-279, 294, 309-313
- Texas, 143-148, 198, 203, 210-214, 298,
418
- United States, 95-96, 209-214
- western, 298
- Uruguay, 92
- Utah, 46-50, 128-129, 210-214, 296
- Venezuela, 201
- Vermont, 87
- Virgin Islands, 91
- Virginia, 269-277
- Washington, 209-214, 227-234, 247-251,
298, 414
- West Germany, 195, 289
- wildlife management and economic orni-
thology
- censusing Great Blue Herons, 130-134
 - computer census recording, 280-285
 - distribution indices, 67-75
 - nest box size, 309-313
 - nest predation, 189-191
 - re-establishing Atlantic Puffins, 161-170
 - winter bird population study, 214
- Wisconsin, 67-75, 227-234, 385-388
- Wyoming, 94, 197, 210-214
- Yukon, 302
- Zambia, 294
- Zimbabwe, 290, 413, 416
- zoogeography and distribution
- asiatic migrants in western Aleutians, 101-
109
 - Brant migration, 110-119
 - Couch's Kingbird, 405-407
 - migratory patterns, Brown Pelican, 171-
182
 - Northern Gannets, 120-127
 - re-establishing Atlantic Puffins, 161-170
 - resightings of Sandhill Cranes, 252-257
 - Snowy Plover, 13-21
 - winter distribution
 - Ferruginous Hawks, 209-214
 - Rosy Finches, 157-160

Taxonomic Index

The following taxonomic index includes entries for common and scientific names of birds given in papers, notes, and reviews.

- Acanthiza lineata*, 295
A. pusilla, 295
Accipiter cooperii, 56
A. gentilis, 84, 205, 289, 364
A. nisus, 79
A. n. nisus, 204
Acrocephalus bistrigiceps, 88
A. palustris, 192
A. scirpaceus, 192
Actitis hypoleucos, 102, 106
Aechmophorus occidentalis, 298
Aegolius acadicus, 90
A. funereus, 291-292, 410, 423
Agelaius phoeniceus, 58, 189, 191, 296-297, 314
Aix sponsa, 296
Akepa, see *Loxops coccineus rufa*
Alauda arvensis, 84, 102, 106
 Albatross, Laysan, see *Diomedea immutabilis*
Alca torda, 170
Amazilia fimbriata, 372, 378
Anas acuta, 418
A. americana, 418
A. bahamensis, 91
A. crecca, 418
A. discors, 198
A. falcata, 102, 106
A. penelope, 102
A. platyrhynchos, 77, 143, 183-184, 258, 268, 384, 418
A. poloilorhyncha, 105
A. querquedula, 102, 106
A. rubripes, 144, 258, 373
A. spp., 327
A. strepera, 268
Anous minutus, 422
Anser anser, 422
A. canagicus, 223
A. cygnoides, 422
A. jabalis, 102, 106
Anthus cervinus, 103, 106
A. gustavi, 103
A. hodgsoni, 103, 106
A. spinoletta, 85, 94, 197
Aptenodytes forsteri, 354
Apus apus, 83, 373
Aquila chrysaetos, 26, 183-185, 293
Archilochus alexandri, 128
Ardea cinerea, 196
A. herodias, 130, 134, 388
Ardeola ralloides, 290
Arenaria interpres, 299, 403, 418
Asio flammeus, 192
A. otus, 193
Athene cucularia, 82
 Auklet, Rhinoceros, see *Cerorhinca monocerata*
Aythya affinis, 198
A. collaris, 5
A. ferina, 102
A. fuligula, 102
 Barbet, Green, see *Stactolaema olivacea*
 Bitter, Least, see *Ixobrychus exilis*
 Blackbird, Eurasian, see *Turdus merula*
 Red-winged, see *Agelaius phoeniceus*
 Bluebird, Eastern, see *Sialia sialis*
 Mountain, see *Sialia currucooides*
 Western, see *Sialia mexicana*
 Bluetail, Red-flanked, see *Tarsiger cyanurus*
 Bobwhite, Northern, see *Colinus virginianus*
 Bobolink, see *Dolichonyx oryzivorus*
Bombycilla cedrorum, 230
Bonasa umbellus, 46, 87
 Booby, Blue-footed, see *Sula neboxii*
 Brown, see *Sula leucogaster*
 Masked, see *Sula dactylatra*
 Brambling, see *Fringilla montifringilla*
 Brant, see *Branta bernicla*
Branta bernicla, 110, 119, 146
B. canadensis, 4, 185, 239, 302
B. c. minima, 215
Bubo bubo, 95
B. virginianus, 364
Bucephala clangula, 5, 298
 Bullfinch, Eurasian, see *Pyrrhula pyrrhula*
 Bunting, Common Reed, see *Emberiza schoeniclus*
 Gray, see *Emberiza variabilis*
 Indigo, see *Passerina cyanea*
 Lark, see *Calamospiza melanocorys*
 Pallas' Reed, see *E. pallasi*
 Rustic, see *E. rustica*
 Snow, see *Plectrophenax nivalis*
Buteo jamaicensis, 183-185, 361, 368, 411
B. lagopus, 183-185
B. lineatus, 365
B. regalis, 183-185, 209, 213-214
B. rufofuscus, 294
 Buzzard, Jackal, see *Buteo rufofuscus*
Calamospiza melanocorys, 416
Calidris acuminata, 105, 192
C. alba, 78
C. alpina, 89, 403
C. alpina schinzii, 292

- C. ferruginea*, 105, 192
C. minuta, 105
C. minutilla, 403
C. ruficollis, 102
C. subminula, 102
C. temminckii, 102
Calypte costae, 372
 Canary, see *Serinus canarius*
 Capercaillie, see *Tetrao urogallus*
Caprimulgus noctitherus, 409, 417, 420
 Caracara, Chimango, see *Polyborus chimango*
 Cardinal, Northern, see *Cardinalis cardinalis*
Cardinalis cardinalis, 230, 294
Carduelis spinus, 229, 231, 372, 414
C. pinus, 381, 384
C. sinica, 103, 106
C. triasi, 301
C. tristis, 229, 231
Carnus hemapterus, 90
Carpodacus cassinii, 420
C. erythrinus, 103
C. mexicanus, 229, 231
C. purpureus, 231-232
Catamblyrhynchus spp., 419
 Catbird, Gray, see *Dumetella carolinensis*
Cathartes aura, 411
Catharus fuscescens, 95, 372
C. guttatus, 230, 296
C. minimus, 230
C. ustulatus, 230, 372
Centrocercus urophasianus, 46, 296
Cereopsis novaehollandiae, 193
Cerorhinca monocerata, 347
Certhia americana, 230, 414
C. brachydactyla, 290, 301
 Chaffinch, see *Fringilla coelebs*
Charadrius alexandrinus, 13
C. hiaticula, 105
C. melodus, 193, 321
C. mongolus, 102
C. vociferus, 225
 Chat, Yellow-breasted, see *Icteria virens*
Chaetura vauxi, 414
Chen caerulescens, 4
 Chickadee, Black-capped, see *Parus atricapillus*
 Boreal, see *P. hudsonicus*
 Carolina, see *P. carolinensis*
 Chestnut-backed, *P. rufescens*
 Chicken, see *Gallus domesticus*
Cistothorus palustris, 67-73, 296
C. platensis, 68-73
Clangula hyemalis, 3, 6
Climacteris erythroptis, 94
Coccothraustes coccothraustes, 103, 106
C. vespertinus, 373
Coccyzus americanus, 298
Coenocorypha aucklandica iredalei, 201
Colaptes auratus, 295
Colinus virginianus, 95, 190
Columba livia, 77-78, 299, 373, 375, 378
 Condor, Andean, see *Vultur gryphus*
 California, see *Gymnogyps californianus*
 Coot, see *Fulica atra*
Cormobates leucophaea, 94
 Cormorant, Bank, see *Phalacrocorax neglectus*
 Double-crested, see *P. auritus*
 Reed, see *Haliastur africanus*
Corvus brachyrhynchos, 82, 87, 301, 415
C. corax, 294
C. corone, 222, 290, 291, 412
C. frugilegus, 413
C. ossifragus, 301, 373
Coturnix coturnix japonica, 202
 Cowbird, bronzed, see *Molothrus aeneus*
 Brown-headed, see *M. ater*
 Shiny, see *M. bonariensis*
 Crane, Spotted, see *Porzana porzana*
 Crane, Lesser Sandhill, see *Grus canadensis canadensis*
 Red-crowned, see *G. japonensis*
 Sandhill, see *G. canadensis*
 Creeper, Brown, see *Certhia americana*
 Crossbill, Red, see *Loxia curvirostra*
 White-winged, see *Loxia leucoptera*
 Crow, American, see *Corvus brachyrhynchos*
 Carrion, see *C. corone*
 Fish, see *C. ossifragus*
 Hooded, see *C. corone*
 Cuckoo, Common, see *Cuculus canorus*
 Himalayan, see *C. saturatus*
 Little, see *C. poliocephalus*
 Yellow-billed, see *Coccyzus americanus*
Cuculus canorus, 105
C. poliocephalus, 91
C. saturatus, 91
 Curlew, Eastern, see *Numenius madagascariensis*
 Eskimo, see *Numenius borealis*
 Eurasian, see *N. arquata*
Cyanocitta cristata, 87, 230, 301, 414, 415
 Dabchicks, see *Tachybaptus ruficollis*
Daphoenositta chrysoptera, 94
Delichon urbica, 372, 378
Dendragapus obscurus, 46
Dendrocopos leucotos, see *Picoides leucotos*
 D. major, see *P. major*
Dendroica castanea, 230
D. coronata, 230, 372
D. discolor, 53-54, 294, 360
D. kirtlandii, 297
D. magnolia, 87, 230
D. occidentalis, 414
D. pensylvanica, 87

- D. petechia*, 154
D. striata, 372, 375
 Dickcissel, see *Spiza americana*
Diomedea immutabilis, 161, 170
Dolichonyx oryzivorus, 225
Dryocopus martius, 410
 Duck, American Black, see *Anas rubripes*
 Common Goldeneye, see *Bucephala clangula*
 Flying Steamer, see *Tachyeres patachonicus*
 Spot-billed, see *A. poecilorhyncha*
 Ring-necked, see *Aythya collaris*
 Tufted, see *Aythya fuligula*
 Wood, see *Aix sponsa*
Dumetella carolinensis, 230, 355, 423
 Dunlin, see *Calidris alpina*
 Eagle, Bald, see *Haliaeetus leucocephalus*
 Golden, see *Aquila chrysaetos*
 Martial, see *Polemaetus bellicosus*
 Steller's Sea, see *H. pelagicus*
 White-tailed, see *H. albicilla*
 Eider, Common, see *Somateria mollissima*
 Spectacled, see *S. fischeri*
Emberiza pallasi, 105
E. rustica, 103, 106
E. schoeniclus, 105
E. variabilis, 105, 106
Empidonax alnorum, 55, 58
E. difficilis, 314, 414
E. flaviventris, 87, 314
E. hammondi, 314
E. minimus, 58, 87, 207, 230, 314
E. oberholseri, 58
E. traillii, 55, 58–59
E. virescens, 55, 201
E. wrightii, 58
Eremophila alpestris, 225, 416
Erethacus rubecula, 372, 378
Eudocimus albus, 85, 201
E. ruber, 201
Eudyptula minor, 156
Eulampis jugularis, 372, 379
Falco columbarius, 416–417
F. c. richardsonii, 417
F. mexicanus, 421
F. peregrinus, 205, 421
F. punctatus, 302
F. rusticolus, 421
F. spp., 327
F. sparverius, 286
F. subbuteo, 105, 290
F. tinnunculus, 79, 105, 193
 Falcon, Prairie, see *Falco mexicanus*
Ficedula albicollis, 313
F. hypoleuca, 276
F. mugimaki, 105
F. parva, 102
 Finch, Brown-capped Rosy, see *Leucosticte arctoa*
 Cardueline, see *Carduelis triasi*
 Cassin's, see *Carpodacus cassinii*
 Citril, see *Serinus citrinella*
 Gray-crowned, see *L. tephrocotis tephrocotis*
 Hepburn, see *L. t. littoralis*
 House, see *Carpodacus mexicanus*
 Purple, see *Carpodacus purpureus*
 Rosy, see *L. arctoa*
 Flamingo, see *Phoenicoparrus andinus*
 see *P. jamaicensis*
 Chilean, see *Phoenicopterus chilensis*
 Greater, see *Phoenicopterus ruber*
 Flicker, Northern, see *Colaptes auratus*
 Flycatcher, Acadian, see *Empidonax virescens*
 Alder, see *E. alnorum*
 Brown, see *Muscicapa latirostris*
 Collared, see *Ficedula albicollis*
 Dusky, see *E. oberholseri*
 Fork-tailed, see *Tyrannus savana*
 Gray, see *E. wrightii*
 Gray-spotted, see *M. griseisticta*
 Least, see *E. minimus*
 Mugimaki, see *F. mugimaki*
 Pied, see *F. hypoleuca*
 Red-breasted, see *F. parva*
 Western, see *E. difficilis*
 Willow, see *E. traillii*
 Yellow-bellied, see *E. flaviventris*
 Fowl, Mallee, see *Leipoa ocellata*
Fratercula arctica, 161–162, 170
F. cirrhata, 163
Fringilla coelebs, 37, 277, 301, 372
F. montifringilla, 103, 106, 372
Fulica atra, 412
Furnarius rufus, 92
 Gadwall, see *Anas strepera*
Gallinago stenura, 105
Gallirallus sharpei, 421
Gallus domesticus, 268
 Gannet, Australasian, see *Sula serrator*
 Northern, see *S. bassanus*
 Garganey, see *Anas querquedula*
Gavia immer, 4, 298
G. pacifica, 3
Geothlypis trichas, 37, 87, 230, 294, 297, 372
Glareola maldivarus, 105
Glaucidium perlatum, 195
 Godwit, Bar-tailed, see *Limosa lapponica*
 Black-tailed, see *L. limosa*
 Goldeneye, Common, see *Bucephala clangula*
 Goldfinch, American, see *Carduelis tristis*
 Goose, African, see *Anser cygnoides*

- Asiatic Swan, see *A. cygnoides*
 Bean, see *A. fabalis*
 Cackling Canada, see *Branta canadensis minima*
 Canada, see *B. canadensis*
 Cape Barren, see *Cereopsis novaehollandiae*
 Emperor, see *A. canagicus*
 Graylag, see *A. anser*
 Snow, see *Chen caerulescens*
 Goshawk, European, see *Accipiter gentilis*
 Northern, see *A. gentilis*
 Grackle, Common, see *Quiscalus quiscula*
 Tristram, see *Onychognathus tristramii*
 Grebe, Horned, see *Podiceps auritus*
 Pied-billed, see *Podilymbus podiceps*
 Red-necked, see *Podiceps grisegena*
 Western, see *Aechmophorus occidentalis*
 Greenfinch, Oriental, see *Carduelis sinica*
 Greenshank, Common, see *Tringa nebularia*
 Grosbeak, Rose-breasted, see *Pheucticus ludovicianus*
 Grouse, Black, see *Tetrao tetrix*
 Blue, see *Dendragapus obscurus*
 Red, see *Lagopus lagopus*
 Ruffed, see *Bonasa umbellus*
 Sage, see *Centrocercus urophasianus*
Grus canadensis, 222, 256
G. c. canadensis, 252
G. japonensis, 79
 Guillemot, see *Uria aalge*
 Gull, Black-headed, see *Larus ridibundus*
 Black-tailed, see *L. crassirostris*
 California, see *L. californicus*
 Franklin's, see *L. pipixcan*
 Glaucous, see *L. hyperboreus*
 Great Black-backed, see *L. marinus*
 Hartlaub's, see *L. hartlaubii*
 Herring, see *L. argentatus*
 Kelp, see *L. dominicanus*
 Lesser Black-backed, see *L. fuscus*
 Red-billed, see *L. novaehollandiae scopulinus*
 Ring-billed, see *L. delawarensis*
 Silver, see *L. novaehollandiae*
 Slaty-backed, see *L. schistisagus*
Gymnogyphus californianus, 91
 Gyrfalcon, see *Falco rusticolus*
Haematopus ostralegus, 299, 418
Haliaeetus albicilla, 102
H. leucocephalus, 22-23, 183-185, 188
H. pelagicus, 105
Haliastur africanus, 416
 Hawfinch, see *Coccothraustes coccothraustes*
 Hawk, Cooper's, see *Accipiter cooperii*
 Ferruginous, see *Buteo regalis*
 Harris', see *Parabuteo unicinctus*
 Red-shouldered, see *B. lineatus*
 Red-tailed, see *B. jamaicensis*
 Rough-legged, see *B. lagopus*
 Heron, Great Blue, see *Ardea herodias*
 Grey, see *A. cinerea*
 Squacco, see *Ardeola ralloides*
Heteroscelus brevipes, 102, 106
Himantopus himantopus, 105
Hirundapus caudaculus, 102
Hirundo albigularis, 408
H. atrocaerulea, 419
H. pyrrhonota, 397
H. rustica, 85, 332, 335, 337, 343-344, 372, 378, 398, 408
H. spilodera, 301
 Hobby, see *Falco subbuteo*
 Hornero, Rufous, see *Furnarius rufus*
 Hummingbird, Black-chinned, see *Archilochus alexandri*
 Broad-tailed, see *Selasphorus platycercus*
 Fire-crown, see *Sephanoides galeritus*
 Giant, see *Patagona gigas*
Hylocichla mustelina, 87
 Ibis, Scarlet, see *Eudocimus ruber*
 White, see *E. albus*
Icteria virens, 37, 297
 Icterids, 314
Icterus galbula, 262
Iridoprocne bicolor, see *Tachycineta bicolor*
Ixobrychus exilis, 68-73
Ixoreus naevius, 414
 Jaegers, Long-tailed, see *Stercorarius longicaudus*
 Parasitic, see *S. parasiticus*
 Jay, Blue, see *Cyanocitta cristata*
 Gray, see *Perisoreus canadensis*
 Junco, Carolina, see *Junco hyemalis carolinensis*
 Dark-eyed, see *J. hyemalis*
 Northern, see *J. h. hyemalis*
Junco hyemalis, 231, 314-315, 320
J. h. carolinensis, 315
J. h. hyemalis, 315, 320
 Kestrel, American, see *Falco sparverius*
 Eurasian, see *F. tinnunculus*
 Mauritius, see *F. punctatus*
 Killdeer, see *Charadrius vociferus*
 Kingbird, Couch's, see *Tyrannus couchii*
 Tropical, see *T. melancholicus*
 Kinglet, Golden-crowned, see *Regulus satrapa*
 Ruby-crowned, see *R. calendula*
 Kittiwake, Black-legged, see *Rissa tridactyla*
Lagopus lagopus, 222
Lanius cristatus, 105
L. ludovicianus, 19, 200
 Lapwing, Southern, see *Vanellus chilensis*
 Lark, Horned, see *Eremophila alpestris*

- Larus argentatus*, 141, 163, 193
L. atricilla, 373
L. californicus, 19, 248
L. crassirostris, 105
L. delawarensis, 247–248, 251, 373
L. dominicanus, 93, 412
L. fuscus, 36
L. hartlaubi, 412
L. hyperboreus, 217
L. marinus, 163, 373
L. novaehollandiae, 193
L. n. scopulinus, 36
L. pipixcan, 302
L. ridibundus, 89, 102, 142, 224
L. r. ridibundus, 226
L. schistisagus, 102
L. spp., 327
Leipoa ocellata, 196, 199
Leucosticte arctoa, 157–160, 229, 234
 L. tephrocotis, see *L. arctoa*
 L. t. littoralis, see *L. arctoa*
 L. t. tephrocotis, see *L. arctoa*
Limosa lapponica, 89, 102, 403
L. limosa, 102, 106
Locustella lanceolata, 105
L. ochotensis, 88
Loon, Common, see *Gavia immer*
 Pacific, see *G. pacifica*
Lophodytes cucullatus, 296
Loxia spp., 300
L. curvirostra, 300, 414
L. leucoptera, 87, 300
Loxops coccineus, 300
L. c. rufa, 420
L. c. wolstenholmei, 420
Luscinia calliope, 102, 106
L. cyane, 105
Lymnocyptes minimus, 105
Magpie, see *Pica pica*
 Formosan Blue, see *Urocissa caerulea*
Mallard, see *Anas platyrhynchos*
Martin, House, see *Delichon urbica*
 Purple, see *Progne subis*
Meadowlark, Eastern, see *Sturnella magna*
 Western, see *S. neglecta*
Melanerpes erythrocephalus, 414
M. formicivorus, 195
Melanitta fusca, 268, 298
M. nigra, 298
Melospittacus undulatus, 373
Melospiza georgiana eurycrypta, 149
M. g. georgiana, 149
M. melodia, 37, 53, 231, 319, 372
Merganser, Hooded, see *Lophodytes cucullatus*
 Red-breasted, see *Mergus serrator*
Mergellus albellus, 102, 106
Mergus serrator, 4, 267
Merlin, see *Falco columbarius*
 Richardson's, see *F. c. richardsonii*
Mimus polyglottos, 423
Mniotilta varia, 87
Mockingbird, Northern, see *Mimus polyglottos*
Molothrus aeneus, 207
M. ater, 56, 207, 231, 293, 296–297, 331
M. bonariensis, 92, 207
Morus bassanus, see *Sula bassanus*
Motacilla alba, 85
M. cinerea, 85, 103
M. flava flavissima, 384
M. grandis, 85
M. lugens, 103
Murre, Common, see *Uria aalge*
Murrelet, see *Carnus hemapterus*
Muscicapa griseisticta, 102
M. latirostris, 105
Myadestes townsendi, 197
Mycteria americana, 85
Myiarchus spp., 304
Myna, Pied, see *Sturnus contra contra*
Nectarinia oseo, 423
Neddeletail, White-throated, see *Hirundapus caudaculus*
Nightjar, Puerto Rican, see *Caprimulgus noctitherus*
Numerius arguata, 89, 403
N. borealis, 426
N. madagascariensis, 102, 192
Nuthatch, Eurasian, see *Sitta europaea*
 Red-breasted, see *S. canadensis*
 White-breasted, see *S. carolinensis*
Nyctea scandiaca, 7, 12
Oceanites oceanicus, 419
Oenanthe oenanthe, 372–373
Oldsquaw, see *Clangula hyemalis*
Onychognathus tristramii, 410
Oriole, Northern, see *Icterus galbula*
Ostrich, see *Struthio camelus*
Otus asio, 269–270
O. bakkamoena, 422
O. senegalensis, 194
Ovenbird, see *Seiurus aurocapillus*
Owl, African Scops, see *Otus senegalensis*
 Burrowing, see *Athene cunicularia*
 Common Barn, see *Tyto alba*
 Eagle, see *Bubo bubo*
 Eastern Screech, see *Otus asio*
 Great Gray, see *Strix nebulosa*
 Great Horned, see *Bubo virginianus*
 Long-eared, see *Asio otus*
 Northern Hawk, see *Surnia ulula*
 Northern Saw-whet, see *Aegolius acadicus*
 Pygmy, see *Glaucidium perlatum*

- Short-eared, see *Asio flammeus*
 Snowy, see *Nyctea scandiaca*
 Spotted, see *Strix occidentalis*
 Tawny, see *Strix aluco*
 Tengmalm's, see *Aegolius funereus*
 Oystercatcher, Eurasian, see *Haematopus ostralegus*
Pachyptila spp., 89
Parabuteo unicinctus, 412
Paradoxornis, 419
P. webbianus, 196
 Parrotbills, Vinous-throated, see *Paradoxornis webbianus*
Parus ater, 301
P. atricapillus, 87, 229-230
P. bicolor, 230
P. caeruleus, 36, 194-195
P. carolinensis, 229-230, 311
P. hudsonicus, 87
P. major, 79, 195, 203
P. rufescens, 414
Passer domesticus, 51, 54, 79, 194, 202, 385, 388
Passerculus sandwichensis, 225
Passerella iliaca, 230, 420, 421
Passerina cyanea, 37, 230, 319, 392
Patagona gigas, 77
Pelecanus erythrorhynchos, 291
P. occidentalis, 171, 181-182
 Pelican, Brown, see *Pelecanus occidentalis*
 White, see *P. erythrorhynchos*
 Penguin, African, see *Spheniscus demersus*
 Emperor, see *Aptenodytes forsteri*
 Gentoo, see *Pygoscelis papua*
 Jackass, see *S. demersus*
 Little, see *Eudyptula minor*
 Peregrine, see *Falco peregrinus*
Perisoreus canadensis, 414
 Petrel, Black, see *Procellaria parkinsoni*
 Cook's, see *Pterodroma cookii*
 White-chinned, see *Procellaria aequinoctialis*
 Wilson's Storm, see *Oceanites oceanicus*
Phalacrocorax auritus, 298, 411
P. neglectus, 81
P. spp., 327
 Phalarope, Red, see *Phalaropus fulicarius*
 Red-necked, see *P. lobatus*
 Wilson's, see *P. tricolor*
Phalaropus fulicarius, 238
P. lobatus, 82, 235, 237
P. tricolor, 83, 200
Pheucticus ludovicianus, 230, 303
Philomachus pugnax, 102, 106
Phoenicoparrus andinus, 83
P. jamesi, 83
Phoenicopterus chilensis, 83
P. ruber, 420
Pica pica, 81
Picoides borealis, 96, 295, 389
P. leucotos, 95, 410
P. major, 95, 409
P. medius, 410
P. minor, 410
P. pubescens, 87, 230
P. tridactylus, 410
P. villosus, 87
 Pigeon, see *Columba livia*
 Pintail, Bahama see *Anas bahamensis*
 Northern, see *A. acuta*
Pipilo aberti, 296
P. erythrophthalmus, 87, 294, 297
 Pipit, Olive Tree, see *Anthus hodgsoni*
 Pechora, see *A. gustavi*
 Red-throated, see *A. cervinus*
 Water, see *A. spinoletta*
Plectrophenax nivalis, 35
 Plovers, Black-bellied, see *Pluvialis squatarola*
 Common Ringed, see *Charadrius hiaticula*
 Mongolian, see *C. mongolus*
 Piping, see *C. melodus*
 Snowy, see *C. alexandrinus*
Pluvialis squatarola, 89, 299, 418
 Pochard, Common, see *Aythya ferina*
Podiceps auritus, 298
P. grisegena, 298
Podilymbus podiceps, 198
Polemaetus bellicosus, 290
Polyborus chimango, 80
Pooecetes gramineus, 416
Porzana carolina, 67-73
P. porzana, 294
 Pratincole, Oriental, see *Glareola maldivarus*
 Prions, see *Pachyptila* spp.
Procellaria aequinoctialis, 79
P. parkinsoni, 79
Progne subis, 373, 378, 408
Protonotaria citrea, 278
Pseudohirundo griseopyga, 419
Pterodroma spp., 293
P. cookii, 79
 Puffin, Atlantic, see *Fratercula arctica*
 Tufted, see *F. cirrhata*
Puffinus tenuirostris, 162, 170
Pygoscelis papua, 44, 354
Pyrrhocorax graculus, 294
Pyrrhula pyrrhula, 79, 105, 372
 Quail, Japanese, see *Coturnix coturnix japonica*
Quiscalus quiscula, 286
 Rail, Barred, see *Rallus torquatus*
 King, see *R. elegans*
 Virginia, see *R. limicola*

- Rallus elegans*, 67–73
R. limicola, 67–73
R. okinawae, 88
R. torquatus, 88
 Razorbill, see *Alca torda*
 Redshanks, see *Tringa totanus*
 Common, see *T. totanus*
 Spotted, see *T. erythropus*
Regulus calendula, 230
R. regulus, 372
R. satrapa, 230, 414
Riparia riparia, 142, 200, 335–336, 397
Rissa tridactyla, 420
 Robin, American, see *Turdus migratorius*
 Clay-colored, see *T. grayi*
 European, see *Eriothacus rubecula*
 Siberian Blue, see *Luscinia cyane*
 Rook, see *Corvus frugilegus*
 Rosefinch, Common, see *Carpodacus erythrinus*
 Rubythroat, Siberian, see *Luscinia calliope*
 Ruff, see *Philomachus pugnax*
Rynchops niger, 141
 Sanderling, see *Calidris alba*
 Sandpiper, Buff-breasted, see *Tryngites subruficollis*
 Common, see *Actitis hypoleucos*
 Curlew, see *Calidris ferruginea*
 Green, see *Tringa ochropus*
 Least, see *C. minutilla*
 Sharp-tailed, see *C. acuminata*
 Terek, see *Xenus cinereus*
 Wood, see *Tringa glareola*
 Sapsucker, Yellow-bellied, see *Sphyrapicus varius*
 Scaup, Lesser, see *Aythya affinis*
 Scoter, Black, see *Melanitta nigra*
 White-winged, see *Melanitta fusca*
Scytalopus, 202
Seiurus aurocapillus, 87, 230, 372
Setasphorus platycercus, 128
Sephanoides fernandensis, 77
S. galeritus, 77
Sericornis frontalis, 419
 Serin, see *Serinus serinus*
Serinus canarius, 196
S. citrinella, 384
S. serinus, 381
Setophaga ruticilla, 372
 Shearwaters, Short-tailed, see *Puffinus tenuirostris*
 Shelduck, see *Tadorna tadorna*
 Shrike, Brown, see *Lanius cristatus*
 Loggerhead, see *L. ludovicianus*
Sialia currucoides, 194
S. mexicana, 194, 411
S. sialis, 195, 309, 418
Siptornis striaticollis, 421
S. s. nortoni, 421
 Siskin, Eurasian, see *Carduelis spinus*
 Pine, see *C. pinus*
Sitta canadensis, 414
S. carolinensis, 230, 233
S. europaea, 194, 289
 Sittella, Varied, see *Daphoenositta chrysoptera*
 Skimmer, Black, see *Rynchops niger*
 Skylark, Eurasian, see *Alauda arvensis*
 Smew, see *Mergellus albellus*
 Snipe, Jack, see *Lymnocyptes minimus*
 New Zealand, see *Coenocorypha aucklandica iredalei*
 Pine-tailed, see *Gallinago stenura*
 Solitaire, Townsend's, see *Myadestes townsendi*
Somateria fischeri, 6
S. mollissima, 5, 221, 237
 Sora, see *Porzana carolina*
 Sparrowhawk, see *Accipiter nisus*
 Eurasian, see *A. n. nisus*
 Sparrow, American Tree, see *Spizella arborea*
 Brewer's, see *S. breweri*
 Chipping, see *S. passerina*
 Clay-colored, see *S. pallida*
 Field, see *S. pusilla*
 Fox, see *Passerella iliaca*
 Harris', see *Zonotrichia querula*
 House, see *Passer domesticus*
 Savannah, see *Passerculus sandwichensis*
 Song, see *Melospiza melodia*
 Swamp, see *M. georgiana*
 Vesper, see *Poocetes gramineus*
 White-crowned, see *Z. leucophrys gambelii*
 White-throated, see *Z. albicollis*
Spheniscus demersus, 155–156, 197
Spiza americana, 207
Spizella arborea, 35, 230, 232
S. breweri, 33
S. b. breweri, 34
S. b. taverneri, 33
S. pallida, 33
S. passerina, 35, 230
S. pusilla, 33, 36, 37, 230
Spreo bicolor, 410
Stactolaema olivacea, 423
 Starling, European, see *Sturnus vulgaris*
 Pied, see *Spreo bicolor*
Stelgidopteryx serripennis, 334, 336
Stercorarius longicaudus, 207
S. parasiticus, 207
Sterna anaethetus, 422
S. bergii, 202, 251
S. caspia, 193, 251

- S. dougallii*, 422
S. forsteri, 247
S. fuscata, 373, 378
S. hirundo, 36, 135-136, 141, 207, 251
S. maxima, 251
S. paradisaea, 4, 251
S. sandvicensis, 139, 142
S. sumatrana, 422
 Stilt, Black-winged, see *Himantopus himantopus*
 Stint, Little, see *Calidris minuta*
 Long-toed, see *C. subminula*
 Rufous-necked, see *C. ruficollis*
 Temminck's, see *C. temminckii*
 Stork, Wood, see *Mycteria americana*
Strix aluco, 205
S. nebulosa, 300
S. occidentalis, 96
Struthio camelus, 413
Sturnella magna, 37
S. neglecta, 224
Sturnus contra contra, 199
S. vulgaris, 84, 90, 200, 296, 297, 314, 373
Sula bassanus, 120, 127
S. dactylatra, 291
S. leucogaster, 291
S. nebouxii, 291
S. serrator, 127
 Sunbird, Orange-tufted, see *Nectarinia osea*
Surnia ulula, 301
 Swallow, Bank, see *Riparia riparia*
 Barn, see *Hirundo rustica*
 Blue, see *H. atrocaerulea*
 Cliff, see *H. pyrrhonota*
 Grey-rumped, see *Pseudohirundo griseopyga*
 Rough-winged, see *Stelgidopteryx serripennis*
 South African Cliff, see *H. spilodera*
 Tree, see *Tachycineta bicolor*
 Violet-green, see *T. thalassina*
 White-throated, see *H. albigularis*
 Swift, Common, see *Apus apus*
 Vaux's, see *Chaetura vauxi*
Syphrapicus varius, 87
Tachybaptus ruficollis, 416
Tachycineta bicolor, 82, 195, 331, 339, 395, 401, 411
T. thalassina, 295, 411
Tachyeres patachonicus, 3
Tadorna tadorna, 88
Tapaculo, see *Scytalopus*
Tarsiger cyanurus, 105
 Tattler, Gray-tailed, see *Heteroscelus brevipes*
 Teal, Blue-winged, see *Anas discors*
 Falcated, see *A. falcata*
 Green-winged, see *A. crecca*
 Tern, Arctic, see *Sterna paradisaea*
 Black-naped, see *S. sumatrana*
 Black Noddy, see *Anous minutus*
 Bridled, see *S. anaethetus*
 Caspian, see *S. caspia*
 Common, see *S. hirundo*
 Crested, see *Thalasseus bergii*
 Forster's, see *S. forsteri*
 Lesser Crested, see *T. bengalensis*
 Roseate, see *S. dougallii*
 Royal, see *S. maxima*
 Sandwich, see *S. sandvicensis*
 Sooty, see *S. fuscata*
 Swift, see *S. bergii*
Tetrao tetrix, 415
T. urogallus, 415
Thalasseus bengalensis, 422
T. bergii, 422
Thamnophilus, 304
 Thornbills, Brown, see *Acanthiza pusilla*
 Striated, see *A. lineata*
 Thrasher, Brown, see *Toxostoma rufum*
 Thrush, Dusky, see *Turdus naumanni*
 Eye-browed, see *T. obscurus*
 Gray-cheeked, see *Catharus minimus*
 Hermit, see *C. guttatus*
 La Selle, see *T. swalesi dodae*
 Song, see *T. philomelos*
 Swainson's, see *C. ustulatus*
 Varied, see *Ixoreus naevius*
 Wood, see *Hylocichla mustelina*
 Tit, Blue, see *Parus caeruleus*
 Coal, see *P. ater*
 Great, see *P. major*
 Titmouse, Tufted, see *Parus bicolor*
 Towhee, Abert's, see *Pipilo aberti*
 Rufous-sided, see *P. erythrophthalmus*
Toxostoma rufum, 297
 Treecreeper, Red-browed, see *Climacteris erythroptus*
 Short-toed, see *Certhia brachydactyla*
 White-throated, see *Cormobates leucophaea*
Trigonoceps occipitalis, 413
Tringa brevipes, see *Heteroscelus brevipes*
T. erythropus, 102
T. glareola, 102, 200
T. nebularia, 102, 106
T. ochropus, 102
T. totanus, 89, 388, 403
Troglodytes aedon, 195, 297
T. troglodytes, 87, 296, 414
Tryngites subruficollis, 412
Turdus grayi, 303
T. merula, 301
T. migratorius, 227, 230, 277, 297, 378
T. naumanni, 103, 106
T. obscurus, 103, 106
T. philomelos, 417

- T. swalesi*, 421
T. s. dodae, 421
 Turnstone, Ruddy, see *Arenaria interpres*
Tyrannus spp., 407
T. couchii, 405-406
T. melancholicus, 405-406
T. savanna, 61
Tyto alba, 80, 98, 203
Uria aalge, 170, 298, 348
Urocissa caerulea, 413
Vanellus chilensis, 277
 Veery, see *Catharus fuscescens*
Vermivora peregrina, 227, 230, 372
 Vireo, Red-eyed, see *Vireo o. olivaceus*
 South American, *V. olivaceus*
Vireo olivaceus, 61
V. o. olivaceus, 60
Vultur gryphus, 92
 Vulture, Turkey, see *Cathartes aura*
 White-headed, see *Trionoceph occipitalis*
 Wagtail, Black-backed, see *Motacilla lugens*
 Gray, see *M. cinerea*
 White, see *M. alba*
 Yellow, see *M. flava flavissima*
 Warbler, Bay-breasted, see *Dendroica castanea*
 Black-and-White, see *Mniotilta varia*
 Blackpoll, see *D. striata*
 Chestnut-sided, see *D. pensylvanica*
 Common Yellowthroat, see *Geothlypis trichas*
 European Marsh, see *Acrocephalus palustris*
 European Reed, see *A. scirpaceus*
 Hermit, see *D. occidentalis*
 Kirtland's, see *D. kirtlandii*
 Lanceolated, see *Locustella laceolata*
 Magnolia, see *D. magnolia*
 Prairie, see *D. discolor*
 Prothonotary, see *Protonotaria citrea*
 Tennessee, see *Vermivora peregrina*
 Yellow, see *D. petechia*
 Yellow-rumped, see *D. coronata*
 Waxwing, Cedar, see *Bombycilla cedrorum*
 Wigeon, American, see *Anas americana*
 Eurasian, see *A. penelope*
 Woodpecker, Acorn, see *Melanerpes formicivorus*
 Black, see *Dryocopus martius*
 Downy, see *Picooides pubescens*
 Great Spotted, see *P. major*
 Hairy, see *P. villosus*
 Lesser Spotted, see *P. minor*
 Middle Spotted, see *P. medius*
 Red-cockaded, see *P. borealis*
 Three-toed, see *P. tridactylus*
 White-backed, see *P. leucotos*
 Wren, House, see *Troglodytes aedon*
 Marsh, see *Cistothorus palustris*
 Sedge, see *C. platensis*
 White-browed Scrub, see *Sericornis frontalis*
 Winter, see *Troglodytes troglodytes*
Xanthoura guatemalensis, 206
Xenus cinereus, 102, 106
 Yellowthroat, Common, see *Geothlypis trichas*
Zonotrichia albicollis, 37, 151, 229, 231, 372, 392, 423
Z. leucophrys gambelii, 314, 418
Z. melodia, see *Melospiza melodia*
Z. querula, 149

OPPORTUNITIES TO HELP THE ASSOCIATION OF FIELD ORNITHOLOGISTS: THE GOETZ AND BERGSTROM FUNDS.—Persons wishing to support the Association of Field Ornithologists beyond the usual forms of membership may want to consider donations, bequests, or memorial gifts to the two important funds: the Goetz Fund and the Bergstrom Fund.

The **GOETZ FUND** supports the *Journal of Field Ornithology*. We wish to build the Goetz Fund to the point where its income will support editorial expenses and honorarium, thereby making these expenses independent of the dues-derived income.

The **BERGSTROM FUND**, named in honor of a former editor, supports the annual Bergstrom Research Awards granted to applicants engaged in research in avian biology. Again, it is our intent to make the fund self-supporting with annual income designated for awards.

Your generosity in contributing to the principals of both funds will be appreciated when you write your dues check, you may designate an additional sum for either or both of the funds. All such gifts are tax deductible. Contributions to these funds are fitting ways to honor the memory of deceased banding associates. Beside cash, gifts of common stock on which you hold long-term gains may create favorable tax positions for you or your estate. By whatever form you choose to support these funds, any gift will give you the satisfaction of seeing income from your gift benefiting ornithological research and understanding. Please contact the treasurer: *Scott Sutcliffe, Cornell Laboratory of Ornithology, 159 Sapsucker Woods Rd., Ithaca, NY 14850.*