

## INDICES TO VOLUME 60

COMPILED BY EDWARD H. BURTT, JR., AND C. COLLEEN BILSING

Three indices follow: an author index, a subject/geographic index, and a taxonomic index of avian species mentioned in the volume.

### Author Index

(An "r" following a page number indicates the author of a publication that has been reviewed in our recent literature section.)

- Abe, J., 399 (r)  
Adams, R. J., Jr., 126 (r)  
Aguilar, R., 400 (r)  
Aguilera, E., 540 (r)  
Ainley, D. G., 270 (r), 407-408 (r)  
Alatalo, R. V., 268 (r), 533-534 (r)  
Alexander, G. E., 270 (r)  
Allan, D. G., 412 (r)  
Allen, D. H., 538-539 (r)  
Allen, H. A., Jr., 162-167  
Alonso, J. C., 369-379  
Alvarez, F., 540 (r)  
Amadon, D., 129 (r)  
Anderson, D. W., 532-533 (r)  
Andrle, R. F., 131-132 (r)  
Ankney, C. D., 125 (r)  
Antas, P. Z., 271 (r)  
Aoyagi, Y., 409 (r)  
Arak, A., 534 (r)  
Araya, B., 417 (r)  
Arcece, P., 418 (r), 534-535 (r), 543 (r)  
Arendt, W. J., 1-11  
Armesto, J. J., 415 (r)  
Avery, G., 127 (r)  
Backhurst, G. C., 275-276 (r)  
Bacon, B. R., 84-85  
Baggot, G., 538 (r)  
Bairlein, F., 529 (r)  
Baker, A. E. M., 417-418 (r)  
Baker, M. C., 417-418 (r)  
Bakker, L., 130 (r)  
Baldassarre, G. A., 388-396  
Ball, G. F., 272 (r)  
Barlow, J. C., 131 (r), 211-215  
Barron, J. C., 130 (r)  
Bart, J., 536 (r)  
Battalio, J., 265 (r)  
Baudinette, R. V., 409 (r)  
Baumgartner, F. M., 414 (r)  
Beasley, B. A., 125 (r)  
Bech, C., 409 (r)  
Beissinger, S. R., 171-177  
Belik, V. P. 128 (r)  
Bell, M. V., 413 (r)  
Bellocq, M. I., 406 (r)  
Bennett, A. J., 60-67  
Bensch, S., 541 (r)  
Benvenuti, S., 399-400 (r)  
Best, L. B., 531 (r)  
Białowieskiej, P. P., 127 (r)  
Bibby, C., 541 (r)  
Bieback, H., 537 (r)  
Bird, D. M., 284-285 (r), 405 (r)  
Black, J. M., 405 (r)  
Blake, J. G., 86-88, 178-189  
Blokpoel, H., 402-403 (r), 407-408 (r), 412 (r), 529-530 (r)  
Bloom, P. H., 380-381  
Boellstorff, 532-533 (r)  
Boone, R. B., 315-322  
Bourne, W. R. P., 275 (r)  
Bowman, R., 284-285 (r)  
Boxall, P. C., 20-29  
Boyer, H. J., 121 (r)  
Bray, M. P., 277 (r)  
Brean, S. E., 129 (r)  
Bretagnolle, V., 268-269 (r)  
Briskie, J. V., 224-229  
Brooke, M. de L., 542 (r)  
Brooke, R. K., 127 (r)  
Brown, C. R., 272-273 (r), 414-415 (r)  
Brown, M. B., 414-415 (r)  
Brown, P. W., 133-136  
Brunton, D. H., 267 (r)  
Brush, A. H., 361-368  
Bryan, A. L., Jr., 125 (r)  
Bull, E. L., 529 (r), 538 (r)  
Bull, J., 129 (r)  
Bush, M., 39-42  
Cadman, M. D., 412 (r)  
Cain, B., 407-408 (r)  
Campo, J. J., 130 (r)  
Carr, C. E., 408 (r)  
Carroll, J. P., 122 (r)  
Carroll, J. R., 131-132 (r), 530 (r)  
Cave, A. J., 540 (r)

- Cezilly, F., 277 (r)  
 Chantrey, D. F., 267-268 (r)  
 Christensen, S., 132 (r)  
 Chu, D. S., 529 (r)  
 Clark, W. S., 380-381  
 Claus, D. B., 270 (r)  
 Clausen, P., 279 (r)  
 Clayton, N. S., 543 (r)  
 Coffey, B. B., Jr., 131 (r), 279-280 (r)  
 Cohen, R. R., 397-398  
 Coleman, J. S., 197-208  
 Coleman, R. M., 403 (r)  
 Collier, B., 230-240  
 Collopy, M. W., 43-51, 271-272 (r)  
 Conant, S., 539 (r)  
 Conway, G. L., 408 (r)  
 Cooke, R. C., 39-42  
 Coppinger, M. P., 266-267 (r)  
 Coulter, M. C., 125 (r)  
 Cowie, R., 407 (r)  
 Cranford, J. A., 542-543 (r)  
 Creighton, P. D., 323-328  
 Cromartie, E., 270-271 (r)  
 Curio, E., 530-531 (r)  
 Custer, T. W., 270-271 (r), 407-408 (r)  
 Daan, S., 540 (r)  
 Daub, B. C., 305-311  
 Davidson, P. M., 414 (r)  
 Davies, A. K., 414 (r), 538 (r)  
 Davis, D. S., 162-167  
 Davis, L. S., 416 (r)  
 Davis, W. H., 270 (r)  
 Davis, W. M., 270 (r), 400 (r)  
 Dawkins, R. C., 273-274 (r)  
 De Frank, M. P., 129 (r)  
 de Kock, A. C., 539 (r)  
 Derleth, E. L., 120 (r)  
 Derting, T. L., 542-543 (r)  
 Dijkstra, C., 540 (r)  
 Dobos, R. Z., 412 (r)  
 Doig, V., 531 (r)  
 Drennan, D. J., 270 (r)  
 Duccy, J., 121 (r)  
 Duffy, D. C., 417 (r)  
 Dufty, A. M., Jr., 272 (r)  
 Dunbar, J., 413 (r)  
 Duncan, J. R., 405 (r)  
 Durocher, P. P., 130 (r)  
 Dusi, J. L., 407-408 (r)  
 Dwyer, T. J., 120 (r)  
 Earle, R. A., 532 (r), 542 (r)  
 Eden, S. F., 404-405 (r)  
 Edwards, T. C., Jr., 43-51  
 Eens, M., 535 (r)  
 Eliason, B. C., 531 (r)  
 Elkins, N., 274 (r)  
 Emlen, S. T., 405 (r)  
 Escobar, M. E., 459-468  
 Estes, J. A., 122-123 (r)  
 Evers, D. C., 126 (r)  
 Every, B., 530 (r)  
 Faaborg, J., 1-11  
 Fall, B. A., 531 (r)  
 Fancher, J. M., 350-357  
 Fedynich, A. M., 123 (r), 168-170  
 Feinsinger, P., 415-416 (r)  
 Ferguson, J. W. H., 279 (r)  
 Fernandez, J., 329-339  
 Fiaschi, V., 399-400 (r)  
 Ficken, M. S., 52-55  
 Finney, G. H., 94-101  
 Fitzpatrick, L. C., 400 (r)  
 Fivizzani, A. J., Jr., 312-314  
 Foppen, R. P. B., 540 (r)  
 Forbes, L. S., 277-278 (r)  
 Foster, M. S., 459-468  
 Fox, A. D., 274 (r), 541-542 (r)  
 Fraga, R. M., 289-295  
 Francis, C. M., 495-503  
 Fraser, J. D., 197-208  
 Fraser, M. W., 382-387, 413 (r)  
 Fraser, W. R., 270 (r)  
 Freeman, S., 265 (r)  
 Fullagar, P. J., 414 (r)  
 Fuller, M. R., 171-177  
 Fulton, J. T., 270 (r)  
 Furness, R., 406 (r)  
 Futch, A. G., 469-494  
 Gabrielsen, G. W., 409 (r)  
 Gagliardo, A., 399-400 (r)  
 Gartshore, M. E., 412 (r)  
 Gates, J. E., 403 (r)  
 Genero, F., 128 (r)  
 Glen, N. W., 402 (r)  
 Glynn, C., 268 (r)  
 Godfrey, R. D., Jr., 123 (r), 168-170  
 Godine, D. R., 281-282 (r)  
 Gonzalez, J. L., 369-379  
 Gonzalez, L. M., 369-379  
 Gonzalez, U., 410 (r)  
 Goodman, S. M., 540-541 (r)  
 Goossen, J. P., 36-38  
 Gordijn, M., 537 (r)  
 Gory, G., 122 (r)  
 Grady, F. V., 129 (r)  
 Gratson, M. W., 535 (r)  
 Greenlaw, J. S., 102-103  
 Grubac, B., 128 (r)  
 Guerra, C. G., 400 (r)  
 Gunther, B., 410 (r)  
 Gutierrez, M. C., 543 (r)  
 Gutreuter, S. J., 130 (r)  
 Haag, D., 401 (r)  
 Haftorn, S., 272 (r)

- Hagan, J. M., 531 (r)  
 Hagerman, D., 122 (r)  
 Haila, Y., 269 (r)  
 Hallock, D., 126 (r)  
 Hamilton, L. D., 266 (r)  
 Hammons, R. L., 409 (r)  
 Hardy, J. W., 131 (r), 279–280 (r)  
 Harger, C. S., 537–538 (r)  
 Harger, H. E., 537–538 (r)  
 Harlow, R. F., 266 (r)  
 Harrington, B. A., 271 (r)  
 Hasselquist, D., 541 (r)  
 Hauri, R., 413 (r)  
 Hedenstrom, 541 (r)  
 Hegner, R. E., 272 (r)  
 Heinrich, B., 417 (r)  
 Henjum, M. G., 529 (r), 538 (r)  
 Heredia, B., 369–379  
 Herholdt, J. J., 127 (r), 532 (r), 542 (r)  
 Hess, R., 413 (r)  
 Hestbeck, J. B., 529 (r)  
 Hicklin, P. W., 94–101  
 Hiebert, S. M., 418 (r), 543 (r)  
 Hill, G. E., 531 (r)  
 Hill, S. R., 403 (r)  
 Hinsley, S., 407 (r)  
 Hobson, K. A., 224–229  
 Hodgson, M. E., 125 (r)  
 Hollom, P. A. D., 132 (r)  
 Hooper, R. G., 266 (r)  
 Horn, A. G., 404–405 (r)  
 Hounsell, R. G., 94–101  
 Houston, C. S., 133–136, 397–398  
 Houston, M. I., 397–398  
 Howell, S. N. G., 504–509  
 Howells, W., 128 (r)  
 Hsu, M., 265–266 (r)  
 Hudon, J., 361–368  
 Hughes, M. R., 408 (r), 409 (r)  
 Hulshcer, J. B., 130 (r)  
 Humpert, M. J., 265–266 (r)  
 Hunter, L. A., 266 (r)  
 Huntington, C. E., 410 (r)  
 Hurlbert, S. H., 269 (r)  
 Ioale, P., 399 (r)  
 Ishida, K., 410 (r)  
 Jaksic, F. M., 416 (r), 538 (r)  
 James, R. A., Jr., 358–360  
 James, R. D., 417 (r)  
 Jenkins, M. A., 271–272 (r)  
 Jensen, J. R., 125 (r)  
 Jimenez, J. E., 538 (r)  
 Joern, A., 130 (r)  
 Johnson, K., 276 (r)  
 Johnson, S. G., 276 (r)  
 Johnston, R. F., 276 (r)  
 Joseph, L., 411 (r)  
 Juutilainen, J., 269 (r)  
 Kamada, T., 417 (r)  
 Karlsen, H. E., 409 (r)  
 Kaufmann, G., 122 (r)  
 Kawaji, N., 399 (r)  
 Kazama, T., 411 (r)  
 Kehoe, F. P., 133–136  
 Kelt, D. A., 416 (r)  
 Kepler, C. B., 280–281 (r)  
 Ketterson, E. D., 401 (r), 536–537 (r)  
 Kinnear, P., 400 (r)  
 Kirby, J. S., 401 (r)  
 Klages, N., 417 (r)  
 Klages, N. T., 542 (r)  
 Klebenow, D. A., 277 (r)  
 Klimkiewicz, M. K., 469–494  
 Knox, A. G., 542 (r)  
 Kokhlov, A. N., 127 (r)  
 Komen, J., 127 (r)  
 Komers, P. E., 405–406 (r)  
 Konishi, M., 408 (r)  
 Korpimaki, E., 264 (r), 533 (r)  
 Krannitz, P. G., 216–223  
 Krebs, J. R., 537 (r)  
 Kress, S. W., 248–250, 407–408 (r)  
 Kuethe, D. O., 408 (r)  
 Kushlan, J. A., 407–408 (r)  
 Lagerstrom, M., 264 (r)  
 Lambie, D. R., 340–349  
 Lamey, T. C., 267 (r)  
 Lane, W. H., 273 (r)  
 Lank, D. B., 154–161  
 L'Arrivee, L., 529–530 (r)  
 LaRue, C., 127 (r)  
 Lederer, W., 125 (r)  
 Lein, M. R., 20–29  
 Lennartz, M. R., 266 (r)  
 Leonard, M. L., 404–405 (r)  
 Levey, D. J., 265 (r)  
 Light, D. S., 251–258  
 Lindstrom, A., 273 (r), 541 (r)  
 Loayza, W., 269 (r)  
 Loiselle, B. A., 86–88  
 Lok, C. M., 130 (r)  
 Lombardo, M. P., 68–72  
 Longcore, J. R., 112–119, 251–258  
 Lopez H., N. E., 459–468  
 Losito, M. P., 388–396  
 Loske, K.-H., 125 (r)  
 Louw, S., 542 (r)  
 Lovejoy, T. E., 271 (r)  
 Lowe, R. W., 270–271 (r)  
 Ludvig, E., 415 (r)  
 Lundberg, A., 268 (r)  
 Luthin, C. S., 124–125 (r)  
 L'vov, O., 123 (r)  
 Lyon, B. E., 266 (r)

- McAuley, D. G., 112-119, 120 (r), 251-258  
 McCabe, R. A., 418-419 (r)  
 McClure, H. E., 421-450  
 McComb, W., 270 (r)  
 McDonald, M. E., 539-540 (r)  
 McIlquham, C. J., 84-85  
 McIntyre, J. W., 543-544 (r)  
 McKinley, D., 411 (r)  
 McLean, I. G., 403 (r)  
 McNair, D. B., 276-277 (r), 413-414 (r)  
 McPeck, G. A., 126 (r)  
 Mace, R., 535-536 (r)  
 Mackey, H. E., Jr., 125 (r)  
 MacKrill, E. J., 275 (r)  
 Maclean, G. L., 266-267 (r)  
 Madden, D. E., 273-274 (r)  
 Mason, D. J., 86-88  
 Massey, B. W., 350-357  
 Maxwell, T. C., 12-19, 273-274 (r)  
 May-Rautenberg, B., 409 (r)  
 Meanley, B., 532 (r)  
 Meek, E., 400 (r)  
 Mehlum, F., 409 (r)  
 Meijer, T., 540 (r)  
 Mendelsohn, J. M., 542 (r)  
 Meredith, C. W., 414 (r)  
 Mesecar, R. S., III, 315-322  
 Meserve, P. L., 416 (r)  
 Middleton, A. L. A., 340-349  
 Miranda, P., 415 (r)  
 Mirarchi, R. E., 388-396  
 Mitchell, J. R., 401 (r)  
 Mock, D. W., 267 (r)  
 Moermond, T. C., 86-88  
 Moksnes, A., 535 (r)  
 Moldenhauer, R. R., 408 (r), 409 (r)  
 Moller, A. P., 402 (r)  
 Monroe, B. L., Jr., 282-283 (r)  
 Montevicchi, W. A., 283-284 (r)  
 Montgomerie, R. D., 266 (r)  
 Moreno, T., 269 (r)  
 Morgado, E., 410 (r)  
 Morrison, R. I. G., 271 (r)  
 Moser, M. E., 401 (r)  
 Mullarney, K., 414 (r)  
 Muller, W., 413 (r)  
 Muramatsu, T., 409 (r)  
 Murata, K., 410 (r)  
 Murphy, R. K., 535 (r)  
 Murray, B. G., Jr., 536 (r)  
 Myers, J. P., 271 (r)  
 Narodowym, P., 121 (r)  
 Nievergelt, B., 413 (r)  
 Nilsson, J.-A., 273 (r)  
 Nolan, V., Jr., 401 (r), 536-537 (r)  
 North, M. R., 296-304  
 Nowicki, S., 418 (r)  
 Nur, N., 534 (r)  
 Oatley, T. B., 264 (r)  
 Ohanjanian, I. A., 143-153  
 Ohlendorf, H. M., 270-271 (r), 532 (r)  
 Okumura, H., 417 (r)  
 Okumura, J., 409 (r)  
 Oliphant, L. W., 380-381  
 Olson, S. L., 129 (r)  
 O'Neill, E. J., 532-533 (r)  
 Oring, L. W., 312-314  
 Ouchley, K., 406 (r)  
 Owen, M., 405 (r)  
 Paganelli, C. V., 410-411 (r)  
 Palmer, K. H., 412-413 (r)  
 Palmer-Ball, B. L., Jr., 282-283 (r)  
 Pape, F., 399 (r)  
 Parker, K. E., 124 (r)  
 Parkin, J., 413 (r)  
 Parnell, J. F., 407-408 (r)  
 Paterson, A. M., 275 (r)  
 Pearson, D. J., 275-276 (r)  
 Pedersen, H. C., 268 (r)  
 Pennington, M. G., 412 (r)  
 Perrin, M. R., 542 (r)  
 Perrins, C. M., 402 (r)  
 Perritt, J. E., 531 (r)  
 Perry, K. W., 282 (r)  
 Petit, D. R., 241-247  
 Phillips, A. R., 283 (r)  
 Pickett, P. E., 312-314  
 Picman, J., 190-196  
 Piersma, T., 532 (r)  
 Pinxten, R., 535 (r)  
 Piper, W. H., 73-83  
 Podolsky, R. H., 248-250  
 Porter, R. F., 132 (r)  
 Post, W., 102-103  
 Power, D., 533 (r)  
 Powlesland, R. G., 120-121 (r)  
 Pregill, G. K., 129 (r)  
 Prescott, D. R. C., 340-349  
 Preston, C. R., 537-538 (r)  
 Prestrud, K., 264 (r)  
 Purrington, R. D., 411 (r)  
 Rahn, H., 410-411 (r)  
 Ramenofsky, M., 272 (r)  
 Rammesmayr, M. A. M., 264 (r)  
 Ramos, M. A., 283 (r)  
 Rautenberg, W., 409 (r)  
 Redig, P., 402 (r)  
 Reville, R., 123-124 (r)  
 Reynard, G. B., 279-280 (r)  
 Richner, H., 137-142  
 Riddiford, N., 542 (r)  
 Riedman, M. L., 122-123 (r)  
 Rigney, M., 270-271 (r)  
 Roberts, J. T. R., 409 (r)

- Robertson, H. A., 120-121 (r)  
 Rogers, C. M., 536-537 (r)  
 Rohweder, R. S., 529 (r), 538 (r)  
 Rosenfield, R. N., 535 (r)  
 Roskaf, E., 535 (r)  
 Rozzi, R., 415 (r)  
 Ryan, M. R., 296-304  
 Ryan, P. G., 411-412 (r), 413 (r)  
 Saali, K., 269 (r)  
 Sabag, C., 415 (r)  
 Sada, A. M., 283 (r)  
 Sadlier, R. M. F. S., 416 (r)  
 Sallaberry, M., 271 (r)  
 Salmon, D., 541-542 (r)  
 Sato, T., 417 (r)  
 Savage, T. F., 129 (r)  
 Schluter, D., 278-279 (r)  
 Schnase, J. L., 12-19  
 Schoenmaker, S., 120 (r)  
 Sealy, S. G., 89-93, 224-229  
 Seddon, P., 451-458  
 Senner, S. E., 271 (r)  
 Sepik, G. F., 120 (r), 251-258  
 Septon, G., 209-210  
 Shadrick, E. J., 416 (r)  
 Sherrod, S. K., 271-272 (r)  
 Sibley, F., 121 (r)  
 Siegel-Causey, D., 276 (r)  
 Silson, R. G., 129 (r)  
 Simmons, R. E., 404 (r)  
 Simonetti, J. A., 416 (r)  
 Simons, T., 271-272 (r)  
 Slotow, R. H., 542 (r)  
 Smallwood, J. A., 510-519  
 Smith, B., 402-403 (r)  
 Smith, G. E. J., 533 (r)  
 Smith, J. P., 129 (r)  
 Smith, R. J., 56-59  
 Smith, S. M., 403-404 (r)  
 Smith, T. B., 56-59  
 Snyder, N. F. R., 171-177, 280-281 (r)  
 Solheim, R., 264 (r)  
 Sonerud, G. A., 264 (r)  
 Sorenson, M. D., 523-528  
 Southern, W. E., 407-408 (r)  
 Spearpoint, J. A., 530 (r)  
 St. Louis, V. L., 211-215  
 Stamm, A. L., 282-283 (r)  
 Steadman, D. W., 129 (r)  
 Stedman, S. J., 259-263, 411 (r)  
 Stenzel, L. E., 407-408 (r)  
 Stoddard, P. K., 418 (r), 543 (r)  
 Stokes, T., 127 (r)  
 Storer, R. W., 540-541 (r)  
 Struger, J., 412 (r)  
 Stutheit, R. G., 128-129 (r)  
 Summers-Smith, J. D., 530 (r)  
 Suzuki, T., 410 (r)  
 Sweeney, J. R., 538-539 (r)  
 Sweerts, J.-P. R. A., 211-215  
 Taoka, M., 417 (r)  
 Tarak, A., 271 (r)  
 Tasaki, I., 409 (r)  
 Temrin, H., 534 (r)  
 Theimer, T. L., 536-537 (r)  
 Thompson, B., 130 (r)  
 Thompson, B. C., 407-408 (r)  
 Thompson, D. B. A., 267 (r)  
 Thorpe, J. P., 274-275 (r)  
 Toft, S., 279 (r)  
 Tollan, A. M., 540 (r)  
 Tordoff, H., 402 (r)  
 Tornes, A., 536 (r)  
 Torok, J., 415 (r)  
 Tostain, O., 30-35  
 Tranter, J., 123-124 (r)  
 Tuck, L. M., 283-284 (r)  
 Tye, A., 278 (r)  
 Underhill, L. G., 382-387, 530 (r)  
 Van Elsacker, L., 535 (r)  
 van Heezik, Y., 416 (r), 451-458  
 Van Tets, G. F., 414 (r)  
 Varza, D., 121 (r)  
 Venables, B. J., 400 (r)  
 Verheyen, R., 535 (r)  
 Vermeer, K., 533 (r)  
 Visser, J., 541 (r)  
 Waide, R. B., 329-339  
 Wallace, G. E., 230-240  
 Wallace, J., 277 (r)  
 Wallraff, H. G., 409-410 (r)  
 Walsberg, G. E., 408 (r)  
 Walters, J. R., 531 (r)  
 Walton, R. K., 281-282 (r)  
 Wanless, S., 127 (r), 400 (r)  
 Ward, G. D., 416-417 (r)  
 Watanuki, Y., 415 (r)  
 Watkins, B. P., 411-412 (r), 413 (r), 542 (r)  
 Watling, D., 411 (r)  
 Weisheit, A. S., 323-328  
 Weseloh, D. V. C., 412 (r)  
 Whittall, R. D., 403 (r)  
 Wiley, J. W., 280-281 (r)  
 Wiley, R. H., 73-83  
 Williams, G. D., 266-267 (r)  
 Willis, I., 132 (r)  
 Wilson, M. P., 417 (r)  
 Wilson, M.-P. T., 104-108  
 Wilson, R. P., 104-108, 417 (r)  
 Wingfield, J. C., 272 (r)  
 With, K. A., 265 (r)  
 Wolf, L., 401 (r)  
 Wolinski, R. A., 126 (r)

- Wood, D. S., 495-503  
Workman, L., 267-268 (r)  
Worthy, T. H., 414 (r)  
Wrege, P. H., 405 (r)  
Wunderle, J. M., Jr., 329-339  
Yalden, D., 539 (r)  
Yalden, P., 539 (r)  
Yasufuku, M., 410 (r)  
Ydenberg, R. C., 277-278 (r)  
Yesou, P., 275 (r)  
Yorkston, H., 123-124 (r)  
Yoshitake, W., 410 (r)  
Zabolotnyi, N. L., 127 (r)  
Zar, J. H., 520-522  
Zicus, M. C., 109-111

## Subject/Geographic Index

The subject/geographic index includes entries for states, provinces of Canada, countries other than the United States and Canada, and some specific localities (e.g., Fair Isle); entries under the same headings used to categorize reviews; and a few additional headings that reflect specific topics (e.g., techniques). Since reviews are arranged by subject and cross-referenced within the review sections of the Journal, they are indexed by geographic location only.

- Africa, 120, 124-125, 127, 132, 266-267
- Alabama, 270, 388-396
- Alaska, 122-123, 271, 296-304
- Alberta, 20-29, 130
- Algeria, 529
- America, 124-125
- Antarctica, 268-269, 270, 411-412, 416
- Antigua, 129
- Argentina, 406, 416
- Arizona, 52-55, 265
- Arkansas, 537-538
- Asia, 124-125, 399
- Australia, 409
- Austria, 399
- banding and longevity
  - age determination, 510-519
  - age ratio, 340-349
  - juvenile dispersal, 369-379
  - laparoscopy, 137-142
  - longevity, 133-136, 469-494
  - natal site, 397-398
  - nest desertion, 68-72
  - physical variation, 1-11
  - polymorphism, 73-83
  - recapture, 168-170
  - sex ratio, 340-349
  - survival, 171-177
  - trap for shorebirds, 92-101
  - waterfowl enclosure, 162-167
- behavior
  - activity budget, 43-51, 388-396
  - egg turning, 315-322
  - food flights, 143-153
  - mate feeding, 358-360
  - mobbing calls, 52-55
  - nectar defense, 89-93
  - nesting, 459-468
  - nesting colonies, 289-295
  - nest interference, 323-328
  - piracy, 380-381
  - roosting, 36-38
  - territoriality, 43-51
  - winter activity, 20-29, 305-311
- Belgium, 535
- Brazil, 216-223, 411
- British Columbia, 143-153, 277-278, 418, 533
- California, 122-123, 270, 350-357, 358-360, 421-430, 431-450, 529-530, 532-533
- Caribbean, 529
- Central America, 529
- Chile, 400, 410, 416, 417, 538
- China, 410
- Christmas Island, 123-124, 127
- Colombia, 529
- Colorado, 126
- Connecticut, 121
- conservation and environmental quality
  - Campeche Bank, Mexico, 504-510
  - debris in nests, 248-250
  - Jobos Bay, Puerto Rico, 329-339
  - nest site, 112-119, 296-304
  - Okefenokee, Georgia, 60-67
- Costa Rica, 86-88, 265, 266, 289-295
- Delaware, 271
- Denmark, 279
- ecology
  - birds of forest undergrowth, 178-189
  - habitat preference, 60-67
  - habitat use, 241-247
  - nest interference, 323-328
  - nest site, 30-35, 289-295, 296-304
  - winter activity, 20-29
- England, 402, 538
- Europe, 120, 124-125
- Fair Isle, 542
- Fiji, 411
- Finland, 264
- Florida, 102-103, 171-177, 271-272
- food and feeding
  - choking, 209-210
  - dietary basis of color, 361-368
  - food flights, 143-153
  - mate feeding, 358-360
  - nectar defense, 89-93
  - piracy, 380-381
  - seed hardness, measurement, 56-59
  - stomach sampling, 451-458
  - winter foraging, 20-29, 305-311
- France, 122
- French Guiana, 30-35
- Galapagos Islands, 278
- Georgia, 60-67, 125
- Germany, 264

- Great Britain, 274, 401, 402, 414, 530, 541–542
- Great Lakes, 529–530
- Hawaii, 539
- Idaho, 43–51
- India, 399
- Iowa, 531
- Ireland, 274, 282, 402, 541–542
- Isle of Man, 274
- Isle of May, 400
- Italy, 128, 399
- Japan, 399, 411, 415, 417
- Kentucky, 270, 282–283
- Kenya, 278
- Lord Howe Island, 414
- Louisiana, 399, 406, 411
- Maine, 112–119, 120, 248–250, 251–258, 417
- Manitoba, 89–93, 130, 224–229
- Maryland, 162–167, 323–328, 403
- Mexico, 283, 380–381, 504–510
- Michigan, 126
- Middle East, 132, 540–541
- migration, orientation, and homing
  - altitudinal migration, 86–88
  - distance, direction along great circle route, 520–522
  - homing, 168–170
  - nectar defense, 89–93
  - phalaropes, Panama, 39–42
  - tidally-induced departure, 154–161
- Minnesota, 109–111, 130, 273, 312–314, 402, 523–529, 531
- Mississippi, 265, 270
- Montana, 130
- morphology and anatomy
  - variation in measurements, 1–11
- Nebraska, 121, 128–129
- nesting and reproduction
  - activity budget, 43–51
  - colony size, 289–295
  - debris in nests, 248–250
  - eggshell puncture resistance, 190–196
  - food flights, 143–153
  - intraspecific brood parasitism, 224–229
  - natal site defined, 397–398
  - nest box trap, 109–111
  - nest desertion, 68–72
  - nest interference, 323–328
  - nest monitor, 251–258
  - nest site, 30–35, 289–295, 296–304
  - nesting behavior, 112–119, 216–223, 312–314, 459–468
  - nestling growth, 197–208
  - re-nesting, 350–357
  - survival, 171–177
  - telemetric egg, 315–322
  - toe-nail clipping, 211–215
  - unusual nest, 84–85
- Netherlands, 130
- Nevada, 122, 277
- New Brunswick, 94–101, 154–161, 271
- New England, 281–282
- New Hampshire, 544
- New York, 68–72, 124, 131–132, 530
- New Zealand, 120–121, 403, 451–458, 530–531
- Newfoundland, 283–284
- Norfolk Island, 414
- North Carolina, 73–83, 162–167, 276, 413–414, 531, 532
- North Dakota, 130
- Norway, 268, 534, 535
- Nova Scotia, 271
- Ohio, 241–247, 265
- Oklahoma, 414
- Ontario, 211–215, 230–240, 340–349, 402–403
- Oregon, 529, 532–533, 538
- Panama, 39–42, 172–189
- Paraguay, 459–468
- parasites and diseases
  - epizootic lesions, 421–430
  - feather mites, 431–450
  - intraspecific brood parasitism, 224–229
- Pennsylvania, 197–208, 495–503
- Peru, 269
- plumages and molts
  - age determination, 510–519
  - color variant, 361–368
  - feather mites, 431–450
  - polymorphism, 73–83
  - rectrix wear, 230–240
  - wing length, 495–503
- Poland, 121, 127, 264
- population dynamics
  - age ratio, 340–349
  - estimating population size, 382–387
  - longevity, 469–494
  - sex ratio, 259–263, 340–349
- Puerto Rico, 1–11, 280–281, 329–339
- Rhode Island, 305–311
- Russia, 123, 127, 128
- songs and vocalizations
  - individual variation, 12–19
  - mobbing calls, 42–55
- South Africa, 104–108, 121, 278, 279, 382–387, 530, 542
- South America, 415
- South Carolina, 266
- South Dakota, 130
- Spain, 369–379, 540
- Sweden, 533–534, 541
- Switzerland, 137–142, 401



## techniques

- age determination, 197-208, 230-240, 510-519
  - anti-predator barriers, 102-103
  - determining sex ratios, 259-263
  - distance, direction along great circle route, 520-522
  - eggshell puncture resistance, 190-196
  - estimating population size, 382-387
  - identification by song pattern, 12-19
  - laparoscopy, 137-142
  - measurement variation, 1-11
  - neck collar radio, 523-529
  - nest box trap, 109-111
  - nest monitor, 251-258
  - peck recorder, 104-108
  - seed hardness, 56-59
  - shorebird trap, 94-101
  - solar radio-transmitters, 171-177
  - stomach sampling, 451-458
  - telemetric egg, 315-322
  - time-activity techniques, 388-396
  - toe-nail clipping, 211-215
  - waterfowl enclosure, 162-167
  - wing length, 495-503
- Tennessee, 259-263, 411
- Texas, 12-19, 123, 130, 168-170, 209-210, 273-274
- Utah, 127
- Venezuela, 36-38, 529
- Vermont, 417
- Washington, 271, 529-530
- wildlife management and economic ornithology
  - breeding by captive-reared Spotted Sandpiper, 312-314
  - determining sex ratio, 259-263
  - neck collar radio, 523-529
  - Sandhill Cranes, Georgia, 60-67
  - waterfowl enclosure, 162-167
- Wisconsin, 84-85, 418-419, 535
- Yugoslavia, 128
- Zambia, 125
- Zimbabwe, 264
- zoogeography and distribution
  - Campeche Bank, Mexico, 504-510
  - Jobos Bay, Puerto Rico, 320-339
  - juvenile dispersal, 369-379
  - natal site defined, 397-398
  - phalaropes, Panama, 39-42
  - Resplendent Quetzal, low altitude, 86-88
  - San Blas, Panama, 178-189
  - Sandhill Crane distribution, 60-67

## Taxonomic Index

The following taxonomic index includes entries for common and scientific names of birds given in papers, notes, and reviews.

- Accipiter cooperii*, 52, 469–494, 501, 535  
*A. gentilis*, 273, 282–283, 469–494  
*A. nisus*, 49, 203, 273, 501  
*A. striatus*, 429, 501, 504, 506  
*Acrocephalus arundinaceus*, 275–276, 534  
*A. a. griseldis*, 275–276  
*A. schoenobaenus*, 125  
*A. scirpaceus*, 496  
*Actitis macularia*, 312, 334  
 Adjutant, Greater, see *Leptoptilos dubius*  
   Lesser, see *L. javanicus*  
*Aechmophorus clarkii*, 359  
*A. occidentalis*, 123, 152, 277–278, 358, 469–494  
*Aegihalos caudatus*, 402  
*Aegolius acadicus*, 469–494  
*A. funereus*, 264, 273, 533  
*Agelaius phoeniceus*, 132, 195, 431–450  
*A. tricolor*, 227  
*Aimophila aestivalis*, 532  
*A. cassinii*, 12, 19  
*A. ruficeps*, 431–450  
*Aix galericulata*, 414, 538  
*A. sponsa*, 84, 111, 469–494, 523  
 Albatross, Black-browed, see *Diomedea melanophris*  
   Grey-headed, see *D. chrysostoma*  
   Shy, see *D. cauta*  
*Alca torda*, 400, 469–494  
*Alopias vulpinus*, 458  
 Amakihi, Common, see *Hemignathus virens*  
*Amazilia tzacatl*, 189  
 Amazon, Jamaican Black-billed, see *Amazilia agilis*  
*Amazona agilis*, 280–281  
*A. ventralis*, 280–281  
*A. vittata*, 280–281  
*Ammodramus leconteii*, 273–274  
*A. maritimus*, 102, 469–494  
*A. savannarum*, 130  
*Amphispiza belli*, 431–450  
*Anas acuta*, 123, 168, 469–494  
*A. americana*, 123  
*A. crecca*, 123, 168  
*A. discors*, 469–494, 506  
*A. platyrhynchos*, 84, 123, 168, 318, 349, 525, 529  
*A. rubripes*, 166  
*A. sparsa*, 525  
*A. strepera*, 166, 168, 274, 469–494, 541  
*A. wyvilliana*, 469–494  
 Anhinga, see *Anhinga anhinga*  
*Anhinga anhinga*, 531  
 Ani, Groovebilled, see *Crotophaga sulcirostris*  
*Anous minutus*, 469–494  
*A. stolidus*, 508  
*Anser albifrons frontalis*, 166  
*A. anser*, 413  
*A. caerulescens atlantica*, 166  
*A. canagicus*, 166  
*A. erythropus*, 469–494  
*A. fabalis*, 413  
 Antbird, Bicolored, see *Gymnophithys leucaspis*  
*Anthus godlewskii*, 542  
*A. pratensis*, 535  
*A. trivialis*, 412  
 Antshrike, Speckled (Spiny-faced) see *Xenornis setifrons*  
*Aphelocoma coerulescens*, 431–450  
*A. ultramarina*, 469–494  
*Aptenodytes patagonicus*, 457  
*Apus apus*, 122  
*Aquila adalberti*, 369–370, 377  
*A. audax*, 375, 379  
*A. chrysaetos*, 43, 128, 375, 469–494  
*Archilochus colubris*, 89–90, 469–494  
*Ardea herodias*, 267, 270–271, 506  
*Arenaria interpres*, 99, 271, 334, 506, 532  
*Asio flammeus*, 126  
*Athene cunicularia*, 129, 406, 416  
*Atlapetes atricapillus*, 189  
*Attila spadiceus*, 189  
 Auk, Razorbilled, see *Alca torda*  
 Auklet, Cassin's, see *Ptychoramphus aleuticus*  
   Rhinoceros, see *Cerorhinca monocerata*  
*Aulacorhynchus prasinus*, 186  
*Automolus ochrolaemus*, 189  
*A. rubiginosus*, 189  
 Avocet, American, see *Recurvirostra americana*  
*Aythya affinis*, 209–210  
*A. americana*, 84, 166, 349, 523  
*A. collaris*, 112, 119, 469–494  
*A. valisineria*, 84, 340, 349, 469–494, 523  
*Balaeniceps rex*, 124  
 Bananaquit, see *Coereba flaveola*  
 Barbtail, Spotted, see *Premnoplex brunneus*  
*Bartramia longicauda*, 126, 506  
*Baryphthengus ruficapillus*, 189  
*Basileuterus tristriatus*, 189  
 Bee-eater, White-fronted, see *Merops bullockoides*

- Bittern, Least, see *Ixobrychus exilis*  
 Blackbird, see *Turdus merula*  
 Brewer's, see *Euphagus cyanocephalus*  
 Red-winged, see *Agelaius phoeniceus*  
 Tricolored, see *A. tricolor*  
 Yellow-headed, see *Xanthocephalus xanthocephalus*  
 Bluebird, Eastern, see *Sialia sialis*  
   Mountain, see *S. currucoides*  
   Western, see *S. mexicana*  
 Bobolink, see *Dolichonyx oryzivorus*  
*Bombycilla cedrorum*, 361, 431-450  
*B. japonica*, 361-362  
*Bonasa umbellus*, 319, 389, 469-494  
 Booby, Abbott's see *Sula abbotti*  
 Brown, see *S. leucogaster*  
   Masked, see *S. dactylatra*  
 Brant, Atlantic, see *Branta bernicla hrota*  
   Black, see *B. b. nigricans*  
*Branta bernicla hrota*, 166, 469-494  
*B. b. nigricans*, 469-494  
*B. canadensis*, 28, 84, 166, 469-494  
*B. leucopsis*, 405  
 Brilliant, Green-crowned, see *Heliodoxa jacula*  
*Bubo bubo*, 413  
*B. virginianus*, 469-494  
*Bubulcus ibis*, 506  
*Bucephala clangula*, 109  
 Bullfinch, Eurasian, see *Pyrrhula pyrrhula*  
   Lesser Antillean, see *Loxigilla noctis*  
   Puerto Rican, see *L. portoricensis*  
 Bunting, Indigo, see *Passerina cyanea*  
   Lazuli, see *P. amoena*  
   Snow, see *Plectrophenax nivalis*  
 Bustard, Ludwig's, see *Neotis ludwigii*  
   Stanley's, see *N. denhami*  
*Buteo jamaicensis*, 204, 263, 270, 469-494  
*B. lineatus*, 126, 417, 537  
*B. platypterus*, 203, 265, 417, 469-494  
*Buthraupis arcaeae*, 189  
*Butorides striatus*, 506  
*Calidris alba*, 99, 160, 271, 334, 469-494, 501, 506  
*C. alpina*, 401, 469-494, 532  
*C. bairdii*, 99  
*C. canutus*, 126, 271, 334, 401, 469-494, 496, 532  
*C. fuscicollis*, 99, 335  
*C. himantopus*, 41, 335, 469-494  
*C. mauri*, 99, 332, 335, 506  
*C. melanotos*, 335, 469-494  
*C. minutilla*, 99, 101, 335, 469-494, 506  
*C. ptilocnemis*, 469-494  
*C. pusilla*, 94, 101, 154-155, 161, 332, 334, 469-494  
*Callipepla californica*, 431-450  
*Calypte anna*, 469-494  
*Campophylus haematogaster*, 189  
*Camptostoma imberbe*, 469-494  
 Canvasback, see *Aythya valisineria*  
*Caprimulgus carolinensis*, 506  
 Caracara, Crested, see *Polyborus plancus*  
 Cardinal, Northern, see *Cardinalis cardinalis*  
*Cardinalis cardinalis*, 126  
*Carduelis carduelis*, 413  
*C. flammea*, 542  
*C. hornemanni*, 469-494, 542  
*C. psaltria*, 431-450  
*C. tristis*, 340-341, 349, 431-450, 469-494  
*Carpodacus mexicanus*, 421, 429, 431-450, 469-494  
*Casmerodius albus*, 126, 267, 381, 506  
 Catbird, Gray, see *Dumetella carolinensis*  
*Cathartes aura*, 197, 204  
*Catharus* sp. 507  
*C. fuscater*, 189  
*C. fuscescens*, 231  
*C. guttatus*, 231, 431-450  
*C. minimus*, 11, 231, 274  
*C. ustulatus*, 189, 231, 431-450, 507  
*Catoptrophorus semipalmatus*, 333, 506  
*Cepphus columba*, 469-494  
*C. grylle*, 409  
*Cerorhinca monocerata*, 415, 469-494  
*Certhia americana*, 244  
*C. brachydactyla*, 279  
*C. familiaris*, 279  
*Ceryle alcyon*, 506  
 Chaffinch, see *Fringilla coelebs*  
*Chalybura urochrysa*, 189  
*Chamaea fasciata*, 431-450  
 Charadrii, 530  
*Charadrius alexandrinus*, 313, 332, 469-494  
*C. melodus*, 121  
*C. semipalmatus*, 99, 332  
*C. vociferus*, 267, 332  
*C. wilsonia*, 332  
 Chat, Anteating, see *Myrmecocichla formicivora*  
   Buffstreaked, see *Oenanthe bifasciata*  
   Yellow-breasted, see *Icteria virens*  
*Chen caerulescens*, 469-494  
*C. c. caerulescens*, 125, 129  
*C. rossii*, 128, 469-494  
 Chickadee, Boreal, see *Parus hudsonicus*  
   Black-capped, see *P. atricapillus*  
   Carolina, see *P. carolinensis*  
   Mexican, see *P. sclateri*  
 Chicken, Greater Prairie, see *Tympanuchus cupido*  
*Childonias hybridus*, 412  
*C. niger*, 126, 530  
*Chloephaga rubidiceps*, 387

- Chlorophanes spiza*, 189  
*Chloropipo holochlora*, 186, 189  
*Chlorospingus flavicularis*, 186, 189  
*C. tacarcunae*, 189  
*Chlorostilbon ricardii*, 92  
*Chlorothraupis carmioli*, 185, 189  
*Chondestes grammacus*, 126, 431-450  
*Chordeiles* sp., 506  
*Chrysothlypis chrysomelas*, 187  
 Chuck-Will's-Widow, see *Caprimulgus carolinensis*  
*Ciconia boyciana*, 124  
*C. ciconia*, 264  
*C. c. ciconia*, 120  
*C. nigra*, 124  
*C. stormi*, 124  
*Cinclercerthia ruficauda*, 129  
*Cinclus cinclus*, 282  
*Circus approximatus*, 540  
*C. cinereus*, 538  
*C. cyaneus*, 49, 126, 404, 506  
*C. c. cyaneus*, 274-275  
*C. c. hudsonius*, 274  
*C. ranivorus*, 539  
*Cistothorus palustris*, 126, 324, 389  
*C. platensis*, 126  
*Clangula hyemalis*, 469-494  
*Coccyzus americanus*, 506  
*C. erythrophthalmus*, 132  
*C. minor*, 11  
*Coereba flaveola*, 11, 92, 189, 339  
*Colaptes auratus*, 111, 429  
*C. auratus* spp., 469-494  
*Columba fasciata*, 469-494  
*C. leucocephala*, 469-494  
*C. livia*, 276, 399, 409  
*C. l. forma domestica*, 401  
*C. oenas*, 413  
 Columbidae, 189  
*Columbina passerina*, 11, 129, 469-494  
*Contopus* sp. 283  
*C. borealis*, 469-494  
*C. virens*, 506  
 Coot, American, see *Fulica americana*  
     Eurasian, see *F. atra*  
*Coragyps atratus*, 197, 204  
*Corapipo leucorrhoea*, 178, 185, 187, 189  
 Cormorant, see *Phalacrocorax carbo*  
     Cape, see *P. capensis*  
     Double-crested, see *P. auritus*  
     Olivaceous, see *P. olivaceus*  
*Corophium volutator*, 338  
*Corvus brachyrhynchos*, 350, 355, 417  
*C. corax*, 47, 126, 413  
*C. c. corone*, 137  
*C. frugilegus*, 534  
*C. monedula*, 413  
*C. ossifragus*, 103  
*Coturnix chinensis*, 409  
*C. pectoralis*, 409  
 Cowbird, Brown-headed, see *Molothrus ater*  
 Crane, African, see *Crex egregia*  
     Yellow-breasted, see *Porzana flaviventer*  
 Crane, Manchurian, see *Grus japonensis*  
     Sandhill, see *G. canadensis pratensis*  
     Whooping, see *G. americana*  
 Creeper, Brown, see *Certhia americana*  
*Crex egregia*, 127  
 Crossbill, see *Loxia curvirostra*  
     Red, see *L. curvirostra*  
*Crotophaga sulcirostris*, 229  
 Crows, American, see *Corvus brachyrhynchos*  
     Carriion, see *C. c. corone*  
     Fish, see *C. ossifragus*  
 Cuckoo, see *Cuculus canorus*  
     Black-billed, see *Coccyzus erythrophthalmus*  
     Long-tailed, see *Eudynamys taitensis*  
     Mangrove, see *Coccyzus minor*  
     Puerto Rican Lizard, see *Saurothera vieilloti*  
     Yellow-billed, see *Coccyzus americanus*  
*Cuculus canorus*, 535  
 Curlew, Bristle-thighed, see *Numenius tahitiensis*  
*Cyanerpes lucidus*, 189  
*Cyanocitta cristata*, 417, 469-494  
*C. stelleri*, 52, 469-494  
*Cyanocompsa cyanoides*, 189  
*Cyanopica cyanea*, 540  
*Cygnus c. columbianus*, 163, 167, 469-494  
*C. olor*, 469-494  
*Dendrocincla fuliginosa*, 189  
 Dendrocoplitidae, 189  
*Dendrocopulus* spp., see *Picoides* spp.  
*Dendroica adelaidae*, 11  
*D. caerulescens*, 92, 469-494, 507  
*D. castanea*, 469-494  
*D. coronata*, 92, 247, 431-450  
*D. dominica*, 469-494, 507  
*D. fusca*, 469-494, 542  
*D. magnolia*, 507  
*D. palmarum*, 92, 132, 507  
*D. pennsylvanica*, 507  
*D. petechia*, 91, 195, 224-225, 228, 497-503, 507  
*D. striata*, 274, 469-494, 503  
*D. tigrina*, 89, 507  
*D. townsendi*, 469-494  
*D. virens*, 507  
*Derophtus accipitrinus*, 411  
 Dickcissel, see *Spiza americana*  
*Diomedea cauta*, 455  
*D. chrysostoma*, 458  
*D. melanophris*, 458  
 Dipper, Irish, see *Cinclus cinclus*  
*Dolichonyx oryzivorus*, 469-494

- Dove, Common Ground, see *Columbina passerina*  
 Key-West Quail, see *Geotrygon chrysis*  
 Mourning, see *Zenaidra macroura*  
 Rock, see *Columba livia*  
 Stock, see *Columba oenas*  
 White-winged, see *Z. asiatica*  
 Zenaida, see *Z. aurita*  
 Dowitcher, Short-billed, see *Limnodromus griseus*  
*Dryocopus pileatus*, 126, 469–494  
 Duck, African Black, see *Anas sparsa*  
 Black, see *A. rubripes*  
 Hawaiian, see *A. wyvilliana*  
 Mandarin, see *Aix galericulata*  
 Redhead, see *Aythya americana*  
 Ring-necked, see *Aythya collaris*  
 Wood, see *Aix sponsa*  
*Dumatella carolinensis*, 507  
 Dunlin, see *Calidris alpina*  
 Dunnock, see *Prunella m. modularis*  
*Dysithamnus puncticeps*, 189  
 Eagle, Bald, see *Haliaeetus leucocephalus*  
 Golden, see *Aquila chrysaetos*  
 Spanish Imperial, see *A. adalberti*  
 Wedge-tailed, see *A. audax*  
 White-tailed, see *H. albicilla*  
 Egret, Great, see *Casmerodius albus*  
 Little, see *Egretta grazetta*  
 Snowy, see *E. thula*  
*Egretta caerulea*, 380, 506  
*E. grazetta*, 277  
*E. thula*, 412, 469–494, 506  
 Eider, Common, see *Somateria mollissima*  
 King, see *S. spectabilis*  
 Steller's, see *Polysticta stelleri*  
 Elaenia, Caribbean, see *Elaenia martinica*  
*Elaenia martinica*, 11  
*Elanus caeruleus*, 542  
 Emerald, Cuban, see *Chlorostilbon ricordii*  
*Empidonax* sp., 283  
*E. alnorum*, 282–283  
*E. difficilis*, 431–450  
*E. minimus*, 469–494, 506  
*E. oberholseri*, 469–494  
*E. virescens*, 189  
*Eremophila alpestris*, 469–494  
*Erithacus rubecula*, 267–268  
*Eudocimus albus*, 381, 506  
*Eudynamis taitensis*, 403  
*Eudyptes chrysochome*, 542  
*Euphagus cyanocephalus*, 431–450  
 Euphonia, Tawny-capped, see *Euphonia an-nae*  
*Euphonia an-nae*, 187–189  
*Eutoxeres aquila*, 189  
*Falco berigora*, 381  
*F. cherrug*, 381  
*F. columbarius*, 400, 506  
*F. eleonora*, 381  
*F. femoralis*, 380  
*F. jagger*, 381  
*F. mexicanus*, 49, 469–494  
*F. peregrinus*, 312, 402, 413, 506  
*F. rupicoloides*, 284  
*F. sparverius*, 47–49, 261, 270, 284, 405, 506, 510, 519  
*F. subniger*, 381  
*F. tinnunculus*, 284, 379, 533, 540  
 Falcon, Aplomado, see *Falco femoralis*  
 Black, see *F. subniger*  
 Brown, see *F. berigora*  
 Eleonora's, see *F. eleonora*  
 Lagger, see *F. jagger*  
 Peregrine, see *F. peregrinus*  
 Prairie, see *F. mexicanus*  
 Saker, see *F. cherrug*  
*Ficedula hypoleuca*, 268, 533–534  
 Finch, see Fringillidae  
 Bengalese, see *Lonchura striata*  
 Darwin's, see *Geospiza* sp.  
 Gouldian, see *Poephila gouldiae*  
 Ground, see *Geospiza* sp.  
 House, see *Carpodacus mexicanus*  
 Laysan, see *Telespyza cantans*  
 Zebra, see *P. guttata*  
 Flamingo, see *Phoenicopterus chilensis*  
 American, see *P. ruber*  
 Flatbill, Rufous-tailed, see *Ramphotrigon ruficauda*  
 Flicker, Common (Red-shafted), see *Colaptes auratus* spp.  
 Northern, see *C. auratus*  
*Florisuga mellivora*, 189  
 Flycatcher, see Tyrannidae  
 Alder, see *Empidonax alnorum*  
 Ash-throated, see *Myiarchus cinerascens*  
 Brown-crested, see *M. tyrannulus*  
 Dusky, see *E. oberholseri*  
 Great Crested, see *M. crinitus*  
 Least, see *E. minimus*  
 Ogea, see *Myiornis versicolor*  
 Olive-sided, see *Contopus borealis*  
 Olive-striped, see *Mionectes olivaceus*  
 Pied, see *Ficedula hypoleuca*  
 Puerto Rican, see *Myiarchus antillarum*  
 Ruddy-tailed, see *Terenotriccus erythrurus*  
 Scissor-tailed, see *Tyrannus forficatus*  
 Vermilion, see *Pyrocephalus rubinus*  
 Western, see *E. difficilis*  
*Formicarius analis*, 189  
*Fratercula arctica*, 469–494  
*F. cirrhata*, 469–494  
*Fregata ariel*, 469–494

- F. magnificens*, 509  
 Frigatebird, Lesser, see *Fregata ariel*  
     Magnificent, see *F. magnificens*  
*Fringilla coelebs*, 273  
 Fringillidae, 189  
*Fulica americana*, 469-494  
*F. atra*, 541  
 Fulmar, see *Fulmarus glacialis*  
*Fulmarus glacialis*, 409  
 Gadwall, see *Anas strepera*  
*Gallinago gallinago*, 506  
*Gallinula chloropus*, 405, 506  
 Gallinule, Purple, see *Porphyryla martinica*  
 Gannet, Cape, see *Morus capensis*  
     Northern, see *Sula bassanus*  
*Gavia adamsii*, 296, 304  
*G. immer*, 124, 303, 305, 543  
*G. stellata*, 151-153  
 Gaviidae, 283  
*Geococcyx californianus*, 469-494  
*Geospiza* sp., 56, 58  
*Geothlypis trichas*, 92, 497-503, 507  
*Geotrygon chrysis*, 11  
*G. goldmani*, 186, 189  
*Glyphorhynchus spirurus*, 185, 189  
 Godwit, Bar-tailed, see *Limosa lapponica*  
     Marbled, see *L. fedoa*  
 Goldeneyes, Common, see *Bucephala clangula*  
 Goldfinch, see *Carduelis carduelis*  
     American, see *C. tristis*  
     Lesser, see *C. psaltria*  
*Goldmania violiceps*, 185-186, 189  
 Goose, Atlantic Brant, see *Branta bernicla hrota*  
     Barnacle, see *B. leucopsis*  
     Canada, see *B. canadensis*  
     Emperor, see *Anser canagicus*  
     Greater Snow, see *A. caerulescens atlantica*  
     Greater White-fronted, see *A. erythropus*  
     Greylag, see *A. anser*  
     Hawaiian, see *Nesochen sandvicensis*  
     Lesser Snow, see *Chen c. caerulescens*  
     Pink-footed, see *A. fabalis*  
     Ross's, see *C. rossii*  
     Ruddy-headed, see *Chloephaga rubidiceps*  
     Snow (Blue), see *Chen caerulescens*  
     White-fronted, see *A. albifrons frontalis*  
 Goshawk, Northern, see *Accipiter gentilis*  
 Grebe, Clark's see *Aechmophorus clarkii*  
     Great-crested, see *Podiceps cristatus*  
     Red-necked, see *P. grisegena*  
     Western, see *A. occidentalis*  
 Grosbeak, Black-headed, see *Pheucticus melanocephalus*  
     Blue, see *Guiraca caerulea*  
     Rose-breasted, see *P. ludovicianus*  
 Grouse, Red, see *Lagopus lagopus scoticus*  
     Ruffed, see *Bonasa umbellus*  
*Grus americana*, 469-494  
*G. canadensis*, 126, 469-494  
*G. c. pratensis*, 60-67  
*G. japonensis*, 410  
 Guillemot, see *Uria lomvia*, *U. aalge*  
     Black, see *Cepphus grylle*  
     Pigeon, see *C. columba*  
*Guiraca caerulea*, 431-450, 507  
 Gull, Black-backed, see *Larus dominicanus*  
     Black-tailed, see *L. crassirostris*  
     Glaucous-winged, see *L. glaucescens*  
     Gray, see *L. modestus*  
     Herring, see *L. argentatus*  
     Ivory, see *Pagophila eburnea*  
     Laughing, see *L. atricilla*  
     Lesser Black-backed, see *L. fuscus*  
     Red-billed, see *L. novaehollandiae*  
     Ring-billed, see *L. delawarensis*  
     Slaty-backed, see *L. schistisagus*  
     White-eyed, see *L. leucophthalmus*  
*Gymnophithys leucaspis*, 183, 185, 189  
*Gymnorhinus cyanocephalus*, 276, 469-494  
*Gyps africanus*, 204  
*G. fulvus*, 128  
*G. rueppellii*, 204  
*Habia gutturalis*, 468  
*H. r. rubica*, 459-460, 466  
*Haematopus ostralegus*, 130  
*Haliaeetus albicilla*, 128  
*H. leucocephalus*, 371, 469-494  
*Haliastur melanoleucos*, 456  
*Halobaena caerulea*, 273  
 Harrier, African Marsh, see *Circus ranivorus*  
     Australasian, see *C. approximatus*  
     Eurasian, see *C. c. cyaneus*  
     Northern, see *C. cyaneus*  
     South American Cincerous, see *C. cinereus*  
 Hawk, Broad-winged, see *Buteo platypterus*  
     Cooper's, see *Accipiter cooperii*  
     Harris', see *Parabuteo unicinctus*  
     Red-shouldered, see *B. lineatus*  
     Red-tailed, see *B. jamaicensis*  
     Sharp-shinned, see *A. striatus*  
*Heliodoxa jacula*, 185, 189  
*Heliothryx barroti*, 189  
*Hemignathus virens*, 469-494  
*Henicorhina leucophrys*, 189  
*H. leucosticta*, 189  
 Hermit, Green, see *Phaethornis guy*  
     Long-tailed, see *P. superciliosus*  
 Heron, Black-crowned Night, see *Nycticorax nycticorax*  
     Cattle, see *Bubulcus ibis*  
     Great Blue, see *Ardea herodias*

- Green-backed, see *Butorides striatus*  
 Little Blue, see *Egretta caerulea*  
 Yellow-crowned Night, see *N. violaceus*  
*Himantopus mexicanus*, 41, 332  
*H. m. knudsensi*, 469–494  
 Hirundinidae, 189  
*Hirundo fulva*, 411, 469–494  
*H. pyrrhonota*, 411, 415, 469–494, 506  
*H. rustica*, 125, 323–324, 328, 402, 411, 506  
 Hummingbird, Allen's, see *Selasphorus sasin*  
 Anna's, see *Calypte anna*  
 Antillean Crested, see *Orthorhynchus cristatus*  
 Broad-tailed, see *S. platycercus*  
 Caliope, see *Stellula calliope*  
 Ruby-throated, see *Archilochus colubris*  
 Rufous, see *Selasphorus rufus*  
 Violet-capped, see *Goldmania violiceps*  
*Hylocichla mustelina*, 126, 507  
*Hyloctistes subulatus*, 189  
 Ibis, Glossy, see *Plegadis falcinellus*  
 White, see *Eudocimus albus*  
 White-faced, see *P. ehihi*  
*Icteria virens*, 495, 497–503  
*Icterus dominicensis*, 11  
*I. galbula*, 431–450  
*I. icterus*, 11  
*I. nigrogularis*, 36  
*I. spurius*, 469–494  
*Actinia mississippiensis*, 469–494  
*Iridoprocne bicolor*, see *Tachycineta bicolor*  
*Ixobrychus exilis*, 506  
*Ixoreus naevius*, 469–494  
*Jacamerops aurea*, 189  
 Jackdaw, see *Corvus monedula*  
 Jaeger, Pomarine, see *Stercorarius pomarinus*  
 Jay, Blue, see *Cyanocitta cristata*  
 Gray-breasted, see *Aphelocoma ultramarina*  
 Pinyon, see *Gymnorhinus cyanocephalus*  
 Scrub, see *A. coerulescens*  
 Steller, see *C. stelleri*  
 Junco, Dark-eyed, see *Junco hyemalis*  
*Junco hyemalis*, 10, 347, 349, 401, 429, 431–450, 536  
 Kestrel, American, see *Falco sparverius*  
 British, see *F. tinnunculus*  
 Eurasian, see *F. tinnunculus*  
 Greater, see *F. rupicoloides*  
 Killdeer, see *Charadrius vociferus*  
 Kingbird, Eastern, see *Tyrannus tyrannus*  
 Kingfisher, Belted, see *Ceryle alcyon*  
 Kinglet, Golden-crowned, see *Regulus satrapa*  
 Ruby-crowned, see *R. calendula*  
 Kite, Black-shouldered, see *Elanus caeruleus*  
 Mississippi, see *Actinia mississippiensis*  
 Snail, see *Rostrhamus sociabilis*  
 Kittiwake, Black-legged, see *Rissa tridactyla*  
 Knot, Red, see *Calidris canutus*  
*Lagopus l. lagopus*, 268, 535  
*L. l. scoticus*, 378  
*Lanius ludovicianus*, 126, 411–412, 431–450, 469–494  
 Lark, Dune, see *Mirafra erythrochlamys*  
 Horned, see *Eremophila alpestris*  
*Larus argentatus*, 127, 305, 310, 402, 412, 469–494, 506  
*L. atricilla*, 509  
*L. crassirostris*, 415  
*L. delawarensis*, 403, 412  
*L. dominicanus*, 120  
*L. fuscus*, 127  
*L. glaucescens*, 469–494, 533  
*L. leucophthalmus*, 540  
*L. modestus*, 400  
*L. novaehollandiae*, 120  
*L. n. scopulinus*, 359–360  
*L. schistisagus*, 415  
*Leptoptilos dubius*, 124  
*L. javanicus*, 124  
*Leptotila cassini*, 189  
*Leucopternis semiplumbea*, 189  
*Limnodromus griseus*, 334, 469–494, 506  
*Limosa fedoa*, 333  
*L. lapponica*, 41, 469–494, 532  
*Locustella certhiola*, 399  
*Lonchura striata*, 403  
 Loon, see Gaviidae  
 Common, see *Gavia immer*  
 Red-throated, see *G. stellata*  
 Yellow-billed, see *G. adamsii*  
*Lophodytes cucullatus*, 111  
*Lophotriccus pileatus*, 189  
*Loxia curvirostra*, 276–277, 413  
*Loxigilla noctis*, 129  
*L. portoricensis*, 11  
*Lugensa brevirostris*, 273  
*Macronectes giganteus*, 268–269  
 Magpie, Azure-winged, see *Cyanopica cyanea*  
 Black-billed, see *Pica pica*  
*Malacoptila panamensis*, 189  
 Mallard, see *Anas platyrhynchos*  
 Manakin, Green, see *Chloropipo holochlora*  
 Red-capped, see *Pipra mentalis*  
 White-ruffed, see *Corapipo leucorroha*  
*Margarops fuscatus*, 11, 129, 281  
*Mayrornis versicolor*, 411  
*Megadyptes antipodes*, 451, 458  
*Melanerpes carolinus*, 126  
*M. formicivorus*, 127, 431–450  
*M. portoricensis*, 11

- M. rubricapillus*, 36  
*Melanitta fusca*, 133, 136, 469-494  
*Melospiza lincolni*, 431-450  
*M. melodia*, 418, 431-450, 534  
Merganser, Chinese, see *Mergus squamatus*  
    Hooded, see *Lophodytes cucullatus*  
    Red-breasted, see *Mergus serrator*  
*Mergus serrator*, 310  
*M. squamatus*, 411  
Merlin, see *Falco columbarius*  
*Merops bullockoides*, 405  
*Micrastur ruficollis*, 189  
*Micrathene whitneyi*, 469-494  
*Microbates cinereiventris*, 189  
*Microcerculus marginatus*, 189  
*Mimus polyglottos*, 126, 431-450  
*Mionectes oleagineus*, 189  
*M. olivaceus*, 178, 185, 189  
*Mirafra erythrochlamys*, 121  
*Mitrospingus cassinii*, 189  
*Mniotilta varia*, 11, 507  
Mockingbird, Northern, see *Mimus polyglottos*  
*Molothrus ater*, 190, 227, 431-450, 469-494  
Moorhen, Common, see *Gallinula chloropus*  
*Morus capensis*, 105  
Murre, Thick-billed, see *Uria lomvia*  
Murrelet, Xantusi, see *Synthliboramphus hypoleucus*  
*Mycteria americana*, 125, 381, 469-494  
*M. cinerea*, 124  
*Myiarchus antillarum*, 11  
*M. cinerascens*, 431-450, 469-494  
*M. crinitus*, 506  
*M. tyrannulus*, 469-494  
*Myiobius sulphureipygius*, 189  
*Myioborus miniatus*, 189  
*M. pictus*, 469-494  
*Myrmeciza exsul*, 189  
*Myrmecocichla formicivora*, 532  
*Myrmotherula axillaris*, 189  
*M. fulviventris*, 189  
*Nectarinia famosa*, 382, 387  
*Neotis denhami*, 127  
*N. ludwigii*, 127, 542  
*Nesochen sandvicensis*, 312  
Nighthawk, see *Chordeiles* sp.  
Noddy, Black, see *Anous minutus*  
    Blue-gray, see *Procelsterna cerulea*  
    Brown, see *A. stolidus*  
*Nucifraga columbiana*, 54  
*Nunehus phaeopus*, 126, 333  
*N. tahitiensis*, 469-494  
Nutteracker, Clark's, see *Nucifraga columbiana*  
Nuthatch, White-breasted, see *Sitta carolinensis*  
*Nyctea scandiaca*, 20, 28-29, 469-494  
*Nycticorax nycticorax*, 270-271, 412  
*N. violaceus*, 469-494, 506  
*Oceanodroma* sp., 283  
*O. leucorhoa*, 410, 415, 417  
*Oenanthe bifasciata*, 278  
Oldsquaw, see *Clangula hyemalis*  
*Onychorhynchus coronatus*, 189  
*Oporonis tolmiei*, 469-494  
Oriole, Black-cowled, see *Icterus dominicensis*  
    Northern, see *I. galbula*  
    Orchard, see *I. spurius*  
    Yellow, see *I. nigrogularis*  
Oropendolas, Montezuma, see *Psarocolius montezuma*  
*Orthorhynchus cristatus*, 129  
*Oryzoborus funereus*, 189  
Osprey, see *Pandion haliaetus*  
    European, see *P. haliaetus*  
*Ostinops decumanus*, 294  
*Otus nudipes*, 11  
Ovenbird, see *Seiurus aurocapillus*  
Owl, Barred, see *Strix varia*  
    Boreal, see *Aegolius funereus*  
    Burrowing, see *Athene cucularia*  
    Common Barn, see *Tyto alba*  
Eagle, see *Bubo bubo*  
Elf, see *Micrathene whitneyi*  
Gray, see *S. nebulosa*  
Great Gray, see *S. nebulosa*  
Great Horned, see *B. virginianus*  
Northern Saw-Whet, see *Aegolius acadicus*  
Puerto Rican Screech, see *Otus nudipes*  
Short-eared, see *Asio flammeus*  
Snowy, see *Nyctea scandiaca*  
Tengmalm's, see *Aegolius funereus*  
Oxyruncidae, 189  
Oystercatcher, see *Haematopus ostralegus*  
*Pagophila eburnea*, 469-494  
*Pandion haliaetus*, 128, 267, 379, 469-494, 506  
*Parabuteo unicinctus*, 469-494  
Parrot, Hispaniolan, see *Amazona ventralis*  
    Puerto Rican, see *A. vittata*  
    Red-fan, see *Deroptyus accipitrinus*  
Partridge, Gray, see *Perdix perdix*  
Parula, Northern, see *Parula americana*  
*Parula americana*, 11, 92, 507  
*Parus atricapillus*, 28, 54, 402, 418  
*P. bicolor*, 126, 244  
*P. caeruleus*, 407, 534  
*P. carolinensis*, 244  
*P. hudsonicus*, 469-494  
*P. inornatus*, 431-450  
*P. major*, 407, 530, 534-535  
*P. sclateri*, 52



- Passer domesticus*, 9, 323-324, 407, 431-450  
*P. montanus*, 530  
*Passerculus sandwichensis*, 161, 431-450, 507  
*Passerella iliaca*, 431-450  
*Passerina amoena*, 418, 431-450, 469-494  
*P. cyanea*, 418, 507  
*Pelecanus erythrorhynchos*, 532  
 Pelican, White, see *Pelecanus erythrorhynchos*  
 Penguin, Adelie, see *Pygoscelis adeliae*  
   African, see *Spheniscus demersus*  
   Humboldt, see *S. humboldti*  
   Jackass, see *S. demersus*  
   King, see *Aptenodytes patagonicus*  
   Rockhopper, see *Eudyptes chrysolome*  
   Yellow-eyed, see *Megadyptes antipodes*  
*Perdix perdix*, 26, 29  
 Petrel, Antarctic, see *Thalassoica antarctica*  
   Blue, see *Halobaena caerulea*  
   Great-winged, see *Pterodroma macroptera*  
   Kerguelan, see *Lugensa brevirostris*  
   Leach's Storm, see *Oceanodroma leucorhoa*  
   Southern Giant, see *Macronectes giganteus*  
   White-chinned, see *Procellaria aequinoctialis*  
 Pewee, Eastern Wood, see *Contopus virens*  
*Phaenostictus mcleannani*, 189  
*Phaethornis guy*, 185, 187, 189  
*P. longuemareus*, 189  
*P. superciliosus*, 185, 189  
*Phaetusa simplex*, 216  
 Phalacrocoracidae, 458  
*Phalacrocorax auritus*, 130, 248, 412, 469-494, 531  
*P. capensis*, 456  
*P. carbo*, 130  
*P. chalconotus*, 456  
*P. olivaceus*, 209-210  
*P. punctatus*, 456  
 Phalarope, Gray, see *Phalaropus fulicaria*  
   Red-necked, see *P. lobatus*  
   Wilson's, see *P. tricolor*  
*Phalaropus fulicaria*, 39  
*P. lobatus*, 39-40  
*P. tricolor*, 39, 334  
*Pharomachrus mocinno*, 86, 88  
*Phasianus colchicus*, 122  
 Pheasant, Ring-necked, see *Phasianus colchicus*  
*Phœucticus ludovicianus*, 469-494, 507  
*P. melanocephalus*, 431-450, 531  
*Philomachus pugnax*, 335  
*Philydor erythrocerus*, 189  
 Phoebe, Black, see *Sayornis nigricans*  
   Eastern, see *S. phoebe*  
*Phoenicopterus chilensis*, 269  
*P. ruber*, 367  
*Phoenicurus phoenicurus*, 412  
*Phylloscopus sibilatrix*, 412, 534, 541  
*P. trochilus*, 125, 378  
*Pica pica*, 47, 406, 469-494, 534  
 Picidae, 189  
*Picoides borealis*, 266  
*P. kizuki*, 410  
*P. major*, 410  
*P. nuttallii*, 431-450  
*P. pubescens*, 244, 501  
*P. villosus*, 501  
*Picus viridus*, 413  
 Pigeon, see Columbidae  
   Band-tailed, see *Columba fasciata*  
   Feral, see *C. livia* forma *domestica*  
   White-crowned, see *C. leucocephala*  
 Pintail, Northern, see *Anas acuta*  
*Pipilo chlorurus*, 431-450  
*P. erythrophthalmus*, 414, 431-450  
*P. fuscus*, 431-450  
 Pipit, Blyth's, see *Anthus godlewskii*  
   Meadow, see *A. pratensis*  
   Tree, see *A. trivialis*  
*Pipra coronata*, 189  
*P. mentalis*, 178, 185, 189  
*Piranga ludoviciana*, 431-450  
*P. olivacea*, 367, 507  
*P. rubra*, 469-494  
*Pitylus grossus*, 189  
*Platyrinchus coronatus*, 185, 189  
*P. mystaceus*, 186, 189  
*Plectrophenax nivalis*, 266  
*Plegadischihi* sp., 277  
*P. falcinellus*, 127  
*Plocepasser mahali*, 279  
*Ploceus benghalensis*, 228  
*P. cucullatus*, 227, 229  
*P. intermedius*, 265  
*P. manyar*, 228  
*P. rubiginosus*, 265  
 Plover, Black-bellied, see *Pluvialis squatarola*  
   Golden, see *P. apricaria*  
   Grey, see *P. squatarola*  
   Lesser Golden, see *P. dominica*  
   Piping, see *Charadrius melodus*  
   Semipalmated, see *C. semipalmatus*  
   Snowy, see *C. alexandrinus*  
   Wilson's, see *C. wilsonia*  
*Pluvialis apricaria*, 539  
*P. dominica*, 469-494  
*P. squatarola*, 160, 332, 506  
*Podiceps cristatus*, 152  
*P. griseigena*, 143, 469-494  
*Poephila gouldiae*, 367, 543  
*P. guttata*, 502  
*Polyborus plancus*, 469-494  
*Polysticta stelleri*, 469-494  
*Poocetes gramineus*, 469-494, 531

- Porphyryla martinica*, 266, 506  
*Porzana carolina*, 122, 506  
*P. flaviventer*, 129  
*Premnoplex brunescens*, 186, 189  
*Procellaria aequinoctialis*, 272-273, 455, 458  
*Procelsterna cerulea*, 469-494  
*Protonotaria citrea*, 11  
*Prunella m. modularis*, 121  
*Psarocolius angustifrons*, 289  
*P. montezuma*, 289-290  
*P. wagleri*, 291  
Ptarmigan, Willow, see *Lagopus l. lagopus*  
*Pterodroma macroptera*, 273  
*Ptychoramphus aleuticus*, 469-494  
Puffin, Atlantic, see *Fratercula arctica*  
    Tufted, see *F. cirrhata*  
*Puffinus* sp., 283  
*P. auricularis*, 275  
*P. gavia*, 275  
*P. gravis*, 413  
*P. huttoni*, 275  
*P. iherminieri*, 129  
*P. newelli*, 275  
*P. opisthomelas*, 275  
*P. pacificus*, 469-494  
*P. puffinus*, 275, 406, 469-494  
*P. p. mauretanicus*, 275  
*P. p. yelkouan*, 275  
*P. tenuirostris*, 458  
*Pygoscelis adeliae*, 28, 108, 416  
*Pyrocephalus rubinus*, 270, 469-494  
*Pyrrhula pyrrhula*, 366  
Quail, California, see *Callipepla californica*  
    King, see *Coturnix chinensis*  
    Stubble, see *C. pectoralis*  
Quail-Dove, Russet-crowned, see *Geotrygon goldmani*  
Quetzal, Resplendent, see *Pharomachrus mocinno*  
Rail, Clapper, see *Rallus longirostris*  
    King, see *R. elegans*  
    Virginia, see *R. limicola*  
*Rallus elegans*, 408  
*R. limicola*, 122  
*R. longirostris*, 408-409  
*Ramphotrigon ruficauda*, 30-31, 33-34  
Raven, Common, see *Corvus corax*  
Razorbill, see *Alca torda*  
*Recurvirostra americana*, 469-494  
Redhead, see *Aythya americana*  
Redpoll, see *Carduelis* spp.  
    Hoary, see *Carduelis hornemanni*  
Redshank, see *Tringa totanus*  
Redstart, see *Phoenicurus phoenicurus*  
    American, see *Setophaga ruticilla*  
    Painted, see *Myioborus pictus*  
*Regulus calendula*, 506  
*R. satrapa*, 244  
*Rhynchocyclus olivaceus*, 189  
*Riparia riparia*, 125, 228, 506  
*Rissa tridactyla*, 400, 409  
Roadrunner, Greater, see *Geococcyx californianus*  
Robin, American, see *Turdus migratorius*  
    European, see *Erithacus rubecula*  
Rook, see *Corvus frugilegus*  
*Rostrhamus sociabilis*, 171, 469-494  
Ruff, see *Philomachus pugnax*  
Rynchopidae, 189  
*Rynchops flavirostris*, 266-267  
*R. niger*, 216, 222, 506  
Sanderling, see *Calidris alba*  
Sandpiper, Bairds, see *Calidris bairdii*  
    Least, see *C. minutilla*  
    Pectoral, see *C. melanotos*  
    Rock, see *C. ptilocnemis*  
    Semipalmated, see *C. pusilla*  
    Solitary, see *Tringa solitaria*  
    Spotted, see *Actitis macularia*  
    Stilt, see *C. himantopus*  
    Upland, see *Bartramia longicauda*  
    Western, see *C. mauri*  
    White-rumped, see *C. fuscicollis*  
*Sapayoa aenigma*, 189  
*Saurothera vieilloti*, 11  
*Sayornis nigricans*, 469-494  
*S. phoebe*, 403  
Scaup, Lesser, see *Aythya affinis*  
*Schiffornis turdinus*, 189  
*Sclerurus guatemalensis*, 189  
*S. mexicanus*, 189  
*Scolopax minor*, 120, 251, 469-494  
Scoter, Velvet, see *Melanitta fusca*  
    White-winged, see *M. fusca*  
*Seiurus aurocapillus*, 11, 507  
*S. motacilla*, 531  
*S. noveboracensis*, 469-494, 507  
*Selasphorus platycercus*, 469-494  
*S. rufus*, 469-494  
*S. sasin*, 469-494  
*Selenidera spectabilis*, 189  
*Setophaga ruticilla*, 11, 507  
Shag, Little, see *Haliastur melanoleucus*  
    Spotted, see *Phalacrocorax punctatus*  
    Stewart Island, see *P. chalconotus*  
Shark, Thresher, see *Alopias vulpinus*  
Sharpbill, see *Oxyruncidae*  
Shearwater, Audubon, see *Puffinus iherminieri*  
    Balearic, see *P. puffinus mauretanicus*  
    Black-vented, see *P. opisthomelas*  
    Fluttering, see *P. gavia*  
    Great, see *P. gravis*  
    Hutton's, see *P. huttoni*

- Levantine, see *P. p. yelkouan*  
 Manx, see *P. puffinus*  
 Newell's, see *P. newelli*  
 Short-tailed, see *P. tenuirostris*  
 Townsend's, see *P. auricularis*  
 Wedge-tailed, see *P. pacificus*  
 Shoebill, see *Balaeniceps rex*  
 Shrike, Loggerhead, see *Lanius ludovicianus*  
*Sialia currucoides*, 122  
*S. mexicana*, 265  
*S. sialis*, 265–266, 270, 538  
*Sitta carolinensis*, 244  
 Skimmer, see Rynchopidae  
   African, see *Rynchops flavirostris*  
   Black, see *R. niger*  
 Snipe, Common, see *Gallinago gallinago*  
*Somateria mollissima*, 469–494  
*S. spectabilis*, 282–283  
 Sora, see *Porzana carolina*  
 Spadepbill, Golden-crowned, see *Platyrinchus coronatus*  
   White-throated, see *P. mystaceus*  
 Sparrow, Bachman's, see *Aimophila aestivalis*  
   Cassin's, see *A. cassinii*  
   Chipping, see *Spizella passerina*  
   Field, see *S. pusilla*  
   Fox, see *Passerella iliaca*  
   Golden-crowned, see *Zonotrichia atricapilla*  
   Grasshopper, see *Ammodramus savannarum*  
   House, see *Passer domesticus*  
   Lark, see *Chondestes grammacus*  
   Le Conte's, see *Ammodramus leconteii*  
   Lincoln's, see *Melospiza lincolni*  
   Rufous-crowned, see *Aimophila ruficeps*  
   Sage, see *Amphispiza belli*  
   Savannah, see *Passerculus sandwichensis*  
   Seaside, see *Ammodramus maritimus*  
   Song, see *Melospiza melodia*  
   Tree, see *Passer montanus*  
   Vesper, see *Poocetes gramineus*  
   White-crowned, see *Z. leucophrys gambelii*  
   White-throated, see *Z. albicollis*  
 Sparrowhawk, Eurasian, see *Accipiter nisus*  
   European, see *A. nisus*  
 Sparrow-Weaver, White-browed, see *Ploceopasser mahali*  
*Spheniscus demersus*, 104, 108, 458  
*S. humboldti*, 417  
*Spindalis zena*, 11  
*Spiza americana*, 126, 507  
*Spizella passerina*, 429–430, 431–450  
*S. pusilla*, 469–494  
 Starling, European, see *Sturnus vulgaris*  
*Stelgidopteryx serripennis*, 506  
*Stellula calliope*, 469–494  
*Stercorarius pomarinus*, 506  
*Sterna antillarum*, 121, 469–494  
*S. a. browni*, 350  
*S. caspia*, 229, 270–271, 412, 529  
*S. dougallii*, 127, 414, 469–494, 542  
*S. forsteri*, 469–494, 506  
*S. fuscata*, 508  
*S. hirundo*, 127, 222, 355, 412, 414  
*S. lunata*, 469–494  
*S. maxima*, 469–494  
*S. m. maxima*, 228, 508  
*S. paradisaea*, 127, 406, 414  
*S. sandvicensis*, 127, 509  
*S. supercilii*, 216  
 Stilt, Black-necked, see *Himantopus mexicanus*  
   Black-necked (Hawaiian), see *H. m. knudseni*  
 Stork, Black, see *Ciconia nigra*  
   Milky, see *Mycteria cinerea*  
   Oriental White, see *Ciconia boyciana*  
   Storm's, see *C. stormi*  
   White, see *C. c. ciconia*  
   Wood, see *M. americana*  
*Strix nebulosa*, 529, 538  
*S. varia*, 469–494  
*Sturnus vulgaris*, 111, 227, 284, 431–450, 535  
*Sula abbotti*, 123  
*S. bassanus*, 469–494  
*S. dactylatra*, 509  
*S. leucogaster*, 469–494, 508  
*S. tasmani*, 414  
 Sunbird, Malachite, see *Nectarinia famosa*  
 Swallow, see Hirundinidae  
   Bank, see *Riparia riparia*  
   Barn, see *Hirundo rustica*  
   Cave, see *H. fulva*  
   Cliff, see *H. pyrrhonota*  
   European, see *H. rustica*  
   Northern Rough-winged, see *Stelgidopteryx serripennis*  
   Tree, see *Tachycineta bicolor*  
 Swan, Mute, see *Cygnus olor*  
   Tundra, see *C. columbianus columbianus*  
 Swift, Black, see *Apus apus*  
*Sylvia atricapilla*, 543  
*S. borin*, 537  
*S. melanocephala*, 543  
*S. nisoria*, 541  
*Synthliboramphus hypoleucus*, 469–494  
*Tachycineta bicolor*, 68, 72, 211–212, 397, 534  
*Tachyphonus delatrii*, 185, 189  
*Taeniopygia guttata*, see *Poephila guttata*  
 Tanager, Bay-headed, see *Tangara gyrola*  
   Black-and-Yellow, see *Chrysothlypis chrysomelas*

- Bush, see *Chlorospingus flavigularis*  
 Olive, see *Chlorothraupis carmioli*  
 Red-crowned Ant, see *Habia r. rubica*  
 Scarlet, see *Piranga olivacea*  
 Sooty ant, see *H. gutturalis*  
 Stripe-headed, see *Spindalis zena*  
 Summer, see *P. rubra*  
 Tawny-crested, see *Tachyphonus delatrii*  
 Western, see *P. ludoviciana*  
*Tangara gyrola*, 187  
*T. icterocephala*, 189  
 Teal, Blue-winged, see *Anas discors*  
   Green-winged, see *A. crecca*  
*Telespyza cantans*, 539  
*Terenotriccus erythrurus*, 185, 189  
 Tern, Arctic, see *Sterna paradisaea*  
   Black, see *Chlidonias niger*  
   Caspian, see *S. caspia*  
   Common, see *S. hirundo*  
   Forster's, see *S. forsteri*  
   Gray-backed, see *S. lunata*  
   Large-billed, see *Phaetusa simplex*  
   Least, see *S. antillarum*  
   Roseate, see *S. dougallii*  
   Royal, see *S. m. maxima*  
   Sandwich, see *S. sandvicensis*  
   Sooty, see *S. fuscata*  
   Whiskered, see *C. hybridus*  
   Yellow-billed, see *S. superciliaris*  
*Thalassoica antarctica*, 412  
*Thalurania colombica*, 189  
*Thamnistes anabatinus*, 189  
*Thamnophilus punctatus*, 189  
 Thrasher, California, see *Toxostoma redivivum*  
   Pearly-eyed, see *Margarops fuscatus*  
*Threnetes ruckeri*, 189  
 Thrush, see *Catharus* sp.  
   Gray-cheeked, see *C. minimus*  
   Hermit, see *C. guttatus*  
   Red-legged, see *Turdus plumbeus*  
   Swainson's, see *C. ustulatus*  
   Varied, see *Ixoreus naevius*  
   Veery, see *C. fuscescens*  
   Wood, see *Hylocichla mustelina*  
*Thryomanes bewickii*, 469-494  
*Thryothorus ludovicianus*, 126  
 Tinamidae, 189  
 Tinamou, see Tinamidae  
 Tit, Blue, see *Parus caeruleus*  
   Great, see *P. major*  
   Long-tailed, see *Aegithalos caudatus*  
 Titmouse, Plain, see *Parus inornatus*  
   Tufted, see *P. bicolor*  
*Todus mexicanus*, 11  
 Tody, Puerto Rican, see *Todus mexicanus*  
 Toucanet, Emerald, see *Aulacorhynchus prasinus*  
 Towhee, Brown, see *Pipilo fuscus*  
   Green-tailed, see *P. chlorurus*  
   Rufous-sided, see *P. erythrophthalmus*  
*Toxostoma redivivum*, 431-450  
 Treecreeper, Common, see *Certhia familiaris*  
   Short-toed, see *C. brachydactyla*  
 Trembler, see *Cinlocerthia ruficauda*  
*Tringa flavipes*, 333, 506  
*T. melanoleuca*, 333, 506  
*T. solitaria*, 506  
*T. totanus*, 532  
*Troglodytes aedon*, 93, 211-212, 431-450, 536  
 Trogon, Slaty-tailed, see *Trogon massena*  
*Trogon massena*, 87  
*T. rufus*, 189  
 Troupial, see *Icterus icterus*  
*Turdus merula*, 415  
*T. migratorius*, 283, 431-450  
*T. obsoletus*, 189  
*T. plumbeus*, 11  
 Turnstone, Ruddy, see *Arenaria interpres*  
*Tympanuchus cupido*, 126  
 Tyrannidae sp., 283  
 Tyrannulet, Northern Beardless, see *Camp-  
 tostoma imberbe*  
*Tyrannus forficatus*, 506  
*T. tyrannus*, 506  
*Tyto alba*, 126, 129, 408, 542  
*Uria aalge*, 400, 458  
*U. lomvia*, 409, 458  
*Vermivora celata*, 431-450  
*V. chrysoptera*, 497-503  
*V. luciae*, 469-494  
*V. peregrina*, 89-91, 507  
*V. ruficapilla*, 507  
*V. virginiae*, 469-494  
 Vireo, Hutton's, see *Vireo huttoni*  
   Philadelphia, see *V. philadelphicus*  
   Puerto Rican, see, *V. latimeri*  
   Red-eyed, see *V. olivaceus*  
   Warbling, see *V. gilvus*  
   White-eyed, see *V. griseus*  
*Vireo gilvus*, 431-450  
*V. griseus*, 507  
*V. huttoni*, 469-494  
*V. latimeri*, 11  
*V. olivaceus*, 507  
*V. philadelphicus*, 507  
 Vulture, Black, see *Coragyps atratus*  
   Griffon, see *Gyps fulvus*  
   Ruppell's Griffon, see *G. rueppellii*  
   Turkey, see *Cathartes aura*  
   White-backed, see, *G. africanus*  
 Waders, see Charadrii  
 Warbler, see *Dendroica adelaidae*  
   Barred, see *Sylvia nisaria*  
   Basra Reed, see *Acrocephalus a. griseldis*  
   Bay-breasted, see *Dendroica castanea*

- Black-and-White, see *Mniotilta varia*  
 Blackburnian, see *D. fusca*  
 Blackcap, see *S. atriapilla*  
 Blackpoll, see *D. striata*  
 Black-throated Blue, see *D. caerulescens*  
 Black-throated Green, see *D. virens*  
 Canada, see *Wilsonia canadensis*  
 Cape May, see *D. tigrina*  
 Chestnut-sided, see *D. pensylvanica*  
 European Sedge, see *A. schoenobaenus*  
 Garden, see *S. borin*  
 Gold-winged, see *Vermivora chrysoptera*  
 Great Reed, see *A. arundinaceus*  
 Hooded, see *W. citrina*  
 Lucy's, see *V. luciae*  
 MacGillivray's, see *Oporonis tolmiei*  
 Magnolia, see *D. magnolia*  
 Nashville, see *V. ruficapilla*  
 Orange-crowned, see *V. celata*  
 Pallas's Grasshopper, see *Locustella certhiola*  
 Palm, see *D. palmarum*  
 Prothonotary, see *Protonotaria citrea*  
 Reed, see *A. scirpaceus*  
 Sardinian, see *S. melanocephala*  
 Tennessee, see *V. peregrina*  
 Townsend's, see *D. townsendi*  
 Virginia's, see *V. virginiae*  
 Willow, see *Phylloscopus trochilus*  
 Wilson's, see *W. pusilla*  
 Wood, see *Phylloscopus sibilatrix*  
 Yellow, see *D. petechia*  
 Yellow-rumped, see *D. coronata*  
 Yellow-throated, see *D. dominica*  
 Waterthrush, Louisiana, see *Seiurus motacilla*  
     Northern, see *S. noveboracensis*  
 Waxwing, Cedar, see *Bombycilla cedrorum*  
     Japanese, see *B. japonica*  
 Weaverbird, see *Ploceus intermedius*, *P. rubiginosus*  
     Indian, see *P. benghalensis*, *P. manyar*  
     Village, see *P. cucullatus*  
 Whimbrel, see *Numenius phaeopus*  
 White-eye, Japanese, see *Zosterops japonicus*  
 Wigeon, American, see *Anas americana*  
 Willet, see *Catoptrophorus semipalmatus*  
*Wilsonia canadensis*, 189, 469-494  
*W. citrina*, 11, 412, 507  
*W. pusilla*, 507  
 Woodcock, American, see *Scolopax minor*  
 Woodcreeper, see Dendrocolaptidae  
     Wedge-billed, see *Glyphorhynchus spirurus*  
 Woodpecker, see Picidae  
     Acorn, see *Melanerpes formicivorus*  
     Downy, see *Picoides pubescens*  
     Green, see *Picus viridis*  
     Hairy, see *Picoides villosus*  
     Nuttall's, see *Picoides nuttallii*  
     Pileated, see *Dryocopus pileatus*  
     Puerto Rican, see *M. portoricensis*  
     Red-bellied, see *M. carolinus*  
     Red-cockaded, see *Picoides borealis*  
     Red-crowned, see *M. rubricapillus*  
 Wren, Bewick's, see *Thryomanes bewickii*  
     Carolina, see *Thryothorus ludovicianus*  
     House, see *Troglodytes aedon*  
     Marsh, see *Cistothorus palustris*  
     Sedge, see *C. platensis*  
 Wrentit, see *Chamaea fasciata*  
*Xanthocephalus xanthocephalus*, 324, 507  
*Xenops minutus*, 189  
*Xenornis setifrons*, 186, 189  
*Xiphorhynchus erythropygius*, 189  
 Yellowlegs, Greater, see *Tringa melanoleuca*  
     Lesser, see *T. flavipes*  
 Yellowtail, see *Ostinops decumanus*  
 Yellowthroat, Common, see *Geothlypis trichas*  
*Zenaida asiatica*, 506  
*Z. aurita*, 129  
*Z. macroura*, 388-389, 429, 506  
*Zonotrichia albicollis*, 10, 73, 83, 431-450  
*Z. atricapilla*, 431-450  
*Z. leucophrys*, 431-450  
*Z. leucophrys gambelii*, 348-349, 507  
*Zosterops japonicus*, 469-494