

INDICES TO VOLUME 65

COMPILED BY TERESA HOLEVAS

Three indices follow: an author index, a subject/geographic index, and a taxonomic index of avian species mentioned in the volume.

Author Index

(An "r" following a page number indicates the author of a publication that has been reviewed in our recent literature selection.)

- Aebischer, N. J., 135 (r), 210-213
Afton, A. D., 138 (r), 551-555
Albrecht, D. J., 267 (r)
Alfaro, L., 490-497
Allen, D. H., 140-141 (r)
Alvarez-Lopez, H., 563 (r)
Andersen, D. E., 122-132
Andersen, R., 270 (r), 520-529
Andrews, K. J., 254-257
Arendt, W. J., 76-82
Arkin, L. N., 381-387
Armstrong, T., 559 (r)
Avery, M. L., 420 (r)
Avilova, K. V., 421 (r)
Azkona, P., 109-114, 143 (r)
Backstrom, P., 141 (r)
Baines, D., 560 (r)
Baldassarre, G. A., 137-138 (r)
Ball, G. F., 272 (r)
Baptista, L. F., 142 (r)
Barclay, R. M. R., 416 (r)
Baskett, T. S., 276 (r)
Bean, N. J., 421 (r)
Bednarz, J. C., 272 (r)
Belant, J. L., 543-550
Belthoff, J. R., 83-95, 140-141 (r)
Beltrán, W., 194-200
Bergmann, P. J., 151-159
Best, L. B., 557 (r)
Beuchat, C. A., 271 (r)
Birkhead, T., 145-146 (r)
Birkhead, T. R., 413 (r)
Blake, K., 267 (r)
Blanco, G., 482-489
Blohm, R. J., 476-478
Bocetti, C. J., 232-236
Bock, C. E., 472-475
Bortolotti, G. R., 416 (r)
Bosakowski, T., 562 (r)
Boyce, M. S., 141 (r)
Bozinovic, F., 563 (r)
Brigham, R. M., 186-193
Briskie, J. V., 413 (r)
Brooke, M., 145-146 (r)
Brown, B. T., 160-168
Brugger, K. E., 381-387
Bryan, A. L., Jr., 137 (r)
Buden, D. W., 562 (r)
Buhl, G., 423 (r)
Bukacinski, D., 417 (r)
Bukacinski, M., 417 (r)
Burley, N., 135 (r)
Burns, K. J., 269 (r)
Byrd, M., 415 (r)
Caccamise, D. F., 458-460
Caffrey, C., 453-457
Camp, R. J., 138 (r)
Carlile, N., 136-137 (r)
Carpenter, F. L., 271 (r)
Clark, L., 421 (r)
Clark, R. G., 559 (r)
Conner, R. N., 365-375
Coulson, J., 265 (r)
Coulson, J. C., 418 (r)
Coulter, M. C., 137 (r)
Counsilman, J. J., 1-7
Cox, R. R., Jr., 551-555
Cresswell, W., 557 (r)
Csada, R. D., 186-193
Cuevas, J. A., 482-489
Cummings, J. L., 254-257
Curnutt, J. L., 558 (r)
Dalton, R., 135 (r)
Davis, W. E., Jr., 269 (r), 270 (r)
Davis, W. H., 144 (r), 250-253, 265 (r)
Deblinger, R. D., 201-209
Derries, J., 266 (r)
DeSante, D. F., 169-185
DesBrosse, A., 268 (r)
Devine, J. P., 520-529
Doak, D., 423 (r)
Dobler, F. C., 564 (r)
Dolbeer, R. A., 543-550
Donázar, J., 466-471
Doyle, F., 265 (r)
Dunn, E. H., 8-16

- Ellegren, H., 419 (r)
 Etcheberry, R., 268 (r)
 Fargallo, J. A., 482-489
 Fedde, M. R., 142 (r)
 Fedynich, A. M., 141 (r)
 Fernández, C., 109-114, 143 (r)
 Ferrer, M., 419 (r)
 Flake, L. D., 151-159
 Flatten, C. J., 258-264
 Flynt, R. D., 237-246, 254-257
 Fondell, T. F., 402-405
 Forbes, M. R. L., 559 (r)
 Ford, H., 139-140 (r)
 Franke, R., 194-200
 Frankel, M., 415 (r)
 Frenzel, D., 423 (r)
 Fullard, J. H., 416 (r)
 Gabrielsen, G. W., 140 (r)
 Gammonley, J. H., 530-533
 Garton, E. O., 424 (r)
 Gerhardt, D. M., 258-264
 Gerhardt, R. P., 258-264
 Geroudet, P., 144 (r)
 Gerrodette, T., 265 (r)
 Geupel, G. R., 169-185
 Giesen, K. M., 559 (r)
 Gilbert, G., 335-348
 Giraldo, M., 563 (r)
 Glahn, J. F., 237-246, 254-257
 Glanz, W., 247-249
 Godard, R., 266 (r)
 González, N. B., 258-264
 Gonzalez, C., 268 (r)
 Goodrich, L. J., 272 (r)
 Gorski, W., 147-148 (r)
 Gowaty, P. A., 504-507
 Gramlich, J. M., 381-387
 Grand, J. B., 402-405
 Gratto-Trevor, C. L., 133-134
 Gray, L. J., 137 (r)
 Gurrola-Hidalgo, M. A., 138 (r)
 Gustafson, E. J., 564 (r)
 Guthery, F. S., 560 (r)
 Hackett, S. J., 269 (r)
 Haggerty, T. M., 224-231
 Haig, S. M., 140-141 (r)
 Hakkarainen, H., 422 (r)
 Hamilton, R. B., 410-412
 Haney, J. C., 214-220
 Harrison, S., 423 (r)
 Hayward, G. D., 424 (r)
 Hayward, P. H., 424 (r)
 Hedenstrom, A., 559 (r)
 Hegelbach, J., 558 (r)
 Hill, E. P., 237-246
 Hiraldo, F., 466-471
 Hixon, M. A., 271 (r)
 Holberton, R. L., 562 (r)
 Hoover, J., 272 (r)
 Houghton, K., 169-185
 Howerter, D., 266 (r)
 Huhta, E., 422 (r)
 Hunter, M., 247-249
 Jablonski, P., 417 (r)
 Jackman, R. E., 441-446
 Jalil, A. K., 1-7
 James, H. F., 273-276 (r)
 Jenkins, J. M., 441-446
 Jenni, L., 270 (r)
 Jeske, C. W., 140 (r)
 Jimenez, J., 268 (r)
 Johnson, D. H., 424 (r)
 Johnson, K., 135 (r)
 Johnson, L. S., 36-51, 267 (r), 268 (r)
 Johnson, M. P., 418 (r)
 Johnson, R. E., 58-59
 Kalina, J., 76-82
 Kalisz, P. J., 250-253
 Kattan, G. H., 563 (r)
 Kavanagh, B. P., 147-148 (r)
 Kawashima, J. Y., 138 (r)
 Kelley, J. R., Jr., 530-533
 Kellogg, J., 247-249
 Kendall, R. J., 565-566 (r)
 Keng, W. L., 1-7
 Kent, S., 376-380
 Kenward, R. E., 135 (r)
 Kermont, L. H., 36-51, 268 (r)
 King, D. T., 254-257
 King, J. O., 254-257
 Klemm, R. D., 563 (r)
 Klicka, J. T., 307-323
 Knight, H. L., 138 (r)
 Knight, R. L., 138 (r)
 Koenig, W. D., 70-75
 Koivula, K., 414 (r)
 Korpimäki, E., 414 (r)
 Kozma, J., 60-64
 Kress, S. W., 349-362
 Kroel, K. W., 324-334
 Kushlan, J. A., 422 (r)
 Lacher, T. E., Jr., 565-566 (r)
 Lahti, K., 414 (r)
 Lanctot, R. B., 534-542
 Lawrence, J., 558 (r)
 Lein, M. R., 268 (r)
 Lessells, C. M., 417 (r)
 Leuzinger, H., 270 (r)
 Levin, D. M., 324-334
 Lindsey, G. D., 76-82
 Liou, L. W., 141 (r)
 Lobpries, D., 420 (r)
 Loughin, R., 556 (r)
 Lutz, R., 143 (r), 558 (r)

- Mackenzie, K. A., 476–478
 Martell, M., 423 (r)
 Master, T. L., 415 (r)
 Mayer, P. M., 272 (r)
 McGowan, K. J., 453–457
 McGregor, P. K., 335–348
 McKinney, B. R., 363–364
 McLean, R., 415 (r)
 Mehlum, F., 140 (r)
 Migoya, R., 137–138 (r)
 Mirarchi, R. E., 276 (r)
 Montgomerie, R., 269 (r)
 Morgan, K. H., 406–409, 417 (r)
 Motler, A. P., 135–136 (r)
 Munro, U., 139–140 (r), 419 (r)
 Murray, D., 143–144 (r)
 Nagy, K. A., 140 (r)
 Naranjo, L. G., 194–200
 Nee, K., 1–7
 Negro, J. J., 466–471
 Nibe, J., 423 (r)
 Norton, R. L., 560 (r)
 Novoa, F. F., 563 (r)
 Olson, S. L., 273–276 (r)
 Orell, M., 414 (r)
 Page, G. W., 490–497
 Palacios, E., 490–497
 Palmmeirim, J. M., 17–26
 Palokangas, P., 422 (r)
 Parker, G. R., 564 (r)
 Paton, D. C., 271 (r)
 Paton, P. W. C., 558 (r)
 Pavez, E., 268 (r)
 Pedersen, H. C., 270 (r)
 Perrins, C. M., 141 (r)
 Peters, M. S., 138 (r)
 Phillips, A. R., 295–306
 Picman, J., 479–481
 Pinowski, J., 146–148 (r)
 Piti, A., 60–64
 Pitman, R. L., 420 (r)
 Plissner, J. H., 504–507
 Plumpton, D., 143 (r)
 Porneluzi, P., 272 (r)
 Price, R., 141 (r)
 Rabaça, J. E., 17–26
 Recher, H. F., 269–270 (r)
 Redig, P., 423 (r)
 Regosin, J. V., 508–511
 Reiger, G., 148 (r)
 Rendell, W. B., 27–35
 Renken, R. B., 139 (r)
 Rhodes, O. E., Jr., 141 (r)
 Rimmer, D. W., 201–209
 Ritchison, G., 83–95
 Robertson, G., 376–380
 Robertson, P., 267 (r)
 Robertson, P. A., 135 (r), 210–213
 Robertson, R. J., 27–35
 Robertson, W. B., Jr., 144–145 (r), 558 (r)
 Rodenhouse, N. L., 557 (r)
 Rogers, C. M., 433–440
 Rohner, C., 265 (r)
 Rommé, R. C., 324–334
 Root, B. G., 272 (r)
 Rosenmann, M., 563 (r)
 Rotella, J., 266 (r)
 Roth, R. R., 115–121
 Rudolph, D. C., 365–375
 Russell, R. W., 271 (r)
 Ryan, M. R., 272 (r)
 Rytkonen, S., 414 (r)
 Sankowski, R., 266 (r)
 Saunders, D. K., 563 (r)
 Sayre, M. W., 276 (r)
 Scharf, W. C., 472–475
 Schmidt, T. M., 139 (r)
 Schneider, J. P., 420 (r)
 Schuchmann, K-L., 561 (r)
 Schwartz, M. D., 424 (r)
 Scott, P. E., 363–364
 Seather, B-E., 270 (r)
 Seddon, J., 376–380
 Shealer, D. A., 349–362
 Sherman, M. W., 138 (r)
 Silvy, N., 558 (r)
 Simons, L. H., 271 (r)
 Simons, L. S., 271 (r)
 Skagen, S., 273 (r)
 Smith, D., 562 (r)
 Smith, G. C., 136–137 (r)
 Smith, G. E. J., 417 (r)
 Smith, J. W., 139 (r)
 Sonerud, G. A., 418 (r)
 Sordahl, T. A., 461–465
 Southward, G. M., 324–334
 Spaar, R., 558 (r)
 Sparks, E. J., 83–95
 Stahl, A., 423 (r)
 Stanback, M. T., 70–75
 Stinson, C. M., 65–69
 Stinson, D. W., 65–69
 Stouffer, P. C., 458–460
 Sullivan, K. A., 271 (r)
 Summers-Smith, J. D., 146–147 (r)
 Székely, T., 417 (r)
 Székely, T., 60–64
 Tacha, T. C., 420 (r)
 Tate, D. P., 447–452
 Taylor, B. L., 265 (r)
 Taylor, D. M., 169–185
 Taylor, J. S., 560 (r)
 Taylor, W. E., 221–223
 Tessaglia, D. L., 8–16

- Thomas, D. W., 416 (r)
Thompson, B. C., 139 (r)
Tomlinson, R. E., 276 (r)
Trail, P. W., 142 (r)
Trussell, G., 520-529
Tucker, W. L., 151-159
Tyler, G., 335-348
van Franeker, J. A., 96-108
van Riper, C., III, 420 (r)
Varland, D., 556 (r)
Vaske, J. J., 201-209
Verbeek, N. A. M., 498-503
Vermeer, K., 417 (r)
Voelker, G. A., 307-323
Vuilleumier, F., 561 (r)
Waglin, R. H., 418 (r)
Wagner, S. J., 504-507
Waite, T. A., 556 (r)
Wanless, S., 416 (r)
Warner, R. E., 560 (r)
Warnock, N., 413 (r)
Warnock, S., 413 (r)
Watson, J. C., 221-223
Weatherhead, P. J., 269 (r), 559 (r)
Weathers, W. W., 271 (r)
Weeks, H. P., Jr., 52-57
Weinberg, H. J., 115-121
Weller, M. W., 388-401
Wells, D. J., 142 (r)
Wells, J., 283-294
Wells, R. J., 250-253
Wetenkamp, R. L., 562 (r)
Wheelwright, N. T., 520-529
Widmer, M., 269 (r)
Wiebe, K. L., 416 (r)
Wild, R., 421 (r)
Willis, E. O., 561 (r)
Wilson, S., 410-412
Wilson, W. H., Jr., 512-519
Wiltschko, R., 139-140 (r), 419 (r)
Wiltschko, W., 139-140 (r)
Winker, K., 307-323
Wise, D., 267 (r)
Woolfenden, G. E., 144-145 (r)
Ydenberg, R. C., 556 (r)
Young, J. H., 221-223
Zawada, N., 272 (r)
Zuern, F. A., 413 (r)
Zwank, P. J., 324-334

Subject/Geographic Index

The subject/geographic index includes entries for states, provinces of Canada, countries other than United States and Canada, and some specific localities; entries under the same headings used to categorize reviews; a few additional headings that reflect specific topics (e.g., techniques). As reviews are arranged by subject and cross-referenced within the review sections of the Journal, they are indexed by geographic location only.

- Alabama, 242-243
 Alaska, 402-403, 436-438
 Juneau, 433-434, 437-438
 Prudhoe Bay, 535, 537-538
 Alberta, 266 (r), 476, 518
 Aleutian Islands, 406
 alpha-chloralose, 2
 analysis of variance
 Fisher's least-significant difference, 155
 anesthesia
 methoxyflurane, 153
 ANOVA, 4, 62, 156, 211, 443, 514, 544-546
 Antarctica, 98, 270 (r)
 Antilles
 Greater, 276 (r)
Archaeopteryx, 421 (r)
 Arizona, 302, 305, 325, 472, 474
 Grand Canyon National Park, 160-161
 Arkansas, 224, 242
 Australia, 136 (r), 376-380
 bamboo
 as roosting site, 237-245
 banding
 and foot loss, 133-134
 differential wear of, 543-550
 Bay of Fundy, 521
 behavior
 pre-laying roosting, 52-57
 Belize, 309
 BIOMASS, 96-106
 bird assemblage, 388
 bird control
 lethal, 238
 bird count
 counting methods, 96-106
 time-of-day effect on, 17-26
 bird feeder
 interactive effects of, 512-519
 bird relocation
 forced, 238
 bird-human interaction, 237-245
 blood sampling
 effect of, 534-542
 Bonferroni z-statistic, 210
 Breeding Bird Survey, 513
 British Columbia, 186-187, 406-407, 477,
 479
 brood parasitism, 433-440
 Buenaventura Bay, 195
 California, 70, 138 (r), 165-166, 269 (r),
 302, 305, 420 (r), 421 (r), 423 (r), 434,
 453-454
 Baja, 300, 406, 490-491
 Shasta County, 442
 Canada, 433-434
 Central America, 301
 Chesapeake Bay, 148 (r), 415 (r)
 Christmas Bird Count, 512
 Colombia, 194-195, 199, 299
 Colorado River, 160-161, 164
 Connecticut, 204, 354
 Corsica, 136 (r)
 corticosterone, 539
 Costa Rica, 299, 451
 Cretaceous, 421 (r)
 cyclohexanone, 421 (r)
 data analysis, 307-308, 339-347
 composition method, 217-218
 confidence-interval method, 210-213,
 216-218
 correlation, 369-372
 discriminant analysis, 522-526
 discriminant equations, 318-321
 linear discriminant function, 3-5
 two resource method, 216-218
 Dominica, 237
 egg shell
 removal from nest, 461-464
 eggs
 ejecting parasite from host nest, 508-510
 volume of, 60-64
 El Salvador, 299
 England, 267 (r), 288, 290, 518
 Finland, 422 (r)
 Fisher-Exact test of independence, 469, 538
 Florida, 137 (r), 144 (r), 381-382
 food
 supplemental, 512-519
 transfer, 110-113
 France, 144 (r), 270 (r)
 Brittany, 500
 Georgia, 137 (r), 242, 416 (r)
 Great Lakes, 549-550
 Guam, 65

- Guatemala, 258, 300
 Gulf of Mexico, 312
 habitat
 fragmentation, 365–375
 Hawaii, 273–276 (r), 420 (r)
 histoplasmosis, 238
 Honduras, 299
 host/parasite species, 363–364
 Hungary, 62, 417 (r), 518
 Hurricane Hugo, 222
 Idaho, 424 (r)
 Illinois, 139 (r), 165, 251, 532
 implants
 for marking birds, 533
 Israel, 415 (r)
 Italy, 270 (r)
 Jamaica Bay, 544
 Kansas, 164, 302, 472
 Kent Island, 520–522
 Kentucky, 83–84, 139 (r), 144 (r), 242–243,
 251, 265 (r)
 Key West, 148 (r)
 Kruskal-Wallis analysis of variance, 240
 Kruskal-Wallis test, 468
 Lake Britton, 442
 land management, 395–401
 Longisquama, 421 (r)
 Louisiana, 138 (r), 242, 551–552
 Maine, 148 (r), 204, 283–285, 349–350, 512,
 523
 MANCOVA, 211–212
 Mann-Whitney *U*-test, 468, 523
 MANOVA, 212–213
 Mariana Islands, 65–66
 Maryland, 477
 Massachusetts, 204, 252, 354
Megalancosaurus, 421 (r)
 Mexico, 137 (r), 187, 276 (r), 298, 300, 308,
 451, 472
 Michigan, 139 (r), 164, 233
 Micromort v. 1.3, 154–155
 Minnesota, 141 (r), 424 (r), 532
 Mississippi, 139 (r), 242, 302
 Delta region, 254–257
 River, 243
 Missouri, 139 (r), 302, 531
 Montana, 424 (r)
 Monterrey, 299
 Nebraska, 164, 472–474
 Neotropical migrants, 434, 437
 nest
 abandonment, 201–209
 and ectoparasites, 250–251
 boxes, 250–253
 edge-dependent success of, 434–440
 closure type, 203
 in tree cavities, 36–51
 monitoring with mirrors, 410
 monitoring with video camera, 410–412
 predation of, 434
 site selection, 27–33
 Netherlands, 477
 netting, rocket, 551–554
 Nevada, 58, 138 (r)
 New Brunswick, 204, 520–521
 New Jersey, 204, 415 (r), 453, 545
 New Mexico, 139 (r), 242, 325, 472
 New York, 242, 354, 453–454
 John F. Kennedy Airport, 543–545
 New Zealand, 5–6, 143 (r), 500, 546
 Newfoundland, 202, 268 (r)
 Nicaragua, 300, 312
 North Carolina, 202, 242, 266 (r)
 North Dakota, 424 (r)
 Norway, 418 (r)
 Nova Scotia, 204
 Ohio, 233
 Oklahoma, 164, 302, 509
 Ontario, 27–28
 Oregon, 423 (r)
 Panama, 301
 Panama Bay, 199
 Paraguay, 254
 parasitism, 250–253
 Pennsylvania, 164–165
 Peru, 420 (r)
 Poland, 417 (r)
 Portugal, 18
 Prince Edward Island, 204
 Project FeederWatch, 8
 Puerto Rico, 76–77
 Punta Soldado Island, 195
 Queen Charlotte Islands, 417 (r)
 radio-telemetry, 151–159, 466–468, 530–533
 radio-tracking, 530–533
 regression analysis, 443
 Rhode Island, 204
 rocket-netting, 402–404
 Rocky Mountains, 143 (r), 424 (r)
 Sagavanirktok River, 535
 Saipan, 65
 San Francisco Bay, 142 (r)
 Sardinia, 136 (r)
 Saskatchewan, 186–187, 416 (r)
 SAST, 96–106
 Scleromochlus, 421 (r)
 Scotland, 336
 Sheep Creek Valley, 434
 Sierra Nevada Mountains, 442
 Singapore, 2
 South America, 307–323
 South Carolina, 137 (r), 141 (r), 221, 242–
 243, 505
 South Dakota, 151–152, 424 (r), 472

- Spain, 110, 143 (r), 419 (r), 466–470, 482–488
- Spearman rank correlation, 283–285
- spectrogram, 338–346
- statistical analysis
- Mayfield method, 154
- Sweden, 518
- Swiss Alps, 269 (r)
- Switzerland, 144 (r), 270 (r)
- t*-test, 531–532
- two-sample, 538
- techniques
- capturing cavity-nesters, 70–75
 - water-offloading, 376–380
- Tennessee, 139 (r), 243
- Texas, 141 (r), 242, 299, 302, 363, 365, 388, 421 (r), 472, 477
- transmitters
- solar, 123–127
- trap
- bow-net, 153
 - purse-string, 153
 - walk-in, 153
- Triassic*, 421 (r)
- underwater swimming
- in oystercatchers, 406–408
- Utah, 461–462
- Venezuela, 305, 447
- Virginia, 204, 242
- vocalization, 335–348
- volumeter, 60–64
- West Indies, 248
- Winter Bird Counts, 512
- Wisconsin, 518
- Wyoming, 37, 472, 499
- z*-test, 154–155
- Zimbabwe, 500

Taxonomic Index

The following taxonomic index includes entries for common and scientific names of birds given in papers, notes, and reviews.

- Acanthiza lineata*, 269 (r)
Accipiter cooperii, 8-15, 173
A. gentilis, 10
A. nisus, 15
Accipiter spp., 113
Accipiter striatus, 8-15, 173
Acridotheres javanicus, 1-7
A. tristis, 1-7
Acrocephalus familiaris, 275 (r)
Actitis macularia, 133, 195, 393, 408
Aegolius funereus, 51, 92, 414 (r), 418 (r), 424 (r)
Aerodramus sawtelli, 416 (r)
Aethia cristatella, 212, 218
Agelaius phoeniceus, 146 (r), 238, 242-243, 394, 399, 424 (r), 560 (r)
Aidemia, 275 (r)
Aimophila aestivalis, 224-231
A. carpalis, 229
A. ruficeps, 174
Aix sponsa, 157, 530-533
Ajaja ajaja, 392
Akekee, see *Loxops caeruleirostris*
Alauda arvensis, 557 (r)
Albatross
 Black-browed, see *Diomedea melanophris*
 Grey-headed, see *Diomedea chrysostoma*
 Light-mantled Sooty, see *Phoebastria palebrata*
Alectoris chukar, 415 (r)
Amakihi, Oahu, see *Loxops virens chloris*
Amazona agilis, 81
A. leucocephala bahamensis, 81
A. ventralis, 81
A. vittata, 76-82
Amikihi, Kauai, see *Loxops stejnegeri*
Ammodramus caudacutus, 394
A. lecontei, 394
A. maritimus, 394
A. savannarum, 174, 424 (r)
Amphispiza belli, 229
Anas affinis, 402
A. americana, 141 (r), 392, 559 (r), 564 (r)
A. americana, 402
A. clypeata, 138 (r), 392, 402, 559 (r)
A. crecca, 138 (r), 392, 564 (r)
A. cyanoptera, 138 (r)
A. discors, 141 (r), 392, 394, 559 (r), 562 (r), 563 (r)
A. fulvigula, 392, 394
A. platyrhynchos, 140-141 (r), 147 (r), 151-159, 266 (r), 392, 402, 532, 559 (r), 564 (r)
A. querquedula, 141 (r)
A. rubripes, 402
A. strepera, 392, 402, 559 (r)
Anhinga, see *Anhinga anhinga*
Anhinga anhinga, 392
Anser albifrons, 392
Anthus spinoleta, 393-394
Aphelocoma caeruleascens, 10, 173
A. caeruleascens, 145 (r)
Apteribis glenos, 274 (r)
Aquila adalberti, 419 (r)
A. audax, 80
A. chrysaetos, 58-59, 415 (r)
Ara chloroptera, 146 (r)
A. macao, 146 (r)
Archilochus alexandri, 173
Ardea herodias, 392, 394
Asio flammeus sandwichensis, 274 (r)
Athene cunicularia, 143 (r)
Auklet, Crested, see *Aethia cristatella*
Automolus ochrolaemus cervinigularis, 307, 320
Avocet, see *Recurvirostra avosetta*
Avocet American, see *Recurvirostra americana*
Aythya collaris, 138 (r)
A. valisineria, 402
Bittern
 American, see *Botaurus lentiginosus*
 European, see *Botaurus stellaris*
 Least, see *Ixobrychus exilis*
Blackbird, Red-winged, see *Agelaius phoeniceus*
Bluebird
 Eastern, see *Sialia sialis*
 Mountain, see *Sialia currucoides*
 Western, see *Sialia mexicana*
Bobwhite, Northern, see *Colinus virginianus*
Bombycilla cedrorum, 381-387
booby, 420 (r)
Botaurus lentiginosus, 343, 392
B. stellaris, 335-348
Branta canadensis, 392
B. sanduicensis, 274 (r)
Bubo virginianus, 10, 124, 158, 265-266 (r), 312
Bubulcus ibis, 392, 394, 399

- Bucephala albeola*, 32, 51, 392, 564 (r)
B. clangula, 564 (r)
 Bufflehead, see *Bucephala albeola*
 Bunting
 Indigo, see *Passerina cyanea*
 Lazuli, see *Passerina amoena*
 Painted, see *Passerina ciris*
 Bushtit, see *Psaltriparus minimus*
Buteo jamaicensis, 10–15, 77, 122–126, 173, 266 (r), 392
B. lagopus, 415 (r), 562 (r)
B. lineatus, 10–15, 131
B. platypterus, 10
B. regalis, 122–123, 127
Butorides striatus, 392
Cacatua roseicapilla, 80
Calcarius ornatus, 424 (r)
Calidris minutilla, 133, 393
C. alpina, 393, 413 (r)
C. fuscicollis, 393
C. himantopus, 133, 393
C. mauri, 194–200, 393, 413 (r)
C. melanotos, 133, 393
C. pusilla, 133, 393
Callipepla californica, 173
C. gambelli, 139 (r)
Calonectris d. diomedea, 136 (r)
Calypte anna, 173
C. costae, 420 (r)
Calyptorhynchus funereus, 81
Campophylus principalis, 50
Campylorhynchus brunneicapillus, 271 (r)
 Canvasback, see *Aythya valisineria*
 Caprimulgidae, 186
Caprimulgus europeus, 187
C. vociferus, 192
 Cardinal, Northern, see *Cardinalis cardinalis*
Cardinalis cardinalis, 12, 55, 517
Carduelis carduelis, 421 (r)
C. pinus, 12, 117, 175
C. psaltria, 162–163, 165–166, 175
C. tristis, 12, 135 (r), 175, 515–517
Carpodacus mexicanus, 12, 162–163, 165–166, 172–173, 175, 514–517
C. purpureus, 175, 514–516
Casmerodius albus, 392
 Catbird, Gray, see *Dumetella carolinensis*
Cathartes aura, 392
Catharus guttatus, 172–173
Catharus spp., 116
C. swainsoni, 433, 435–437
C. ustulatus, 173
Catoptrophorus semipalmatus, 393–394
Cepphus columba, 417 (r)
C. grylle, 140 (r)
Certhia americana, 173
C. brachydactyla, 18, 21
C. familiaris, 44, 51
Ceryle alcyon, 173, 393
Chaetura pelagica, 393
Chamaea fasciata, 174
Charadrius alba, 199
C. alexandrinus, 417 (r)
C. melodus, 201–209, 268 (r), 272 (r)
C. semipalmatus, 195, 393
C. vociferus, 393, 424 (r)
C. wilsonia, 393
C. wilsonius, 195
Chasiempis, 274–275 (r)
 Chat, Yellow-breasted, see *Icteria virens*
Chechelynechen, 274 (r)
Chelychelynechen, 275 (r)
Chen caerulescens, 392, 394
 Chickadee
 Black-capped, see *Parus atricapillus*
 Boreal, see *Parus hudsonicus*
 Carolina, see *Parus carolinensis*
 Chestnut-backed, see *Parus rufescens*
 Mexican, see *Parus sclateri*
 Mountain, see *Parus gambeli*
 Chicken, Domestic, see *Gallus gallus*
 Chiffchaff, see *Phylloscopus collybita*
Chlidonias niger, 393
Chloridops, 274 (r)
Chon destes grammacus, 174
Chordeiles minor, 187, 393
 Chukar, see *Alectoris chukar*
Ciccaba nigrolineata, 258–264
C. virgata, 258–264
C. woodfordii, 258
Cinlocerthia ruficauda, 247–249
Circus aeruginosus, 109–113, 143 (r)
C. cyaneus, 10, 392
Circus spp., 113
Ciridops, 274 (r)
Cistothorus palustris, 173, 393
C. platensis, 393
Cleptornis marchei, 65–69
Coccothraustes vespertinus, 514–516
 Cockatoo, Black, see *Calyptorhynchus funereus*
Colaptes auratus cafer, 173
C. auratus, 42, 173
Colinus virginianus, 539
C. virginianus, 560 (r)
Colomba palumbus, 147 (r)
C. livia, 12, 514–516
C. livia, 147 (r), 419 (r)
Contopus borealis, 173
C. sordidulus, 173
C. virens, 137 (r)
 Coot
 American, see *Fulica americana*
 Hawaiian, see *Fulica alai*

- Coragyps atratus*, 392
 Cormorant
 Double-crested, see *Phalacrocorax auritus*
 Great, see *Phalacrocorax carbo*
 Neotropical, see *Phalacrocorax olivaceus*
 Olivaceous, see *Phalacrocorax olivaceus*
Corvus brachyrhynchos, 10, 55, 139 (r), 515–516
C. caurinus, 408, 418 (r)
C. caurinus, 438
C. corax, 138 (r), 266 (r), 438, 514–516
C. hawaiiensis, 274 (r)
C. monedula, 146–147 (r)
Coturnicops noveboracensis, 392
 Cowbird
 Bronzed, see *Molothrus aeneus*
 Brown-headed, see *Molothrus ater*
 Screaming, see *Molothrus rufoaxillaris*
 Shiny, see *Molothrus bonariensis*
 Crane, Sandhill, see *Grus canadensis*
 Creeper
 Brown, see *Certhia americana*
 Hawaii, see *Oreomystis mana*
 Crow
 American, see *Corvus brachyrhynchos*
 Northern, see *Corvus caurinus*
 Northwestern, see *Corvus caurinus*
 Curlew, Long-billed, see *Numenius americanus*
Cyanocitta cristata, 12, 55, 514–516
Daption capense, 100–102
Dendrocopos major, 418 (r)
Dendrocygna autumnalis, 138 (r), 392, 421 (r)
D. bicolor, 392
Dendroica caerulescens, 174
D. coronata, 174
D. c. auduboni, 172–174
D. c. coronata, 174
D. disolor, 56
D. kirklandii, 233
D. magnolia, 174
D. nigrescens, 174
D. occidentalis, 174
D. palmarum, 174
D. pennsylvanica, 174
D. petechia, 162–163, 165, 174, 433, 435–437
D. pinus, 364
D. striata, 174
D. townsendi, 174
D. t. X occidentalis, 174
D. virens, 364
 Dickcissel, see *Spiza americana*
Diomedea chrysostoma, 100
D. melanophris, 100, 102
 Diver, Black-throated, see *Gavia arctica*
 Dove
 Eurasian Collared, see *Streptopelia decaocto*
 Mourning, see *Zenaidura macroura*
 Ringed Turtle-, see *Streptopelia risoria*
 Rock, see *Columba livia*
 Dowitcher
 Long-billed, see *Limnodromus scolopaceus*
 Short-billed, see *Limnodromus griseus*
Dryocopus pileatus, 50
 Duck
 Black, see *Anas rubripes*
 Black-bellied Whistling-, see *Dendrocygna autumnalis*
 Fulvous Whistling-, see *Dendrocygna bicolor*
 Mottled, see *Anas fulvigula*
 Ring-necked, see *Aythya collaris*
 Wood, see *Aix sponsa*
Dumetella carolinensis, 421 (r)
 Dunlin, see *Calidris alpina*
 Eagle
 Bald, see *Haliaeetus leucocephalus*
 Golden, see *Aquila chrysaetos*
 Spanish Imperial, see *Aquila adalberti*
 Wedge-tailed, see *Aquila audax*
 Eagle-buzzard, Grey, see *Geranoaetus melanoleucus*
Ecopistes migratorius, 276 (r)
 Egret
 Cattle, see *Bubulcus ibis*
 Great, see *Casmerodius albus*
 Great, see *Egretta alba*
 Reddish, see *Egretta rufescens*
 Snowy, see *Egretta thula*
 egrets, 562 (r)
Egretta alba, 392, 394, 415 (r)
Eg. caerulea, 392, 394, 415 (r)
E. rufescens, 392
E. thula, 392, 394, 415 (r)
E. tricolor, 392, 394, 415 (r)
 Eider Common, see *Somateria mollissima*
Elanus caeruleus, 392
Empidonax sp., 173
E. difficilis and *occidentalis*, 171–173
E. minimus, 173
E. traillii, 160, 162–165, 173
Eremophila alpestris, 424 (r)
Eudocimus albus, 392, 394
Euphagus cyanocephalus, 175, 242
Eurypyga helias, 146 (r)
Falco biarmicus, 415 (r)
F. columbarius, 10, 392, 557 (r)
F. peregrinus, 81, 392, 407, 564 (r)
F. sparverius, 10, 31–32, 173, 392, 416 (r), 556 (r)
F. tinnunculus, 422 (r)
 Falcon
 Lanner, see *Falco biarmicus*
 Peregrine, see *Falco peregrinus*
Ficedula hypoleuca, 44, 51

Finch

- House, see *Carpodacus mexicanus*
- Purple, see *Carpodacus purpureus*

Flicker

- Northern, see *Colaptes auratus*
- "Red-shafted", see *Colaptes auratus cafer*

Flycatcher

- Ash-throated, see *Myiarchus cinerascens*
- Brown-crested, see *Myiarchus tyrannulus*
- Dusky-capped, see *Myiarchus tuberculifer*
- Fork-tailed, see *Tyrannus savana*
- Great Crested, see *Myiarchus crinitus*
- Least, see *Empidonax minimus*
- Loggerhead, see *Tyrannus caudifasciatus*
- Olive-sided, see *Contopus borealis*
- Pied, see *Ficedula hypoleuca*
- Scissor-tailed, see *Tyrannus forficata*
- Scissor-tailed, see *Tyrannus forficatus*
- Sulphur-bellied, see *Myiodynastes luteiventris*
- Western, see *Empidonax difficilis and occidentalis*
- Willow, see *Empidonax traillii*

Fregatta tropica, 100

frigatebirds, 420 (r)

Fulica alai, 275 (r)*F. americana*, 392Fulmar Southern, see *Fulmarus glacialisoides**Fulmarus glacialisoides*, 100–102Gadwall, see *Anas strepera*Galah, see *Cacatua roseicapilla**Gallinago gallinago*, 393*Gallinula chloropus*, 392Gallinule Purple, see *Porphyryla martinica**Gallus gallus*, 539Garganey, see *Anas querquedula**Gavia arctica*, 335–348*G. immer*, 336*G. stellata*, 336*Geococcyx californianus*, 10*Geospiza* spp., 312*Geothlypis trichas*, 137 (r), 160, 162–165, 174, 394*Geranoaetus melanoleucus*, 268 (r)*Glaucidium gnoma*, 10Gnatcatcher, Blue-gray, see *Poliophtila caerulea*

Godwit

- Hudsonian, see *Limosa haemastica*
- Marbled, see *Limosa fedoa*

Goldeneye, Common, see *Bucephala clangula*

Goldfinch

- American, see *Carduelis tristis*
- American, see *Spinus tristis*
- European, see *Carduelis carduelis*
- Lesser, see *Carduelis psaltria*

Goose

Canada, see *Branta canadensis*Greater White-fronted, see *Anser albifrons*Lesser Snow, see *Chen caerulescens*Goshawk, Northern, see *Accipiter gentilis*

Grackle

- Boat-tailed, see *Quiscalus major*

Common, see *Quiscalus quiscula**Grallistrix*, 274 (r)

Grebe

- Great Crested, see *Podiceps cristatus*
- Pied-billed, see *Podilymbus podiceps*

Greenlet

- Lesser, see *Hylophilus decurtatus "decurtatus"*
- Tawny-crowned, see *Hylophilus o. ochraceiceps*

Grosbeak

- Black-headed, see *Pheucticus melanocephalus*

Blue, see *Guiraca caerulea*Evening, see *Coccothraustes vespertinus*Rose-breasted, see *Pheucticus ludovicianus*Grouse, Black, see *Tetrao tetrix**Grus canadensis*, 147 (r), 393

Guillemot

- Black, see *Cepphus grylle*

Pigeon, see *Cepphus columba**Guiraca caerulea*, 160, 162–165

Gull

- Black-headed, see *Larus ridibundus*
- Franklin's, see *Larus pipixcan*
- Glaucous, see *Larus hyperboreus*
- Great Black-backed, see *Larus marinus*
- Herring, see *Larus argentatus*
- Iceland, see *Larus glaucooides*
- Laughing, see *Larus atricilla*
- Lesser Black-backed, see *Larus fuscus*
- Red-billed, see *Larus novaehollandiae*
- Ring-billed, see *Larus delawarensis*
- Silver, see *Larus novaehollandiae*
- Thayer's, see *Larus thayeri*

gulls, 562 (r)

Haematopus bachmani, 406–409*H. ostralegus*, 408*H. palliatus*, 408*Haliaeetus albicilla*, 274 (r)*H. leucocephalus*, 274 (r)*Halieetus leucocephalus*, 123, 407, 424 (r), 558 (r)*Halycon sancta*, 336

Harrier

- Marsh, see *Circus aeruginosus*
- Northern, see *Circus cyaneus*

Hawk

- Cooper's, see *Accipiter cooperii*
- Ferruginous, see *Buteo regalis*
- Red-shouldered, see *Buteo lineatus*

- Red-tailed, see *Buteo jamaicensis*
 Rough-legged, see *Buteo lagopus*
 Sharp-shinned, see *Accipiter striatus*
 Swainson's, see *Buteo swainsoni*
 hawks, 562 (r)
Hemignathus, 274–275 (r)
H. kawaiensis, 275 (r)
 Heron
 Black-crowned Night-, see *Nycticorax nycticorax*
 Great Blue, see *Ardea herodias*
 Green-backed, see *Butorides striatus*
 Little Blue, see *Egretta caerulea*
 Tricolored, see *Egretta tricolor*
 Yellow-crowned Night-, see *Nycticorax violaceus*
 herons, 562 (r)
Heterorhynchus, 275 (r)
Himantopus himantopus, 143 (r)
H. knudseni, 275 (r)
H. mexicanus, 393–394, 399, 408
H. novaehollandiae, 143 (r)
Himatione freethi, 275–276 (r)
Hirundo pyrrhonota, 251, 393
H. rustica, 135 (r), 173, 393
 Honeyeater
 Regent, see *Xanthomyza phrygia*
 Yellow-faced, see *Lichenostomus chrysops*
 Hummingbird
 Allen's, see *Selasphorus sasin*
 Anna's, see *Calypte anna*
 Black-chinned, see *Archilochus alexandri*
 Broad-tailed, see *Selasphorus platycercus*
 Calliope, see *Stellula calliope*
 Costa's, see *Calypte costae*
 Rufous, see *Selasphorus rufus*
 hummingbirds, 561 (r)
Hylocichla mustelina, 135 (r)
Hylophilus decurtatus "decurtatus", 307, 311–321
H. d. dickermani, 311, 320
H. d. phillipsi, 311
H. ochraceiceps pallidipectus, 309
 Ibis
 White, see *Eudocimus albus*
 White-faced, see *Plegadis chihi*
Icteria virens, 162–163, 165, 174
I. galbula, 163, 175
I. spurius, 175, 299, 394
Ixobrychus exilis, 392, 394, 399
Ixoreus naevius, 115–120, 174, 564 (r)
 Jay
 Blue, see *Cyanocitta cristata*
 Florida Scrub, see *Aphelocoma coerulescens*
 Gray, see *Perisoreus canadensis*
 Scrub, see *Aphelocoma coerulescens*
 Steller's, see *Cyanocitta stelleri*
 Junco
 Dark-eyed, see *Junco hyemalis*
 Yellow-eyed, see *Junco phaeonotus*
Junco hyemalis, 12, 175, 271 (r), 562–563 (r)
J. phaeonotus, 271 (r)
 Kestrel
 American, see *Falco sparverius*
 European, see *Falco tinnunculus*
 Killdeer, see *Charadrius vociferus*
 Kingbird
 Cassin's, see *Tyrannus vociferans*
 Couch's, see *Tyrannus couchii*
 Eastern, see *Tyrannus tyrannus*
 Giant, see *Tyrannus cubensis*
 Gray, see *Tyrannus dominicensis*
 Loggerhead, see *Tyrannus audifasciatus*
 Snowy-throated, see *Tyrannus niveigularis*
 Thick-billed, see *Tyrannus crassirostris*
 Tropical, see *Tyrannus melancholicus*
 Tropical, see *Tyrannus melancholicus satrapa*
 Western, see *Tyrannus verticalis*
 Kingfisher
 Australian, see *Halycon sancta*
 Belted, see *Ceryle alcyon*
 Kinglet
 Golden-crowned, see *Regulus satrapa*
 Ruby-crowned, see *Regulus calendula*
 Kite
 Black-shouldered, see *Elanus caeruleus*
 Snail, see *Rostrhamus sociabilis*
 Kittiwake, Black-legged, see *Rissa tridactyla*
Lanius excubitor, 10
L. ludovicianus, 174, 393
 larids, 544
 Lark, Horned, see *Eremophila alpestris*
Larus argentatus, 283–292, 393
L. atricilla, 393, 543–550
L. delawarensis, 286, 393, 549
L. fuscus, 286
L. glaucoides, 286
L. hyperboreus, 286
L. marinus, 283–292
L. novaehollandiae, 136 (r)
L. novaehollandiae, 544, 546
L. pipixcan, 393
L. ridibundus, 286
L. thayeri, 286
Lichenostomus chrysops, 419 (r)
Limnodromus griseus, 133, 391–393
L. scolopaceus, 133, 391–393, 394
Limosa fedoa, 393
L. haemastica, 393
 Longspur, Chestnut-collared, see *Calcarius ornatus*
 Loon, Common, see *Gavia immer*
Loxioides, 274 (r)

- Loxops careuleirostris*, 275 (r)
L. stejnegeri, 275 (r)
L. virens chloris, 275 (r)
 Macaw
 Red-and-Green, see *Ara chloroptera*
 Scarlet, see *Ara macao*
Macronectes giganteus, 100
 Magpie, Black-billed, see *Pica pica*
Magnuma, 276 (r)
 Mallard, see *Anas platyrhynchos*
 Martin, Purple, see *Progne subis*
 Meadowlark Eastern, see *Sturnella magna*
Melamprosops, 274 (r)
Melanerpes carolinus, 42, 50
Melanerpes aurifrons, 50
M. erythrocephalus, 42, 50
M. formicivorus, 42, 50, 70
M. lewis, 50
Meleagris gallopavo, 564 (r)
M. g. silvestris, 564 (r)
 Meliphagidae, 274 (r), 419 (r)
Melospiza georgiana, 394
M. lincolni, 175
 Merganser
 Common, see *Mergus merganser*
 Red-breasted, see *Mergus serrator*
Mergus merganser, 392
M. serrator, 392
 Merlin, see *Falco columbarius*
Micrathene whitneyi, 32
 Millerbird, see *Acrocephalus familiaris*
Mimus polyglottos, 174, 393, 421 (r)
 Mockingbird, Northern, see *Mimus polyglottos*
Molothrus, 274 (r)
M. aeneus, 508, 510
M. ater, 142 (r), 146 (r), 160–168, 238, 242, 272 (r), 363–364, 365, 394, 433–440, 508–510
M. bonariensis, 508, 510
M. rufoaxillaris, 508
 Moorhen, Common, see *Gallinula chloropus*
Motacilla flava, 419 (r)
 Murre Common, see *Uria aalge*
Muscivora tyrannus, 295–299
M. t. savana, 296
Myadestes, 274 (r)
Mycteria americana, 137 (r), 392
Myiarchus cinerascens, 50, 138 (r), 173
M. crinitus, 32, 50, 137 (r)
M. tuberculifer, 50
M. tyrannulus, 50
Myiodynastes luteiventris, 50
 Myna
 Common, see *Acridotheres tristis*
 White-vented, see *Acridotheres javanicus*
 Nighthawk, Common, see *Chordeiles minor*
 Nightjar, European, see *Caprimulgus europaeus*
Numenius americanus, 393
N. phaeopus, 393
 Nuthatch
 Brown-headed, see *Sitta pusilla*
 European, see *Sitta europaea*
 Pygmy, see *Sitta pygmaea*
 Red-breasted, see *Sitta canadensis*
 White-breasted, see *Sitta carolinensis*
Nycticorax nycticorax, 350, 391–392
N. violaceus, 391–392
Oceanites oceanicus, 100, 102
Oporonis agilis, 174
O. tolmiei, 174
Oreomyztes, 275 (r)
O. mana, 275 (r)
 Oriole
 Northern, see *Icterus galbula*
 Orchard, see *Icterus spurius*
Orthospiza, 274 (r)
 Osprey, see *Pandion haliaetus*
Otus asio, 32, 83–95, 131
O. flammeolus, 32
 Ovenbird, see *Seiurus aurocapillus*
 Owl
 Barred, see *Strix varia*
 Black-and-white, see *Ciccaba nigrolineata*
 Boreal, see *Aegolius funereus*
 Burrowing, see *Athene cunicularia*
 California Spotted, see *Strix occidentalis occidentalis*
 Eastern Screech-, see *Otus asio*
 Elf, see *Micrathene whitneyi*
 Flammulated, see *Otus flammeolus*
 Great Horned, see *Bubo virginianus*
 Mexican Spotted, see *Strix occidentalis*
 Mottled, see *Ciccaba virgata*
 Northern Pygmy, see *Glaucidium gnoma*
 Northern Spotted, see *Strix occidentalis caurina*
 Spotted, see *Strix occidentalis*
 Tawny, see *Strix aluco*
 Tengmalm's, see *Aegolius funereus*
 Oystercatcher
 American Black, see *Haematopus bachmani*
 American, see *Haematopus palliatus*
 Eurasian, see *Haematopus ostralegus*
Pachyptila vittata, 100, 102
Pagodroma nivea, 100–102
Pandion haliaetus, 392, 415 (r)
Paroreomyza, 275 (r)
P. maculata, 275 (r)
P. montana, 275 (r)
 Parrot
 Bahama, see *Amazona leucocephala bahamensis*

- Black-billed, see *Amazona agilis*
 Hispaniolan, see *Amazona ventralis*
 Puerto Rican, see *Amazona vittata*
Parus atricapillus, 32, 43, 50, 137 (r), 421 (r), 514–516
P. bicolor, 43, 50, 517
P. caeruleus, 32, 44
P. carolinensis, 43, 50, 252
P. cinctus, 50
P. cristatus, 518
P. gambeli, 32, 43, 51
P. hispaniolensis, 146 (r)
P. inornatus, 50, 173
P. major, 32, 44, 141 (r), 419 (r), 421 (r)
P. montanus, 146 (r), 414–415 (r), 518
P. palustris, 44, 51
P. rufescens, 50, 173
P. sclateri, 51
P. wollweberi, 51
Passer domesticus, 12, 15, 32, 37, 146–147 (r), 265 (r), 413 (r), 515–516
P. d. indicus, 147 (r)
P. montanus, 67, 147 (r)
Passerculus sandwichensis, 390–394, 520–527
Passerella iliaca, 174, 269 (r), 435–437
P. i. megarhyncha, 269 (r)
P. i. stephensi, 269 (r)
Passerina amoena, 174
P. ciris, 115
P. cyanea, 115, 163
 Peep, 394
Pelecanus erythrorhynchos, 392
 Pelican, American White, see *Pelecanus erythrorhynchos*
 Penguin, Adélie, see *Pygoscelis adeliae*
Perisoreus canadensis, 556 (r)
 Petrel
 Antarctic, see *Thalassoica antarctica*
 Black-bellied Storm-, see *Fregatta tropica*
 Cape, see *Daption capense*
 Snow, see *Pagodroma nivea*
 Southern Giant, see *Macronectes giganteus*
 White-chinned, see *Procellaria aequinoctialis*
 Wilson's Storm-, see *Oceanites oceanicus*
 Phainopepla, 163
Phalacrocorax atriceps, 416 (r)
P. auritus, 144 (r), 254–257, 391–392
P. carbo, 144 (r)
P. olivaceus, 254, 392
Phalaenoptilus nuttallii, 186–193
 Phalarope, Wilson's, see *Phalaropus tricolor*
Phalaropus tricolor, 393
Phasianus colchicus, 135 (r), 267 (r), 560 (r)
 Pheasant, Ring-necked, see *Phasianus colchicus*
Phœticus ludovicianus, 174
P. melanocephalus, 163, 174
Philohela minor, 336
Phocoena sinus, 265 (r)
 Phoebe
 Black, see *Sayornis nigricans*
 Eastern, see *Sayornis phoebe*
 Say's, see *Sayornis saya*
Phoebastria palebrata, 100
Phylloscopus collybita, 419 (r)
P. sibilatrix, 146 (r)
Pica pica, 10
Picoides albobarvatus, 50
P. arcticus, 50
P. borealis, 42, 50, 141 (r), 221–223, 365–375, 539
P. nutalli, 50
P. pubescens, 50, 173, 514–516
P. scalaris, 50
P. stricklandi, 50
P. tridactylus, 50
P. villosus, 50, 173, 514–516
 Pigeon
 Homing, see *Columba livia*
 Passenger, see *Ecopistes migratorius*
 Pintail, Northern, see *Anas acuta*
 Pipit, Water, see *Anthus spinoleta*
Piranga ludoviciana, 174
P. olivacea, 174
Plegadis chihi, 392, 394
 Plover
 Black-bellied, see *Pluvialis squatarola*
 Kentish [Snowy], see *Charadrius alexandrinus*
 Mountain, see *Charadrius montanus*
 Piping, see *Charadrius melodus*
 Semipalmated, see *Charadrius semipalmatus*
 Wilson's, see *Charadrius wilsonia*
Pluvialis squatarola, 393
Podiceps cristatus, 417 (r)
Podilymbus podiceps, 392
Polioptila caerulea, 162–163, 165, 173, 363
Poocetes gramineus, 424 (r), 557 (r)
 Poorwill, Common, see *Phalaenoptilus nuttallii*
Porphyryla martinica, 392
Porzana, 274 (r)
P. carolina, 392
 Prairie Chicken
 Attwater's, see *Tympanuchus cupido attwateri*
 Lesser, see *Tympanuchus pallidicinctus*
Procellaria aequinoctialis, 100
Progne subis, 50, 250, 393
Protonotaria citrea, 43, 51
Psaltriparus minimus, 173
Psittirostra, 275 (r)

- Ptaiochen*, 274 (r)
Pterodroma, 274 (r)
Puffinus tenuirostris, 212, 217
Pygoscelis adeliae, 376–380
 Quail
 California, see *Callipepla californica*
 Gambel's, see *Callipepla gambelii*
 Northern Bobwhite, see *Colinus virginianus*
Quiscalus major, 394, 399
Quiscalus quiscula, 10, 146 (r), 238, 242
 Rail
 Clapper, see *Rallus longirostris*
 King, see *Rallus elegans*
 Virginia, see *Rallus limicola*
 Yellow, see *Coturnicops noveboracensis*
Rallus elegans, 391–392
R. limicola, 392
R. longirostris, 391–392
 Raven
 Common, see *Corvus corax*
 Northern, see *Corvus corax*
Recurvirostra americana, 393, 408
R. avosetta, 146 (r)
 Redhead, see *Anas americana*
 Redstart, American, see *Setohaga ruticilla*
Regulus calendula, 171–173
R. satrapa, 173
Rhodacanthis, 274 (r)
Riparia riparia, 393
Rissa tridactyla, 217, 418 (r)
 Roadrunner, Greater, see *Geococcyx californianus*
 Robin, American, see *Turdus migratorius*
Rostrhamus sociabilis, 123
Rynchops niger, 393
Salpinctes obsoletus, 173
 Sanderling, see *Charadrius alba*
 Sandpiper
 Buff-breasted, see *Tryngites subruficollis*
 Least, see *Calidris minutilla*
 Pectoral, see *Calidris melanotos*
 Semipalmated, see *Calidris pusilla*
 Solitary, see *Tringa solitaria*
 Spotted, see *Actitis macularia*
 Stilt, see *Calidris himantopus*
 Western, see *Calidris mauri*
 White-rumped, see *Calidris fuscicollis*
 Wood, see *Tringa glareola*
 Sapsucker
 Red-breasted, see *Sphyrapicus ruber*
 Red-naped, see *Sphyrapicus nuchalis*
 Williamson's, see *Sphyrapicus thyroideus*
 Yellow-bellied, see *Sphyrapicus varius*
Sayornis nigricans, 163, 173
S. phoebe, 52–57, 421 (r)
S. saya, 163, 173
 Scaup Lesser, see *Anas affinis*
Seiurus aurocapillus, 272 (r)
S. noveboracensis, 174, 560 (r)
Selasphorus platycercus, 142 (r)
S. rufus, 142 (r), 173, 271–272 (r)
S. sasin, 173
Setohaga ruticilla, 115, 174
 Shag, Blue-eyed, see *Phalacrocorax atriceps*
 Shearwater
 Cory's, see *Calonectris d. diomedea*
 Short-tailed, see *Puffinus tenuirostris*
 shearwaters, 420 (r)
 shorebirds, 562 (r)
 Shoveler, Northern, see *Anas clypeata*
 Shrike
 Loggerhead, see *Lanius ludovicianus*
 Northern, see *Lanius excubitor*
Sialia mexicana, 51, 173
S. sialis, 31, 43–44, 51, 139 (r), 14 (r), 250–253, 265 (r), 413 (r)
 Silvereyes, Australian, see *Zosterops lateralis*
 Siskin, Pine, see *Carduelis pinus*
Sitta canadensis, 43, 50, 173, 514–516
S. carolinensis, 31–32, 51, 252, 515–516
S. europaea, 44, 51
S. pusilla, 50
S. pygmaea, 32, 43, 50, 173
 Skimmer, Black, see *Rhychoptis niger*
 Skylark, see *Alauda arvensis*
 Snipe, Common, see *Gallinago gallinago*
Somateria mollissima, 350
 Sora, see *Porzana carolina*
 Sparrow
 Bachman's, see *Aimophila aestivalis*
 Brewer's, see *Spizella breweri*
 Chipping, see *Aimophila ruficeps*
 "Gambel" White-crowned, 175
 Golden-crowned, see *Zonotrichia atricapilla*
 Grasshopper, see *Ammodramus savannarum*
 House, see *Passer domesticus*
 Lark, see *Chon destes grammacus*
 LeConte's, see *Ammodramus leconteii*
 Lincoln's see *Melospiza lincolni*
 "Nuttall's" White-crowned, 175
 "Puget-sound" White-crowned, 175
 Rufous-winged, see *Aimophila carpalis*
 Rufous-collared, see *Zonotrichia capensis*
 (Emberizidae)
 Sage, see *Amphispiza belli*
 Savannah, see *Passeruculus sandwichensis*
 Seaside, see *Ammodramus maritimus*
 Sharp-tailed, see *Ammodramus caudacutus*
 Song, see *Melospiza melodia*
 Swamp, see *Melospiza georgiana*
 Vesper, see *Poocetes gramineus*
 White-crowned, see *Zonotrichia leucophrys*

- White-crowned, see *Zonotrichia leucophrys nuttalli*
 White-throated, see *Zonotrichia albicollis*
 Sparrowhawk, see *Accipiter nisus*
Sphyrapicus nuchalis, 42, 50
S. ruber, 50, 173
S. thryoideus, 42, 50
S. varius, 42, 50
Spinus tristis, 421 (r)
Spiza americana, 394
Spizella breweri, 229
 Spoonbill, Roseate, see *Ajaia ajaja*
 Starling
 Eurasian, see *Sturnus vulgaris*
 European, see *Sturnus vulgaris*
Stelgidopteryx serripennis, 393
Stellula calliope, 173
Sterna antillarum, 139 (r), 393
S. caspia, 393, 546, 549–550
S. dougallii, 349–362
S. fuscata, 145 (r)
S. hirundo, 350, 33
S. maxima, 393
S. nilotica, 393
S. paradisaea, 100
Sterna forsteri, 393
 Stilt
 Black, see *Himantopus novaeseelandiae*
 Black-necked, see *Himantopus mexicanus*
 Hawaiian, see *Himantopus knudseni*
 Pied, see *Himantopus himantopus*
 Stork, Wood, see *Mycteria americana*
Streptopelia decaocto, 145 (r), 147 (r)
S. orientalis, 147 (r)
S. risoria, 145 (r)
Strix aluco, 336
S. occidentalis, 131, 324–334
S. o. caurina, 265 (r), 325, 330, 423 (r)
S. o. occidentalis, 325, 330
S. varia, 32
Sturnella magna, 394
S. vulgaris, 10, 12, 27–33, 37, 146 (r), 174, 238, 242, 272 (r), 515–516
 Sunbittern, see *Eurypyga helias*
 Swallow
 Bank, see *Riparia riparia*
 Barn, see *Hirundo rustica*
 Cliff, see *Hirundo pyrrhonota*
 N. Rough-winged, see *Stelgidopteryx serripennis*
 Tree, see *Tachycineta bicolor*
 Violet-green, see *Tachycineta thalassina*
 Swift, Chimney, see *Chaetura pelagica*
 Swiftlet, Atiu, see *Aerodramus sawtelli*
Sylvia borin, 269–270 (r)
Tachycineta bicolor, 27–33, 42, 44, 50, 252, 393, 413 (r)
T. thalassina, 50
 Tanager
 Blue-gray, see *Thraupis episcopus*
 Scarlet, see *Piranga olivacea*
 Western, see *Piranga ludoviciana*
 Teal
 Blue-winged, see *Anas discors*
 Cinnamon, see *Anas cyanoptera*
 [American] Green-winged, see *Anas crecca*
Telespiza, 274 (r)
 Tern
 Black, see *Chlidonias niger*
 Caspian, see *Sterna caspia*
 Common, see *Sterna hirundo*
 Forster's, see *Sterna forsteri*
 Gull-billed, see *Sterna nilotica*
 Least, see *Sterna antillarum*
 Roseate, see *Sterna dougallii*
 Royal, see *Sterna maxima*
 Sooty, see *Sterna fuscata*
 terns, 420 (r), 562 (r)
Tetrao tetrix, 560–561 (r)
Thalassoica antarctica, 100, 270–271 (r)
Thambetochea chauliodous, 274 (r)
 Thornbill, Striated, see *Acanthiza lineata*
 Thrasher
 Brown, see *Toxostoma rufum*
 Curve-billed, see *Toxostoma curvirostre*
Thraupis episcopus, 145 (r)
 Thrush
 Hermit, see *Catharus guttauts*
 Song, see *Turdus philomelos*
 Swainson's, see *Catharus ustulatus*
 Swainson's, see *Catharus swainsoni*
 Varied, see *Ixoreus naevius*
 Wood, see *Hylocichla mustelina*
Thryomanes bewickii, 51, 173
Thryothorus ludovicianus, 51, 56
 Tit
 Blue, see *Parus caeruleus*
 Crested, see *Parus cristatus*
 Great, see *Parus major*
 Marsh, see *Parus palustris*
 Siberian, see *Parus cinctus*
 Willow, see *Parus montanus*
 Titmouse
 Bridled, see *Parus wollweberi*
 Plain, see *Parus inornatus*
 Tufted, see *Parus bicolor*
 Towhee, Rufous-crowned, see *Pipilo erythrophthalmus*
Toxostoma curvirostre, 271 (r)
T. rufum, 174
 Treecreeper
 Common, see *Certhia familiaris*
 Short-toed, see *Certhia brachydactyla*

- Trembler, Brown, see *Cinlocerthia ruficauda*
Trichostema lanatum (Labiatae), 420 (r)
Tringa glareola, 170 (r)
T. melanoleuca, 133, 391–394
T. solitaria, 393
Troglodytes aedon, 31–32, 36–49, 51, 173, 250, 252, 267 (r), 268 (r)
Tryngites subruficollis, 534–542
Turdus migratorius, 55, 146 (r), 173, 269 (r), 433, 435–437, 564 (r)
T. philomelos, 558 (r)
 Turkey
 Eastern Wild, see *Meleagris gallopavo silvestris*
 Wild, see *Meleagris gallopavo*
Tympanuchus pallidicinctus, 559 (r)
T. cupido attenuatus, 558–559 (r)
Tyrannus albogularis, 297
T. apolites, 305
T. caudifasciatus, 297, 305
T. chloronotus, 305
T. couchii, 298, 305
T. crassirostris, 297, 299, 302
T. cubensis, 297
T. dominicensis, 301, 510
T. forficata, 508–510
T. forficatus, 296, 299
T. melancholicus, 298, 305, 510
T. m. satrapa, 298
T. niveigularis, 296
T. occidentalis, 305
T. savana, 296, 300
T. tyrannus, 137 (r), 296, 312, 393, 510
T. verticalis, 296, 298, 510
T. vociferans, 297–298
Uria aalge, 407
Vangulifer, 275 (r)
 Vaquita, see *Phocoena sinus*
Vermivora bachmanii, 145 (r)
V. celata, 174
V. peregrina, 174
V. ruficapilla, 160, 174, 232–236
Vireo atricapillus, 363
V. bellii, 162–163, 165–166
V. gilvus, 174
V. huttoni, 174
V. olivaceus, 174
V. solitarius, 174
 Vireo
 Bell's, see *Vireo bellii*
 Black-capped, see *Vireo atricapillus*
 Hutton's, see *Vireo huttoni*
 Lesser Bell's, 166
 Red-eyed, see *Vireo olivaceus*
 Solitary, see *Vireo solitarius*
 Warbling, see *Vireo gilvus*
 Vulture
 Black, see *Coragyps atratus*
 Turkey, see *Cathartes aura*
 Wagtail, Yellow, see *Motacilla flava*
 Warbler
 Audubon's, see *Dendroica coronata auduboni*
 Bachman's, see *Vermivora bachmanii*
 Black-throated Blue, see *Dendroica caerulescens*
 Black-throated Gray, see *Dendroica nigrescens*
 Black-throated Green, see *Dendroica virens*
 Blackpoll, see *Dendroica striata*
 Canada, see *Wilsonia canadensis*
 Chestnut-sided, see *Dendroica pensylvanica*
 Connecticut, see *Oporornis agilis*
 Garden, see *Sylvia borin*
 Hermit, see *Dendroica occidentalis*
 Hooded, see *Wilsonia citrina*
 Kirtland's, see *Dendroica kirklandii*
 Lucy's, see *Vermivora luciae*
 MacGillivray's, see *Oporornis tolmiei*
 Magnolia, see *Dendroica magnolia*
 “Myrtle”, see *Dendroica coronata coronata*
 Nashville, see *Vermivora ruficapilla*
 Orange-crowned, see *Vermivora celata*
 Palm, see *Dendroica palmarum*
 Pine, see *Dendroica pinus*
 Prairie, see *Dendroica discolor*
 Prothonotary, see *Protonotaria citrea*
 Townsend's X Hermit, see *Dendroica townsendi X occidentalis*
 Townsend's, see *Dendroica townsendi*
 Wilson's, see *Wilsonia pusilla*
 Wood, see *Phylloscopus sibilatrix*
 Yellow, see *Dendroica petechia*
 Yellow-rumped, see *Dendroica coronata*
 Waterthrush, Northern, see *Seiurus noveboracensis*
 Waxwing, Cedar, see *Bombycilla cedrorum*
 Whip-poor-will, see *Caprimulgus vociferus*
 White-eye
 Bridled, see *Zosterops conspicillatus*
 Golden, see *Cleptornis marchei*
 Wigeon, American, see *Anas americana*
 Willet, see *Catoptrophorus semipalmatus*
Wilsonia canadensis, 299
W. citrina, 266–267 (r)
W. pusilla, 174, 435
 Wood-Pewee
 Eastern, see *Contopus virens*
 Western, see *Contopus sordidulus*
 Woodcock, American, see *Philohela minor*
 Woodpecker
 Acorn, see *Melanerpes formicivorus*
 Black-backed, see *Picoides arcticus*

Downy, see *Picoides pubescens*
 Golden-fronted, see *Melanerpes aurifrons*
 Great Spotted, see *Dendrocopos major*
 Hairy, see *Picoides villosus*
 Ladder-backed, see *Picoides scalaris*
 Lewis', see *Melanerpes lewis*
 Nuttall's, see *Picoides nuttalli*
 Pileated, see *Dryocopus pileatus*
 Red-bellied, see *Melanerpes erythrocephalus*
 Red-cockaded, see *Picoides borealis*
 Red-headed, see *Melanerpes carolinus*
 Strickland's, see *Picoides stricklandi*
 Three-toed, see *Picoides tridactylus*
 White-headed, see *Picoides albolarvatus*

Wren
 Bewick's, see *Thryomanes bewickii*
 Cactus, see *Campylorhynchus brunneicapillus*
 Carolina, see *Thryothorus ludovicianus*
 House, see *Troglodytes aedon*

Marsh, see *Cistothorus palustris*
 Rock, see *Salpinctes obsoletus*
 Sedge, see *Cistothorus platensis*
 Wrentit, see *Chamaea fasciata*
 Wrimbrel, see *Numenius phaeopus*
Xanthomyza phrygia, 270 (r)
Xenops minutus mexicanus, 307-321
 Yellowlegs
 Greater, see *Tringa melanoleuca*
 Lesser, see *Tringa melanoleuca*
 Yellowthroat, Common, see *Geothlypis trichas*
Zenaida, 146 (r)
Z. macroura, 12, 173, 276 (r), 393, 514-516
Zonotrichia albicollis, 175
Z. atricapilla, 175
Z. capensis (Emberizidae), 563 (r)
Z. leucophrys nuttalli, 142 (r)
Z. leucophrys, 56, 175, 305
Zosterops conspicillatus, 67
Z. lateralis, 140 (r)

POSTAL BULLETIN 21878, 9-1-84, PAGE 17

UNITED STATES POSTAL SERVICE Statement of Ownership, Management, and Circulation (Required by 39 U.S.C. 3686)

1. Publication Title: **JOURNAL OF FIELD ORNITHOLOGY**

2. Issue Frequency: **QUARTERLY (WINTER, SPRING, SUMMER, FALL)**

3. Issue Date for Circulation Data Below: **FALL '93-SUM'94**

4. Annual Subscription Price: **\$21.00**

5. Complete Mailing Address of Known Office of Publication (Street, City, County, State, and ZIP+4) (Not Printer):
ASSOCIATION OF FIELD ORNITHOLOGISTS, PO BOX 187, 800 E 10TH ST., LAWRENCE, KS 66044

6. Complete Mailing Address of Headquarters or General Business Office of Publisher (Not Printer):
SAME AS 5

7. Full Names and Complete Mailing Addresses of Publisher, Editor, and Managing Editor (Do Not Leave Blank):
Publisher (Name and Complete Mailing Address): ASSOCIATION OF FIELD ORNITHOLOGISTS, PO BOX 187, 800 E 10TH ST., LAWRENCE, KS 66044
Editor (Name and Complete Mailing Address): KEN YASUKAWA, BELDIT COLLEGE, DEPT OF BIOLOGY, 700 COLLEGE ST., BELDIT, WI 53511
Managing Editor (Name and Complete Mailing Address): [REDACTED]

8. Owner (Do Not Leave Blank):
ASSOCIATION OF FIELD ORNITHOLOGISTS PO BOX 187, 800 E 10TH ST., LAWRENCE, KS 66044

9. Known Bondholders, Mortgagees, and Other Security Holders Owning or Holding 1 Percent or More of Total Amount of Bonds, Mortgages, or Other Securities. If none, check here: None

10. Tax Status (For completion by nonprofit organizations authorized to mail at nonprofit rates):
 Not for-profit
 For-profit

Page 18, 9-1-84, 21878 POSTAL BULLETIN

11. Publication Title: **JOURNAL OF FIELD ORNITHOLOGY**

12. Issue Frequency: **FALL '93-SUM'94**

13. Issue Date for Circulation Data Below: **FALL '93-SUM'94**

14. Annual Subscription Price: **\$21.00**

15. Complete Mailing Address of Known Office of Publication (Street, City, County, State, and ZIP+4) (Not Printer):
ASSOCIATION OF FIELD ORNITHOLOGISTS, PO BOX 187, 800 E 10TH ST., LAWRENCE, KS 66044

16. Complete Mailing Address of Headquarters or General Business Office of Publisher (Not Printer):
SAME AS 15

17. Full Names and Complete Mailing Addresses of Publisher, Editor, and Managing Editor (Do Not Leave Blank):
Publisher (Name and Complete Mailing Address): ASSOCIATION OF FIELD ORNITHOLOGISTS, PO BOX 187, 800 E 10TH ST., LAWRENCE, KS 66044
Editor (Name and Complete Mailing Address): KEN YASUKAWA, BELDIT COLLEGE, DEPT OF BIOLOGY, 700 COLLEGE ST., BELDIT, WI 53511
Managing Editor (Name and Complete Mailing Address): [REDACTED]

18. Owner (Do Not Leave Blank):
ASSOCIATION OF FIELD ORNITHOLOGISTS PO BOX 187, 800 E 10TH ST., LAWRENCE, KS 66044

19. Known Bondholders, Mortgagees, and Other Security Holders Owning or Holding 1 Percent or More of Total Amount of Bonds, Mortgages, or Other Securities. If none, check here: None

20. Tax Status (For completion by nonprofit organizations authorized to mail at nonprofit rates):
 Not for-profit
 For-profit

Instructions to Publishers

1. Complete and file one copy of this form with your postmaster on or before October 1, annually. If you are a copy of the completed form for your records.

2. Include on form 10 and 11, in cases where the circulation is in a state, the name of the person or persons for whom the printer is making bills to the names and addresses of individuals who are subscribers who own or lease a copy of the publication, in item 11. A name check box may appear on the back of the form.

3. Be sure to furnish all information called for in item 15. Legal filing information. Free circulation must be shown in item 15d, 4, and 5.

4. If the publisher has changed this publication as a general or complete publication, the Statement of Ownership, Management, and Circulation must be submitted. It must be printed on one issue in October in the first period after the October. If the publication is not published during October.

5. To verify the information on this form, the postmaster may request a copy of the Statement of Ownership, Management, and Circulation from the publisher. It must be printed on one issue in October in the first period after the October. If the publication is not published during October.

6. Items 1 through 10 must be signed.

7. Failure to file or publish a statement of ownership may result in suspension of second class authorization.

PS Form 3526, October 1993 (Rev. 10/93)