

## INDICES TO VOLUME 70

COMPILED BY MICHELLE CAWTHORN

Three indices follow: an author index, a subject/geographic index, and a taxonomic index of avian species mentioned in the volume.

### Author Index

(An "r" following a page number indicates the author of a publication that has been reviewed in our recent literature section.)

- Aebischer, A., 287 (r)  
Ainley, D. G., 595 (r)  
Al Bowardi, M., 169-181  
Alerstam, T., 132 (r)  
Alves, M. A. S., 290 (r)  
Amat, J. A., 556-558  
Amundsen, T., 124-125 (r)  
Anderson, D. J., 594 (r)  
Anderson, S. H., 491-503, 592 (r)  
Arcese, P., 283 (r)  
Arnold, G. W., 449 (r)  
Arroyo, B. E., 125 (r)  
Ayers, L. W., 592 (r)  
Baba, T., 130 (r)  
Backensto, S. A., 121 (r)  
Bacon, B. R., 593 (r)  
Bacquet, S., 130 (r)  
Baker, B. W., 439 (r)  
Baker, G. B., 122-123 (r)  
Baker, J., 447-448 (r)  
Baldaccini, N. E., 599 (r)  
Balgooyen, T. G., 158-162  
Ballard, G., 595 (r)  
Banko, P. C., 138 (r)  
Barbraud, C., 598 (r)  
Barry, S., 122-123 (r)  
Barton, K. J., 595 (r)  
Bauldry, V. M., 283 (r)  
Bayne, E. M., 1-7  
Becker, P. H., 453 (r)  
Beintema, A. J., 126 (r)  
Bellamy, P. E., 136 (r)  
Belsler, C. G., 437-438 (r)  
Benito-Espinal, E., 80-94  
Bennetts, R. E., 268-275, 286 (r)  
Benson, J., 393-399  
Bergman, D. L., 121 (r)  
Berlin, K. E., 127 (r)  
Berlinghoff, L. S., 95-100  
Berry, M. E., 602 (r)  
Bertram, D. F., 145-157  
Bingman, V. P., 132 (r)  
Birkhead, T. R., 443 (r), 596 (r)  
Bissonette, J. A., 374-379  
Bleier, W. J., 121 (r)  
Blem, C. R., 95-100, 287 (r)  
Blem, L. B., 95-100  
Blouin, F., 187-199  
Blums, P., 592 (r)  
Boal, C. W., 131 (r), 444 (r)  
Bock, C. E., 602 (r)  
Bogenschutz, T. R., 380-392  
Böhme, F., 288-289 (r)  
Bolen, E. G., 310-320  
Bortolotti, G. R., 425-435  
Bosakowski, T., 535-542  
Bosque, C., 596-597 (r)  
Bradford, J. W., 400-403  
Brigham, R. M., 293 (r)  
Brock, M. K., 604-605 (r)  
Brown, B. T., 211-214  
Brown, L., 283-284 (r)  
Brown, N. J., 136 (r)  
Bruderer, B., 288 (r)  
Brunjes, J. H., Jr., 414-424  
Budzynski, C. A., 132 (r)  
Bundick, N. N., 287 (r)  
Burford, J. E., 284 (r)  
Burger, A. E., 145-157  
Burger, J., 455-464  
Burger, J. C., 289-290 (r)  
Burger, L., Jr., 411 (r)  
Burkett, E. E., 520-534  
Burnell, K., 285 (r)  
Butler, R. W., 289 (r)  
Cadman, M. D., 481-490  
Cam, A., 122-123 (r)  
Cam, G., 122-123 (r), 445-446 (r)  
Campos, R. G., 290 (r)  
Carlile, L. D., 597-598 (r)  
Carlile, N., 138-139 (r)  
Carmona, R., 451 (r)  
Carrie, N. R., 263-267  
Carter, J. E., 230-235

- Catusse, M., 122 (r)  
 Cavalcanti, R. B., 290-291 (r)  
 Chandler, C. R., 597-598 (r)  
 Chapman, B. R., 414-424  
 Charnetzkey D. Y., 135-136 (r)  
 Chastel, O., 598 (r)  
 Chiappe, L. M., 452 (r)  
 Christie, F. J., 351-364  
 Clark, A. B., 127 (r), 286 (r)  
 Clark, R. G., 504-513  
 Clark, W. R., 380-392, 451-452 (r)  
 Clarke, M. F., 450 (r)  
 Cleere, N., 295 (r)  
 Clotfelter, E. D., 123 (r)  
 Coldren, C. L., 451 (r)  
 Coldren, M. K., 451 (r)  
 Collazo, J. A., 123-124 (r)  
 Collias, E., 136-137 (r)  
 Collins, S. A., 596 (r)  
 Consiglio, C., 132 (r)  
 Contomy, J. T., 123-124 (r)  
 Cooch, E. G., 214-229  
 Copeland, M., 400-403  
 Corben, C., 543-555  
 Cormons, G., 455-464  
 Cowen, L., 145-157  
 Cueva, H., 451 (r)  
 Cuisin, M., 130 (r)  
 Cummings, J. L., 436 (r)  
 Cunningham, R. B., 594 (r)  
 Currie, P. J., 450-451 (r)  
 Dal Sasso, C., 604 (r)  
 Danks, A., 137-138 (r)  
 Darby, P. C., 588-591  
 Davis, J. B., 107-113, 592 (r)  
 Davis, J. E., Jr., 436 (r)  
 Dean, W. J., 448 (r)  
 DeGraaf, R. M., 257-262  
 Delevoryas, P., 464-480  
 Delgado, F. S., 289 (r)  
 Demarais, S., 285 (r)  
 Depraz, V., 127-128 (r)  
 Devine, A., 535-542  
 Diamond, T., 206-210  
 DiCostanzo, J., 455-464  
 Dieni, J. S., 491-503  
 Doherty, P. F., Jr., 286-287 (r)  
 Donazar, J. A., 134 (r)  
 Donnelly, C. F., 594 (r)  
 Dosch, J. J., 291 (r)  
 Doucet, G. J., 187-199  
 Dowell, B. A., 600 (r)  
 Drean-Quenec'hdu, S. Le., 125-126 (r)  
 Dreitz, V. J., 286 (r)  
 Dubovsky, J. A., 123-124 (r)  
 Dumbacher, J. P., 42-48  
 Durant, J., 130 (r)  
 Dzubin, A., 214-229  
 Edward, J., 600-601 (r)  
 Edwards, S., 297-309  
 Eeva, T., 128-129 (r)  
 Ellegren, H., 442 (r)  
 Elliott, P. F., 55-57  
 Enkerlin-Hoeflich, E. C., 8-17  
 Enoksson, B., 136 (r)  
 Enstrom, D. A., 439 (r)  
 Er, K. B. H., 134-135 (r)  
 Esker, T. L., 601 (r)  
 Esler, D., 200-205, 244-250  
 Euliss, N. H., Jr., 452 (r)  
 Evans, R. M., 285-286 (r)  
 Evrard, J. O., 593 (r)  
 Fahrig, L., 136 (r)  
 Fancy, S. G., 138 (r)  
 Feldmann, P., 80-94  
 Fernandez, G., 451 (r)  
 Ferron, J., 187-199  
 Filli, F., 451 (r)  
 Firbank, L. G., 136 (r)  
 Fitri, L. L., 440-441 (r)  
 Flake, L. D., 601-602 (r)  
 Fleming, W. J., 123-124 (r)  
 Flemming, S. P., 595 (r)  
 Folk, M. J., 251-256  
 Ford, H. A., 440-441 (r)  
 Forero, M. G., 134 (r)  
 French, K., 443 (r)  
 Friedrich, T. J., 284 (r)  
 Froget, G., 592-593 (r)  
 Fuller, R. J., 136 (r)  
 Galeotti, P., 126 (r)  
 García-Godos, A., 71-79  
 Garrido, O. H., 603-604 (r)  
 Garthe, S., 28-32  
 Gauthier, G., 187-199  
 Gauthreaux, S. A., Jr., 437-438 (r)  
 Gautier-Clere, M., 592-593 (r)  
 Geering, D., 438-439 (r), 443 (r), 445-446 (r)  
 Geist, N. R., 604 (r)  
 Gieg, J. A., 276-282  
 Giese, M., 49-54  
 Giroux, J.-F., 187-199  
 Giunchi, D., 599 (r)  
 Gochfeld, M., 455-464  
 Golden, K., 286 (r)  
 Goldingay, R. L., 447-448 (r)  
 Goldsmith, A. R., 596 (r)  
 Goldstein, J. M., 439-440 (r)  
 González, J. A., 18-27  
 González-Elizondo, J. J., 8-17  
 Gould-Beierle, K. L., 122 (r)  
 Gowing, G., 351-364  
 Goya, E., 71-79

- Granfors, D. A., 601–602 (r)  
 Greenhood, W., 104–106  
 Grey, M. J., 450 (r)  
 Griffin, C. R., 257–262  
 Grubb, T. C., Jr., 286–287 (r)  
 Gudmundsson, G. A., 132 (r)  
 Guyn, K. L., 504–513  
 Hailman, J. P., 439–440 (r)  
 Halse, S. A., 445–446 (r)  
 Hamley, B. J., 603 (r)  
 Handrich, Y., 133 (r), 592–593 (r)  
 Handsworth, R., 49–54  
 Hansen, L. T., 124–125 (r)  
 Harden, W. D., 114–120  
 Hario, M., 134 (r)  
 Hasselquist, D., 287–288 (r)  
 Hatfield, J. S., 321–336  
 Havera, S. P., 597 (r)  
 Hayes, H., 455–464  
 Henny, C. J., 293 (r)  
 Herkert, J. R., 601 (r)  
 Hill, G. E., 236–243  
 Hillenius, W. J., 604 (r)  
 Hine, C. S., 597 (r)  
 Hinsley, S. A., 136 (r)  
 Hiraldo, F., 134 (r)  
 Hiraoka, T., 130 (r)  
 Hobson, K. A., 1–7  
 Hoi, H., 443 (r), 596 (r)  
 Holloway, G. L., 595 (r)  
 Horn, A. G., 124 (r)  
 Houston, C. S., 343–350, 444–445 (r)  
 Houston, M. I., 444–445 (r)  
 Howell, S. N. G., 543–555  
 Hughes, M., 126–127 (r)  
 Huhta, E., 445 (r)  
 Hunt, J. D., 285–286 (r)  
 Hüppop, O., 28–32  
 Ingram, J. A., 605 (r)  
 Ireland, C., 445–446 (r)  
 Isotti, R., 132 (r)  
 Ivison, T. J., 351–364  
 Jacobi, J. D., 138 (r)  
 Jahncke, J., 71–79  
 Jenni, L., 599 (r)  
 Jokimäki, J., 445 (r)  
 Jones, D. P., 441 (r)  
 Jones, M. A., 598 (r)  
 Jones, M. H., 230–235  
 Jones, T. D., 604 (r)  
 Jorgensen, E. E., 285 (r)  
 Joseph, L., 288 (r)  
 Junge, R. E., 604–605 (r)  
 Juniper, T., 294–295 (r)  
 Kadlec, J. A., 374–379  
 Kamil, A. C., 122 (r)  
 Kaminiski, R. M., 107–113  
 Karl, B., 595 (r)  
 Keith, A. R., 80–94, 139 (r)  
 Kepler, C. B., 321–336  
 Kerley, G. H., 448 (r)  
 Kershner, E. L., 598 (r)  
 Ketterson, E. D., 439 (r)  
 Keyser, A. J., 236–243  
 Kilgo, J. C., 404–413  
 Kilpi, M., 129–130 (r)  
 King, D. I., 257–262  
 King, J. R., 543–555  
 Kirsch, E. M., 603 (r)  
 Kitchens, W. M., 268–275, 286 (r)  
 Klass, E. E., 451–452 (r)  
 Koivusaari, J., 284–285 (r)  
 Kortekaas, K. H., 446–447 (r)  
 Krebs, E. A., 594 (r)  
 Kreutzer, M., 127–128 (r)  
 Kuiken, T., 283–284 (r)  
 Lacy, S. S., 451 (r)  
 Langefors, A., 287–288 (r)  
 Langmore, N. E., 596 (r)  
 Larson, D. W., 132–133 (r)  
 Lau, P., 596–597 (r)  
 Launay, F., 169–181  
 Laven, N. H., 446 (r)  
 Lawrance, P. S., 595 (r)  
 Le Lannic, J., 136–137 (r)  
 Le Maho, Y., 133 (r), 592–593 (r)  
 Leberg, P. L., 122 (r)  
 Leboucher, G., 127–128 (r)  
 Lee, W. H., 286 (r)  
 Lees, N., 603 (r)  
 Lehikoinen, E., 128–129 (r)  
 Lehmann, D. M., 283 (r)  
 Lehtonen, R., 292 (r)  
 Leighton, L. A., 283–284 (r)  
 Lenihan, C., 464–480  
 Leonard, M. L., 124 (r)  
 Leslie, D. M., Jr., 114–120  
 Lewis, E. T. R., 321–336  
 Ley, A. J., 131 (r), 443–444 (r)  
 Liechti, F., 288 (r)  
 Liepa, V., 288–289 (r), 599–600 (r)  
 Lifjeld, J. T., 442 (r)  
 Lil, A., 442–443 (r)  
 Lima, P., 455–464  
 Lindemann, S. A., 425–435  
 Lindsey, G. D., 138 (r)  
 Linz, G. M., 121 (r)  
 Litzenberger, K. L., 321–336  
 Lohr, B., 126–127 (r)  
 Loose, J., 442 (r)  
 Lotem, A., 123 (r)  
 Lougheed, L. W., 594 (r)  
 Loyn, R. H., 449–450 (r)  
 MacNally, R., 446 (r)

- Maddock, M., 445-446 (r)  
 Maheo, R., 125-126 (r)  
 Maier, T. J., 257-262  
 Major, R. E., 351-364  
 Mamo, L. B., 310-320  
 Mannan, R. W., 131 (r), 444 (r)  
 Mantúnez, C., 559-567  
 Marin, M., 290 (r)  
 Marini, M. A., 291 (r)  
 Marti, C. D., 425-435  
 Martin, K., 448 (r), 602 (r)  
 Massemin, S., 133 (r)  
 Massoni, V., 133-134 (r)  
 Mather, D. D., 200-205  
 Matheson, J. D., 132-133 (r)  
 Mawhinney, K., 206-210  
 Mayer, S., 453-454 (r)  
 McGraw, K. J., 236-243  
 McKilligan, N. G., 130-131 (r)  
 McLaren, M. A., 481-490  
 McMaster, D. G., 365-373  
 Mednis, A., 592 (r)  
 Meetz, M., 425-435  
 Melampy, M. N., 598 (r)  
 Melvin, R. J., 425-435  
 Messenger, E., 297-309  
 Meyer, D., 287 (r)  
 Michalak, I. L., 593 (r)  
 Miller, D. L., 107-113  
 Miller, K. V., 404-413  
 Milton, S. J., 448 (r)  
 Minguez, E., 128 (r)  
 Mitamura, A., 130 (r)  
 Mitchell, L. R., 597-598 (r)  
 Mizrahi, D. S., 438 (r)  
 Mock, D. W., 276-282  
 Momose, K., 130 (r)  
 Mongini, E., 599 (r)  
 Monteiro, L., 455-464  
 Mooney, N., 122-123 (r)  
 Morrison, R. I. G., 289 (r)  
 Morton, E. S., 128 (r)  
 Mota, P. G., 595-596 (r)  
 Motta-Junior, J. C., 291 (r)  
 Muheim, R., 599 (r)  
 Muir, D., 436-437 (r)  
 Mulcahy, D. M., 244-250  
 Nagle, L., 127-128 (r)  
 Natale, C., 425-435, 436 (r)  
 Neill, V., 442-443 (r)  
 Nesbitt, S. A., 251-256  
 Newman, S. H., 520-534  
 Nisbet, I. C. T., 292-293 (r), 455-464  
 Nishiumi, I., 440 (r)  
 Njiforti, H. L., 446-447 (r)  
 Nolan, V., Jr., 439 (r)  
 Norell, M. A., 450-451 (r)  
 Norton, R. L., 104-106  
 Nottebohm, F., 126 (r)  
 Nowicki, S., 126-127 (r)  
 Nur, N., 595 (r)  
 Nurney, D., 295 (r)  
 Oliver, D. L., 131 (r), 443-444 (r)  
 Olsen, P., 122-123 (r)  
 Olson, R., 121-122 (r)  
 Oniki, Y., 597 (r)  
 Öost, M., 129-130 (r)  
 Orell, M., 292 (r)  
 Ortega, C. P., 121 (r)  
 Ortega, J. C., 121 (r)  
 Otahal, C. D., 600 (r)  
 Otter, K., 568-578  
 Packard, J. M., 8-17  
 Padian, K., 452 (r)  
 Parr, M., 294-295 (r)  
 Patten, M. A., 289-290 (r)  
 Pearson, G. B., 445-446 (r)  
 Peterjohn, B. G., 290-291 (r)  
 Phillips, L. F., Jr., 444-445 (r)  
 Pierce, J., 455-464  
 Piper, W. H., 128 (r)  
 Pius, S. M., 122 (r)  
 Plice, L., 158-162  
 Post, W., 136 (r)  
 Powell, L. A., 451-452 (r)  
 Pratt, T. K., 138 (r)  
 Priddel, D., 138-139 (r)  
 Primmer, C. R., 442 (r)  
 Qiang, J., 450-451 (r)  
 Quintana, F., 337-342  
 Raftovich, R. V., Jr., 414-424  
 Rahko, P., 445 (r)  
 Rapp, C. A., 121 (r)  
 Ratcliffe, L., 568-578  
 Reboresda, J. C., 133-134 (r)  
 Reynard, G. B., 603-604 (r)  
 Richardson, D. M., 107-113, 400-403,  
     592 (r)  
 Ritchison, G., 579-587  
 Robbins, C. S., 600 (r)  
 Roberts, R. N., 436-437 (r)  
 Robertson, R., 425-435  
 Robertson, S., 425-435  
 Robin, K., 451 (r)  
 Rocke, R. E., 452 (r)  
 Rockwell, R. F., 214-229  
 Rodrigues, A. A. F., 559-567  
 Rohde, P. A., 442 (r)  
 Ross, R. K., 289 (r)  
 Rossignol, K. L., 287 (r)  
 Rowher, F. C., 121-122 (r)  
 Rowley, I., 448-449 (r)  
 Ruben, J. A., 604 (r)  
 Russell, E., 448-449 (r)

- Ryan, M., 441 (r)  
 Rytkönen, S., 292 (r)  
 Saliva, J. E., 455–464  
 Samuel, M. D., 452 (r)  
 Sanchez, J. E., 290 (r)  
 Sansing, H. R., 321–336  
 Sato, F., 130 (r)  
 Sauer, J. R., 290–291 (r)  
 Saunders, D. A., 605 (r)  
 Sax, A., 443 (r), 596 (r)  
 Schmidt, J. A., 251–256  
 Schotman, A. G. M., 136 (r)  
 Schuster, A., 451 (r)  
 Schwabl, H., 126 (r)  
 Schwagmeyer, P. L., 276–282  
 Sealy, S., 182–186, 290 (r), 365–373  
 Seddon, P. J., 169–181  
 Sedgwick, J. A., 439 (r)  
 Seginak, J. T., 414–424  
 Sell, S. M., 285 (r)  
 Shackford, J. S., 114–120  
 Sherony, D. F., 33–41  
 Shirley, I., 283–284 (r)  
 Shu-An, J., 450–451 (r)  
 Shuford, W. R., 425–435  
 Sidle, J. G., 603 (r)  
 Signore, M., 604 (r)  
 Silva-Krott, I., 604–605 (r)  
 Silverin, B., 289 (r)  
 Simpson, S. A., 601 (r)  
 Skipper, C. S., 447 (r)  
 Smallwood, J. A., 425–435, 436 (r)  
 Smiseth, P. T., 124–125 (r)  
 Smith, D. G., 535–542  
 Smith, G. C., 603 (r)  
 Smith, G. E. J., 289 (r)  
 Smith, H. T., 135–136 (r)  
 Smith, K. G., 451 (r)  
 Smith, S. A., 600–601 (r)  
 Smith, W. P., 404–413  
 Spear, L. B., 465–480  
 Spendelow, J. A., 455–464  
 Stanley, T. R., 439 (r)  
 Steenhof, K., 425–435  
 Stephens, S. E., 592 (r)  
 Stephenson, R., 49–54  
 Stewart, N. J., 600–601 (r)  
 Stolley, D. S., 374–379  
 Stoskopf, M. K., 244–250  
 Strahl, S. D., 596–597 (r)  
 Strasser, R., 132 (r)  
 Stuchbury, B. J. M., 128 (r), 131–132 (r)  
 Sudmann, S. R., 441–442 (r), 453 (r)  
 Sulkava, S., 284–285 (r)  
 Suryan, R. M., 393–399  
 Sutter, G. C., 293 (r)  
 Swaddle, J. P., 137 (r)  
 Sykes, P. W., Jr., 321–336  
 Takekawa, J. Y., 520–534  
 Tchernichovski, O., 126 (r)  
 Tella, J. L., 134 (r)  
 Terrill, S. B., 464–480  
 Thiede, W., 291–292 (r)  
 Thompson, J. J., 447 (r)  
 Tomcho, J., Jr., 444–445 (r)  
 Tornberg, R., 284–285 (r)  
 Tornwall, B., 425–435  
 Treca, B., 135 (r)  
 Triplet, J. P., 130 (r)  
 Tsurumi, M., 130 (r)  
 van Heezik, Y., 169–181  
 Vasconcellos, L. A. S., 291 (r)  
 Veistola, S., 128–129 (r)  
 Venier, L. A., 136 (r)  
 Visnak, R. M., 42–48  
 Vrtiska, M. P., 107–113  
 Vuilleumier, F., 293 (r)  
 Walk, J. W., 601–602 (r)  
 Walters, J. R., 444–445 (r)  
 Warner, R. E., 602 (r)  
 Watts, B. D., 162–168  
 Watts, E. J., 595 (r)  
 Weeldenburg, J. R., 449 (r)  
 Weidinger, K., 598–599 (r)  
 Weindler, P., 288–289 (r), 599–600 (r)  
 Westemeier, R. L., 601 (r)  
 Whalen, D. M., 162–168  
 Whelan, R. J., 447–448 (r)  
 White, A. W., 453 (r)  
 White, D. H., 414–424  
 Whitford, W. G., 448 (r)  
 Whitworth, D. L., 520–534  
 Wiebe, K. L., 448 (r), 602 (r)  
 Wilkins, H. D., 579–587  
 Williams, B., 443–444 (r)  
 Williams, M. B., 131 (r)  
 Willis, E. O., 597 (r)  
 Wilson, E. A., 436 (r)  
 Wilson, P. R., 595 (r)  
 Wilson, R. R., 514–519  
 Wiltschko, W., 288–289 (r), 599–600 (r)  
 Winker, K., 592 (r)  
 Witter, M. S., 137 (r)  
 Wobeser, G., 283–284 (r)  
 Woolfenden, G. E., 439–440 (r)  
 Wunderle, J. M., Jr., 58–70  
 Yard, H. K., 211–213  
 Yasukawa, K., 284 (r), 297–309  
 Yetter, A. P., 597 (r)  
 Yorio, P., 337–342  
 York, D. L., 436 (r)  
 Zambrano, R., 135–136 (r)  
 Zingo, J. M., 101–103

## Subject/Geographic Index

The subject/geographic index includes entries for states, provinces of Canada, countries other than the United States and Canada, and some specific localities; entries under the same headings used to categorize reviews; a few additional headings that reflect specific topics (e.g., techniques). As reviews are arranged by subject and cross-referenced only within the review section of the Journal, they are indexed by geographic location only.

- Africa, 289 (r)
- Alaska, 33, 200-205, 244-250, 393-399, 546
- Alberta, 343-350, 504-513
- Antarctica, 49-54, 595 (r), 598-599 (r)
- Argentina, 133-134 (r), 337-342
- Arizona, 131(r), 211-213, 444 (r), 475
- Arkansas, 451(r), 514-519
- Australia, 130-131 (r), 137-139 (r), 289 (r), 351-364, 438-440 (r), 603 (r), 605 (r)
- Azores, 455-464
- Bahamas, 453 (r)
- banding programs, 455-464
- behavior
  - brood parasitism, 182-186, 365-373
  - foraging, 104-106
  - kleptoparasitism, 337-342
  - parent-offspring recognition, 297-309
- Belize, 600 (r)
- bird communities, 414-424
- Bolivia, 453-454 (r)
- Brazil, 290-291 (r), 432, 455-464, 559-567
- breeding biology
  - brood parasites, 263-267, 365-373
  - effect of markers, 504-513
  - estimating survival, 374-379
  - habitat, 321-336
  - habitat disturbance, 414-424, 491-503
  - parent-offspring recognition, 297-309
  - reproductive success, 18-27, 380-392, 559-567
  - translocation of nestlings, 400-403
- British Columbia, 145-157, 529, 593 (r)
- California, 290 (r), 452 (r), 465-480, 520-534, 543-555, 600 (r)
- Cameroon, 446-447 (r)
- Canada, 455-464
- Caribbean, 455-464
- Chihuahuan Desert, 285 (r)
- China, 450-451 (r)
- Colorado, 114-120, 602 (r)
- communication, 579-587
- community structure, 491-503
- Connecticut, 101-103, 459, 461, 535-542
- Costa Rica, 290 (r)
- diet
  - composition, 71-79
  - dispersal, 343-350
- distribution, 80-94, 310-320
- Dominican Republic, 58-70
- England, 543-555
- Europe, 126 (r), 134 (r)
- field techniques
  - aging, 200-205, 214-229
  - artificial nests, 1-7, 351-364
  - banding, 236-243, 556-558
  - capture and handling, 8-17, 163-168, 251-256, 393-399
  - censusing, 28-32, 465-480, 481-490
  - estimating density, 465-480
  - estimating survival, 268-275, 374-379
  - measuring heart rate, 49-54
  - nest inspections, 8-17
  - parasite removal, 42-48
  - radar tracking, 145-157
  - radio-transmitters, 107-113, 244-250, 520-534, 588-591
  - satellite-telemetry, 187-199
  - sexing, 206-210
  - translocation of nestlings, 400-403
  - trapping, 158-162, 169-181, 276-282, 504-513
  - weatherproof field box, 101-103
- Finland, 129-130 (r), 284 (r), 292 (r), 445 (r)
- Finnish Lapland, 128-129 (r)
- Florida, 23-25, 135-136 (r), 251-256, 268-275, 286 (r), 321-336, 349, 425-435, 439-440 (r), 444-445 (r), 477-478, 588-591
- France, 125-126 (r), 130 (r), 133 (r), 136-137 (r)
- Galapagos, 104-106, 594 (r)
- Georgia, 414-424, 425-435
- Germany, 288 (r), 442 (r), 453 (r)
- Guam, 604-605 (r)
- Guatemala, 432
- habitat
  - selection, 114-120, 310-320, 404-413
- Hawaii, 42-48, 138 (r)
- Hispaniola, 432
- home range
  - habitat composition, 230-235

- Honduras, 23, 432  
 Idaho, 425–435  
 Illinois, 389, 451–452 (r), 597 (r), 602 (r)  
 Indiana, 34  
 Iowa, 380–392, 425–435  
 Italy, 132 (r)  
 Japan, 130 (r), 440 (r)  
 Kansas, 114–120  
 Kazakhstan, 169–181  
 Kentucky, 579–587, 592 (r)  
 kleptoparasitism, 337–342  
 Louisiana, 122 (r), 514–520  
 Maine, 459, 461  
 Manitoba, 214–229, 285–286 (r), 365–373, 451–452 (r)  
 Maryland, 447 (r), 461, 600–601 (r)  
 Massachusetts, 457, 459, 461, 543–555  
 Mauritius, 230–235  
 Mexico, 8–17, 23, 432  
   Baja, 451 (r)  
   Middle East, 170  
   migration, 33–41  
   Minnesota, 34, 322, 451–452 (r)  
   Mississippi, 107–113, 254–255, 400–403, 592 (r)  
   Missouri, 436 (r), 592 (r)  
   molt, 543–555  
   Montana, 114–120, 349  
   Nebraska, 114–120  
   nest  
     artificial, 1–7, 257–262, 351–364  
     boxes, old nests in, 95–100  
     parasitism, 55–57, 263–267  
     predation, 351–364  
     reuse, 211–213  
     site location, 535–542  
   Nevada, 293 (r)  
   New Brunswick, 206–210, 595 (r)  
   New Hampshire, 257–262  
   New Jersey, 425–435, 436 (r), 461, 535–542, 543–555  
   New Mexico, 114–120  
   New York, 33–41, 436–437 (r), 457, 459, 461, 535–542  
   New Zealand, 445–446 (r)  
   Nicaragua, 23, 432  
   North Carolina, 123–124 (r), 310–320  
   North Pole, 132 (r)  
   Norway, 124–125 (r), 442 (r)  
   Northwest Territories, 187–199  
   Ohio, 286–287 (r), 322, 349, 598 (r)  
   Oklahoma, 114–120  
   Ontario, 33–41, 136 (r), 348, 481–490, 568–578  
   Pakistan, 169–181  
   Panama, 128 (r), 289 (r)  
   Pennsylvania, 266, 425–435, 436 (r), 600 (r)  
   Persian Gulf, 33  
   Peru, 71–79  
   plumage, 425–435, 568–578  
   population biology, 58–70, 268–275  
   Puerto Rico, 455–464  
   Quebec, 187–199  
   radiotransmitters  
     effects of, 107–113  
     retrieval, 588–591  
   Russia, 33, 175  
   Saudi Arabia, 169–181  
   Saskatchewan, 1–7, 182–186, 283–284 (r), 343–350, 425–435, 444–445 (r), 451–452 (r)  
   Senegal, 135 (r)  
   Siberia, 544, 546  
   South Carolina, 322–323, 333, 404–413  
   South Dakota, 601–602 (r)  
   Spain, 125 (r), 134 (r), 178, 556–558  
   Surinam, 23  
   survey reliability, 481–490  
   Sweden, 287–288 (r)  
   Switzerland, 287 (r), 451 (r)  
   techniques  
     sexing, 514–519  
   Texas, 114–120, 263–267, 322  
   transmitters, 520–534  
   United Arab Emirates, 169–181  
   United Kingdom, 136 (r)  
   United States, 455–464  
   Utah, 425–435  
   Venezuela, 18–27, 432  
   Virginia, 95–100, 163–168, 287 (r), 439 (r), 514–519  
   Virgin Islands, 455–464  
   West Indies  
     Guadeloupe, 80–94  
     Martinique, 80–94  
     St. Lucia, 139 (r)  
   Wisconsin, 123 (r), 283 (r), 297–309, 322, 593 (r)  
   Wyoming, 114–120, 491–503  
   Yukon, 349

## Taxonomic Index

The following taxonomic index includes entries for common and scientific names of birds given in papers, notes and reviews.

- Accipiter cooperii*, 131 (r), 444 (r), 537  
*A. fasciatus*, 358  
*A. gentilis*, 344, 537  
*Acrocephalus arundinaceus*, 440 (r)  
*A. schoenobaenus*, 287-288 (r)  
*Actitis macularia*, 557  
*Aegolius acadicus*, 163-168  
*A. funereus*, 349  
*Agelaius phoeniceus*, 123 (r), 284 (r), 286 (r), 297-309, 509  
*A. thilius*, 133-134 (r)  
*A. tricolor*, 366  
*Aimophila aestivalis*, 414-424  
*Aix sponsa*, 107-113, 592-593 (r), 597 (r), 601-602 (r)  
*Ajaia ajaja*, 83-84  
Albatross  
  Short-tailed, see *Diomedea albatrus*  
*Alca torda*, 28-32, 527  
*Alcedo atthis*, 132 (r)  
*Amazona agilis*, 12  
*A. albifrons*, 12  
*A. amazonica*, 89  
*A. autumnalis*, 8-17  
*A. oratrix*, 8-17  
*A. viridigenalis*, 8-17  
*A. ventralis*, 12, 58-70  
*A. vittata*, 9, 11-12  
*A. xantholora*, 12  
*Ammodramus caudacutus*, 136 (r)  
*A. henslowii*, 447 (r), 602 (r)  
*A. nelsoni alterus*, 136 (r)  
*A. nelsoni nelsoni*, 136 (r)  
*A. nelsoni subvirgatus*, 136 (r)  
*Anas acuta*, 204, 504-513  
*A. americana*, 123-124 (r), 204  
*A. bahamensis*, 84  
*A. clypeata*, 530  
*A. crecca carolinensis*, 123-124 (r)  
*A. discors*, 593 (r)  
*A. platyrhynchos*, 107-108, 284-285 (r), 451-452 (r), 505, 593 (r)  
*A. rubripes*, 123-124 (r)  
*A. strepera*, 84, 123-124 (r)  
Ani  
  Greater, see *Crotophaga major*  
*Anthrocothorax dominicus*, 58-70  
*Anthus petrosus*, 134 (r)  
*Aphelocoma coerulescens*, 122 (r), 439-440 (r)  
Apostlebird, see *Struthidea cinerea*  
*Aptenodytes patagonicus*, 592-593 (r)  
*Apus apus*, 137 (r)  
*Aquila audax*, 358  
*Archilochus colubris*, 310-320  
*Ardea alba*, 83  
*Ardeola ibis*, 130-131 (r), 276-282, 451 (r)  
*Ardeotis arabs*, 175  
*A. australis*, 178  
*Arenaria interpres*, 122 (r)  
*Asio flammeus*, 601 (r)  
*A. otus*, 349  
*Atrichornis clamosus*, 137-138 (r)  
Auklet  
  Cassin's, see *Ptychoramphus aleuticus*  
Avocet, see *Recurvirostra avosetta*  
*Aythya* spp., 284-285 (r)  
*A. valisineria*, 108, 193  
Babbler  
  Grey-crowned, see *Pomatostomus temporalis*  
*Baeolophus bicolor*, 310-320, 404-424  
Bananaquit, see *Coerba flaveola*  
*Bartramia longicauda*, 84, 602 (r)  
Bittern  
  American, see *Botaurus lentiginosus*  
  Least, see *Ixobrychus exilis*  
Blackbird, see *Turdus merula*  
  Red-winged, see *Agelaius phoeniceus*  
  Tricolored, see *Agelaius tricolor*  
  Yellow-winged, see *Agelaius thilius*  
Blackcap, see *Sylvia atricapilla*  
Bluebird  
  Eastern, see *Sialia sialis*  
  Mountain, see *Sialia currucoides*  
Bluethroat, see *Luscinia svecica svecica*  
Bobwhite  
  Northern, see *Colinus virginianus*  
Booby  
  Blue-footed, see *Sula nebouxii*  
  Brown, see *Sula leucogaster*  
  Masked, see *Sula dactylatra*  
  Red-footed, see *Sula sula*  
*Botaurus lentiginosus*, 82  
*Brachyramphus marmoratus*, 147, 520-534  
Brant, see *Branta bernicla nigricans* or  
  *B. b. hrota*  
*Branta bernicla hrota*, 191  
*B. b. nigricans*, 191  
*B. canadensis*, 201



- B. c. maxima*, 374–379  
*B. c. moffitti*, 374–379  
 Bristlebird  
     Western, see *Dasyornis longirostris*  
*Bubo virginianus*, 343–350, 535–542  
*Bubulcus ibis*, see *Ardeola ibis*  
*Bucephala clangula*, 284–285 (r)  
 Budgerigar, see *Melopsittacus undulatus*  
 Bunting  
     Indigo, see *Passerina cyanea*  
     Lark, see *Calamospiza melanocorys*  
     Lazuli, see *Passerina amoena*  
     Reed, see *Emberiza choeniclus*  
 Bustard  
     Arabian, see *Ardeotis arabs*  
     Australian, see *Ardeotis australis*  
     Denham's, see *Neotis denhami*  
     Houbara, see *Chlamydotis* spp.  
     Little, see *Tetrax tetrax*  
 Butcherbird  
     Grey, see *Cracticus torquatus*  
     Pied, see *Cracticus nigrogularis*  
*Buteo jamaicensis*, 84, 537  
*B. lineatus*, 537  
*B. regalis*, 593 (r)  
*Buteogallus urubitinga*, 22  
*Cacatua roseicapilla*, 449 (r)  
*C. sulphurea citrinocristata*, 294–295 (r)  
*Cactospiza heliobates*, 104  
*Calamospiza melanocorys*, 182–186  
*Calidris alba*, 289 (r)  
*C. alpina*, 125–126 (r)  
*C. bairdii*, 85  
*C. fuscicollis*, 85  
*C. himantopus*, 86  
*C. mauri*, 451 (r)  
*C. melanotos*, 85–86  
*Calliphlox evelynae*, 453 (r)  
*Calonectris diomedea*, 81  
*Calyptorhynchus latirostris*, 605 (r)  
*Campylorhynchus brunneicapillus*, 448 (r)  
 Canary, see *Serinus canaria*  
 Canvasback, see *Aythya valisineria*  
 Capercaillie, see *Tetrao urogallus*  
*Caprimulgus cayennensis*, 89  
*C. cubanensis*, 603–604 (r)  
*C. eckmani*, 604 (r)  
 Caracara  
     Crested, see *Caracara plancus*  
     Yellow-headed, see *Milvago chimachima*  
*Caracara plancus*, 18–27  
 Cardinal  
     Northern, see *Cardinalis cardinalis*  
*Cardinalis cardinalis*, 265–266, 310–320, 404–424  
*Carduelis pinus*, 491–503  
*C. tristis*, 414–424  
*Carpodacus cassinii*, 497  
 Catbird  
     Gray, see *Dumetella carolinensis*  
*Cathartes aura*, 564  
*Catharus bicknelli*, 90  
*C. fuscescens*, 257–262, 310–320, 404–413, 486, 488  
*C. guttatus*, 310–320, 404–413  
*C. minimus*, 90, 310–320  
*C. ustulatus*, 257–262, 310–320, 404–413, 486, 488  
*Cephus grylle*, 207  
*Certhidia olivacea*, 104  
 Chaffinch, see *Fringilla coelebs*  
*Charadrius alexandrinus*, 556–558  
*C. hiaticula*, 552  
*C. montanus*, 114–120  
*Charitospiza eocosma*, 290 (r)  
 Chat  
     Yellow-breasted, see *Icteria virens*  
*Chen caerulescens atlantica*, 197–199  
*C. caerulescens caerulescens*, 214–229  
 Chickadee  
     Black-capped, see *Poecile atricapillus*  
     Carolina, see *Poecile carolinensis*  
     Mountain, see *Poecile gambeli*  
*Chlamydotis* spp., 169–181  
*C. undulata*, 196  
*Chlidonias niger*, 126 (r), 290–293 (r)  
*Chlorostilbon swainsonii*, 58–70  
*Cincloerthia ruficauda*, 90–91  
*Circus assimilis*, 358  
*C. cyaneus*, 601–602 (r)  
*C. pygargus*, 125 (r)  
*Clangula hymelis*, 201  
*Coccyzus americanus*, 89, 310–320, 414–424  
 Cockatoo  
     Carmaby's, see *Calyptorhynchus latirostris*  
     Citron-crested, see *Cacatua sulphurea citrinocristata*  
*Coerba flaveola*, 58–70  
*Colaptes auratus*, 310–320, 414–424, 495–496, 585  
*Colinus virginianus*, 414–424  
 Collared-Dove  
     Eurasian, see *Streptopelia decaocto*  
*Colluricincla harmonica*, 351–364  
*Columba livia*, 43, 132 (r)  
*Contopus hispanioliensis*, 58–70  
*C. sordidulus*, 185, 491–503  
*C. virens*, 310–320, 404–424, 486, 488  
 Coot  
     American, see *Fulica americana*  
*Coragyps atratus*, 22  
 Cormorant  
     Double-crested, see *Phalacrocorax auritus*  
     Guanay, see *Phalacrocorax bougainvillii*

- Imperial, see *Phalacrocorax atriceps*  
 Neotropical, see *Phalacrocorax brasilianus*  
 Olivaceous, see *Phalacrocorax olivaceus*  
*Corvus brachyrhynchos*, 5, 414-424, 537  
*C. coronoides*, 138-139 (r), 351-364  
*Coturnicops noveboracensis*, 473  
*Coturnix coturnix*, 596 (r)  
*C. japonica*, 1-7, 596 (r)  
 Cowbird  
   Brown-headed, see *Molothrus ater*  
   Bronzed, see *Molothrus aeneus*  
   Shiny, see *Molothrus bonariensis*  
*Cracticus nigrogularis*, 351-364  
*C. torquatus*, 351-364  
 Crane  
   Florida Sandhill, see *Grus canadensis pratensis*  
   Mississippi, see *Grus canadensis pulla*  
   Sandhill, see *Grus canadensis*  
   Whooping, see *Grus americana*  
*Crotophaga major*, 596-597 (r)  
 Crow  
   American, see *Corvus brachyrhynchos*  
 Cuckoo  
   Yellow-billed, see *Coccyzus americanus*  
 Curlew  
   Long-billed, see *Numenius americanus*  
 Currawong  
   Pied, see *Strepera graculina*  
*Cyanocitta cristata*, 310-320, 414-424  
*Cygnus cygnus*, 196  
*Daption capense*, 52-53, 598-599 (r)  
*Dasyornis longirostris*, 137-138 (r)  
*Dendrocygna arborea*, 84  
*Dendroica adelaidae*, 91-92  
*D. caerulescens*, 58-70, 310-320, 404-413, 486  
*D. castanea*, 289-290 (r)  
*D. coronata*, 310-320, 497  
*D. discolor*, 310-320, 414-424  
*D. dominica*, 414-424  
*D. d. flavescens*, 453 (r)  
*D. fusca*, 289-290 (r)  
*D. magnaolia*, 58-70, 91, 289-290 (r), 310-320, 404-413  
*D. pennsylvanica*, 257-262, 404-413  
*D. petechia*, 56, 365-373  
*D. pinus*, 310-320, 414-424, 436-437 (r), 496  
*D. tigrina*, 58-70, 289-290 (r)  
*D. virens*, 58-70, 91, 289-290 (r), 404-413, 486  
*Diomedea albatrus*, 130 (r)  
 Diving-Petrel  
   Peruvian, see *Pelecanoides garnotii*  
 Dove  
   Mourning, see *Zenaida macroura*  
 Dowitcher  
   Long-billed, see *Limnodromus scolopaceus*  
   Short-billed, see *Limnodromus griseus*  
*Dryocopus martius*, 130 (r), 291-292 (r)  
*D. pileatus*, 310-320, 414-424, 436 (r), 595 (r), 597 (r)  
 Duck  
   American Black, see *Anas rubripes*  
   Harlequin, see *Histrionicus histrionicus*  
   Wood, see *Aix sponsa*  
*Dulus dominicus*, 58-70  
*Dumetella carolinensis*, 310-320, 404-413, 436-437 (r)  
 Dunlin, see *Calidris alpina*  
 DUNNOCK, see *Prunella modularis*  
 Eagle  
   Bald, see *Haliaeetus leucocephalus*  
   Little, see *Hieraetus morphnoides*  
   Wedge-tailed, see *Aquila audax*  
   White-tailed, see *Haliaeetus albicilla*  
 Egret  
   Cattle, see *Ardeola ibis*, *Bubulcus ibis*  
   Great, see *Ardea alba*, *Egretta alba*  
   Intermediate, see *Egretta intermedia*  
   Little, see *Egretta garzetta*  
   Snowy, see *Egretta thula*  
*Egretta alba*, 445-446 (r)  
*E. garzetta*, 445-446 (r)  
*E. intermedia*, 445-446 (r)  
*E. thula*, 83  
 Eiders  
   Common, see *Somateria mollissima*  
*Elanoides forficatus*, 321-336  
*Elanus axillaris*, 358  
*E. leucurus*, 322  
*Emberiza schoeniclas*, 137 (r)  
 Emerald  
   Hispaniolan, see *Chlorostilbon swainsonii*  
*Empidonax alnorum*, 257-262, 514  
*E. difficilis*, 211  
*E. minimus*, 211, 486, 514  
*E. olberhoseri*, 495-496, 501  
*E. traillii*, 211-213, 600 (r)  
*E. t. extimus*, 211-213  
*E. virescens*, 310-320, 404-424, 514-519  
 Emu-wren  
   Southern, see *Stipiturus malachurus*  
*Eudocimus albus*, 289 (r), 559-567  
*E. ruber*, 559-567  
*Eudypula minor*, 138-139 (r)  
 Fairy-wren  
   Red-winged, see *Malurus elegans*  
 Falcon  
   Black, see *Falco subniger*  
   Brown, see *Falco berigora*  
   Peregrine, see *Falco peregrinus*  
*Falco berigora*, 122-123 (r), 359

- F. cenchroides*, 122–123 (r), 359  
*F. cherrug*, 173–174  
*F. columbarius*, 122–123 (r)  
*F. longipennis*, 358  
*F. naumanni*, 134 (r)  
*F. peregrinus*, 122–123 (r), 173–174, 528  
*F. punctatus*, 230–235  
*F. sparverius*, 158–162, 425–435, 436 (r)  
*F. s. cinnamominus*, 433  
*F. s. dominicensis*, 432  
*F. s. isabellinus*, 432  
*F. s. nicaraguensis*, 432  
*F. s. paulus*, 425–435  
*F. s. peninsularis*, 432  
*F. s. phalaena*, 432  
*F. s. sparverius*, 425–435  
*F. s. sparvoides*, 432  
*F. s. tropicalis*, 432  
*F. subniger*, 359  
*Ficedula albicollis*, 577  
*F. hypoleuca*, 128–129 (r), 288–289 (r), 445 (r), 599–600 (r)
- Finch**  
 Cassin's, see *Carpodacus cassinii*  
 Coal-crested, see *Charitospiza eocosma*  
 Mangrove, see *Cactospiza heliobates*  
 Warbler, see *Certhidia olivaces*  
 Woodpecker, see *Geospiza pallida*  
 Zebra, see *Taeniopygia guttata*
- Flicker**  
 Northern, see *Colaptes auratus*
- Flycatcher**  
 Acadian, see *Empidonax virescens*  
 Alder, see *Empidonax alnorum*  
 Collared, see *Ficedula albicollis*  
 Dusky, see *Empidonax olberholseri*  
 Fork-tailed, see *Tyrannus savana savana*  
 Least, see *Empidonax minimus*  
 Great Crested, see *Myiarchus crinitus*  
 Pied, see *Ficedula hypoleuca*  
 Southwestern Willow, see *Empidonax trailii extimus*  
 Suiriri, see *Suiriri suiriri*  
 Western, see *Empidonax difficilis*  
 Willow, see *Empidonax traillii*
- Fratercula arctica*, 154, 527  
*Fringilla coelebs*, 599 (r)
- Frogmouth**  
 Marbled, see *Podargus ocellatus*  
 Plumed, see *Podargus ocellatus plumiferus*
- Fulica americana*, 528
- Fulmar**  
 Antarctic, see *Fulmarus glacialis*  
 Northern, see *Fulmarus glacialis*  
*Fulmarus glacialis*, 31  
*Fulmarus glacialis*, 52–53  
 Gadwall, see *Anas strepera*
- Galah, see *Cacatua roseicapilla*  
*Gallirallus owstonis*, 604–605 (r)  
 Gannet, see *Morus bassanus*  
*Geospiza conirostris*, 105  
*G. difficilis*, 105  
*G. pallida*, 104–106  
*Geothlypis poliocephalus*, 290 (r)  
*G. rostrata*, 453 (r)  
*G. semiflava*, 290 (r)  
*G. trichas*, 58–70, 92, 310–320, 404–424, 436–437 (r)
- Gnatcatcher**  
 Blue-gray, see *Polioptila caerulea*
- Godwit**  
 Hudsonian, see *Limosa haemastica*  
 Marbled, see *Limosa fedoa*
- Goldeneye**  
 Common, see *Bucephala clangula*
- Goldfinch**  
 American, see *Carduelis tristis*
- Goosander, see *Mergus merganser*
- Goose**  
 Canada, see *Branta canadensis*  
 Greater Snow, see *Chen caerulescens atlantica*  
 Lesser Snow, see *Chen caerulescens caerulescens*
- Goshawk**  
 Brown, see *Accipiter fasciatus*  
 Northern, see *Accipiter gentilis*
- Grackle**  
 Common, see *Quiscalus quiscula*
- Grallina cyanoleuca*, 442–443 (r)
- Grosbeak**  
 Rose-breasted, see *Pheucticus ludovicianus*
- Ground Warbler**  
 Green-tailed, see *Micrologia palustris*
- Grus americana*, 251–256  
*G. canadensis*, 251–256  
*G. c. pratensis*, 251–256  
*G. c. pulla*, 254–255
- Guillemot**  
 Black, see *Cepphus grylle*
- Guineafowl**  
 Helmeted, see *Numida meleagris galeata*
- Gull**  
 Black-headed, see *Larus ridibundus*  
 Franklin's, see *Larus pipixcan*  
 Glaucous, see *Larus hyperboreus*  
 Glaucous-winged, see *Larus glaucescens*  
 Great Black-backed, see *Larus marinus*  
 Herring, see *Larus argentatus*  
 Iceland, see *Larus glaucooides*  
 Kelp, see *Larus dominicanus*  
 Kumlien's, see *Larus glaucooides kumlieni*  
 Laughing, see *Larus atricilla*  
 Lesser Black-backed, see *Larus fuscus*

- Mew, see *Larus canus*  
 Ring-billed, see *Larus delawarensis*  
 Silver, see *Larus novaehollandiae*  
 Slaty-backed, see *Larus schistisagus*  
 Thayer's, see *Larus thayeri*  
 Western, see *Larus occidentalis*  
*Gymnorhina tibicen*, 351–364  
*Gymnorhinus cyanocephalus*, 122 (r)  
*Haematopus ostralegus*, 125–126 (r)  
*Haliaeetus albicilla*, 284–285 (r)  
*H. leucocephalus*, 193, 588  
*Halcyon cinnamomia cinnamomina*, 604 (r)  
 Harrier  
   Montague's, see *Circus pygargus*  
   Northern, see *Circus cyaneus*  
   Spotted, see *Circus assimilis*  
 Hawk  
   Cooper's, see *Accipiter cooperii*  
   Ferruginous, see *Buteo regalis*  
   Great Black, see *Buteogallus urubitinga*  
   Harris', see *Parabuteo unicinctus*  
   Red-shouldered, see *Buteo lineatus*  
   Red-tailed, see *Buteo jamaicensis*  
*Helmitheros vermivorus*, 310–320, 404–413  
*Hieraaetus morphnoides*, 358  
*Hirundo fulva*, 90  
*H. neoxenau*, 447–448 (r)  
*H. pyrrhonota*, 89–90, 307  
*H. rustica*, 90, 123 (r), 307  
*Histrionicus histrionicus*, 200–205, 244–250  
 Hobby, see *Falco longipennis*  
 Honeyeater  
   Brown-headed, see *Melithreptus brevirostris*  
   Fuscous, see *Lichenostomus fuscus*  
   New Holland, see *Phylidonyris novaehollandiae*  
   Regent, see *Xanthomyza phrygia*  
 Hummingbird  
   Ruby-throated, see *Archilochus colubris*  
   Vervain, see *Mellisuga minima*  
*Hydrobates pelagicus*, 128 (r)  
*Hylocichla mustelina*, 263–267, 310–320, 404–424, 486, 488  
 Ibis  
   Glossy, see *Plegadis falcinellus*  
   Scarlet, see *Eudocimus ruber*  
   White, see *Eudocimus albus*  
   White-faced, see *Plegadis chihi*  
*Ictinia mississippiensis*, 322  
*Icteria virens*, 310–320, 404–424  
*Icterus dominicensis*, 58–70  
*Ixobrychus exilis*, 82–83  
 Jaeger  
   Long-tailed, see *Stercorarius longicaudus*  
   Parasitic, see *Stercorarius parasiticus*  
   Pomarine, see *Stercorarius pomarinus*  
 Jay  
   Blue, see *Cyanocitta cristata*  
   Gray, see *Perisoreus canadensis*  
   Pinyon, see *Gymnorhinus cyanocephalus*  
 Junco  
   Dark-eyed, see *Junco hyemalis*  
*Junco hyemalis*, 310–320, 484, 497  
*J. h. carolinensis*, 439 (r)  
 Kea, see *Nestor notabilis*  
 Kestrel  
   American, see *Falco sparverius*  
   Lesser, see *Falco naumanni*  
   Mauritius, see *Falco punctatus*  
   Nankeen, see *Falco cenchroides*  
 Kingbird  
   Eastern, see *Tyrannus tyrannus*  
 Kingfisher, see *Alcedo atthis*  
   Micronesian, see *Halcyon cinnamomia cinnamomina*  
 Kinglet  
   Golden-crowned, see *Regulus satrapa*  
   Ruby-crowned, see *Regulus calendula*  
 Kite  
   Black, see *Milvus migrans*  
   Black-shouldered, see *Elanus axillaris*  
   Mississippi, see *Ictinia mississippiensis*  
   Snail, see *Rostrhamus sociabilis*  
   Swallow-tailed, see *Elanoides forficatus*  
   White-tailed, see *Elanus leucurus*  
 Kittiwake  
   Black-legged, see *Rissa tridactyla*  
*Lagopus leucurus*, 448 (r), 602 (r)  
 Lapwing, see *Vanellus vanellus*  
*Larus argentatus*, 30–51, 87–88, 122 (r), 129–130 (r), 207  
*L. a. smithsonianus*, 543–555  
*L. atricilla*, 122 (r), 291 (r)  
*L. canus*, 30–31  
*L. delawarensis*, 87–88  
*L. dominicanus*, 337–342  
*L. fuscus*, 28–32, 341  
*L. f. graellsii*, 544  
*L. glaucescens*, 543–555  
*L. glaucoides*, 544  
*L. g. kumlieni*, 552  
*L. hyperboreus*, 546  
*L. marinus*, 30–31, 206–210, 226  
*L. novaehollandiae*, 341  
*L. occidentalis*, 528, 546  
*L. pipixcan*, 87  
*L. ridibundus*, 87, 341  
*L. schistisagus*, 546  
*L. thayeri*, 543–555  
*Laterallus jamaicensis coturniculus*, 465–480  
*Lepidocolaptes angustirostris*, 290 (r)  
*Lichenostomus fuscus*, 131 (r)  
*Limnodromus griseus*, 86  
*L. scolopaceus*, 86–87

- Limnothypis swainsonii*, 310–320  
*Limosa fedoa*, 85  
*L. haemastica*, 85  
*Lipaugus lanioides*, 597 (r)  
 Lizard Cuckoo  
     Hispaniolan, see *Saurothera longirostris*  
*Locustella luscinioides*, 287 (r)  
*Loxioides bailleui*, 138 (r)  
*Luscinia svecica*, 237–238  
*L. s. svecica*, 124–125 (r), 442 (r)  
 Magpie  
     Australian, see *Gymnorhina tibicen*  
     Black-billed, see *Pica pica*  
 Magpie-lark, see *Grallina cyanoleuca*  
 Mallard, see *Anas platyrhynchos*  
*Malurus elegans*, 448–449 (r)  
 Mango  
     Antillean, see *Anthrocothorax dominicus*  
*Manorina melanocephala*, 135 (r), 450 (r)  
 Martin  
     Sand, see *Riparia riparia*  
*Melanerpes carolinus*, 310–320, 404–424, 579–586  
*M. erythrocephalus*, 310–320, 414–424, 580  
*M. striatus*, 58–70  
*Melanodryas cucullata*, 440–441 (r)  
*Meleagris gallopavo*, 414–424  
*Melithreptus brevirostris*, 360  
*Melanitta fusca*, 284–285 (r)  
*Mellisuga minima*, 58–70  
*Melospiza georgiana*, 310–320, 404–413  
*M. melodia*, 55, 593 (r)  
*Melopsittacus undulatus*, 127 (r)  
*Mergus merganser*, 284–285 (r)  
 Merlin, see *Falco columbarius*  
*Micrologia palustris*, 58–70  
*Milvago chimachima*, 22, 564  
*Milvus migrans*, 358  
*Mimus polyglottos*, 310–320  
 Miner  
     Noisy, see *Manorina melanocephala*  
*Mniotilta varia*, 58–70, 404–424, 486  
 Mockingbird  
     Galapagos, see *Neomimus* spp.  
     Northern, see *Mimus polyglottos*  
*Molothrus aeneus*, 290 (r)  
*M. ater*, 55–57, 95–100, 123 (r), 182–186, 263–267, 287 (r), 300, 310–320, 365–373, 405, 414–424, 436–437 (r), 487–488, 497  
*M. bonariensis*, 133–134 (r), 366  
*Morus bassanus*, 31  
 Murre  
     Common, see *Uria aalge*  
     Thick-billed, see *Uria lomvia*  
 Murrelet  
     Ancient, see *Synthliboramphus antiquus*  
     Marbled, see *Brachyramphus marmoratus*  
     Xantus', see *Synthliboramphus hypoleucus*  
*Myadestes genibarbis*, 58–70  
*Mycteria americana*, 18–27  
*Myiarchus crinitus*, 310–320, 414–424, 486, 488  
*Myiopsitta monachus*, 88–89  
*Neomimus* spp., 105  
*Neothraupis fasciata*, 290 (r)  
*Neotis denhami*, 175  
*Nestor notabilis*, 294–295 (r)  
 Nightjar  
     Greater Antillean, see *Caprimulgus cubanensis*  
     Hispaniolan, see *Caprimulgus eckmani*  
     White-tailed, see *Caprimulgus cayennensis*  
*Nucifraga columbiana*, 122 (r)  
*Numenius americanus*, 84–85  
*Numida meleagris galeata*, 446–447 (r)  
 Nutcracker  
     Clark's, see *Nucifraga columbiana*  
 Nuthatch, see *Sitta europaea*  
     Brown-headed, see *Sitta pusilla*  
     Red-breasted, see *Sitta canadensis*  
 Oldsquaw, see *Clangula hymelis*  
*Oporornis formosus*, 92, 414–424  
 Oriole  
     Black-cowled, see *Icterus dominicensis*  
*Oryzoborus angolensis*, 92–93  
 Osprey, see *Pandion haliaetus*  
 Ovenbird, see *Seiurus aurocapillus*  
 Owl  
     Barn, see *Tyto alba*  
     Great-horned, see *Bubo virginianus*  
     Long-eared, see *Asio otus*  
     Northern Saw-whet, see *Aegolius acadicus*  
     Short-eared, see *Asio flammeus*  
     Spotted, see *Strix occidentalis caurina*  
     Tawny, see *Strix aluco*  
     Tengmalm's, see *Aegolius funereus*  
 Oystercatcher  
     Eurasian, see *Haematopus ostralegus*  
*Pachycephala rufiventris*, 351–364  
*Pagodroma nivea*, 598 (r)  
 Palila, see *Loxioides bailleui*  
 Palmchat, see *Dulus dominicus*  
*Pandion haliaetus*, 196  
*Panurus biarmicus*, 443 (r), 596 (r)  
*Parabuteo unicinctus*, 22  
 Parakeet  
     Monk, see *Myiopsitta monachus*  
 Pardalote  
     Striated, see *Pardalotus striatus*  
*Pardalotus striatus*, 449 (r)  
 Parrot  
     Caica, see *Pionopsitta caica*  
     Hispaniolan, see *Amazona ventralis*

- Orange-winged, see *Amazona amazonica*  
 Port Lincoln, see *Platycercus zonarius*  
 Puerto Rican, see *Amazona vittata*  
 Red-crowned, see *Amazona viridigenalis*  
 Red-lored, see *Amazona autumnalis*  
 White-fronted, see *Amazona albifrons*  
 Yellow-headed, see *Amazona oratrix*  
 Yellow-lored, see *Amazona xantholora*
- Parula  
 Northern, see *Parula americana*  
*Parula americana*, 58–70, 404–424  
*Parus ater*, 451 (r)  
*P. bicolor*, see *Baeolophus bicolor*  
*P. carolinus*, see *Poecile carolinensis*  
*P. cinctus*, 128–129 (r)  
*P. cristatus*, 137 (r)  
*Passer domesticus*, 136–137 (r), 257–262,  
 276–282, 445 (r), 568–569  
*P. montanus*, 137 (r)  
*Passerculus sandwichensis*, 285 (r), 602 (r)  
*Passerella iliaca*, 310–320  
*Passerina amoena*, 497  
*P. cyanea*, 404–424  
*Pelecanoides garnotii*, 71–79  
*P. georgicus*, 72  
*P. urinatrix exul*, 72  
*Pelecanus erythrorhynchus*, 82, 283–284 (r)  
*P. onocrotalus*, 82
- Pelican  
 African White, see *Pelecanus onocrotalus*  
 American White, see *Pelecanus erythrorhynchus*
- Penguin  
 Adélie, see *Pygoscelis adeliae*  
 King, see *Aptenodytes patagonicus*  
 Little, see *Eudyptula minor*  
*Perisoreus canadensis*, 5  
*Petrochya goodenovii*, 351–364
- Pewee  
 Hispaniolan, see *Contopus hispaniolensis*
- Petrel  
 Cape, see *Daption capense*  
 Gould's, see *Pterodroma leucoptera leucoptera*  
 Snow, see *Pagodroma nivea*  
*Phacellodomas rufifrons*, 290 (r)  
*Phaenicochilus palmarum*, 58–70  
*Phalacrocorax atriceps*, 338  
*P. auritus*, 82, 283–286 (r)  
*P. bougainvillii*, 338  
*P. brasiliensis*, 451 (r)  
*P. magellanicus*, 338  
*P. olivaceus*, 338  
*Phasianus colchicus*, 380–392, 600–601 (r)
- Pheasant  
 Ring-necked, see *Phasianus colchicus*
- Pheucticus ludovicianus*, 93, 404–413, 481–490  
*Philomachus pugnax*, 86, 135 (r)
- Phoebe  
 Eastern, see *Sayornis phoebe*  
*Phoenicurus ochruros*, 451 (r)  
*Phylidonyris novaehollandiae*, 6  
*Pica pica*, 5  
*Picoides borealis*, 400–403, 414–424, 444–445 (r), 597–598 (r)  
*P. pubescens*, 310–320, 404–424, 584  
*P. villosus*, 310–320, 414–424, 496
- Piha  
 Cinnamon-vented, see *Lipaugus lanioides*
- Pigeon, see *Columba livia*  
 Homing, see *Columba livia*
- Pintail  
 Northern, see *Anas acuta*  
 White-cheeked, see *Anas bahamensis*
- Pipilo chlorurus*, 497  
*P. erythrophthalmus*, 319, 404–424
- Pipit  
 Rock, see *Anthus petrosus*
- Piranga olivacea*, 92  
*P. rubra*, 92, 310–320, 414–424, 481–490  
*Platycercus elegans*, 594 (r)  
*P. zonarius*, 449 (r)  
*Plegadis chihi*, 293 (r)  
*P. falcinellus*, 83
- Plover  
 Mountain, see *Charadrius montanus*  
 Ringed, see *Charadrius hiaticula*  
 Snowy, see *Charadrius alexandrinus*
- Podargus ocellatus*, 603 (r)  
*P. o. plumiferus*, 603 (r)  
*Poecile atricapillus*, 126–127 (r), 486, 488,  
 495–497, 568–578  
*P. carolinensis*, 97, 310–320, 404–424, 577  
*P. major*, 292 (r), 568  
*P. gambeli*, 495–497  
*P. spp.*, 491–503  
*Poliophtila caerulea*, 310–320, 414–424  
*Pomatostomus temporalis*, 351–364  
*Porzana carolina*, 475
- Prairie-chicken  
 Greater, see *Tympanuchus cupido*  
*Protonotaria citrea*, 95–100, 287 (r), 310–320  
*Ptychoramphus aleuticus*, 145–157, 531  
*Prunella modularis*, 596 (r)
- Ptarmigan  
 White-tailed, see *Lagopus leucurus*
- Pterodroma leucoptera leucoptera*, 138–139 (r)
- Puffin  
 Atlantic, see *Fratercula arctica*  
*Puffinus gravis*, 81  
*Pygoscelis adeliae*, 49–54, 595 (r)
- Quail

- European, see *Coturnix c. coturnix*  
 Japanese, see *Coturnix japonica*  
*Quiscalus quiscula*, 310–320
- Rail  
 California Black, see *Laterallus jamaicensis coturniculus*  
 California Clapper, see *Rallus longirostris obsoletus*  
 Guam, see *Gallirallus owstoni*  
 Light-footed Clapper, see *Rallus longirostris levipes*  
 Virginia, see *Rallus limicola*  
 Yellow, see *Coturnicops noveboracensis*  
 Yuma Clapper, see *Rallus longirostris yumanensis*
- Rallus limicola*, 475  
*R. longirostris levipes*, 475  
*R. longirostris obsoletus*, 467  
*R. longirostris yumanensis*, 473
- Raven  
 Australian, see *Corvus coronoides*
- Razorbill, see *Alca torda*  
*Recurvirostra avosetta*, 125–126 (r)
- Redstart  
 American, see *Setophaga ruticilla*  
 Black, see *Phoenicurus ochruros*  
*Regulus calendula*, 310–320, 404–413, 486  
*R. satrapa*, 310–320  
*Rhynchops niger*, 122 (r)  
*Riparia riparia*, 599 (r)  
*Rissa tridactyla*, 30–31, 88, 393–399
- Robin  
 American, see *Turdus migratorius*  
 Bare-eyed, see *Turdus nudigenis*  
 Clay-colored, see *Turdus grayi*  
 Hooded, see *Melanodryas cucullata*  
 Red-capped, see *Petroica goodenovi*
- Rosella  
 Crimson, see *Platycercus elegans*  
*Rostrhamus sociabilis*, 268–275, 286 (r), 322, 588–591
- Ruff, see *Philomachus pugnax*
- Saker, see *Falco cherrug*
- Saltator  
 Buff-throated, see *Saltator maximus*  
*Saltator maximus*, 290 (r)
- Sanderling, see *Calidris alba*
- Sandpiper  
 Baird's, see *Calidris bairdii*  
 Buff-breasted, see *Tryngites subruficollis*  
 Pectoral, see *Calidris melanotos*  
 Spotted, see *Actitis macularia*  
 Stilt, see *Calidris himantopus*  
 Upland, see *Bartramia longicauda*  
 Western, see *Calidris mauri*  
 White-rumped, see *Calidris fuscicollis*
- Sapsucker  
 Red-naped, see *Sphyrapicus nuchalis*  
 Yellow-bellied, see *Sphyrapicus varius*
- Saurothera longirostris*, 58–70  
*Sayornis phoebe*, 310–320
- Scoter  
 Velvet, see *Melanitta fusca*
- Scrub-bird  
 Noisy, see *Atrichornis clamosus*
- Scrub-jay  
 Western, see *Aphelocoma californica*
- Seed-finch  
 Chestnut-bellied, see *Oryzoborus angolensis*  
*Seiurus aurocapillus*, 58–70, 289–290 (r), 310–320, 404–413, 486, 488, 600 (r)  
*S. noveboracensis*, 404–413
- Serin, see *Serinus serinus*  
*Serinus canaria*, 127–128 (r), 595–596 (r)  
*S. serinus*, 595–596 (r)
- Setophaga ruticilla*, 58–70, 257–262, 310–320, 404–413
- Shag  
 Rock, see *Phalacrocorax magellanicus*
- Shearwater  
 Cory's, see *Calonectris diomedea*  
 Greater, see *Puffinus gravis*
- Shoveler  
 Northern, see *Anas chrypeata*
- Shrike-thrush  
 Gray, see *Colluricincla harmonica*  
*Sialia currucoides*, 283 (r), 444–445 (r), 491–503  
*S. sialis*, 97, 283 (r), 445 (r)
- Siskin  
 Pine, see *Carduelis pinus*  
*Sitta canadensis*, 486  
*S. europaea*, 136 (r)  
*S. pusilla*, 105, 310–320, 414–424
- Skimmer  
 Black, see *Rhynchops niger*
- Solitaire  
 Rufous-throated, see *Myadestes genibarbis*  
*Somateria* spp., 284–285 (r)  
*S. mollissima*, 207
- Sora, see *Porzana carolina*
- Sparrow  
 Bachman's, see *Aimophila aestivalis*  
 Chipping, see *Spizella passerina*  
 Eurasian Tree, see *Passer montanus*  
 Field, see *Spizella pusilla*  
 Fox, see *Passerella iliaca*  
 Harris', see *Zonotrichia querula*  
 Henslow's, see *Ammodramus henslowii*  
 House, see *Passer domesticus*  
 Nelson's Sharp-tailed, see *Ammodramus nelsoni*  
 Savannah, see *Passerculus sandwichensis*

- Saltmarsh Sharp-tailed, see *Ammodramus caudacutus*  
 Song, see *Melospiza melodia*  
 Swamp, see *Melospiza georgiana*  
 White-crowned, see *Zonotrichia leucophrys*  
 White-throated, see *Zonotrichia albicollis*  
*Spindalis dominicensis*, 58–70  
*Spizella passerina*, 310–320, 414–424, 484, 497  
*S. pusilla*, 414–424  
 Spoonbill  
   Roseate, see *Ajaia ajaja*  
*Sphyrapicus nuchalis*, 491–503  
*S. varius*, 310–320, 486  
 Starling  
   European, see *Sturnus vulgaris*  
*Stercorarius longicaudus*, 35–38, 87  
*S. parasiticus*, 33–41, 87  
*S. pomarinus*, 33–41, 87  
*Stelgidopteryx serripennis*, 89, 553  
*Sterna antillarum*, 88, 135–136 (r), 457–458, 603 (r)  
*S. bengalensis*, 341  
*S. bergii*, 341  
*S. caspia*, 88, 340  
*S. dougallii*, 101–103, 455–464  
*S. eurynatha*, 337–342, 457–458  
*S. hirundo*, 88, 441–442 (r), 452 (r), 455–464  
*S. maxima*, 88, 337–342  
*S. nilotica*, 122 (r)  
*S. paradisaea*, 463  
*S. sandvicensis*, 341  
*S. superciliaris*, 457–458  
*Stipiturus malachurus*, 447–448 (r)  
 Stork  
   Wood, see *Mycteria americana*  
 Storm-Petrel  
   British, see *Hydrobates pelagicus*  
*Strepera graculina*, 138–139 (r), 351–364  
*Streptopelia decaocto*, 88  
*S. risoria*, 88  
*Streptoprocne zonaris*, 89  
*Strix aluco*, 126 (r)  
*S. occidentalis caurina*, 603 (r)  
*Struthidea cinerea*, 351–364  
*Sturnus vulgaris*, 136–137 (r), 158, 283 (r), 577  
*Suiriri suiriri*, 290 (r)  
*Sula dactylatra*, 594 (r)  
*S. leucogaster*, 82  
*S. nebouxii*, 105, 594 (r)  
*S. sula*, 81–82  
 Swallow  
   Bahama, see *Tachycineta cyaneoviridis*  
   Barn, see *Hirundo rustica*  
   Cave, see *Hirundo fulva*  
   Cliff, see *Hirundo pyrrhonota*  
   Northern Rough-winged, see *Stelgidopteryx serripennis*  
   Tree, see *Tachycineta bicolor*  
   Welcome, see *Hirundo neoxena*  
   White-winged, see *Tachycineta albiventer*  
 Swan, see *Cygnus*  
   Whooper, see *Cygnus cygnus*  
 Swift, see *Apus apus*  
   White-collared, see *Streptoprocne zonaris*  
*Sylvia atricapilla*, 288–289 (r)  
*Synthliboramphus antiquus*, 527  
*S. hypoleucus*, 520–534  
*Tachycineta albiventer*, 89  
*T. bicolor*, 124 (r), 158, 286 (r), 444–445 (r), 496, 553  
*T. cyaneoviridis*, 453 (r)  
*Tachyphonus rufus*, 290 (r)  
*Taeniopygia guttata*, 126 (r)  
 Tanager  
   Black-crowned Palm, see *Phaenicophilus palmarum*  
   Hispaniolan Stripe-headed, see *Spindalis dominicensis*  
   Scarlet, see *Piranga olivacea*  
   Summer, see *Piranga rubra*  
   White-banded, see *Neothraupis fasciata*  
   White-lined, see *Tachyphonus rufus*  
 Teal  
   Blue-winged, see *Anas discors*  
   Green-winged, see *Anas crecca carolinensis*  
 Tern  
   Arctic, see *Sterna paradisaea*  
   Black, see *Chlidonias niger*  
   Caspian, see *Sterna caspia*  
   Cayenne, see *Sterna eurynatha*  
   Common, see *Sterna hirundo*  
   Crested, see *Sterna bergii*  
   Gull-billed, see *Sterna nilotica*  
   Least, see *Sterna antillarum*  
   Lesser Crested, see *Sterna bengalensis*  
   Roseate, see *Sterna dougalli*  
   Royal, see *Sterna maxima*  
   Sandwich, see *Sterna sandvicensis*  
   Yellow-billed, see *Sterna superciliaris*  
*Tetrao urogallus*, 122 (r)  
*Tetrax tetrax*, 175, 178  
 Thornbird  
   Rufous-fronted, see *Phacellodomus rufifrons*  
 Thrasher  
   Brown, see *Toxostoma rufum*  
 Thrush  
   Bicknell's, see *Catharus bicknelli*  
   Gray-cheeked, see *Catharus minimus*  
   Hermit, see *Catharus guttatus*  
   Red-legged, see *Turdus plumbeus*  
   Swainson's, see *Catharus ustulatus*



- Wood, see *Hylocichla mustelina*  
*Thryothorus ludovicianus*, 97–98, 310–320, 404–424
- Tit  
 Bearded, see *Panurus biarmicus*  
 Coal, see *Parus ater*  
 Crested, see *Parus cristatus*  
 Great, see *Parus major*, *Poecile major*  
 Siberian, see *Parus cinctus*
- Titmouse  
 Tufted, see *Baeolophus bicolor*  
*Todus angustirostris*, 58–70  
*T. subulatus*, 58–70
- Tody  
 Broad-billed, see *Todus subulatus*  
 Narrow-billed, see *Todus angustirostris*
- Towhee  
 Eastern, see *Pipilo erythrophthalmus*
- Toxostoma rufum*, 310–320, 404–424
- Trembler  
 Brown, see *Cinlocerthia ruficauda*
- Troglodytes aedon*, 90, 286–287 (r), 290 (r), 366, 445 (r), 495–496  
*T. troglodytes*, 310–320, 486, 488  
*Tryngites subruficollis*, 86  
*Turdus grayi*, 128 (r)  
*T. migratorius*, 121 (r), 310–320, 414–424, 485–486, 488  
*T. nudigenis*, 90  
*T. plumbeus*, 58–70
- Turkey, see *Meleagris gallopavo*
- Turnstone  
 Ruddy, see *Arenaria interpres*
- Turtle-Dove  
 Ringed, see *Streptopelia risoria*
- Tyrannus savana savana*, 89  
*T. tyrannus*, 310–320
- Tympanuchus cupido*, 441 (r), 602 (r)
- Tyto alba*, 133 (r), 285 (r)
- Uria aalge*, 28–32, 526–527
- U. lomvia*, 527
- Vanellus vanellus*, 84, 130 (r)
- Veery, see *Catharus fuscescens*
- Vermivora celata*, 310–320, 491–503  
*V. pinus*, 55–57, 91  
*V. peregrina*, 289–290 (r), 404–413  
*Vireo atloquus*, 58–70, 91  
*V. flavifrons*, 414–424  
*V. gilvus*, 491–503  
*V. griseus*, 310–320, 404–424  
*V. olivaceus*, 91, 310–320, 414–424, 436–437 (r), 481–490  
*V. o. olivaceus*, 91  
*V. solitarius*, 310–320, 414–424
- Vireo  
 Black-whiskered, see *Vireo atloquus*  
 Blue-headed, see *Vireo solitarius*  
 Red-eyed, see *Vireo olivaceus*  
 Warbling, see *Vireo gilvus*  
 White-eyed, see *Vireo griseus*  
 Yellow-throated, see *Vireo flavifrons*
- Vulture  
 Black, see *Coragyps atratus*  
 Turkey, see *Cathartes aura*
- Warbler  
 Adelaide's, see *Dendroica adelaidae*  
 Bay-breasted, see *Dendroica castanea*  
 Black-and-White, see *Mniotilta varia*  
 Blackburnian, see *Dendroica fusca*  
 Black-throated Blue, see *Dendroica caerulescens*  
 Black-throated Green, see *Dendroica virens*  
 Blue-winged, see *Vermivora pinus*  
 Cape May, see *Dendroica tigrina*  
 Chestnut-sided, see *Dendroica pensylvanica*  
 Great Reed, see *Acrocephalus arundinaceus*  
 Hooded, see *Wilsonia citrina*  
 Kentucky, see *Oporonis formosus*  
 Magnolia, see *Dendroica magnolia*  
 Orange-crowned, see *Vermivora celata*  
 Pine, see *Dendroica pinus*  
 Prairie, see *Dendroica discolor*  
 Prothonotary, see *Protonotaria citrea*  
 Savi's, see *Locustella luscinioides*  
 Sedge, see *Acrocephalus schoenobaenus*  
 Swainson's, see *Limnothlypis swainsonii*  
 Tennessee, see *Vermivora peregrina*  
 Worm-eating, see *Helmitheros vermivorus*  
 Yellow, see *Dendroica petechia*  
 Yellow-rumped, see *Dendroica coronata*  
 Yellow-throated, see *Dendroica dominica*
- Waterthrush  
 Northern, see *Seiurus noveboracensis*
- Whistler  
 Rufous, see *Pacycephala rufiventris*
- Whistling-Duck  
 West Indian, see *Dendrocygna arborea*
- Wilsonia citrina*, 58–70, 92, 131–132 (r), 310–320, 404–424, 588
- Wigeon  
 American, see *Anas americana*
- Woodcreeper  
 Narrow-billed, see *Lepidocolaptes angustirostris*
- Woodpecker  
 Black, see *Dryocopus martius*  
 Downy, see *Picoides pubescens*  
 Hairy, see *Picoides villosus*  
 Hispaniolan, see *Melanerpes striatus*  
 Pileated, see *Dryocopus pileatus*  
 Red-bellied, see *Melanerpes carolinus*  
 Red-cockaded, see *Picoides borealis*  
 Red-headed, see *Melanerpes erythrocephalus*

## Wood-Pee-wee

Eastern, see *Contopus virens*Western, see *Contopus sordidulus*

## Woodstar

Bahama, see *Calliphlox evelynae*

## Wren

Cactus, see *Campylorhynchus brunneicapillus*Carolina, see *Thryothorus ludovicianus*House, see *Troglodytes aedon*Winter, see *Troglodytes troglodytes**Xanthomyza phrygia*, 131 (r), 438-439 (r),  
443-444 (r)

## Yellowthroat

Bahama, see *Geothlypis rostrata*Common, see *Geothlypis trichas*Gray-crowned, see *Geothlypis poliocephalus*Olive-crowned, see *Geothlypis semiflava**Zenaida macroura*, 414-424*Zonotrichia albicollis*, 310-320, 404-413, 487,  
593 (r)*Z. a. pugetensis*, 593 (r)*Z. leucophrys*, 497, 593 (r)*Z. querula*, 568