

THE JOURNAL OF RAPTOR RESEARCH

INDEX TO VOLUME 21

COMPILED BY JIMMIE R. PARRISH AND F. RUTH BECK

The Officers and Board of Directors of the Foundation have approved the production of a 20-year index of the Foundations publications. Subsequent yearly indexes will serve as a continuum to the 20-year volume with additional updates provided as necessary. Scientific names follow the A.O.U. checklist where appropriate for avian scientific names, and all others follow the most current sources available.

- A. a. acadicus*, 45
A. americana, 73
A. crecca, 73
abandoned fields, 57
abandonment, 53, 57
abdominal operations, 22
Abies concolor, 39
Abies grandis, 77
Abies lasio-carpa, 98
Accipiter gentilis, 22, 144
Accipiter nisus, 47
Accipiter striatus, 165
Acpepromazine Maleate, 152
active nest, 27
activities and habitat utilization, 58
activity, 45
activity during the wintering phase, 68
acuity, 156
acupuncture, 24
adaptation, 51
adaptive breeding strategy, 79
adult mortality, 49, 51
adult pair, 38
adult survival, 44
Aegolius funereus, 98
Aegolius funereus richardsonii, 45
aerial and ground censuses, 88
aerial attacks, 73
aerial photographs, 57
aerie, 79 (see eyrie)
aerodynamic performance, 133
aetiology, 21
Africa, 76
African predatory birds, 46
age and growth, 79
aged, 58
Agelaius phoeniceus, 62
aggression, 8, 59, 60, 122
aggressive, 60
aggressive behavior, 28, 30, 67
agnostic interactions, 58
agonistic encounters, 118
agonistic interactions, 59
agricultural practices, 16, 17
air tracking, 147
Airola, Daniel A., 121
airplane tracking, 147
Alaska, 114
aldrin, 47
alfalfa, 57
Allen Press, Inc., 2
Alopex lagopus, 158
alternate nest, 27
alternate perch sites, 69
ambient temp, 35, 36, 37
American Bison, 47
American Coot, 61
American Crow, 68
American Elm, 14
American Kestrel, 14, 24, 71, 70, 126
American Swallow-Tailed Kite, 124
American Sycamore, 14
American Wigeon, 73
amphibians, 72
Amphotericin B, 22
anaesthetic techniques, 22
analysis of prey remains and pellets, 81
analysis of survival data, 137

- analyzing movement, 140
Andersen Award, 1, 83
anesthesia, 50, 51, 152
angular data, 140
animal locations, 134
annual mortality rate, 55
annual survival, 44
antenna breakage, 145
Anus acuta, 73
Applegate, Roger D., 68
apricot, 12
aquatic habitat types, 29
Aquila chrysaetos, 37, 46, 67, 68, 80, 85, 103, 118
Aquila chrysaetos japonica, 79
Arctic Circle, 111
Arctic Fox, 158, 161
Arctic Ground Squirrel, 80
Arctic Hare, 80
Ardea herodias, 61
Argentina, 40
arithmetic mean location, 140
Arizona, 16, 35, 45
Aroclor 1248, 49
Arragonian Pyrenees and Cantabrian Mountains, 75
Artemisia spp., 86
Artemisia tridentata, 57
arthropods, 96, 126
artificial incubation, 55, 71
artificial insemination, 24, 55, 70, 71
artificial nest site, 117
artificial nests, 116
Arundinaria gigantea, 124
Arvicola terrestris, 12
Asio otus, 100
aspect, 33, 36, 37
aspen, 86
Aspergillosis, 24, 54
assemblage of breeding raptors, 46
Atriplex confertifolia, 57
attacking intruders, 60
atypical incubation, 33
auditory cues, 63
Ault, Steven J., 152
Australia, 162
Australia cage traps, 164
automobile tracking, 147
availability of carrion, 85
availability of nest sites, 37
availability of prey, 80
avian breeding biology, 79
avian prey selection, 4
avian retina, 152
axial tomography, 24
azimuth, 147
backpack transmitters, 131
bacterial infection, 25
Badger, 145
baited cage traps, 164
Bal-chatri trap, 15, 57
Bald Eagle, 22, 27, 30, 45, 68, 81, 118, 131, 148, 150
Baldcypress trees, 27, 30
Baldcypress/tupelo-gum forest type, 27
band recovery, 44
band recovery models, 137
banded, 23, 51, 55
barren soils, 57
Barrows, Cameron W., 95
Bateleur, 48
Beck, Thomas W., 116
beetles, 124
behavior, 8, 10, 11, 27, 57, 58, 85, 98, 103
 feeding, 125
 hunting, 32
behavioral variability, 35
Belthoff, James R., 80
Berger, Daniel D., 68
Beta vulgaris, 57
betalights, 98
Bighorn Sheep, 85
Bildstein, K., 1
biological council, 24
biological diversity, 47
biological status, 40
biomass, 4, 63
biomass fed, 80
Biotelemetry, 131
biotic factors, 27
Bird Banding Laboratory, 133
Bird, D., 1
bird-days, 134
birds, 81
Bison bison, 47
Black Kites, 23, 163, 164
Black Locust, 14
Black Oak, 14
Black-tailed Jackrabbit, 118
blind, 51
body mass, 79
body size, 35
body weight, 18
“Boke of St. Albans,” 21

- BOPA, 32, 63
 Boreal Owls, 45, 98
Bos taurus, 85
 Botta Pocket Gophers, 97
 Boyce, D. A., 35
Brachyramphus craveri, 4
Branta canadensis, 61, 121
 breeding, 58
 activities, 57
 and death rates, 47
 area, 27, 29
 behavior, 57, 119
 biology, 8
 chronologies, 39
 cycle, 8
 density, 112
 dispersal, 44
 Northern Harriers, 57
 season, 8, 45
 sites, 47
 Britain, 21, 22, 24, 47
 British Columbia, 33
 British Isles, 3, 111
Bromus tectorum, 57
 brood abandonment, 131
 size, 80
 rearing, 32
 brooding, 58, 59, 60, 61, 116
 brooding behavior, 34
 broods, 53
 Brown Bullhead, 81
 Bryce Canyon National Park, 38
Bubo virginianus, 22, 57, 74, 103, 125, 152
 Bulgaria, 8
 Bull, Evelyn L., 77
 Bulrush, 57
 bumble foot, 51
 Bunck, Christine M., 137
 Bureau of Land Management, 57
Buteo buteo, 12
Buteo jamaicensis, 16, 37, 46, 60, 67, 103, 118
Buteo lagopus, 16
Buteo realis, 16, 46, 118
Buteo rufinus, 8
Buteo swainsoni, 16
 C.I.T.E.S. classification, 40
 cached, 52
 caching, 15
 cage traps, 162, 164
Calcarius lapponicus, 112
 calcium carbonate, 51
 calcium phosphate, 51
 California, 3, 16, 17, 33, 35, 95, 121, 122, 150
 California Condor, 47
 call variation, 45
 calling activity, 45
 calls of an individual eagle, 45
Calocedrus decurrens, 116, 122
Caloplaca sp., 111
 Canada, 24, 40, 44, 51, 113
 Canada Goose, 61, 121
 Canadian Arctic, 80
 Canadian Council for Animal Care, 24
 Canadian Wildlife Service, 40
Canis latrans, 61, 85
 cannibalism, 32
 cannon nets, 89
 netting, 162, 164
 Canyonlands National Park, 39
 Cape Vulture, 79
 captive breeding, 21, 25, 72
 captive breeding and reintroduction project, 74
 captive propagation, 46, 47, 74
 capture, 86, 162
 of Prey, 63
 rate, 17
 success, 15, 18, 164
 captured, 57
 carcass necropsy, 21
 cardiac hemorrhage, 51
Cardinalis cardinalis, 165
Carduelis flammea, 112
 Carpenter, Arthur L., 165
 Carpenter, Thomas W., 165
Carpinus orientalis, 8, 12
 carrion, 68, 69, 72, 89, 91
Carya ovata, 80
Carya spp., 14
 casement display, 143
 Cat, 156
Cathartes aura, 67
 cavities, 80
 Cely, John E., 124
 census, 15, 75
 center of gravity, 133
 cereal crops, 16
 "chatter" calls, 45
 cheatgrass, 57
 chemotherapy, 22
 Cheney, Carl D., 103
 Chi-square (χ^2), 61, 149
 chlorinated hydrocarbon insecticides, 25
 circular statistics, 140

- Circus cyaneus*, 32, 57, 72
Citellus citellus, 12
 Clark, R., 1
Clethrionomys gapperi, 45
 Clevenger, Anthony P., 33
 cliff aspect, 112
 - face area, 36
 - height, 36, 113
 - Width, 36
 Cliff Swallows, 32
 climate, 8, 23, 35, 57
 climatological, 75
 clinically, 23
 clinicopathological, 24
 cloud cover, 45
 clustering techniques, 143
 clutch size, 12, 49, 53, 55
 clutches, 117
 - second 49, 54, 55*Cnemidophorus tigris*, 57, 62
 Coast Moles, 97
 Cochran, William W., 68, 147
 coefficients, 51
Colaptes auratus, 77
 Collared Lemmings, 158
 Collopy, M., 1
 colony management, 49
 color band numbers, 81
 Colorado, 39, 44, 45, 85
 Colorado Plateau, 67
 Colorado River Canyon, 39
 colored plastic, 58
 colour phase, 40
Columba palumbus, 144
Columba sp., 156
 Commentary, 1, 2, 40
 commercial diet, 51
 Common Barn-Owl, 3, 25, 49, 55, 74
 Common Buzzard, 12
 Common Merganser, 119
 Common Moorhen, 72
 Common Pear
Common Raven, 37, 67, 86, 90, 91, 113, 119
 Common Vole, 11
 comparative capture success, 164
 compass directions, 58
 competition, 122
 components, 152
 computer software programs, 138
 conglomerate cliffs, 37
 Connecticut, 50
 conservation, 22, 24, 25, 46
 conspecifics, 46
 contaminant studies, 49
 contour-hugging, 17
 convex polygon, areas, 145
 Cooper, John E., 21
 copulation, 58, 70
 core area, 140
 cornea, 152, 153
Corvus brachyrhynchos, 68
Corvus corax, 37, 67, 80, 86, 113, 119
Corvus frugilegus, 119
Corvus monedula, 11
 cost, 47
 cost effectiveness, 148
 Costa Rica, 17
Coturnix coturnix, 71
 Coturnix Quail, 71
 courtship, 28, 30, 33, 58, 59, 80
 - period, 45
 - rituals, 70
 cover, 16
 Cox Proportional Hazards Model, 138
 Coyote, 61, 85
 Craveri Murrels, 4
 Crawford, Walter C., 74
 crayfish, 81
 critical fusion frequency, 155, 156
 cropland, 14
 crops, 17
 cross fostering, 24
 cryoprotectant, 72
 cryotherapy, 24
 cultivated fields, 57
 cultivated habitats, 57
 cyclic signal fade, 147
Cynomys spp., 103
 cypress, 126
 daily activity, 16
 - energy budget, 15, 18
 - energy expenditure (DEE), 79
 - rate and direction of travel, 147
 - temp, 18
 Dall's Sheep, 85
 dark adaptation, 152, 153
 day roosts, 46
 daylength, 35
 dbh (diameter at breast height), 77, 81
 DDE, 47, 49
 DDT, 47
 - in human milk, 47
 dead embryos, 53

- Deer Mouse, 45, 62, 77
 defect, 51
 defend nests, 122
 defended winter territories, 126
 defense, 61
 defensive posture, 11
 deforestation, 46
 delayed molt, 126
 demography, 144
 Denmark, 40
 density, 16, 80, 85, 112
 dependent, 80
 depredation, 85
 rate, 86
 detectability differences, 149
 detecting and describing the structure of home range,
 143
 development, 81
 of flight ability, 79
 of young, 8
 dho-gaza, 57
 diagnosis, 22
 diagnostic aids, 21
 procedures, 24
 dialyzed, 70
Dicrostonyx torquatus, 158
 dieldrin, 47
 diet, 3, 49, 51, 55, 144
 overlap, 46
 shifts, 95
 dietary preferences, 4
 differential prey selection, 144
 differential use of trees and cliffs at nest sites, 46
 differential visibility, 149
 digestion, 15
 dimethyl sulfoxide, 72
 dimethylacetamide, 72
Diospyros virginiana, 14
Dipodomys sp., 62
 directional distribution, 148
 discriminant function analysis, 45
 disease, 86
 dispersal, 46, 144
 and demography, 145
 distance, 81
 distribution, 14, 85
 distribution, status, conservation of raptors in Mad-
 agascar, 46
 distributions of Snowy Owl, 161
 disturbances, 57
 disturbed, 55
 diurnal activity, 45
 diving ducks, 131
 docking, 87
 percentages, 86, 88, 89
 domestic calves, 85
 domestic sheep, 85
 domestication, 47
 dominant position, 118
 Donazar, Jose A., 75
 double clutching, 24
 Douglas fir, 39, 46, 77
 "dueting" (mutual calling), 79
 Dugoni, Joseph A., 27
 Duke, G., 1
 Duley, Peter A., 32
Dumetella carolinensis, 7
 Duncan, James, R., 125
 Dunnett's *t*-Test, 155
 duplex retina, 156
 Dusky-Footed Woodrat, 95, 97
Dytiscus sp., 124
 eagle activity, 28, 30
 depredation, 87
 depredation rate, 91
 harassment and frightening techniques, 87
 eagle-triggered noose system, 164
 Eakle, Wade L., 45
 East Africa, 21
 Eastern Cottontail, 81
 Eastern hornbeam, 12
 Eastern red cedar, 14, 80
 Eastern Screech-Owl, 49, 80
 ecological, 79
 ecology, 79, 80, 100
 economic losses, 85
 edaphic Factors, 27
 education materials, 48
 egg abandonment, 53
 dimension, 12
 disappearance, 53
 failure, 49
 necropsy, 21
 size, 8
 -laying, 32
 eggs, 49
 hatched, 54, 59
 that failed, 53
 eggshell thickness, 24, 49
Elanoides forficatus, 124
 electroretinograms, 152, 153
 Eleonora's Falcon, 47
 emaciation, 51, 73

- embryo death, 49
 development, 24, 53
 necropsy, 21
 embryos, 47
 emergency food supply, 32
 emigration, 145
 endangered species, 40
 endemic raptors, 47
 endoscopy, 24
 endrin, 49
 energetic changes, 131
 cost, 15
 energy consumption, 15
 expenditure, 15
 input, 5
 requirements, 79
 England, 16, 113
 environmental contamination, 25, 55
 EPA, 103
 Eqalungmiut Nunaat, 111
 escape speed, 131
Eucalyptus spp., 126
 Eurasian Kestrel, 16
 Europe, 4, 25, 76
 European Starling, 17
 European Susliks, 12
Eutamias speciosus, 96
 euthanasia, 22, 51
Eutriorchis astur, 47
 ophthalmoscopical examination, 152
 experimental design, 134
 exponential distribution, 138
 extinction, 47
 extirpation, 48
 eyrie, 33, 34, 36, 67, 111 (see aerie)
 aspect, 37
 elevation, 113
 height, 36
- facilities, 56
 facilities and maintenance, 49
Falco columbarius, 25, 38, 39
Falco concolor, 47
Falco eleonorae, 47
Falco mexicanus, 32, 35, 44, 46, 67, 70
Falco newtoni newtoni, 47
Falco peregrinus, 32, 33, 38, 42, 61, 67, 70, 111, 147, 149
Falco punctatus, 25
Falco richardsonii, 38
Falco rusticolous, 40, 71, 80, 111
- Falco sparverius*, 14, 24, 70, 126
Falco tinnunculus, 16
 falconers, 40, 70, 72
 Falconry, 21, 46, 47
 fall migration, 68
 Family Apodidae, 32
 fat reserves, 133
 feathering, 8
 Federal Communications Commission, 133
 Fedynich, Alan M., 72
 feeding 28, 59, 60, 81
 behaviors, 32
 ecology, 98
 efficiency, 5
 flocks, 124
 platform, 50
 fertility, 70, 71, 72
 Ferruginous Hawk, 16, 46, 118
 fiber optic system, 153
 fidelity, 44, 47
 field observations, 57
 field research funding, 7
 Finland, 40, 116
 Flammulated Owl, 45, 120
 fledged Young, 37, 46, 54
 fledging of young, 33
 period, 12
 success, 53
 fledglings, 51
 flicker stimuli, 152
 tests, 153
 flight, 28
 flight distances, 133
 patterns, 59
 Florida, 16, 126
 Fluoride, 49
 food abundance, 80
 choices, 103
 compaction, 54
 consumption, 79
 deliveries, 33
 habits, 46, 80, 101
 niche, 98
 preference, 68
 requirements, 79
 resource, 79
 sources, 147
 supplement, 23
 transfers, 60, 70
 foraging, 14, 28, 29, 30, 46
 areas, 46
 behavior, 98, 100

- characteristics, 80
 efficiency, 64, 107
 habitat, 14, 74, 98
 patterns, 63
 quality, 126
 site Selection, 16
 sorties, 59
 strategy, 14, 103
 forest habitats, 101
Foundation for Field Research, 7
 Fourier transformation, 142
 foveal rods, 156
 fractured leg, 54
French and Catalonian Pyrenees, 75
 frequency and number of prey items, 59
 "frounce," 21
Fulica americana, 61
Fuller, Mark R., 131, 143
 funding, 47
- G. passerinum*, 77
Galapagos Islands, 3
Gallinula chloropus, 72
Gardner, Kirk, 118
Geissler, Paul H., 143
 genetic diversity, 49
 gentamicin, 22
 geometric mean, 141
Georgia, 17
Ghost Crabs, 100
Glaucidium gnoma, 77
Glaucomys sabrinus, 95, 96
Gleditsia triacanthos, 14
Glue, David E., 3
 glue-on transmitters, 131
 glycerol, 70, 72
Godfrey, Ralph D., 72
Golden Eagle, 37, 46, 67, 68, 80, 85, 103, 118
 depredation on lambs of domestic sheep, 85
 migration, 69
Goshawk, 144, 145
Gotland, 145
Grand fir, 77
 granite, 37
 grassland, 14, 17, 39
 gravel pits, 57
 Greasewood, 57
Great Basin Region, 57
Great Blue Heron, 61
Great Gray Owl, 116
Great Horned Owl, 22, 57, 74, 103, 125, 152
- Green Lizard**, 11
Green-winged Teal, 73
Greenland, 40, 111, 114
 Peregrine Falcon Survey Area, 113
 White-fronted Goose Study, 111
Grey Squirrel, 145
 grid-cell-based analyses, 145
Griffon Vulture, 75, 76
 ground squirrel, 103
 growth, 79
 of young, 8
 gular flutter, 117
Gymnogyps californianus, 47
Gyps coprotheres, 79
Gyps fulvus, 75, 76
Gyrfalcon, 40, 71, 80, 111, 113, 114
- habitat, 39, 28, 39, 57, 100
 analyses, 57
 availability, 14, 16
 map, 149
 mesic, 63
 physiography, 18
 preference, 62
 preference studies, 149
 selection, 27, 45, 149
 type, 14, 18, 29, 61, 149
 use, 44, 45, 57, 61, 100, 126, 131
 use-females, 62
 use-males, 61
 utilization, 57
 hacked back, 23
 haematocrit, 23
Hager, Joan C., 32
Haines, Susan L., 81
Hakusan Range, 79
Haliaeetus leucocephalus, 22, 27, 45, 68, 81, 118, 131, 148, 150
Haliaeetus leucogaster, 162
Haliaeetus vociferoides, 47
Haliastur sphenurus, 163
Halogenon glomeratus, 57
 hand-rearing, 24
 harassment, 85, 89
Hardaswick, Victor, 70
 harmonic mean, 141
 harrier behavior, 57
Harris, James O., 27
 harvestable surplus, 44
 hatchability, 70, 71
 hatching date, 117

- interval, 8, 9
of young, 8
periods of *F. c. richardsonii*, 39
success, 53
weight, 8
- Hawk Mountain Research Award, 82
- hawking dragonflies, 32
- Hays, Larry L., 67
- Hayward, Gregory D., 98
- heat caused stress, 37, 117
- Heather Vole, 77
- height, 36
and aspect of nest cliffs, 44
- helicopter, 86
- Hen Harrier, 62
- Henjum, Mark G., 77
- Henke, Robert J., 74
- herbicide, 50
- Hertog, Anthony L., 162
- heterozygosity, 51
- Hickory, 14
- Hill, James M., 3
- Hirundo pyrrhonta*, 32
- Hohmann, Janet E., 77
- Holt, Denver W., 120
- Holthuijzen, Anthonie M. A., 32
- home range, 14, 57, 61, 63, 64, 81, 131
of juveniles, 79
size, 45, 6
data, 140
studies, 134
- homeopathic remedies, 24
- Honey Locust, 14
- horse, 156
- House, Edwin W., 152
- House Mouse, 126
- House Sparrow, 15
- hovering, 15, 73
- Howard, R., 1
- Hoy, Judy A., 120
- Hudson Bay, 113
- human activities, 32
- disturbance, 11, 14, 16, 86
- humidity, 71
- Hunt, W. Grainger, 1, 149
- hunting, 58, 59, 60, 116
activity, 57
behavior, 58, 73
by female, 60
efficiency, 14, 17
flights, 58
- method, 14, 15, 17, 18, 81
sites, 16
strategy, 17, 18
success, 14, 17, 81, 98
- hygiene, 25
- Hylocichla* sp., 7
- Iberian Peninsula, 75, 86
- Iceland, 40
- Ictalurus nebulosus*, 81
- Ictinia mississippiensis*, 124
- Idaho, 32, 39, 57, 88, 98
- Ikeda, Yoshihide, 79
- illegal trade, 40
- Illinois, 68, 69
- immigration, 75, 145
- implantation of cannulae, 24
- imprinted, 70
- inbreeding, 49, 51
- Incense Cedar, 116, 122
- increase in Griffon Vulture population, 75
- increased severity of spring weather, 80
- incubating behavior, 71, 75
- incubation, 11, 32, 33, 39, 57, 58, 59, 60, 61, 67
duties, 35
male, 12, 33, 34
period, 116
rates, 34
schedules, 34
sharing, 33
- individual identification, 45
- infertile, 53
- infertility, 49
- infrared photographs, 27
- insect foraging, 125
prey, 32
- insectivory, 32
- "insect hawking," 124
- insects, 72, 77
- insemination, 70
- Instructions for Contributors, 41
- inter- and intraspecific competition, 68
Interactions, 59, 60, 81, 122
- International Symposium on the Diseases of Birds
of Prey, 21
- international trade, 40
- internest distance, 80
- inter-specific aggression, 114
confrontations, 118
encounters, 59, 118
- interthermal soaring, 148

- intraspecific encounters, 61
 invertebrates, 17
 Ireland, 4
 iris color, 9
 irrigation, 16, 57
 isoline techniques, 141, 145
 Italy, 3
- Jackdaw, 11
 jackrabbit, 85, 87, 89
 Japan Alps, 79
 Japanese Golden Eagle, 79
 Jeffrey Pine, 122
 Johnston, David W., 3
Juniperus osteosperma, 39
Juniperus virginiana, 14, 80
 juvenile survival rates, 44
 juveniles, 80
 juxtaposition, 46
- Kangaroo Rat, 62
 Kangerlussuaq, 111
 kelthane, 49
 Kentucky, 17, 80
 Kenward, Robert, 144
 Kenya, 23
 ketamine HCl, 152
 kleptoparasitism, 32, 119
 Komen, Joris
- laboratory investigations, 22
 laboratory mice, 51
Lacerta viridis, 11
Lagopus mutus, 80
 Lake Michigan, 69
 lamb mortality, 87
 production, 86
 seasons, 85
 Lane, Patricia A., 125
 laparoscopy, 49, 50, 52, 55
 Lapland Longspur, 112
 laser surgery, 24
Lasiurus cinereus, 96
 latency, 105
 latitude, 35
 latitudinal Trends, 3, 4
 Laurel Oak, 124
 lava beds, 57
 law enforcement, 40
 LD_{50} , 103, 109
 leg-hold traps, 86
- lemmings, 158, 161, 162
 leporids, 46
Lepus arcticus, 80
Lepus californicus, 118
Lepus spp., 85, 87
 Leslie Brown Memorial Fund, 1, 83
 Lesser Mole Rat, 12
 licensing requirements, 100
 lichen, 111
 lidocaine HCl, 153
 life history parameters, 47
 limestone, 37
 Lincer, J. L., 1
 lipids, 79
 lithium chloride, 105
 live-oaks, 28
 livestock, 16
 depredation, 88
 loafing, 59, 60
 Loblolly Pine, 124
 Lockhart Method, 89
 Logrank Test, 138
 London, 21
 Long-eared Owl, 100
 Long-legged Buzzard, 8
 Louisiana, 27, 29
- MacLaren, Patricia A., 46
 macrohabitat, 45
 Madagascar Kestrel, 47
 Madagascar Sea Eagle, 47
 Madagascar Serpent Eagle, 47
 Maine, 81
 malaise, 105
 males, 60
 defense of area, 59
 mammalian faunas on islands, 5
 mammalian predators, 49
 prey, 3, 32
 management, 37
 Manao, 25
 Manitoba, 116
 Mann-Whitney *U*-Tests, 87
 manually-operated single-noose System, 163
Marmota flaviventris, 87
 marsh, 28, 29, 30
 Martha's Vineyard, 3
 Martin, John W., 57
 Maryland, 49, 81, 148
 Mason Neck State Park, 81
 Massachusetts, 3

- Matchett, Marc R., 85
 Mauritius Conservation Project, 25
 Mauritius Kestrel, 25
 Mayfield Estimates, 137, 138
 mean height of nests, 46
 shape of nests, 36
 medieval cures, 21
 median and modal age, 44
Medicago sativa, 57
 medical treatment, 21
 Meretsky, Vicky J., 140
Mergus merganser, 119
 Merlin, 25, 38
 mesopic luminances, 156
 Mexico, 16
 Michigan, 17, 165
 microbiology, 24
 microclimate, 131
 microenvironmental, 36
 microhabitat, 100, 150
 microlamberts of light, 101
Microtus arvalis, 11
Microtus californicus, 96
Microtus montanus, 57
Microtus ochrogaster, 17
Microtus pennsylvanicus, 7
Microtus, sp., 10, 57
Microtus spp., 77
Microtus subarvalis, 11
 Middle East, 24
 midwest, 74
 Ptarmigan, 80
 migration, 131, 147
 Miller, Frank L., 158
Milvus migrans, 163
Milvus migrans govinda, 24
Milvus migrans parasitus, 23
 mine tailings, 57
 minimum oral dosage, 104
 minimum polygon, 58
 Minnesota, 63, 68, 119
 Mississippi Kite, 124
 Mississippi River, 27, 69
 Missouri, 14, 74
 Missouri Department of Conservation, 74
 Mojave Desert, 35
 molted, 131
 monoculture farming, 18
 Montana, 39, 85, 86, 88, 89, 120
 Montane Vole, 57
 moon phase, 45
 Moore, Jeremy, 111
 morbidity, 24
 morphology of eggs, 25
 of young, 8
 mortality, 24, 47, 48, 51, 55, 76, 98
 studies, 134, 145
 motor function, 104
 Mountain Goat, 85
 mounted owl, 57
 movement patterns, 44, 45
 Mule Deer, 61, 85
Mus musculus, 126
 Muskoxen, 158
Mustela nivalis, 11
 Nagsugtoq, 111
 Natal Bird Club, 46
 natal dispersal, 44
 National Audubon Society, 86
 National Conservation Award, 165
 National Wildlife Rehabilitators Association, 83
 natural history, 21, 46
 Nebraska, 39
 Nebraska Brand Birds of Prey Diet, 51
 Necropsy, 22, 25, 51, 86, 87
Neotoma fuscipes, 95, 96
 nest, 36, 61, 75, 131
 adornment, 12
 area Fidelity, 123
 aspects, 46
 box, 50, 53
 building, 58, 59
 cavity, 77
 height, 36, 123
 microenvironment, 36
 occupation, 27
 placement, 44
 rebuilding, 30
 shape or volume, 36
 site, 8, 30, 35, 37, 46, 74
 site characterization, 28
 site competition, 122, 123
 site competition between Ospreys and Canada
 Geese, 121
 site selection, 36, 123
 substrates, 46
 success, 37
 temp., 36
 variables, 36
 nesting, 74
 behavior and chronology, 116

- chronology, 58, 116
 distribution, 14
 failures, 59
 habitat, 27
 or pair-bonded harriers, 57
 season, 16
 success, 74
 nestlings, 32
 deaths, 54
 fledged, 49
 losses, 49
 plumage color, 8
 removal, 44
 net gun capture technique, 89
 neuroanatomical, 156
Neurotrichus gibbsi, 96
 New Brunswick, 62
 New Mexico, 33, 85, 88
 New York, 70, 81
 Newton, Ian, 25
 niche overlap, 100
 night vision goggles, 98, 100
 nocturnal mammals, 98
 vertebrates, 152
 non-foveal rods, 156
 Non-releasable Animal Placement Program, 165
 non-reproductive studies, 51
 nonparametric clustering, 145
 tests, 138
 nontarget wildlife, 103
 noose-halo, 57
 North America, 22, 25, 77, 116
 north latitude, 4, 34
 Northeast Raptor Management Symposium and Workshop, 165
 Northern Cardinal, 165
 Northern Flicker, 77
 Northern Flying Squirrel, 95, 97, 98
 Northern Goshawk, 22, 24
 Northern Harrier, 32, 57, 62, 72, 119
 Northern Pintail, 73
 Northern Pygmy-Owl, 77
 northwest England, 112
 Northwest Territories, 80, 158
 Norway, 40
 Nuclear Magnetic Resonance, 24
 nursing, 21, 22, 23
 nutritional requirements, 56
 nutritional reserve, 79
 Nuttall's Cottontail, 62
Nyctea scandiaca, 158
Nyssa aquatica, 27
Nyssa sylvatica var. *biflora*, 124
 O'Gara, Bart W., 85
 observation of nesting pairs, 29, 30
 ocular lesions, 152
Ocypode quadrata, 100
Odocoileus hemionus, 61, 85
Odocoileus virginianus, 69
Oenanthe oenanthe, 112
 Ohio, 49, 53, 54, 55
 old field, 14, 16
 omental, 73
 Ontario, 40, 55
 ophthalmological operations, 22
 Optimal Foraging Theory, 5, 64, 80
 Order Odonata, 32
Oreamnos americanus, 85
 Oregon, 77, 88, 97
 organochlorine, 47
 orthopaedic, 22, 23
 oscillograph, 153
 Osprey, 119, 121
Otus asio, 49, 80
Otus flammeolus, 45, 120
 Overcup Oak, 124
 overwintering survival, 134
Ovibos moschatus, 158
 oviduct, 70
Ovis aries, 85
Ovis canadensis, 85
Ovis dalli, 85
 owl weight, 49
 pairs, yearling, 55
 Palmer, David A., 45
 Pampas grass, 57
Pandion haliaetus, 119, 121
 Parallel Strip Transects, 87
 parasites, 23
 Pariah Kite, 24
 Parks, John E., 70
 Parrish, Jimmie R., 1, 2, 40, 48
Passer domesticus, 15
 passerines, 7, 62, 72
 pathogens, 23
 pathology, 24, 25
 Patuxent Wildlife Research Center, 49
 payload, 131
 Peary Caribou, 158
 "pecking bruises," 86

- pectoral muscles, 79
Pekliuka, 8
 pellets, 95, 125
 analysis, 3, 12, 98, 101, 126
 collection, 100
 and prey remains, 77
 Pennsylvania, 68
 perch hunting, 15, 18
 perching, 27, 28, 29, 30, 58, 81
 Peregrine Falcon, 32, 33, 38, 47, 61, 67, 70, 111, 114, 147, 148, 149
 eyrie, 33
 nest defence, 67
 Peregrine Fund, Inc., 70
Peromyscus leucopus, 7
Peromyscus maniculatus, 45, 62, 77, 96
 Persimmon, 14
 pesticides, 21, 46, 47
Phasianus colchicus, 68, 144
 pheasant, 144, 145
Phenacomys intermedius, 77
Phenacomys longicaudis, 95, 96
 Philippine Eagle, 25
 phosphore, 98
 photic stimulator, 153
 photoperiod, 34
 photopic activity, 152
 fusion frequencies, 152
 recovery, 156
 photoreceptors, 156
Phragmites communis, 57
 physical habitat variables, 44
 physiognomy, 57
 physiographic characteristics, 37
 physiological data, 131
 physiology, 46
Picea engelmannii-Abies lasiocarpa, 45
 pigeon, 156
 pilot study, 144
Pinus edulis, 39
Pinus elliotii, 126
Pinus jeffreyi, 122
Pinus nigra, 8
Pinus ponderosa, 39, 46, 121
Pinus taeda, 124
 Pinyon Pine, 39
 piracy, 32
 pit traps, 89
Pithecophaga jefferyi, 25
Plantanus occidentalis, 14
 plasma protein, 23
Plectrophenax nivalis, 112
 plumage, 58, 99
 Pneumonia, 54
 Pocket Gopher, 103, 116
 Poehlmann, Ruthe J., 103
 Poland, 3
 polarimeter, 36
 political values, 85
 Pollock, Ken, 134
 Ponderosa Pine, 39, 46, 121
 forest, 45
 Poole, K. G., 80
 population densities, 5
 dynamics, 44, 75
 increase, 75
 stability, 98
 turnover rate, 47
Populus tremuloides, 86
 post-breeding season, 45
 post-brooding, 58, 59, 60, 61
 post-fledging behavior, 80
 Period, 79
 post-mortem examination, 21
 Potential Foraging Area (PFA), 79
 potential human disturbance, 81
 potholes, 37, 44
 Prairie Dog, 103
 Prairie Falcon, 32, 35, 44, 46, 67, 70, 71
 Prairie Vole, 17
 prairie-parkland biomes, 39
 preamplifier, 153
 precipitation, 34, 45
 predation, 18, 72, 74, 96, 101, 126, 144
 preferences, 97
 severity, 86
 predator control technique, 85
 predator-killed animals, 86
 predator-prey interactions, 131, 144
 predators, 81
 preening, 15, 18, 58
 preferential predation, 95
 prelaying, 80
 prevention, 23
 prey abundance, 17
 availability, 57, 97, 100, 119, 126, 149
 biomass, 150
 capture, 16
 capture rate, 16
 characteristics, 126
 deliveries, 58, 59, 60, 79
 density, 63, 85

- frequency, 96
items, 12, 58, 62, 89
populations, 45
preference, 149
remains, 88
selection, 3
size variation, 95
vulnerability, 17, 63
probability ellipses or circles, 140
Procyon lotor, 69
productivity, 37, 112
propagation, 49
Prunus armeniaca, 12
Pseudotsuga menziesii, 39, 46, 77
public attitudes, 21
Puerto Rico, 17
pursuit speed, 131
Pyrus communis, 12

Q. lyrata, 124
Queen Elizabeth Islands, 158
Quercus alba, 14
Quercus laurifolia, 124
Quercus rubra, 14
Quercus virginiana, 28

rabbit, 86, 156
Raccoon, 69
Radiation Control Officer, 100
radio instrumentation, 89, 90
 telemetry, 45, 58, 98, 100
 tracking, 61, 91,
 transmitter, 58, 86
 triangulated positions, 58
 instrumentation, 90
radio-tagging, 59
 and monitoring, 80
 Golden Eagle, 68
radioactive gas, 100
radiography, 24
radiotelemetric, 63
radiotelemetric and visual monitoring, 57
radiotherapy, 24
Raim, Arlo J., 68
ranching practices, 85
range, 45
 lambing, 86
 size, 144
Rangifer tarandus pearyi, 158
rank correlation, 149
raptor anatomy, 21
behavior, 103
biologists, 21, 24
care, 21
conservation, 47
diseases, 21, 25
organization Directory, 1
rehabilitation, 21
temperate zone, 47
Raptor Research, 2
Raptor Research News, 2
Raptor Rehabilitation and Propagation Project, Inc., 74
rate of growth, 79
Rattus norvegicus, 7
raven, 80, 114
recapture rates, 145
reclassification, 40
Red Tree Voles, 95
Red-backed Voles, 45
Red-tailed Hawk, 16, 37, 46, 60, 67, 103, 118
Red-winged Blackbird, 62
Redpoll, 112
rehabilitation, 22, 23, 25
reintroduction, 47
relative humidity, 55
release, 21, 22, 23
relief schedule, 34
reproduction, 37, 49
 data, 50
 failure, 122, 123
 history, 54
 success, 44, 49, 54, 75
reptiles, 72
resource partitioning, 46
resting, 58
retina functions, 152
retinae, 156
reversal learning, 107
reviewers, 44
Rhode Island, 3
Richardson's Ground Squirrel, 87
Ring-necked Pheasant, 68
ringing recoveries, 47, 76
riparian, 57
 habitat, 61, 62, 63
Robinia pseudoacacia, 14
Rock Ptarmigan, 80
rodent vulnerability, 16
rodenticide, 103
rodent, 17
Rook, 119

- roost locations, 69
 - site selection, 45
 - sites, 80
 - trees, 81
- roosting, 79, 81, 99, 116, 131
- Rosa* sp., 12
- Rough-legged Hawk, 16
- Runde, Douglas E., 44
- Russian Thistle, 57
- S. aluco*, 100
- Sabine, Neil, 118
- sagebrush, 57, 86
- sagebrush steppe habitat, 32
- Sailer, James E., 38
- Salix* sp., 8, 57
- Salmo* sp., 150
- salmon, 150
- Salmonella mycobacterium*, 23
- Salsola kali*, 57
- sampling intensity, 134
- sandstone cliffs, 37
- Sarcobatus vermiculatus*, 57
- satellite use, 148
- Saw-Whet Owl, 45
- Scapanus latimanus*, 96
- Scapanus orarius*, 97
- scapular, 73
- scarecrow, 85, 86, 87, 90
- scavengers, 32
- scavenging, 72
- Scirpus* sp., 57
- Sciurids, 46
 - Sciurus carolinensis*, 145
 - scotopic fusion frequency, 152
 - scotopic recovery, 156
 - seabirds, 24
 - search strategies, 68
 - second clutches, 49, 54, 55
 - secondary poisoning, 103
 - segregation of sexes, 126
 - Septicemia, 54
 - settle plates, 23
 - sex determination, 51
 - ratio, 50
 - sexual dimorphism, 55
 - maturity, 55
 - segregation, 126
 - Shadscale, 57
 - Shagbark Hickory, 80
 - Sharp-shinned Hawk, 165
- sheep depredation, 88
- shelter box, 50
- Sheppey Isle, 3
- shrew, 77
- shrub-steppe habitat, 57, 61, 62
- Sibling Vole, 11
- siblings, 51
- Sierra Nevada, 116
- signal variations, 147
- single-flash stimuli, 152, 153
- site tenacity, 30
- Slash Pine, 126
- Slivnitz, 8
- Smallwood, J. A., 1
- Smallwood, John A., 127
- Smith, Randall A., 116
- Smith, Scott A., 32
- smoke tests, 23
- Snake River Birds of Prey Area, 32, 57
- Snow Bunting, 112
- Snowy Owl, 158
- soaring, 15, 28, 30, 58, 59, 60
- sonagraphic identification, 45
- song posts, 46
- Sooty Falcon, 47
- Sorex* spp., 77
- Sorex trowbridgei*, 96
- South Africa, 46, 79
 - South Africa Agricultural Union, 48
 - South Carolina, 3, 81, 124
 - Spain, 3, 75, 76
 - Spalax leucodon*, 12
 - Spanish Moss, 124
 - Spanish Ornithological Society, 75
 - Spanish Pyrenees, 75
- Sparrowhawk, 47
- sparrows, 77
- species richness, 5
- sperm fertility, 71
- Spermophilus parryii*, 80
- Spermophilus richardsonii*, 87
- Spermophilus* spp., 103
- Sphyrapicus thyroideus*, 77
- Spotted Owl, 95
- spring diets, 95
- Spruce-fir, 45
- St. Chrysostom, 24
- standard metabolic rate, 15
- Steenhof, K., 1
- Stephen R. Tully Memorial Grant, 1, 82
- stick nest, 37

- still hunting, 17
Stinging Nettle, 57
 stretching, 15
 strike characteristics, 15
 strip transect, 158
Strix aluco, 156
Strix nebulosa, 116
Strix occidentalis, 95
Strix uralensis, 100
 Strychnine, 103
 Students *t*-Tests, 87
Sturnus vulgaris, 17
 Subalpine Fir, 98
 subcutaneous fat, 73
 hemorrhage, 86
 Sugar Beet, 57
 surgery, 22
 surgical treatment, 21
 survival, 44, 131, 138
 breeding adults, 44
 Swainson's Hawk, 16
 swamp, 28, 29, 30
 Swamp Tupelo, 124
 Sweden, 40, 116, 117, 144
 swifts, 32
 Switch Cane, 124
Sylvilagus bachmani, 96
Sylvilagus floridanus, 81
Sylvilagus nuttallii, 62
 sympatric species, 100

 taiga, 39
 tail mounts, 131
 tail-band count, 38
 tail-chasing, 17
 tail-mounted tags, 145
 talon wounds, 86
 Tamarisk, 57
Tamarix pentandra, 57
 taste aversion, 103, 105, 109
 Tawny Owl, 100, 156
Taxidea taxus, 145
Taxodium distichum, 27, 126
 techniques, 57
 teflon ribbon, 131
 telemetry, 23, 131, 144
 supplies, 132
 temp, 34, 45
Terathopius ecaudatus, 48
 territories, 59, 111, 119
 Texas, 16, 72, 85

 "The Kettle," 1
 therapeutic aids, 21
 procedures, 24
 therapy, 21, 22
 thermal inertia, 36
 thermoregulation, 15
 thiamine, 51
Thomomys bottae, 96, 97, 116
Thomomys spp., 103
Tillandsia usneoides, 124
 time-lapse photography, 33, 117
 time-series approach, 135
 Toland, Brian R., 14
 topography, 46, 59, 85, 86, 147
 Tordon, 50
 toxicology, 25
 translocation, 85, 86
 transmitter, 131
 weight, 131
 powered by solar cells, 131
 Transvaal, 79
 trapped, 85
 trapping, 88
 and translocation, 89
 trauma, 49, 51
 treatment, 22
 triangulation, 100
 accuracy, 149
 Trichomoniasis, 25
Triticum aestivum, 57
 Tritium, 98
 trophic diversity, 4
 tropical and sub-tropical, 47
 Turkey Vulture, 67
 turnover, 44
 turtles, 81
 two-way radios, 58
Tyto alba, 3, 25, 49, 74

 U.S. Army, 119
 U.S. Fish & Wildlife Serv., 15, 68, 86
 U.S. Geological Survey, 14
 U.S. Geological Survey Topographical maps, 27
Ulmus americana, 14
 ultrasound, 24
 umbilical hemorrhage, 54
 unattended, 34
 United States, 22, 70
 unoccupied nest, 27
 unsuccessful nests, 37
 Upper Sonoran, 57

- Ural Owls, 100
Urtica sp., 57
USDA Forest Service, 77
USFWS, 74
USFWS Bands, 58
USGS Topographic maps, 57
Utah, 38, 118, 131
Utah Juniper, 39
- Vander Wall, Stephen B., 103
variance coefficient, 145
variance estimates, 87
Vatev, Iliya Ts., 8
vegetation density, 14, 17
 height, 14, 17
 structure, 100
vegetative cover, 14, 85
ventriculus, 54
vertebrate prey, 8, 17
“Veterinary Aspects of Captive Birds of Prey,” 21
Vionate, 51
Virginia, 81
visceral, 73
visceral gout, 51
vocalizations, 12, 70
vocalized, 67
vole, 57, 62, 77
vulnerability, 57, 80
vultures, 48
- Wasatch Mountains, 39
Washington, 63, 150
water habitats, 57
Water Rat, 12
waterfowl, 72
waterfowl traps, 73
weasel, 11
weather, 30, 85
weight-specific doses, 106
weighted, 58
weight, 52, 145
 and length of primary feathers, 58
 loss, 99
weights of birds, 52
Western Raptor Management Symposium and Workshop, 82
- Western Whiptail, 57, 62, 63
wheat, 57
Wheatear, 112
Whistling Kite, 163, 164
White, Clayton M., 1, 40
White Fir, 39
White Oak, 14
White-bellied Sea-eagle, 162, 164
White-tailed Deer, 69
Wiemeyer, Stanley N., 49
Wildlife and Countryside Act of 1981, 21
Wildlife Collectibles newspaper, 40
wildlife rehabilitators, 22
William C. Andersen Award, 83
Williams, L., 1
Williamson’s Sapsucker, 77
willow, 57
wind, 45
wing length, 79
winter habitats, 16
 mortality, 74
 territoriality, 126
Wisconsin, 68, 69
Wood, Kristin W., 32
Wood Pigeon, 144
Wood Rat, 4
woodland, 17
Wright, Philip L., 120
Wyoming 36, 39, 44, 85
Wyoming Ground Squirrel, 46
- xeric, 63
- Yagi or Adcock Antenna, 58
Yellowbelly Marmot, 87
Yosemite National Park, 117
Yukon River, 33
- Z statistic, 86
Zimbabwe, 47
Zion National Park, 67
“Zoo and Wild Animal Medicine,” 21
zoological gardens, 48
Zwank, Phillip J., 27