

Indices

Volume 43—1989

Index to Authors

- American Ornithologists' Union (The), Career Opportunities in Ornithology, (1) 29.
- Andrews, Edith, F. and William H. Baltosser, First record of Allen's Hummingbird east of Louisiana, (3) 429.
- Announcements, (1) 196.
- Announcements, (2) 378.
- Announcements, (5) 1380.
- Bailey, Stephen F., Peter Pyle and Larry B. Spear, Dark *Pterodroma* petrels in the North Pacific: identifications, status, and North American occurrence, (3) 400.
- Bancroft, G. Thomas, ICBP: The status and conversation of wading birds in the Everglades, (5) 1258.
- Birders' Bookshelf, (1) 190.
- Birders' Bookshelf, (2) 376.
- Birders' Bookshelf, (5) 1378.
- Chapdelaine, Gilles and Pierre Brousseau, Size and trends of Black-legged Kittiwake (*Rissa tridactyla*) populations in the Gulf of St. Lawrence (Quebec) 1974-1985, (1) 21.
- Cink, Calvin L. and Roger L. Boyd, Forty-first Winter Bird-Population Study, (1) 187.
- DeBenedictis, Paul A., Comments on the thirty-seventh supplement to the *Checklist of North American Birds*, (3) 416.
- Drennan, Susan Roney, . . . from the editor's desk, (1) 2.
- Drennan, Susan Roney, . . . from the editor's desk, (2) 200.
- Drennan, Susan Roney, . . . from the editor's desk, (3) 384.
- Drennan, Susan Roney, . . . from the editor's desk, (4) 550.
- Drennan, Susan Roney, . . . from the editor's desk, (5) 1240.
- Duffy, David Cameron, Giants of the Past: William Vogt: pilgrim on the road to survival, (5) 1256.
- Dunne, Pete, American Birding, (1) 11.
- Dunne, Pete, American Birding, (2) 211.
- Dunne, Pete, American Birding, (3) 393.
- Dunne, Pete, American Birding, (5) 1251.
- Ehrlich, Paul, Birding for Fun—Enjoying being a non-expert, (5) 1249.
- Eubanks, Ted L. Jr. and James G. Morgan, First photographic documentation of a live White-collared Swift (*Streptoprocne zonaris*) from the United States, (2) 258.
- Faaborg, John and Wayne J. Arendt, Long-term declines in winter resident warblers in a Puerto Rican dry forest, (4) 1226.
- Hansell, Jennifer, James Bay under siege, (3) 419.
- Harwood, Michael, Giants of the Past: Maurice Broun, (2) 242.
- Howell, Steve N. G. and Barbara M. de Montes, Status of the Glossy Ibis in Mexico, (1) 43.
- Isleib, M. E., Of Dead Zones and the Sound of Silence, (2) 215.
- James, Paul C. and Thomas J. Ethier, Trends in the winter distribution and abundance of Burrowing Owls in North America, (4) 1224.
- Kane, Richard, P. A. Buckley and Jerry Golub, Large-billed Tern in New Jersey: North America's first confirmed occurrence, (5) 1275.
- Kaufman, Kenn, Photographs in the Regional Reports, (1) 176.
- Kaufman, Kenn, The Changing Seasons, (2) 271.
- Kaufman, Kenn, The Changing Seasons, (3) 437.
- Kaufman, Kenn, The Changing Seasons, (5) 1280.
- Kaufman, Kenn, The Practiced Eye—Black-legged Kittiwake and Red-legged Kittiwake, (1) 3.
- Kaufman, Kenn and Rick Bowers, The Practiced Eye—Comparing the Screech-Owls, (2) 203.
- Kaufman, Kenn, The Practiced Eye—Blue Grosbeak and Indigo Bunting, (3) 385.
- Kaufman, Kenn, The Practiced Eye—Buteos of the winter fields, (5) 1241.
- LeBaron, Geoffrey S., 89th Christmas Bird Count, (4) 551.
- Lee, David, Jaegers and skuas in the Western North Atlantic: some historical misconceptions, (1) 18.
- Lehman, Paul, The Changing Seasons, (1) 50.
- Mayfield, Harold F., Changes in bird life at the western end of Lake Erie (Part III of III), (1) 46.
- McLaren, Ian, Joseph Morlan, P. William Smith, Michel Gosselin, Stephen F. Bailey, Eurasian Siskins in North America and the distinction of females from green-morph Pine Siskins, (5) 1268.
- Mitchell, Brent A., ICBP: Acid rain and birds: how much proof is needed? (2) 234.
- Morton, Eugene S. and Russell Greenberg, ICBP: The outlook for migratory songbirds: "Future Shock" for birders, (1) 178.
- Munroe, Burt L. Jr., Summary of highest counts of individuals for Canada, (4) 1221.
- Munroe, Burt L. Jr., Summary of the highest counts of individuals for Canada and United States, (4) 1213.
- Myers, J. P., Facts, Inferences, and Shameless Speculations, (1) 7.
- Myers, J. P., Facts, Inferences, and Shameless Speculations, (2) 207.
- Myers, J. P., Facts, Inferences, and Shameless Speculations, (3) 389.
- Myers, J. P., Facts, Inferences, and Shameless Speculations, (5) 1245.
- Naveen, Ron, First Record of Long-tailed Jaeger for South Georgia, (1) 17.
- Parmalee, David F. and William R. Fraser, Multiple sightings of Black-necked Swans in Antarctica, (4) 1231.
- Peterson, Roger Tory, William Vogt: a man ahead of his time, (5) 1254.
- Podolsky, Richard, H., The Razorbill in the Gulf of Mexico, (1) 14.
- Pratt, Douglas H., In Memoriam: Robert James Newman 1907-1988, (3) 435
- Regional Reports Pictorial Highlights, Fall 1989, (1) 25.
- Regional Reports Pictorial Highlights, Winter 1988-1989, (2) 230.
- Regional Reports Pictorial Highlights, Spring 1989, 3 (395).
- Regional Reports Pictorial Highlights, Summer 1989, (5) 1277.
- Remsen, James V. Jr., A major advancement for neotropical ornithology, (2) 221
- Retorts, Reflections, and Thoughtful Refutations, Readers' Column, (1) 10.
- Retorts, Reflections, and Thoughtful Refutations, Readers' Column, (2) 210
- Retorts, Reflections, and Thoughtful Refutations, Readers' Column, (3) 392
- Retorts, Reflections, and Thoughtful Refutations, Readers' Column, (5) 1248
- Senner, Stanley E., Hawk Mountain Sanctuary Association, Pennsylvania, (2) 248
- Senner, Stanley E., The Exxon Valdez oil spill: first impressions and commentary, (2) 218.
- Sklepkovych, B. O. and W. A. Montevecchi, The world's largest known nesting colony of Leach's Storm-Petrels on Baccalieu Island, Newfoundland, (1) 38
- Stiles, F. Gary and Deborah A. Clark, ICBP Conservation of tropical rain forest birds: a case study from Costa Rica, (3) 420.
- Temple, Stanley A. and John A. Wiens, Bird populations and environmental changes: can birds be bio-indicators? (2) 260.
- Van Velzen, Willet T. and Aldeen C., Fifty-second Breeding Bird Census, (1) 184
- Vasile, Ronald and Victoria J. Byre, The North American Bird collection of the Chicago Academy of Sciences: views of the past, perspectives on the present, (3) 431.

Wagner, George F., Great Spotted Woodpecker at Attu Island, Alaska. first record for the Near Islands and for North America, (2) 254.

Index to Articles

from the editor's desk, Susan Roney Drennan, (1) 2.
from the editor's desk, Susan Roney Drennan, (2) 200.
from the editor's desk, Susan Roney Drennan, (3) 384.
from the editor's desk, Susan Roney Drennan, (4) 550.
from the editor's desk, Susan Roney Drennan, (5) 1240.
89th Christmas Bird Count, Geoffrey S. LeBaron, (4) 551.
A Major advancement for neotropical ornithology, James V. Remsen, Jr., (2) 221.
American Birding, Pete Dunne, (1) 11.
American Birding, Pete Dunne, (2) 211.
American Birding, Pete Dunne, (3) 393.
American Birding, Pete Dunne, (5) 1251.
Announcements, (1) 196.
Announcements, (2) 378.
Announcements, (5) 1380.
Bird populations and environmental changes: can birds be bioindicators? Stanley A. Temple and John A. Wiens, (2) 260.
Birders' Bookshelf, (1) 190.
Birders' Bookshelf, (2) 376.
Birders' Bookshelf, (5) 1378.
Career Opportunities in Ornithology, American Ornithologists' Union (The), (1) 29.
Changes in bird life at the western end of Lake Erie (Part III of III), Harold F. Mayfield, (1) 46.
Changing Seasons (The), Paul Lehman, (1) 50.
Changing Seasons (The), Kenn Kaufman, (2) 271.
Changing Seasons (The), Kenn Kaufman, (3) 437.
Changing Seasons (The), Kenn Kaufman, (5) 1280.
Comments on the thirty-seventh supplement to the *Check-list of North American Birds*, Paul A. DeBenedictis, (3) 416.
Dark *Pterodroma* petrels in the North Pacific: identifications, status, and North American occurrence, Stephen F. Bailey, Peter Pyle and Larry B. Spear, (3) 400.
Eurasian Siskins in North America and the distinction of females from green-morph Pine Siskins, Ian McLaren, Joseph Morlan, P. William Smith, Michel Gosselin, Stephen F. Bailey, (5) 1268.
Exxon Valdez oil spill: first impressions and commentary (The), Stanley E. Senner, (2) 218.
Facts, Inferences, and Shameless Speculations, J. P. Myers, (1) 7.

Facts, Inferences, and Shameless Speculations, J. P. Myers, (2) 207.
Facts, Inferences, and Shameless Speculations, J. P. Myers, (3) 389.
Facts, Inferences, and Shameless Speculations, J. P. Myers, (5) 1245.
Fifty-second Breeding Bird Census, Willet T. and Aldeen C. Van Velzen, (1) 184.
First photographic documentation of a live White-collared Swift (*Streptoprocne zonaris*) from the United States, Ted L. Eubanks, Jr. and James G. Morgan, (2) 258.
First Record of Long-tailed Jaeger for South Georgia, Ron Naveen, (1) 17.
First record of Allen's Hummingbird east of Louisiana, Edith F. Andrews and William H. Baltosser, (3) 429.
Forty-first Winter Bird-Population Study, Calvin L. Cink, and Roger L. Boyd, (1) 187.
Giants of the Past: William Vogt: pilgrim on the road to survival, (5) 1256.
Giants of the Past: Maurice Broun, Michael Harwood, (2) 242.
Great Spotted Woodpecker at Attu Island, Alaska: first record for the Near Islands and for North America, George F. Wagner, (2) 254.
Hawk Mountain Sanctuary Association, Pennsylvania, Stanley E. Senner, (2) 248.
ICBP: Acid rain and birds: how much proof is needed? Brent A. Mitchell, (2) 234.
ICBP: Conservation of tropical rain forest birds: a case study from Costa Rica, F. Gary Stiles and Deborah A. Clark, (3) 420.
ICBP: The outlook for migratory songbirds: "Future Shock" for birders, Eugene S. Morton, and Russell Greenberg, (1) 178.
ICBP: The status and conservation of wading birds in the Everglades, G. Thomas Bancroft, (5) 1258.
In Memoriam: Robert James Newman 1907-1988, Douglas H. Pratt, (3) 435.
Jaegers and skuas in the Western North Atlantic: some historical misconceptions, David Lee, (1) 18.
James Bay under siege, Jennifer Hansell, (3) 419.
Large-billed Tern in New Jersey: North America's first confirmed occurrence, Richard Kane, P. A. Buckley and Jerry Golub, (5) 1275.
Long-term declines in winter resident warblers in a Puerto Rican dry forest, John Faaborg and Wayne J. Arendt, (4) 1226.
Multiple sightings of Black-necked Swans in Antarctica, David F. Parmalee and William R. Fraser, (4) 1231.
North American Bird collection of the Chicago Academy of Sciences: views of the past, perspectives on the present (The), Ronald Vasile and Victoria J. Byre, (3) 431.
Of Dead Zones and the Sound of Silence, M.

E Isleib, (2) 215
Photographs in the Regional Reports, Kenn Kaufman, (1) 176.
Practiced Eye (The)—Black-legged Kittiwake and Red-legged Kittiwake, Kenn Kaufman, (1) 3.
Practiced Eye (The)—Comparing the Screech-Owls, Kenn Kaufman and Rick Bowers, (2) 203.
Practiced Eye (The)—Blue Grosbeak and Indigo Bunting, Kenn Kaufman, (3) 385
Practiced Eye (The)—Buteos of the winter fields, Kenn Kaufman, (5) 1241.
Razorbill in the Gulf of Mexico (The), Richard H. Podolsky, (1) 14.
Regional Reports Pictorial Highlights, Fall 1989, (1) 25.
Regional Reports Pictorial Highlights, Winter 1988-1989, (2) 230.
Regional Reports Pictorial Highlights, Spring 1989, (3) 395.
Regional Reports Pictorial Highlights, Summer 1989, (5) 1277.
Retorts, Reflections, and Thoughtful Refutations, Readers' Column, (1) 10.
Retorts, Reflections, and Thoughtful Refutations, Readers' Column, (2) 210.
Retorts, Reflections, and Thoughtful Refutations, Readers' Column, (3) 392.
Retorts, Reflections, and Thoughtful Refutations, Reader's Column, (5) 1248.
Size and trends of Black-legged Kittiwake (*Rissa tridactyla*) populations in the Gulf of St. Lawrence (Quebec) 1974-1985, Gilles Chapdelaine and Pierre Brousseau, (1) 21.
Status of the Glossy Ibis in Mexico, Steve N. G. Howell and Barbara M. de Montes, (1) 43.
Summary of highest counts of individuals for Canada, Burt L. Munroe, Jr., (4) 1221
Summary of the highest counts of individuals for Canada and United States, Burt L. Munroe, Jr., (4) 1213.
Trends in the winter distribution and abundance of Burrowing Owls in North America, Paul C. James and Thomas J. Ethier, (4) 1224.
William Vogt: a man ahead of his time, Roger Tory Peterson, (5) 1254.
World's largest known nesting colony of Leach's Storm-Petrels on Baccalieu Island, Newfoundland (The), B. O. Sklepovych and W. A. Montevecchi, (1) 38

Index of Photographs in Regional Reports

Bananaquit, FL, 232.
Bittern, Least, OH, 477.
Bluebird, Mountain, ON, 98, 310; PA, 292, VT, 396.
Brambling, NS, 282.
Bullfinch, Eurasian, AK, 398.
Bunting, Indigo, NM, 353.
Chaffinch, Common, NS, 281.

- Cormorant, Double-crested, IL, 1321
 Cranes, Sandhill, PA, 102.
 Curlew, Little, AK, 395.
 Dickcissel, ON, 98.
 Dotterel, Eurasian, CA, 27.
 Dove, White-winged, NS, 446.
 Dovekie, ME, 65.
 Dowitcher, Long-billed, PA, 73.
 Dowitcher, Short-billed, NV, 142.
 Duck, Harlequin, VA, 395.
 Duck, Tufted, MI, 316.
 Duck, Wood x Cinnamon Teal, MT, 396.
 Eagle, Golden, D.C., 82.
 Egret, Cattle, IL, 1321; ON, 1311.
 Egret, Little, NS, 444.
 Eider, King, MN, 105.
 Flycatcher, Fork-tailed, PQ, 27; TX, 232; VA, 79.
 Flycatcher, Scissor-tailed, IA, 1324; MN, 107.
 Flycatcher, Vermilion, FL, 28.
 Frigatebird, sp., D.C., 81; NM, 149.
 Frigatebird, Magnificent, VA, 101; IA, 109; ID, 109; OK, 125.
 Gannet, Northern, VA, 460; TX, 231.
 Godwit, Marbled, HI, 173.
 Goose, Greater White-fronted, AZ, 145; MD, 82; OH, 233.
 Goose, Lesser Canada, NV, 346.
 Goose, Ross', (blue morph), CA, 397; MB, 1331.
 Goose, Ross' x Snow hybrid, OH, 320.
 Grackle, Common, AZ, 148.
 Grackle, Great-tailed, ON, 233.
 Grebe, Least, CA, 166.
 Grosbeak, Black-headed, MN, 108.
 Ground-Dove, Ruddy, AZ, 233; CA, 169.
 Gull, sp., NE, 331.
 Gull, Common Black-headed, DE, 291; IN, 321; MD, 296.
 Gull, Glaucous, AZ, 25; TN, 231.
 Gull, Great Black-backed, NJ, 456.
 Gull, Glaucous-winged, CO, 516.
 Gull, Herring, TX, 1277.
 Gull, Iceland, ON, 97; VA, 296; WA, 529.
 Gull, Ivory, WI, 317.
 Gull, Laughing, MD, 461; ON, 473.
 Gull, Lesser Black-backed, PA, 314.
 Gull, Little, IL, 112; OH, 230; ND, 122.
 Gull, Mew, ND, 122; NS, 279.
 Gull, Sabine's, OH, 230, 1323; ON, 97; MS, 118; TX, 131.
 Gull, Slaty-backed, MB, 1331.
 Gull, Thayer's, PA, 291.
 Gyrfalcon, MT, 232.
 Hawk, Harris', MS, 325.
 Hawk, Red-shouldered, TX, 505.
 Hawk, Short-tailed, TX, 1339.
 Hawk, Zone-tailed, TX, 1279.
 Heron, Little Blue x Snowy Egret (or partially albinistic Little Blue Heron), CA, 1277.
 Hobby, Northern, NF, 398, 445.
 Hummingbird, Black-chinned, NS, 58.
 Hummingbird, Costa's, CA, 366.
 Hummingbird, Rufous, LA, 231; MI, 107; WV, 231.
 Hummingbird, *Selasphorus*, MD, 297.
 Ibis, Glossy, ON, 398.
 Ibis, White, VA, 81, 1300
 Jaeger, Pomernne, IA, 28.
 Jaeger, Long-tailed, NV, 1277.
 Kite, Mississippi, CA, 396.
 Kingbird, Cassin's, FL, 233.
 Kingbird, Thick-billed, TX, 132, 1278.
 Kingbird, Western, ON, 1312.
 Kite, American Swallow-tailed, ON, 25.
 Kittiwake, Black-legged, MN, 106; OH, 489; OK, 231; TX, 336.
 Knot, Red, HI, 173.
 Loon, Red-throated, OH, 109; ON, 307.
 Loon, Yellow-billed, CO, 141; OK, 232.
 Mango, Green-breasted, TX, 26.
 Mallard x Northern Pintail hybrid, NF, 278.
 Merlin, WV, 102.
 Mockingbird, Bahama, FL, 397.
 Moorhen, Common, OH, 26.
 Night-Heron, Yellow-crowned, WV, 397.
 Noddy, Brown, TX, 128.
 Oriole, Black-vented, TX, 1279.
 Owl, Boreal, ON, 309; WY, 143.
 Owl, Elf, TX, 395
 Owl, Great Gray, WI, 318.
 Owl, Long-eared, TX, 337.
 Owl, Northern Saw-whet, OR, 233.
 Pelican, American White, IN, 486.
 Pelican, Brown, NJ, 28.
 Pelican, Eastern White, PQ, 25.
 Petrel, Murphy's, CA, 532.
 Phalarope, Red, OH, 321; MS, 117.
 Pintail, White-cheeked, FL, 468.
 Pipit, Sprague's, MA, 230.
 Plover, Mountain, TX, 507.
 Plover, Piping, WY, 515.
 Plover, Snowy, IN, 397.
 Pochard, Common, CA, 230.
 Rail, Clapper, NF, 25.
 Rail, King, VA, 78, 1277, 1301.
 Redwing, NF, 233.
 Redpoll, Common, TX, 339.
 Redshank, Spotted, CA, 396.
 Sanderling, NV, 515.
 Sandpiper, Buff-breasted, OR, 52.
 Sandpiper, Purple, MS, 398; VT, 28.
 Sandpiper, Sharp-tailed, IN, 111.
 Sandpiper, Solitary, CA, 537.
 Sandpiper, Stilt, AZ, 146.
 Sandpiper, Terek, CA, 26.
 Scoter, Surf, TX, 130.
 Shrike, Northern, CA, 367; IL, 322.
 Skua, South Polar, ND, 1279.
 Sparrow, Cassin's, NE, 1336.
 Sparrow, Clay-colored, VA, 85.
 Sparrow, Henslow's, VA, 26.
 Sparrow, Golden-crowned, IL, 320.
 Sparrow, Le Conte's, CA, 171, 232, 368; MA, 286.
 Spoonbill, Roseate, KY, 1321.
 Stilt, Black-necked, IN, 396; OH, 488; MN, 1318; ON, 472.
 Stint, Long-toed, CA, 27.
 Stork, Wood, KS, 26; MD, 1300.
 Storm-Petrel, Wedge-rumped, CA, 1367.
 Swallow, Cave, TX, 508.
 Swallow, Rough-winged, D. C., 1279.
 Swallow, Violet-green, ND, 1278.
 Swan, Mute, MD, 460.
 Swan, Trumpeter, CO, 141, ND, 1279
 Swan, Tundra, ND, 1279.
 Tanager, Scarlet, ON, 1277; NM, 395
 Tanager, Summer, IL, 1325.
 Tanager, Western, NY, 292.
 Teal, Cinnamon, OH, 487.
 Tern, Arctic, CA, 168.
 Tern, Bridled, TX, 128.
 Tern, Forster's, WV, 398.
 Tern, Great Crested, HI, 27.
 Tern, Roseate, NJ, 457.
 Tern, Royal, OK, 332; MD, 461.
 Tern, Sooty, MS, 118.
 Tern, White-winged, DE, 1278; NJ, 1278
 Thrasher, Brown, CA, 164, 363.
 Thrush, Varied, ON, 310.
 Tropicbird, Red-billed, TX, 503.
 Turnstone, Black, YT, 135.
 Violet small—Ear, Green, TX, 1278.
 Vireo, Yellow-green, CA, 164; TX, 1279
 Wagtail, Gray, CA, 25.
 Warbler, "Audubon's" Yellow-rumped, ON, 473.
 Warbler, Bay-breasted, OR, 139.
 Warbler, Black-throated Blue, CO, 28
 Warbler, Blue-winged, ND, 25.
 Warbler, Canada, OR, 28.
 Warbler, Chestnut-sided, OR, 139.
 Warbler, Mourning x Common Yellow-throat, PQ, 1278.
 Warbler, Palm, CA, 397.
 Warbler, Pine, NF, 281.
 Warbler, Red-faced, WY, 395.
 Warbler, Swainson's, PA, 398, 1316.
 Warbler, Yellow-throated, ON, 474.
 Wheatear, Northern, MA, 26; NJ, 74, CA, 164.
 Whimbrel, ND, 396.
 Wigeon, Eurasian, CA, 365; MI, 231, NM, 230.
 Woodpecker, Red-headed, CA, 53.
 Wren, Carolina, NB, 280; ON, 310.
 Wren, Winter, CO, 232.
 Wren, Rock, IL, 27; ON, 309; VA, 84
 Yellowthroat, Gray-crowned, TX, 397, 1278

Index of S.A.s, Volume 43

The letters S.A. above a boxed note in the text of a Regional Report stand for the words Special Attention. Boldfaced species mentioned in these "essays" are also listed in the boldfaced species index.

'O'o'a'a: No sighting or audio observations made of this famed Hawaiian bird, it is possible that the last reports of this species have been recorded (2) 371.

Appalachian Region: A cold wet spell in May had devastating effects on some area species; Scarlet Tanagers were hardest hit, followed closely by Purple Martin colonies (3) 476.

avian cholera epidemic: Parts of s. Texas lost an estimated 7332 to 7500 birds, possible causes of the outbreak are drought and reduction of wetland areas available

- to migratory waterfowl (2) 346
- central Kansas. Cheyenne Bottoms and Quivira National Wildlife Refuge were both severely effected by prolonged drought, stressing these vital wetlands stopovers (3) 500.
- Chaffinch, Common: First New Hampshire record, and a possible pattern for North American chaffinch records may indicate legitimate vagrancy (3) 451.
- Cowbird, Shiny: Sightings in Georgia mark the region's first, revealing a northward expansion from Florida (5) 1306.
- Crow, Hawaiian ('Alala): Two, and possibly four, of this severely endangered bird were heard during the annual survey, starting a controversy over the possible capture of these wild birds to bring genetic diversity to the small captive flock (3) 540.
- Dickcissel: First-ever suggestion of breeding in the lower Coastal Plain in the Carolinas, as well as record high numbers elsewhere (1) 89.
- Dickcissel: Unusually high numbers reported in the Middle Atlantic Coast Region, with successful breeding reported (1) 79.
- Duck An *Aythya* duck was either a Tufted x scaup or Lesser Scaup hybrid; while such *Aythya* hybrids are noted in Europe, they are rare in N. America (3) 487.
- Duck Concern expressed over public feeding in the Atlantic Provinces Region, which is causing increased dalliance of Blacks and Mallards. In NS, wintering ducks are blamed for rising reports of "swimmers itch," a parasite attributed to waterfowl feces (2) 278.
- Duck, Harlequin: Numbers in New England Region rise indicating either overall increase in populations or a southward shift of the wintering range (2) 284.
- Duck, Hawaiian (Koloa): Efforts to re-introduce this endangered duck on O'ahu are seeing success, but may be negatively affected by feral Mallards (from captive or display stock), who interbred with the Koloa (5) 1370.
- Duck, Muscovy: The one to three sighted in s Texas may be the peak of the "invasion," as the waterfowl nest box program in n.e. Mexico has been downgraded in status (5) 1338.
- Egret, Little: North American (and Canadian) totals doubled with the three Little Egrets sighted in the Atlantic Provinces Region during the annual spring overshoot of migrating herons (3) 444.
- Everglades: A new all-time low dry season was reflected in significantly low numbers of both wading birds and nests (5) 1307.
- Exxon Valdez oil spill: Uncountable numbers of birds were killed in the Prince William Sound area; fortunately migrant waterfowl and shorebirds typically passed over the spill area (3) 524.
- Frigatebird, Magnificent: First ever sightings for several Middlewestern Prairie states. Hurricane Gilbert again (1) 109.
- Frigatebird, Magnificent: Hurricane Gilbert pushes this species as far north as s. Ontario (1) 95.
- Frigatebird, Magnificent: Hurricane Gilbert's force broke records in the Southern Great Plains Region (1) 125.
- Frigatebird, Magnificent: Three New Mexico records doubled the previous total records (1) 149.
- Godwit, Hudsonian: Cumulative habitat losses in the Anchorage area have effected populations significantly (5) 1355.
- Golden-Plover: This plover, in breeding plumage, seen at Bombay Hook, DE, was of unknown identity (5) 1296.
- Goose, Canada: Numbers provide evidence that efforts of widespread introductions are effective in Mississippi and Alabama (5) 1327.
- Goose, Snow: Record numbers in New Brunswick and Nova Scotia (3) 444.
- Grebe, Clark's: Accurate winter identification of the Clark's and Western is made more difficult by similar "intermediate" plumage (3) 357.
- Gull, Lesser Black-backed: Numbers reach a high of twenty-nine in s. Ontario; most noteworthy, one juvenal plumage, suggesting that it hatched in North America (1) 97.
- Gull, Slaty-backed: The single adult in the Davenport IA-Moline IL area drew a multitude of observers: possibly the same bird that was the area's first in 1984 (2) 322.
- Harriers, Northern: Reclaimed strip mines were the sight of Kentucky's first recorded nestings in this century (5) 1322.
- Hawk, Harris': Unusual sightings of an adult hawk, 250 mi. apart, a possible stray (2) 325.
- Hawk: A carefully monitored nest near Big Bend, TX, was inhabited by a Gray Hawk and a Red-shouldered Hawk; they apparently successfully hatched one chick which did not survive. Hybridization is unprecedented (3) 505.
- Hawks: Decline in coastal migrating populations reported in Cape May area, but overall totals were average-to-good (1) 72.
- Hobby: Although technically occurring outside of American waters, the appearance of this Hobby off Newfoundland, merited inclusion (3) 445.
- Hummingbird: The drought responsible for drying up wild flowers, drove hummers to eat pine pitch in Morgan, UT and more were seen at feeders (5) 1347.
- Hummingbird, Black-chinned: First sighting in Nova Scotia since 1964 (1) 57.
- Kite, American Swallow-tailed: The presence of one to two kites in s. New England is becoming a regular, if not annual, event; one noted in Maine could be the state's second (5) 1289
- Kittiwake, Black-legged. A bird displaying a rare case of combined melanism and albinism was sighted in Quebec (1) 69.
- Loon, Arctic/Pacific: Taxonomic split creates confusion over first breeding records in Canada (1) 134.
- Loon, Common: Call for more careful monitoring of loon populations in the Central Southern Region where loons summer at various locations (5) 1326.
- Marsh burning: This wildlife management technique used in the lower eastern shore of Maryland is affecting Bald Eagle nesting sites (3) 460.
- Montague Island, AK: On May 3 the island at the entrance to Prince William Sound saw massive numbers of Surfbirds and Black Turnstones feeding on herring roe; the sound provides critical habitat for migrants (3) 525.
- Murrelet, Marbled: A first for the Atlantic Ocean, this Murrelet was well studied off the coast of Newfoundland (5) 1286
- Murrelet, Marbled: The two nests in the Santa Cruz area were carefully monitored (5) 1364.
- North Pacific Gyre: A research cruise from Pt. Reyes improves knowledge of avifauna; Murphy's and Cook's petrels were recorded in significant numbers (including California's first Murphy's) (3) 532.
- North Pacific Gyre: On the same expedition 136 Horned Puffins were sighted, the closest this bird came to shore was 16 mi. n.w. of Fort Bragg (3) 533.
- Oriole, Black-vented: Second Texas and US record (the first was in 1968-69) was enjoyed by hundreds of observers (5) 1340.
- Oriole, Orchard: Numbers growing in Northern Great Plains Region, while south of the region there is a decline (possibly due to cowbirds) (3) 499.
- Owl: Great Grays "invaded" Minnesota for a 2nd year, and Wisconsin for a first. The Boreal invasion, however, turned up mostly dead, injured or starving owls, in areas near feeders (2) 317.
- Palegic bird identification: Concern expressed over proper identification of Band-rumped Petrels; careful observation is necessary for positive identification (2) 279.
- Peregrine: The choice of bridges in Philadelphia as breeding sites is apparently not ideal, as young are found in the river or dead of disease; only one viable young was produced (5) 1295.
- Phalarope, Red-necked: Migration numbers rebound in northern Maine coastal waters (1) 64.
- Phalarope, Red: At least 10,000 individuals sighted in an unprecedented near-shore winter invasion of the North Carolina coastal area (3) 465.
- Raptors: Largest migration numbers reported for Manitoba (3) 496.

- Robin, American Exceptional fruit crops in northeastern Atlantic Provinces Region associated with high winter counts (2) 280.
- Rocky Mountain Arsenal: The "healthy" buffer zone of this one-time chemical plant site now supports a diverse winter raptor population, most notably: 200 Ferruginous Hawks and 30 Bald Eagles (2) 346.
- Sandpiper, Upland: Concern over declining numbers expressed last summer and fall was increased in the Nebraska-Oklahoma area, indicating possible lows of young next August (5) 1335.
- Skua, South Polar: Perhaps the bird of the century for Lake Oahe, ND; it was well documented feeding on a still living Ring-billed Gull (5) 1333.
- Sparrow, Fox: Numbers are on the rise in expanded nesting range in Colorado (5) 1348.
- Sparrow, Grasshopper: Sightings dated from mid-March in n. California, but the bird did not winter in the area (3) 534.
- Stork, Wood: Nesting efforts in s. Florida were not very promising, revealing a continuing decline (2) 304.
- Sulid*, sp.: A spring *Sulid* invasion took the Texas coast by surprise; unusually high numbers reported, with several unexpected reports of Brown Boobys (3) 504.
- Swan, Tundra: Re-introduced Trumpeters in the Minnesota area cause confusion in attempts to track overwintering (or oversummering) Tundras (2) 316.
- Tern, Arctic: Northeaster winds blew two Arctic Terns to Beltzville Lake, PA (3) 457.
- Tern, Black: Of 90 historic breeding sites in upstate New York, only 11 were active, and only 200–250 pairs were sighted (5) 1297.
- Wabler, Common Yellow-throated x Mourning: Found at Sherbrook, PQ, this hybrid differed from one described in Connecticut (5) 1293.
- Warbler, Pine: All-time winter highs reported after significant fall influx (2) 281.
- Warblers, Pine: Strong SW winds in n.e. United States during autumn migration result in high numbers seen in the Atlantic Provinces Region (1) 59.
- Whip-poor-will: As numbers decrease in north, reported sightings increased in the Coastal Plain in the Carolinas indicating a major population shift (1) 88.
- Wren, Carolina: Numbers rise for the 5th consecutive winter due to less severe weather (3) 310.
- Auklet, Parakeet, BC, 160, 359, CA, 363, 1364; WA, 358.
- Avocet, American, BC, 1359; NS, 56, 446.
- Barn-Owl, Common, PEI, 279.
- Bittern, Chinese Little, AK, 524.
- Bluebird, Mountain, IA, 489; NJ, 74; ON, 310, 473; PA, 292, 314; VT, 451.
- Bluebird, Western, ND, 123.
- Bobolink, NM, 1354.
- Booby, Brown, CA, 167; TX, 504.
- Brambling, MN, 319; NS, 282, 447; WA, 361.
- Brant, IA, 320; MI, 1318; NE, 331; SK, 496.
- Bullfinch, Eurasian, AK, 526.
- Bufflehead, CO, 1346; YT, 341.
- Bunting, Indigo, MI, 484; NM, 353; WI, 484.
- Bunting, Lark, MN, 108; NS, 447; OR, 513; SC, 301.
- Bunting, Painted, NJ, 1298.
- Bunting, Rustic, CA, 165; WA, 360, 530.
- Chaffinch, Common, NH, 451; NS, 59, 281.
- Chickadee, Mountain, SK, 1332.
- Chuck-will's-widow, CA, 363; NF, 58; WI, 1319.
- Cormorant, Great, NC, 300; NH, 61.
- Cormorant, Olivaceous, UT, 141.
- Cowbird, Brown-headed, AK, 355.
- Cowbird, Shiny, FL, 494; GA, 1306.
- Crane, Whooping, ND, 1333.
- Crow, American, AK, 1357.
- Cuckoo, Yellow-billed, BC, 1360.
- Curlew, Little, AK, 525; CA, 167.
- Curlew, Long-billed, LA, 1328; MN, 106.
- Dickcissel, OR, 359.
- Dipper, American, TX, 132, 328.
- Dotterel, Eurasian, CA, 163.
- Dove, White-winged, MD, 84, 462; NS, 4465; PQ, 69.
- Dovekie, ON, 97.
- Duck, Harlequin, FL, 304; ND, 122; PA, 313.
- Duck, Wood, AK, 152.
- Eagle, Bald, KS, 500.
- Egret, Little, NS, 444.
- Egret, Reddish, AZ, 145.
- Eider, Common, GA, 464.
- Eider, King, MN, 105.
- Falcon, Prairie, AK, 325.
- Fieldfare, NF, 280; PQ, 453.
- Finch, House, MB, 497; MN, 1320; SD, 123, 499; PEI, 282.
- Flycatcher, Ash-throated, MT, 123; NY, 457; ON, 473.
- Flycatcher, Fort-tailed, NY, 457; PQ, 69; SC, 302; TX, 328; VA, 79.
- Flycatcher, Gray, KS, 126; OH, 112.
- Flycatcher, Great Crested, CA, 164; CO, 516.
- Flycatcher, Hammond's, CA, 363.
- Flycatcher, Least, NM, 1352; UT, 1348.
- Flycatcher, Narcissus, AK, 526.
- Flycatcher, Scissor-tailed, GA, 88; MN, 107; ON, 1312; PQ, 453; SK, 1332; TN, 478.
- Flycatcher, Sulphur-bellied, AL, 119; LA, 494.
- Flycatcher, Vermilion, CA, 1364.
- Flycatcher, Willow, AK, 1356.
- Frigatebird, Magnificent, IA, 109; IL, 114; IN, 109; KS, 125; LA, 324; MI, 105; MN, 105, MO, 109, NM, 149; ON, 94; RI, 61; TN, 100, 115; VA, 101, WA, 158; WI, 105; WV, 100.
- Frigatebird, sp., MD, 294; OK, 125; VA, 81
- Fulmar, Northern, HI, 370; ON, 308.
- Gannet, Northern, MB, 1330; ON, 94.
- Garagney, KS, 125; OR, 158.
- Gnatcatcher, Blue-gray, ND, 498.
- Godwit, Bar-tailed, CA, 163.
- Godwit, Black-tailed, W.I., 175.
- Godwit, Hudsonian, CA, 163, 167.
- Godwit, Marbled, HI, 173; NS, 446.
- Golden-Plover, Greater, NS, 56; NF, 56, SPM, 446.
- Golden-Plover, Lesser, NC, 465.
- Goldeneye, Barrow's, AZ, 351; IA, 320, ND, 497; PA, 477.
- Goldeneye, Common, HI, 173.
- Goose, Barnacle, VT, 62.
- Goose, Pink-footed, PQ, 68.
- Goose, Ross', MN, 105; NC, 1304; TN, 324
- Goshawk, Northern, CA, 1367; TX, 335
- Grackle, Boat-tailed, CT, 451.
- Grackle, Common, BC, 1361; CA, 165
- Grackle, Great-tailed, MN, 482; ON, 99, 311, WY, 517.
- Grebe, Clark's, DE, 71; MO, 319; ND, 1333, OK, 124.
- Grebe, Least, CA, 166, 365; FL, 90.
- Grebe, Red-necked, TX, 334.
- Grebe, Western, PQ, 452.
- Greenshank, Common, NS, 56.
- Grosbeak, Black-headed, MN, 108; NY, 458
- Grosbeak, Blue, NM, 353; PQ, 70.
- Grosbeak, Rose-breasted, OR, 157.
- Ground-Doves, Ruddy, AZ, 349; CA, 168, 366; TX, 336.
- Grouse, Ruffed, CO, 142.
- Gull, California, FL, 305; IN, 112; LA, 326, MI, 106; ON, 97; PQ, 69; TX, 130, 336
- Gull, Common Black-headed, BC, 160, 358, CO, 142; FL, 305; IL-MO, 111; IL, 321, PA, 313, 1315; TX, 507; VT, 64.
- Gull, Franklin's, CA, 1363; NC, 301, OR, 358.
- Gull, Glaucous, AZ, 147; NC, 1305.
- Gull, Glaucous-winged, CO, 515.
- Gull, Great Black-backed, CO, 143, 515, NE, 331.
- Gull, Herring, TX, 1339.
- Gull, Heermann's, CA, 533; NV, 1347
- Gull, Iceland, WA, 528.
- Gull, Ivory, NS, 4465; ON, 97; WI, 317
- Gull, Laughing, SK, 496.
- Gull, Lesser Black-backed, AB, 496; GA, 465; MB, 1331; MI, 106, 316; MN, 106, 316; OK, 332, 500; WI, 316.
- Gull, Little, CO, 142; KS, 500; ND, 122, NJ, 1297; NM, 149; SC, 1305; TX, 336
- Gull, Mew, CO, 143; MI, 106; ND, 122, OH, 321; ON, 308; TX, 336.
- Gull, Sabine's, CO, 1347; MN, 1319; MT, 1333; OH, 322, 1323; NC, 301; SD, 122
- Gull, Slaty-backed, IA-IL, 322; SK, 1331
- Gull, Thayer's, NC, 465; PA, 102, 291.
- Gyr Falcon, PA, 101; MT, 329; WI, 105
- Harrier, Northern, KY, 1322; HI, 173.
- Hawk, Ferruginous, WI, 105; LA, 117.

Index of Boldfaced Birds

- Anhinga, NJ, 290.
- Ani, Groove-billed, CA, 169; NM, 149; ON, 97.

Hawk, Gray, NM, 149
Hawk, Harris', LA, 325, MS, 325.
Hawk, Red-shouldered, AZ, 146; ND, 498; WA, 159.
Hawk, Rough-legged, FL, 305.
Hawk, Short-tailed, TX, 1338.
Hawk, Swainson's, KY, 487; ON, 471.
Heron, Gray, W.I., 175.
Heron, "Great White", GA, 87; NC, 300; SC, 300.
Heron, Little Blue, ID, 140; SD, 121; WY, 514.
Heron, Tricolored, IA, 486; KY, 477; WI, 1318.
Hobby, NF, 445.
House-Martin, Common, SPM, 446.
Hummingbird, Allen's, MA, 65.
Hummingbird, Anna's, LA, 326, 494; UT, 143.
Hummingbird, Black-chinned, AL, 1328; FL, 469; NS, 57.
Hummingbird, Blue-throated, NM, 1352.
Hummingbird, Broad-billed, NM, 1352.
Hummingbird, Caliope, OK, 1335.
Hummingbird, Costa's, AK, 1356; OR, 359; WA, 529.
Hummingbird, Ruby-throated, CO, 516.
Hummingbird, Rufous, AL, 1328; MI, 107; NF, 58; ON, 97; VA, 102.
Ibis, Glossy, CO, 514; MB, 496; MI, 482; PA, 101; TN, 477; TX, 504, 1338.
Ibis, White, KS, 1336.
Ibis, White-faced, IN, 486.
Jackdaw, Eurasian, NS, 280.
Jay, Scrub, MB, 496.
Jaeger, Long-tailed, MT, 138; NV, 1347; WI, 1319.
Jaeger, Parasitic, WY, 142.
Jaeger, Pomarine, IA, 109; MI, 106; NM, 149; SC, 465.
Kingbird, Cassin's, FL, 306, 469.
Kingbird, Couch's, AL, 119.
Kingbird, Thick-billed, CA, 169, 367; TX, 132, 508, 1340.
Kingbird, Western, AK, 1356; ON, 1312.
Kiskadee, Great, NM, 522.
Kite, American Swallow-tailed, OH, 1322; OK, 125; ON, 95.
Kite, Black-shouldered, AK, 325; NC, 1304; OK, 500; VA, 77; WY, 1346.
Kite, Mississippi, IA, 1322; VA, 101; WI, 105.
Kittiwake, Black-legged, KS, 125; OK, 500; NE, 125, 332; NM, 354; SD, 122; TN, 314.
Lapwing, Northern, NF, 56, 279.
Longspur, McCown's, CA, 364; UT, 144.
Longspur, Chestnut-collared, WI, 485.
Longspur, Smith's, PQ, 70.
Loon, Pacific, MN, 105, 1318.
Loon, Pacific/Arctic, NJ, 71; WI, 481.
Loon, Red-throated, NE, 500; NM, 521; SD, 497; TX, 333.
Loon, Yellow-billed, CO, 141; OK, 331; WY, 141.
Magpie, Black-billed, NF, 58, 280.
Magpie, Yellow-billed, NV, 516.
Mango, Green-breasted, TX, 129.
Meadowlark, sp, AK, 153
Meadowlark, Eastern, ND, 1334.
Meadowlark, Western, IN, 1325.
Merganser, Common, HI, 173.
Merlin, ME, 63.
Mockingbird, Bahama, FL, 469.
Moorhen, Common, WY, 142.
Murre, Thick-billed, WA, 358.
Murrelet, Ancient, WA, 138.
Murrelet, Marbled, CA, 1364; NF, 1268.
Murrelet, Xantus', BC, 160.
Night-Heron, Yellow-crowned, NM, 1352; ON, 471.
Noddy, Brown, TX, 129; VA, 1302.
Nuku pu'u, HI, 540.
'O'o'a, HI, 371.
Oriole, Black-vented, TX, 1340.
Oriole, Hooded, LA, 494.
Oriole, Orchard, SC, 466.
Oriole, Streak-backed, AZ, 351.
Ovenbird, BC, 157.
Owl, Barred, CA, 1364.
Owl, Boreal, NM, 149, 522; WY, 143.
Owl, Burrowing, MN, 107; ON, 473.
Owl, Great-gray, WI, 1319.
Owl, Saw-whet, TX, 1340.
Owl, Spotted, TX, 327.
Owl, Short-eared, KY, 1323.
Parula, Tropical, LA, 119.
Pelican, American White, PQ, 452, 1292.
Pelican, Brown, CA, 1363; NV, 141; RI, 61.
Petrel, Mottled, CA, 361; HI, 172.
Petrel, Cook's, CA, 532.
Petrel, Murphy's, CA, 532, 536.
Petrel, White-necked, HI, 370.
Phalarope, Red, CO, 142; IA, 109; NC, 465; WI, 106; WY, 142.
Phalarope, Wilson's, LA, 326.
Phoebe, Black, WA, 513.
Phoebe, Eastern, BC, 529.
Phoebe, Say's, FL, 92; ME, 65; MN, 107; NF, 58; NS, 279; NY, 292; PQ, 69.
Pigeon, Band-tailed, ON, 97.
Pigeon, White-crowned, TX, 1339.
Pintail, White-checked, PQ, 68.
Pipit, Sprague's, MA, 286; OK, 484; VA, 297.
Plover, Common Ringed, PQ, 1292.
Plover, Mountain, MS, 325.
Plover, Piping, CO, 1347; NM, 521.
Plover, Snowy, IN, 488.
Plover, Wilson's, DE, 456.
Pochard, Common, CA, 365.
Ptarmigan, Rock, BC, 159.
Ptarmigan, Willow, ND, 498.
Puffin, Horned, CA, 1368; OR, 358; WA, 358.
Rail, Black, RI, 63.
Rail, Clapper, NF, 56; PA, 101.
Rail, PA, 101.
Rail, Yellow, DE, 456; NS, 446.
Redhead, HI, 173.
Redpoll, Common, AL, 328; TX, 329.
Redshank, CA, 163.
Redshank, Spotted, CA, 536.
Redwing, NF, 280.
Reed-Bunting, Common, AK, 526.
Ruff, BC, 528; KY, 488; LA, 117, 326; MN, 106; MS, 117; NC, 301; ND, 1333; SC, 1305; WI, 1318; TN, 117, 478
Sandpiper, Curlew, MI, 106, 1319, ON, 96, PQ, 69, 1292.
Sandpiper, Purple, LA, 326; MS, 326, 493
Sandpiper, Sharp-tailed, BC, 138; IA, 109, IN, 109.
Sandpiper, Terek, CA, 163.
Sandpiper, Upland, AZ, 146, 519.
Sandpiper, White-rumped, BC, 1359.
Sandpiper, Wood, WA, 159.
Sapsucker, Williamson's, OR, 529.
Shearwater, Audubon's, MS, 115.
Shearwater, Sooty, MS, 324, 492.
Skua, South Polar, ND, 1333; PQ, 69; FL, 92.
Solitaire, Townsend's, NH, 286.
Sparrow, Bachman's, WV, 1317.
Sparrow, Baird's, TX, 509.
Sparrow, Black-throated, SPM, 1288.
Sparrow, Cassin's, CA, 517.
Sparrow, Chipping, AK, 355.
Sparrow, Clay-colored, KY, 491; WA, 360, WV, 1317.
Sparrow, Eurasian Tree, WI, 318.
Sparrow, Golden-crowned, IL, 323; ON, 99
Sparrow, Harris', GA, 89; MA, 286; NS, 281, PQ, 454; WV, 479.
Sparrow, Henslow's, CO, 144.
Sparrow, LeConte's, CA, 169, 364, 368; MA, 286; VT, 67.
Sparrow, Sharp-tailed, NF, 59.
Spoonbill, Roseate, KY, 1321; TN, 1315.
Stilt, Black-necked, AB, 496, 1331; IL, 1322, IN, 488; MD, 1301; MN, 1319; ON, 472, 1311; SK, 496, 1331; WI, 1318.
Stint, Little, BC, 155; CA, 168; NB, 57.
Stint, Long-toed, CA, 163.
Stint, Rufous-necked, BC, 155; ON, 1311.
Stint, Temminck's, PQ, 69.
Stork, Wood, KS, 124; TN, 1315.
Storm-Petrel, Band-rumped, CA, 1367; VA, 81; TX, 503.
Storm-Petrel, Wedge-rumped, CA, 1367.
Swallow, Bahama, FL, 469.
Swallow, Bank, SC, 465.
Swallow, Cave, AL, 494; ON, 473.
Swallow, Tree, NC, 88.
Swallow, Violet-green, ND, 1333.
Swan, Trumpeter, CO, 141, 346; ND, 1333, PA, 313.
Swan, Whooper, CA, 362.
Swift, Vaux's, LA, 326.
Swift, White-throated, MO, 112.
Tanager, Scarlet, NM, 523, 1353.
Tanager, Western, MI, 484; NS, 59; WI, 107
Tattler, Gray-tailed, HI, 173.
Teal, Cinnamon, KY, 487.
Teal, Cinnamon x Blue-winged, NM, 521.
Tern, Arctic, MI, 1319; PA, 457.
Tern, Bridled, ON, 97.
Tern, Caspian, AK, 153.
Tern, Forster's, NF, 57.
Tern, Great Crested, HI, 173, 370.
Tern, Gull-billed, MS, 1328.
Tern, Least, NF, 1287.
Tern, Royal, OK, 332; WI, 106.
Tern, Sandwich, IL, 489; ME, 1290; ON, 97, PQ, 1292; SPM, 1287.

ORANGE will amaze you!

"the Golden Triangle area is one of the finest birding areas in the country" says Ed Kutac author of A Birder's Guide to Texas.

Lamar University —

— collection of 750 skins —

Stark Museum of Art

— John J. Audubon's original folios —

— lifelike porcelain bird sculptures by Boehm and Doughy — — centrally located to major routes in Texas and Louisiana —


Birding Sites

— swamps, bayous, marshes, piney woods, meadows — easy access to major preserves —

Migration

Accommodations
— quality hotels at special rates —
Receive a \$5.00 discount toward any overnight stay with this ad

**Orange Convention and
Visitors Bureau**
1012 Green Avenue
Orange, Texas 77630
(409) 883-3536



Tern, White-winged, DE, 1297.
Thrasher, Bendire's, CA, 164, 363, 1365.
Thrasher, Brown, OR, 359; WA, 160.
Thrush, Gray-cheeked, CA, 164.
Thrush, Varied, FL, 328; KS, 126, 332; NS, 447; NM, 522; TX, 508.
Tit, Great, AK, 153.
Towee, Green-tailed, ME, 286.
Trogon, Eared, AZ, 1350.
Trogon, Elegant, NM, 150.
Tropicbird sp., VA, 81.
Tropicbird, Red-billed, HI, 370; TX, 503.
Tropicbird, White-tailed, FL, 324; VA, 81.
Turnstone, Black, YT, 135.
Turnstone, Ruddy, NM, 1352.
Turtle-Dove, Rufous, AK, 525.
Veery, CA, 164, NM, 1353.
Violet-ear, Green, AR, 1328; TX, 1340.
Vireo, Bell's, SC, 301.
Vireo, Philadelphia, CA, 1365; NM, 150, 522; PR, 542.
Vireo, Black-whiskered, MS, 494.
Vireo, Warbling, NC, 88.
Vireo, White-eyed, CA, 167; NM, 150; PQ, 70.
Vireo, Yellow-green, CA, 164; TX, 509.
Vireo, Yellow-throated, NF, 58; NM, 522.
Vulture, Black, ME, 284; PQ, 69.
Wagtail, Gray, CA, 164.
Wagtail, White, CA, 169, 367.
Wagtail, White/Black-backed, CA, 363.
Warbler, "Audubon", FL, 469; NS, 447.

Warbler, Black-throated Blue, ON, 310; OR, 359; UT, 143; WA, 160.
Warbler, Black-throated Green, SC, 466; UT, 143.
Warbler, Black-throated Gray, GA, 466; NS, 447.
Warbler, Blackpoll, OR, 161.
Warbler, Blue-winged, CA, 1365; ND, 123.
Warbler, Canada, OR, 139.
Warbler, Cape May, AZ, 147; MT, 498.
Warbler, Cerulean, NM, 522; NS, 58; SD, 1334.
Warbler, Chestnut-sided, BC, 156; LA, 327; MT, 123; OR, 530.
Warbler, Connecticut, TX, 132.
Warbler, Golden-winged, NF, 58; NM, 522; OK, 501; UT, 147.
Warbler, Hermit, UT, 516.
Warbler, Hooded, CA, 368; LA, 327; ND, 123.
Warbler, Kentucky, CA, 165; WY, 516.
Warbler, Kirtland's, WI, 1319.
Warbler, Magnolia, AZ, 520; OR, 160.
Warbler, Mourning, AZ, 148; WY, 516.
Warbler, Palm, BC, 156; UT, 143.
Warbler, Pine, NM, 150.
Warbler, Prairie, AK, 153; MN, 484.
Warbler, Prothonotary, MB, 496.
Warbler, Red-faced, TX, 132; WY, 516.
Warbler, "Sutton's", OK, 1336.
Warbler, Swainson's, NY, 458.
Warbler, Tennessee, LA, 327.

Warbler, Yellow-throated, WI, 1319.
Whistling-Duck, Black-bellied, MN, 1318, OK, 1335.
Whistling-Duck, Fuluous, WI, 1318.
Woodcock, American, SK, 1331.
Wood-pewee, Western, IN, 1323; MN, 1319
Woodpecker, Acorn, WY, 1347.
Woodpecker, Three-toed, WI, 1319.
Yellowthroat, Gray-crowned, TX, 1341 ■

