Curry, OR Dec. 1 (fide DM) and at Ocean Shores, Grays Harbor, WA Dec. 3–17 (J. Kaba, m.ob., ph.).

A Brambling at Naselle, Pacific, WA Dec. 6-Jan. 15 (AR, m.ob., ph.) provided the first Regional record since 1993. Very small numbers of Red Crossbills were reported by the few observers who commented on them. White-winged Crossbills, however, attracted some attention, particularly as the summer/fall invasion finally reached Oregon, where ≤120 were at Santiam Pass in the c. Cascades Jan. 6-30 (SD et al.) and ≤50 were at Timberline Lodge on Mt. Hood Jan. 26-Feb. 10 (D. Copeland, DVB). None was found in the Washington Cascades, but ≤40 were on Mt. Spokane, Spokane, Dec. 25-Jan. 3 (JA) and two were in c. Ferry Feb. 15 (PtSu). Common Redpolls were numerous in Okanogan (AS, RiR). Elsewhere, ten in Seattle, WA Dec. 1 (K. Aanerud) and one at Warm Beach, Snohomish, WA in early December (S. Richardson) were unusual. Two Lesser Goldfinch in Brookings, OR Jan. 27 (CD) were unusual in winter on the outer coast. Very small numbers of Evening Grosbeaks were reported; the largest group was 60 on Mt. Pleasant, Skamania, WA Feb. 29 (WC).

Initialed observers, with subregional editors in boldface: Jim Acton, Scott Atkinson, David Bailey (DBa), Dave Beaudette, Barb Bellin (BBe), Bob Boekelheide (BBo), Dan van der Broek (DVB), Debbie Brown (DBr), Wilson Cady, Alan Contreras, Mike Denny, Colin Dillingham, Steve Dowlan, Jim Duemmel, Joseph Engler, Anthony Floyd, Darrel Faxon, Henry Gilmore, Dale Goble, Keith Graves, Glen & Wanda Hoge, Rich Hoyer, Eugene Hunn, Tim Janzen, Ted Kenefick, Ken Knittle, Bill & Nancy LaFramboise, Roy Lowe, Phil Mattocks (PMa), Alan McGie, Tom Mickel, Steve Mlodinow, Marjorie Moore (Rogue valley), Pat Muller (PMu), Don Munson, Harry Nehls (western Oregon), Vic Nelson, Matt Nixon, Bob Norton, Mike Patterson, Bob & Georgia Ramsey, Alan Richards, Craig Roberts, Russell Rogers (Washington), Tom Rogers, Richard Rowlett (RiR), Howard Sands, Floyd Schrock, Tim Shelmerdine, Dory & Stan Smith (Clallam), Andy Stepniewski, Patrick Sullivan (PtSu), Paul Sullivan (PlSu), Bob Sundstrom, William Tice, Terry Wahl, Linda Weiland, Bob Woodley.

—Bill Tweit, P.O. Box 1271, Olympia, WA 98507–1271, and Jim Johnson, 10405 NE 9th Ave., Apt. G–10, Vancouver, WA 98685.

Middle Pacific Coast Region

STEPHEN F. BAILEY AND DAVID SINGER

The following report was received incomplete. Red Phalaropes, Black-legged Kittiwakes, Northen Fulmars, and Ancient Murrelets staged major early-winter irruptions, and kittiwakes and fulmars remained abundant in Monterey Bay all winter. A strong storm Dec. 11–12 moved some seabirds to unusual sites, affected shorelines, and blew down many trees.

Loons to Storm-Petrels

Two Pacific Loons on Lewiston Res., *Trinity*, Dec. 18 (JSt, JEHu) were scarce inland. As in winter 1994–1995, *three* Yellow-billed Loons appeared in the Monterey area. The adult off Pacific Grove stayed through Feb. 10 (RT, †JM, ph. BMcK). Another adult was off Ft. Ord Dec. 29 (DLSh, SFB, ph. BMcK) and an immature was off Pt. Pinos Feb. 5 (RT). Probably

both adults were returning birds.

Warm temperatures and open water allowed 4 species of grebes to linger into Winter at Modoc N.W.R. (RLR). Thus the "early" Horned Grebe at Tule L., *Siskiyou*, Feb. 17 (R.R.O.S.) might have wintered there.

The high count of Laysan Albatrosses was >16 offshore Monterey Jan. 14 (DLSh). Exciting news to landlubbing birders was the return of the Laysan Albatross to Pt. Arena Cove, *Mendocino*, Dec. 5-Mar. 14 (GS, m.ob.).

The N. Fulmar irruption was exemplified by 1025 counted flying N past Pillar Pt., *San Mateo*, Dec. 2 (RSTh). The proportion of white morphs increased in February to about one-third (DR). A



Adult Yellow-billed Loon near Pacific Grove, California, December 29, 1995. Photograph/Bert McKee.



This Laysan Albatross again spent most of the winter just offshore at Point Arena, California, where it was photographed December 9, 1995. Photograph/Steve Metz.



"Cookilaria" petrel seen from Santa Cruz during >70 mph winds from the SSW Dec. 12 (†DLSu) was probably a Cook's Petrel, based on its status. California's only specimen of Cook's Petrel was grounded in Santa Cruz Nov. 17, 1983 (*Western Birds* 17:79–84).

Peak winter counts of 15 Pink-footed Shearwaters and eight-ten Flesh-footed Shearwaters were in Monterey Bay Feb. 10 (DLSh, DR, JM, RC), the latter number being especially high for winter. A Manx Shearwater 7 mi off Pt. Pinos, *Monterey*, Feb. 10 (†DR, †JM, RT, DLSh) was almost as late as last February's.

After the big blow, a Leach's Storm-Petrel was feeding 3 mi up the Eel R., *Humboldt*, Dec. 13 (SMcA). Also very late, but in a normal location, was a Black Storm-Petrel seen during an aerial survey of Monterey Bay, *Santa Cruz*, Dec. 14 by an observer who had confidently separated Blacks from Ashies during an October flight (†JDv).

Ibises to Waterfowl

White-faced Ibis made another poor showing coastally, with one at Moon Glow Dairy, *Monterey*, Dec. 27+ (DEG, m.ob.) and another at San Pablo N.W.R., *Napa*, Jan. 24–28 (M. Bentley, J. Boyd, RLCL, m.ob.). The species continues to thrive in the C.V., as evidenced by 5964 flying into a roost Dec. 28 in Merced (DS, PJM).

A large flock of swans near Grimes, Colusa, in early January included 4 taxa: Tundra, "Bewick's", Whooper, and Trumpeter! The Whooper Swan, present Jan 3-4 (M. Rauzon, †JM) was presumably back in the Region for its 5th consecutive winter. A Trumpeter Swan there Jan. 4 (†JM) was well documented. Identification of unmarked Trumpeters is notoriously difficult and under-appreciated. Two first-year Trumpeters banded in Alberta, Canada, were near Lincoln, Placer, Feb. 17-25 (TEa) and represented a first for the county; another two were heard calling while flying overhead Dec. 17 on Rindge Tract, San Joaquin (†WRH).

An "Aleutian" Canada Goose was in S.F. since at least Dec. 8+ (DHe, m.ob.). "Eurasian" Green-winged Teal were probably underreported or overlooked, with only 2 coastal reports received. Similarly, a total of 57 Eur. Wigeon reflected average numbers from areas reported, but certainly many more went unreported from areas such as *Marin* and the C.V.

Four Tufted Ducks, three from the S.F. Bay area and one from *Humboldt* Dec. 17+ (m.ob.), were well-below recent averages. A male in S.F. returned for its 8th consecutive winter Jan. 14 (†DSg, m.ob.). The only inland Oldsquaw reports were from opposite ends of the Region: one at Lewiston Res., *Trinity*, Dec. 18 (JCS), while two at the Tulare L. bed, *Kings*, Dec. 26 (WLP) may have represented a first for the county.

Rails to Shorebirds

Black Rails went unrecorded at the Palo Alto Baylands for only the 2nd time since 1978–1979. One in *Nevada* Dec. 16 (J. Techlin) was not only late but at an elevation of approximately 1000 ft. Up to seven Clapper Rails in the S. San Francisco baylands, *San Mateo*, Dec. 17 (*fide* DPM) suggested this recently-discovered population has increased. An unbelievable 462 Virgina Rails were reported on the Benicia CBC, *Solano*, Dec. 18.

A Pacific Golden-Plover near Woodland, Yolo, Dec. 7 (fide TDM) and another in Lodi, San Joaquin, Dec. 17 (K. Foley) provided the only inland reports. Coastal reports suggested average or slightly belowaverage numbers wintered at traditional sites. A Rock Sandpiper at Pescadero, San Mateo, Jan. 15 (ADeM) was the only one reported s. of Humboldt. Santa Clara claimed a monopoly on Ruffs, with single females Dec. 17 (R&C Carlson) in Sunnyvale and Crittenden Marsh Feb. 11+ (PJM, m.ob.) considered different individuals (fide WB). Two Red-necked Phalaropes in Soquel, Santa Cruz, Dec. 16-17 (†E. Frost, †DLSu) may have been late migrants, but were clearly associated with a tremendous wreck of Red Phalaropes resulting from high winds during a storm Dec. 11-12. Many thousands were onshore during most of December and early January and were particularly numerous in Humboldt and Del Norte. One inland at Pacines Res., San Benito, Dec. 2 (SDF, KVV) provided a first for the county. Other inland reports included one in San Joaquin Dec. 16-20 (DGY) and one in Lake Dec. 21-24 (JRW, m.ob.).


Raptors

Given the recent decline of White-tailed Kites in parts of our Region, the 31 on Inner Bair I., San Mateo, Dec. 2 (ADeM) was encouraging. An ad. "Harlan's" Redtailed Hawk s. of Halfmoon Bay Dec. 20 was San Mateo's 2nd (†ph. BMcK). Another on Tyler 1., Sacramento, Jan. 26 was considered a returning bird (TDM). Three Swainson's Hawks at Holland Tract, Contra Costa, Feb. 4 (JM, J. Matkin) fit their recent pattern of wintering in the Delta. Ferruginous Hawks were considered above average in several counties, but Roughlegged Hawks were scarce.

Larids to Alcids

A second-basic Laughing Gull visited Marshall, Marin, Jan. 21-26 (RS, JM, †GFi). After a poor autumn for Franklin's Gulls, only one was reported: a first-basic bird at Moss Landing, Monterey, Dec. 21 (DLSu). The ad. Lesser Black-backed Gull stayed in the Alviso area, Santa Clara, to March (m.ob.), except for an excursion to near Newby I., Alameda, Feb. 13+ (†RJR, SAG, fide RJR). In an average flight of imm. Glaucous Gulls was an adult at Alviso Feb. 7 (MMR). The Blacklegged Kittiwake invasion included an estimated 35-40% immatures in Monterey Bay (AB, DR). An immature at Lakeport Dec. 11 (JRW, †B.J. McIntosh) was Lake's first kittiwake. Three Black Skimmers were at Charleston Slough, Santa Clara, to Dec. 9 (m.ob.), with two last seen Dec. 18 (MMR).

An albino Com. Murre followed a normal bird, probably its parent, off Pacific Grove Jan. 20 (SFB, RT, m.ob.). A Thickbilled Murre at Monterey Feb. 11–16 (RT, †DR) equaled Fall's single bird. Following last August's strays, Marbled Murrelets irrupted S into *Monterey* in numbers



Received too late for the previous issue was this shot of a Bar-tailed Godwit (lower, with Marbled Godwit) at Point Reyes, California, October 12, 1995. Photograph/Ed Greaves.



Marbled Murrelet of the Asian or "Long-billed" form, probably soon to be considered a distinct species, off Humboldt Bay, California, December 7, 1995. Note that the areas of black below the eye and on the side of the breast are very limited, the white in the lore is very limited, and there is a faint pale area on the side of the black hindneck. Photograph/Sean McAllister.

unprecedented in recent years. Up to eight per day were seen in Monterey and Pacific Grove Dec. 31-E.O.P. (AB, DR, RC), and >20 was a guess at the true total present. Up to four or more settled off the Big Sur R. mouth Jan. 14+ (RHy, JTz, DR). A cooperative "Long-billed" Marbled Murrelet (Brachyramphus [marmoratus] perdix) foraged just outside the N. Jetty of Humboldt Bay, Humboldt, Dec. 7-9 (DFx, ph. SMcA, †JTz). This Asian form, probably soon to achieve recognition as a full species, has established an impressive record of vagrancy. Details of previous unpublished records in n.w. California during other seasons will appear elsewhere (DFx). Four single scrippsi Xantus' Murrelets were found in the Monterey Bay area Dec. 29-Jan. 14 (JiD, †SFB, DR, AB, DLSh); they are rare even at that latitude in winter, but a Xantus' Murrelet was reported as far north as Shelter Cove, Humboldt, Jan. 17 (M. Woods, fide SWH). Peak reports of Ancient Murrelets included 170 in Monterey Bay Dec. 29 (JiD, SFB, DLSh) and 180 at Pt. Arena Cove Jan. 6 (RS).

Observers: Stephen F. Bailey, Alan Baldridge, Rita Carratello, Jim Danzenbaker, Jeff Davis, Al DeMartini, George Finger, David Fix, Steve A. Glover, Stanley W. Harris, Rich Hoyer, John E. Hunter, Timothy D. Manolis, Jennifer Matkin, Sean McAllister, Bryan J. McIntosh, Bert McKee, Peter J. Metropulos, Joseph Morlan, Redwood Region Ornithological Society, Robert J. Richmond, Don Roberson, Mike M. Rogers, Ronnie L. Ryno, Debra L. Shearwater, Rich Stallcup, John Sterling, Grace Steuer, David L. Suddjian, Jim Teitz, Richard Ternullo, Ronald S. Thorn, Jerry R. White, M. Woods.

Southern Pacific Coast Region

GUY MCCASKIE

This winter was mild with slightly belowaverage amounts of rainfall, particularly so in the southern portion of the Region. Higher-than-normal numbers of Northern Fulmars off the coast throughout the period, a "wreck" of Red Phalaropes along the coast following a series of December storms, and an incredible number of Ancient Murrelets along the coast at the same time made seabird watching exciting. An remarkable 19 species of gulls included California's first Red-legged Kittiwake and Ivory Gull. Most invasive species were rare (e.g. Purple Finches, Pine Siskins) or virtually nonexistent (e.g. Red-breasted Nuthatch, Varied Thrush) away from breeding localities, and our common winter wood warblers and sparrows appeared to be in low numbers, particularly at the start of the season. However, the diversity of passerines, particularly wood warblers, was astonishing and included several species accidental in North America in mid-winter. In all this was an exciting winter for Southern California birders.

Abbreviations: C.B.R.C. (California Bird Records Committee -Michael A. Patten, Secretery, PO Box 51959, Riverside, CA 92517); L.A.C.N.H.M. (Los Angeles County Natural History Museum); N.E.S.S. (north end of the Salton Sea, Riverside Co.); S.E.S.S. (south end of the Salton Sea, Imperial Co.); S.F.K.R.P. (South Fork Kern River Preserve near Weldon, Kern County); S.Y.R.M. (Santa Ynez River mouth west of Lompoc, Santa Barbara County). As virtually all rarities in s. California are seen by many observers, only the observer(s) initially finding and identifying the bird are included. Reports submitted without documentation are not normally published.

Loons to Herons

A Pacific Loon far inland on Klondike L. near Big Pine, *Inyo*, Dec. 5 (T&JH) was a late fall migrant. The only Red-necked Grebe reported was one in Santa Barbara Dec. 30 (DA).

A Laysan Albatross over the Santa Barbara Channel Feb. 3 (PK) was closer to shore than normal. Since Flesh-footed Shearwaters are rare over s. California waters, one seen from Long Pt. on the Palos Verdes Pen., *Los Angeles*, Dec. 23 (BSc) and another seen from a boat off Laguna Beach, *Orange*, Dec. 29 (JEP) were noteworthy. A Leach's Storm-Petrel in La

