age showing. The only Rose-breasted Grosbeak sightings included one in Miller Cyn Oct. 13 (ph. MS, RH) and one in Whitetail Cyn, Chiricahua Mts. Nov. 29 (R. Taylor). Painted Buntings continue to be reported in the state in small numbers. This fall singles included a male in Tanque Verde Wash e. of Tucson Aug. 9 (†MS), one at Empire Cienega Ranch Sep. 10 (MS), one at Willow Tank Sep. 11 (DJa), one at Becker L. Sep. 13 (RJ), and a late ad. male in n.e. Tucson Nov. 16 (S. Keefe). No fewer than 13 Dickcissels was an impressive fall total. A Bobolink, rare in fall, was at the W.S.F. Oct. 21 (†RH, MS). Casual in Arizona, an Orchard Oriole was at the P.A.P. pecan grove Oct. 17 (WR), and an ad. male returned to a w. Tucson feeder Sep. 23 (H. McCrystal). The fall's only Lawrence's Goldfinch report was of one at Tanque Verde Wash, e. Tucson, Sep. 15 (K. Kaufman, MS).

Contributors (area compilers in boldface): Charlie Babbitt, Hank Brodkin, Nikolle Brown, Jim Burns (JiB), Alan Craig, John Coons (Flagstaff), Troy Corman, Rich Ditch, Megan Edwards, Rich Ferguson, Aaron Flesch, Steve Ganley (SGa), Jay Hand (Tucson), Stuart Healy, George Hentz, Rich Hoyer, Dave Jasper (Portal), Roy Jones, Dave Krueper (Sierra Vista), Jim Levy, Seymour Levy, Norma Miller, Narca Moore-Craig, Richard Palmer, Roger Radd (Cottonwood), Will Russell, John Spence, Dave Stejskal, Mark Stevenson, Carl S. Tomoff (Prescott), Jack Whetstone (Sierra Vista), Sheri Williamson, Jay Withgott (JyWi), Janet Witzeman (Phoenix), Robert Witzeman, Tom Wood.

**Chris D. Benesh**, 4308 E. Poe St. Tucson, AZ 85711; **Gary H. Rosenberg**, P.O. BOX 91856, Tucson, AZ 85752-1856



Place names that are frequently mentioned, but very long, may be abbreviated in a form such as "C.B.B.T." or "W.P.B.O." Such local abbreviations will be explained in a key at the beginning of the particular regional report in which they are used. Standard abbreviations that are used throughout *North American Birds* are keyed on page 24.

# new mexico region



### **SARTOR O. WILLIAMS III**

warm and generally dry autumn provided mild conditions for birds and birders. Wandering waterbirds and eastern passerines brought excitement, but submontane incursions were lacking. Meanwhile, the state list was increased by one, to 497.

Abbreviations: B.L.N.W.R. (Bitter Lake N.W.R.); Bosque N.W.R. (Bosque del Apache N.W.R.); E.B.L. (Elephant Butte Lake); L.V.N.W.R. (Las Vegas N.W.R.); N.R.T. (north Roosevelt County migrant trap near Melrose); R.S. (Rattlesnake Springs, Eddy County); R.G.N.C. (Rio Grande Nature Center, Albuquerque); R.G.V. (Rio Grande Valley); Zuni (Zuni Indian Reservation).

# LOONS THROUGH DUCKS

A good loon season found single Redthroated Loons at Springer L. Nov. 14 (JEP, vt. JO) and Sumner L. Oct. 21-Nov. 1 (WW, JEP, JO) and single Pacifics at Springer L. Oct. 31 (JEP, JO) and Heron L. Nov. 7 (M. Haldeman). Commons again lived up to their name, with reports from 20 sites statewide, including 14 at Storrie L. Nov. 11 (WH). Small numbers of Horned Grebes were at 6 e. lakes; earliest was one at L.V.N.W.R. Oct. 18 (CR, BF). An Eared Grebe feeding a chick at Toadlena L. Sep. 20 (ph. TR) furnished a rare San Juan breeding record. Perhaps owing to stresses elsewhere, Brown Pelicans made an impressive showing, with one-two at Sumner L. Sep. 19-Nov. 11 (v.o.), one-three at E.B.L. Sep. 10-Nov. 27 (v.o., ph. DC), and one-four at Brantley L. Sep. 12-Oct. 19 (v.o.), Scarce in

recent years, an Am. Bittern was at B.L.N.W.R. Nov. 15 (ph. JO) & 27 (JEP). Peripheral Great Egrets included one n. to Stubblefield L. Aug. 2 (JO) and three w. to Deming Oct. 5 (LM). At B.L.N.W.R., where there were two Reddish Egrets in late Jul., a single was present on numerous dates Aug. 1-Sep. 11 (JEP, JO, GW) and again Nov. 27 (JEP), while another (perhaps one of the original two?) appeared at Sumner L. Aug. 9 (vt. JO). One-two Tricolored Herons were at B.L.N.W.R. Aug. 1-Sep. 17 (JEP, JO, GW). Unusual was a Cattle Egret at Santa Fe Nov. 21 (S. Phillips); late were 12 at B.L.N.W.R. Nov. 29 (IO). Three Tundra Swans were at Maxwell N.W.R. Nov. 13 (DE). Three Wood Ducks at Glorieta Nov. 3-11 (SOW) furnished a local first. Eurasian Wigeon has become annual in New Mexico; this season found one at R.G.N.C. Nov. 1 (WH). Four Redhead broods were in the Chuska Mts., San Juan, Sep. 13 (TR). Early Ring-necked Ducks were four at Toadlena L. Sep. 26 (TR) and one at B.L.N.W.R. Sep. 11 (GW). The only Greater Scaup were two males at Stubblefield L. Oct. 25 (JO). Surf Scoters caused excitement at L.V.N.W.R., with one-three Oct. 29 (WW) to Nov. 15 (DE, IEP, IO, BF, PS).

#### **RAPTORS THROUGH PLOVERS**

Migrant Ospreys were much in evidence statewide; noteworthy for the Sacramento Mts. were two at Grindstone L. and three at Mescalero L. Sep. 16 (AP). Single Whitetailed Kites were at La Joya Oct. 2 (E. Harvey) and Carlsbad Sep. 17 (SW). North was a Mississippi Kite at Puerto de Luna, Guadalupe, Aug. 30 (JO); late was one at Bosque N.W.R. Oct. 16 (CR). Out of range were single Com. Black-Hawks at Santa Rosa Aug. 5 (WW) and Aug. 30 (JO); very late were singles at Glencoe, Hondo Valley, Nov. 22 (AP) and Mangas Nov. 5 (LM). Encouraging for the west were reports of one-three Harris's Hawks in Hidalgo (JO), Luna (JO, LM), Doña Ana (P. Jungemann), and Otero (RC). A Red-shouldered Hawk at Maxwell N.W.R. Sep. 6 (D. Svingen) may have represented the w. race. The record 14 Broad-winged Hawks counted at the

Manzano hawkwatch site Sep. 13-Oct. 3 (H W.I.) easily outpaced the long-term average of five there; west and a local first was a Broad-winged in the Florida Mts. Sep 7 (LM). A record 56 Merlins passed the Manzano site Sep. 8-Nov. 3 (H.W.I.), more than doubling the long-term average; elsewhere, one-three were at 10 locales in the east and south. Continuing good news for White-tailed Ptarmigans in the Pecos Wilderness included six on Jicarita Peak Sep 8 (ph. WW) and at least two chicks along Trail Rider's Wall Aug. 5 (D. MacCarter). Early were two Sandhill Cranes at L.V.N.W.R. Sep. 20 (CR, JT). One of the few remaining Whooping Cranes from the experimental "Rocky Mountain" flock strayed to San Juan Oct. 25 (ph. TR). Exceptionally early were single Black-belhed Plovers at B.L.N.W.R. Aug. 1 (JEP, JO) and Holloman L. Aug. 15 (RC); Black-bellieds were unusually prevalent Sep. 20-Oct. 31, with one-two at Maxwell N.W.R., Springer L., L.V.N.W.R., and E.B.L. and up to 11 at B.L.N.W.R. (v.o.). An imm. Mountain Plover in San Juan Aug. 6 (TR) may have been locally produced; Mountains passed through the Moriarty and Los Lunas turf farms Aug. 22-Oct. 3 (v.o.), peaking with 120 at Moriarty Sep. 4 (BN, DE) and 47 at Los Lunas Sep. 7 (CR).

#### **SANDPIPERS THROUGH TERNS**

Migrant Upland Sandpipers were conspicuous at several Pecos Valley locales Aug. 13-Sep. 10 (v.o.), including 100 near Carlsbad Aug. 16 (SW); west were three at Los Lunas Aug. 15 (JR). Rare in fall, single Whimbrels were at B.L.N.W.R. Sep. 4 (JEP, BN, DE), E.B.L. Aug. 16 (CR, BN, DE), and Mesilla Sep. 19 (GE). An ad. Ruddy Turnstone was at B.L.N.W.R. Aug. 22 (GW); a juv Ruddy at E.B.L. Sep. 24 (JEP, ph. JO) was found dead Sep. 29 (WW), furnishing the state's 2nd specimen. Single Sanderlings were at Sumner L. (JR), Dexter (JO), and Brantley L. (BN, DE) Sep. 4-6. A Semipalmated Sandpiper lingered at Santa Rosa Sep 4–19 (JO, JEP); farther west, fairly welldetailed Semipalmateds were singles at Moriarty Aug. 22 (CR), Bosque N.W.R. Sep. 2 (JO) and Sep. 10 (CR), and Deming Aug. 7 (LM). High counts for Dunlins were 13 at B L N.W.R. Nov. 6 (GW) and five there Nov. 29 (JO). Always a challenge, single silent Short-billed Dowitchers were described at L V N.W.R. Aug. 23 (CR) and Sep. 21 (JEP, JO) and Bosque N.W.R. Sep. 17-30 (vt. JO, DE, BN, JEP). Early was a Red-necked Phalarope at B.L.N.W.R. Aug. 1 (JEP, JO, GW) At least one Red Phalarope was at

Zuni's Tekapo L. Oct. 5-12 (ph. DC); another Red was at Santa Rosa Oct. 9-11 (vt. JO, JEP, DE, BN). Long awaited, New Mexico's first confirmed Parasitic Jaeger was a juvenile retrieved from the waters of Conchas L. by water skiers Sep. 19 (L. Coward) and taken to Santa Fe, where photographed and measured Oct. 6 (ph. SOW, G. Schmitt); following rehabilitation, it was later released on the Texas coast. Another jaeger at B.L.N.W.R. Oct. 8 (GW) was believed to be a Pomarine, but details were equivocal. A possible 2nd-winter Little Gull was at Cherry L., Mora, Sep. 20 (CR); there are but two previous (one verified) New Mexico records. Single probable **Mew Gulls** were at E.B.L. Oct. 24 (RG, JR) and Nov. 26 (DC). Early California Gulls were singles at Charette L. Aug. 2 (JO) and B.L.N.W.R. Aug. 1-22 (JO, JEP, GW); high count was 15 at Storrie L. Nov. 11 (WH). Probable Thayer's Gulls were first-winter singles at Storrie L. Nov. 11 (WH) and E.B.L. Nov. 26 (DC). Sabine's Gulls made another fine showing, with one-four juveniles at 10 sites in 8 counties from the R.G.V. eastward Sep. 4-Oct. 18 (v.o., ph. JO). Black-legged Kittiwake is very rare in New Mexico, but this season produced single juveniles at 2 locales: Bluewater L. Nov. 19-22 (B. Pataky, JEP, JO, DE) and Sumner L. Nov. 8 (WH, SOW). The only Caspian Terns were two each at Sumner L. Oct. 11 (vt. JO) and E.B.L. Sep. 24-25 (JEP, DE). Com. Terns were uncommonly common at E.B.L., where an early one Aug. 16 (CR, DE, BN) was followed by multiple reports Sep. 13-Oct. 18 (v.o.) peaking with 32 on Oct. 3 (CR, DE, JEP, JO); west and a local first was an ad. Common at Deming Sep. 23 (LM). Late Forster's Terns were two at Isleta Oct. 31 (J. Drummond) and singles at Sumner L. Nov. 7 (JO) and near Carlsbad Nov. 6 (SW).

# PIGEONS THROUGH HUMMINGBIRDS

Far east was a Band-tailed Pigeon at N.R.T. Oct. 24 (ph. JO); notably late Band-taileds included 13 in the Manzano Mts. Nov. 5 (LS) and up to 10 in the Animas Mts. Nov. 21 (AC, NMC, JEP, JO). **Eurasian Collared-Doves** have become a regular feature at Fort Sumner, with one–four at 4 sites Aug.—Nov. (v.o., ph. JO); at Santa Fe, where collared-doves first appeared in late 1996, one was documented Oct. 22 (JEP, ph. JO), while at Roswell (where first reported in 1995) small numbers were in evidence throughout the period (v.o.). White-winged Doves on their n. frontier included one-two at Santa Fe Oct. 19–23 (v.o.), LVNWR

Sep. 7 (BF), Fort Sumner Nov. 1 (JO) & 8 (WH, SOW), Logan Nov. 8 (JO), and near Tucumcari Sep. 2 (WW); notable were one at Cedar Crest Sep. 2 (KS) and 102 at Deming Nov. 27 (LM). Not to be left behind, northerly Inca Doves included two at Zuni Sep. 30-Oct. 1 (DC), singles at Las Vegas Nov. 29 (JR), Sumner L. Sep. 26 (JEP), and Melrose Sep. 5 (JO), plus one-two at Fort Sumner through Nov. 8 (v.o.). Single Com. Ground-Doves at Percha Oct. 12 (J. Zabriskie) and Las Cruces Oct. 24 (GE) provided the only reports. Yellow-billed Cuckoos where rarely reported were singles near Shiprock Aug. 9 & 11 (ph. TR) and Glencoe Aug. 15 (AP). A Flammulated Owl was east to N.R.T. Oct. 10 (JEP, ph. JO). Late were three Elf Owls heard in Clanton Canyon Oct. 24 (CR). Rare (or overlooked?) in New Mexico, a Short-eared Owl was in the s. Animas Valley Nov. 20 (DE). A Boreal Owl was heard and briefly seen near Cumbres Pass Aug. 7-8 (JEP, JO), where the species were first documented in 1987. Late was a Com. Poorwill at Lake Valley Nov. 6 (CR). At least four Black Swift nests at the Jemez Mts. colony contained single nestlings Aug. 23 (HS). North in the Peloncillo Mts. was a juv. Broad-billed Hummingbird banded at P.O. Canyon Oct. 17 (JDM); far east was a male Broad-billed at Timberon Sep. 20-30 (M. & M. Egan). An impressive 19 Anna's Hummingbirds were banded at P.O. Canyon Oct. 17-18 (JDM); Anna's farther east were singles at Silver City Aug. 22 and Oct. 22-26 (EL) and Albuquerque Sep. 1 (PS), plus two near Las Cruces Oct. 19 (R. Castetter). Late was a female Broad-tailed banded at Albuquerque Nov. 27 (JDM, ph. HS).

# **WOODPECKERS THROUGH WRENS**

Migrant Lewis's Woodpeckers passed through the Manzano Mts., including a flock of 20 on Sep. 19, 10 on Sep. 20, and singles through Sep. 29 (LS). Acorn Woodpeckers are local at the edges of their distribution; in the north were singles in the Chuska Mts. Aug. 22 and Sep. 20 (TR), while in the southeast two were in Dark Canyon, Guadalupe Mts., Aug. 30 (SW). Providing a Zuni first was a Ladder-backed Woodpecker Oct. 25 & Nov. 7 (ph. DC). A Three-toed Woodpecker was in the Chuska Mts. Sep. 20 (ph. TR), where rarely documented. A Willow Flycatcher nest near Shiprock produced fledglings Aug. 15 (ph. TR), providing a first for San Juan. Westerly Least Flycatchers were singles at Sumner Dam Aug. 30 (JO) and Bosque Redondo Sep 6 (BN, DE) Based on measurements

VOLUME 53 (1999), ISSUE 1 87

(and occasional vocalizations), five "Western" Flycatchers were identified as young Pacific-slopes and banded at R.G.N.C. Aug. 30-Sep. 20 (SC, LG); the status of this migrant is poorly understood in New Mexico. Far northeast of expected, a Sulphur**bellied Flycatcher** put in a brief appearance at Moriarty Sep. 11 (JEP, ph. JO). At Otis, a fall roost of Scissor-tailed Flycatchers had 48 birds Aug. 23 (SW); last were four there Oct. 9 (SW). Single imm. White-eyed **Vireos** were at N.R.T. Oct. 10–11 (ph. JO, BN) and Percha Aug. 14-15 (DE, JEP). North of usual was a Bell's Vireo at Sumner Dam Aug. 22 (JO, CR) to Sep. 6 (DE, BN), where the eastern race is a possibility; north in the R.G.V. was a singing Bell's at La Joya Sep. 12 (fide DL). Rare in New Mexico, single probable Blue-headed Vireos were at Galisteo Sep. 20 (BF), Bosque N.W.R. Sep. 4 (banded, R.M.R.S.), Bosque Redondo Oct. 1 (DE), and N.R.T. Aug. 29-Sep. 7 (DE, JO), Oct. 4 (JO), and Oct. 24 (JEP, JO). Unexpected was a probable Yellow-green Vireo at Sumner Dam Aug. 9 (JO), Aug. 21 (JEP), and Aug. 23 (JO); single Red-eyeds were in the east at N.R.T., Boone's Draw, and R.S. Aug. 30-Sep. 12 (v.o.). Corvids pushing their limits were two Blue Jays west to Santa Fe Oct. 22 (JEP, JO), a Clark's Nutcracker south to Emory Pass Sep. 11 (GE), and a Black-billed Magpie south to Isleta Nov. 9 (T. Mitchusson). Juniper Titmice at their s. frontier were one in the Animas Mts. Nov. 21 (AC, NMC, JEP) and five at Aguirre Springs Oct. 28 (GE). Two Cactus Wrens were at two e. Albuquerque sites Nov. 1 (HS). Intriguing was a juv. Carolina Wren banded at R.G.N.C. Aug. 29 (SC); another Carolina was at Sumner Dam Oct. 10 (BN, DE). Single Winter Wrens were at Zuni Oct. 31 (DC), Sumner Dam Nov. 8 (WH, SOW), and Boone's Draw Oct. 24 (JEP; JO).

#### KINGLETS THROUGH WARBLERS

Six Golden-crowned Kinglets at Aquirre Springs Nov. 7 (JNP) furnished a high number for *Doña Ana*. Typically scarce in the southern lowlands, seven W. Bluebirds were at Deming Nov. 6 (LM), and one was at Black River Village Oct. 6 (*fide* SW). A Wood Thrush was at N.R.T. Oct. 24 (JEP, ph. JO). Notable for the far west were one—two Gray Catbirds near Shiprock Aug. 5 & 15 (TR) and another at Zuni Oct. 12–23 (ph. DC). Late was a Sage Thrasher at Zuni Nov. 5 (DC). One—three Brown Thrashers were at 6 eastern sites after Sep. 26 (v.o.). The aging Bosque Redondo Long-billed Thrasher was seen again Sep 19 (JEP)

Sprague's Pipits are scarce migrants in s.w. New Mexico, but two proven areas are the Santa Teresa turf farm, which produced two-three Oct. 12-13 (ph. JNP), and the s. Animas Valley, where there were two Oct. 24 (CR) and one-two (possibly more) Nov. 20-21 (DE, JO, AC, NMC). A Phainopepla was east to Dexter Sep. 26 (JO). Unusual were 14 Olive Warblers in juniper/oak scrub in the Burro Mts. Nov. 17 (JO). An impressive 32 wood-warbler species were reported. Among the prizes were a Bluewinged Warbler (ph. JO) and a Blackburnian Warbler (ph. JO) at N.R.T. Oct. 4, a Golden-winged Warbler at Percha Aug. 14 (DE), a white-lored Yellow-throated Warbler at R.S. Aug. 12 (D. Hill), and a Prairie Warbler at Pep Sep. 5 (ph. JO). Also noteworthy were single Tennessees at R.G.N.C. Sep. 19 (banded, LG), Bosque N.W.R. Sep. 10 (JO), and Percha Sep. 13 (JO); a Chestnut-sided at Percha Aug. 16 (GG); a Magnolia west to Riverside, Grant, Oct. 2 (RS); single Black-throated Greens at Bosque Redondo Oct. 24–25 (JEP, JO, DE) N.R.T. Oct. 4 (JO), Boone's Draw Oct. 10 (JEP), and R.S. Sep. 5 (CR); a Palm at Bosque Redondo Nov. 1 (JO); a Blackpoll at Boone's Draw Sep. 12 (JEP, JO); and single Prothonotaries at Galisteo Sep. 28 (BF), Moriarty Sep. 18 (JO, DE), Percha Oct. 3 (JEP, ph. JO), and Mesilla Aug. 8 (T. Lawton). Among the rare-but-regular warblers were single N. Parulas at Los Alamos Nov. 10 (T. & C. Jervis, BF), Sandia Park Oct. 29 (M. Williams), Sumner Dam Nov. 1 (DC), Bosque N.W.R. Sep. 10 (JO), and E.B.L. Oct. 16 (BN, DE), and one-two Black-throated Blues at R.G.N.C. Sep. 19-22 (LG et al.), one at Bosque Redondo Oct. 11 (BN, DE), and a male at Percha Sep. 12-13 (JR) plus a female there Oct. 10 (ph. JNP). Surprising for the locale and date was a Painted Redstart at Percha Oct. 10 (JNP).

#### **TOWHEES THROUGH FINCHES**

Late-breeding Canyon Towhees were feeding juveniles at Eldorado Aug. 22 (SOW) and Silver City Aug. 28 (EL). Unusual was a Cassin's Sparrow banded at R.G.N.C. Sep. 20 (LG). Very late were two Botteri's Sparrows along Animas Creek Oct. 24 (CR). Single Am. Tree Sparrows were in the R.G.V. at San Juan Pueblo Nov. 22 (JT) and Cochiti L. Nov. 7 (WH). Rare for the far west were two Clay-colored Sparrows near Riverside Sep. 5 (RS); of 65 Clay-coloreds banded at Bosque N.W.R. Aug.18—Oct. 13, 57 were young birds (R.M.R.S.). Early and west of expected were single Field Sparrows at Bosque N.W.R. Sep. 2 (JO) and Las

Cruces Sep. 29 (GE). The only Baird's Sparrows were one-two in the Animas Valley Nov. 20–21 (DE, JO, JEP, AC, NMC) A sooty-brown Fox Sparrow was in the Sandia Mts. Nov. 17 (HS); a reddish Fox was near Alma Nov. 20 (JEP, JO). A Goldencrowned Sparrow was at Cedar Crest Oct 30 (KS). Two N. Cardinals were north to Tucumcari Nov. 6 (WW), and another was at B.L.N.W.R. Oct. 12 (GW). Single Pyrrhuloxias were north to Tres Pistolas near Albuquerque Nov. 26 (ph. P. Cody) and N.R.T. Oct. 10-Nov. 7 (JO, JEP). A late Rose-breasted Grosbeak at Percha Oct 24 (RG, JR) was the only report. Northerly Painted Buntings were singles at Bosque N.W.R. Aug. 21 (R.M.R.S.) and near Roswell Sep. 12 (JO). A Dickcissel found dead at Deming Oct. 9 (LM) furnished a rare western specimen. Northerly Orchard Orioles were singles at Sevilleta N.W.R Sep 12 (DL), Bosque N.W.R. Sep. 10 (JO), and N.R.T. Aug. 30 (JO). A Cassin's Finch at Boone's Draw Oct. 17 (JEP, JO) was the only report away from the mountains White-winged Crossbills staged a miniinvasion, with single males near Lake No 1, n.e. Taos, Aug. 15 (L. Mowbray), near Bullof-the-Woods Mt., e. Taos, Sep. 5 (E Rominger), and at Santa Fe from early Oct (F. & S. Quesenberry) to Nov. 1 (v.o, ph JO). Lesser Goldfinches were feeding late nestlings at Quarai Sep. 13 (HS). Evening Grosbeaks were notably scarce, but one wandered to Moriarty Oct. 24 (JEP, JO), and six were south to Bonita L. Sep. 9 (AP)

Initialed observers: Robin Carter, David Cleary, Alan Craig, Narca Moore-Craig, Steve Cox, Joan Day-Martin, Douglas Emkalns, Gordon Ewing, Bernard Foy, Gail Garber, Larry Gorbet, Rebecca Gracey, HawkWatch International, William Howe, David Leal, Eugene Lewis, Larry Malone, Bruce Neville, Jerry Oldenettel, John E Parmeter, James N. Paton, Anita Powell, Tim Reeves, James Rini, Rocky Mountain Research Station, Christopher Rustay, Lawry Sager, Ken Schneider, Hart Schwarz, Roland Shook, Patricia Snider, Joyce Takamine, Gordon Warrick, Steve West, William West, S. O. Williams.

**Sartor O. Williams III,** 65 Verano Loop, Santa Fe, NM 87505

