Western Great Lakes



Peder H. Svingen

2602 East 4th Street
Duluth, Minnesota 55812
(psvingen@d.umn.edu)

ost of the Region experienced near-normal temperatures and below-normal precipitation, although above-average rainfall and localized flooding occurred in northwestern Minnesota and at Grand Rapids, Michigan. Shorebird habitat was poor in western Minnesota and Michigan.

Abbreviations: Horicon (Horicon Marsh, Dodge, WI); Murphy-Hanrehan (Murphy-Hanrehan Park Reserve, Dakota and Scott, MN); Muskegon (Muskegon Wastewater System, Muskegon, MI); Pte. Mouillee (Pointe Mouillee State Game Area, Monroe, MI); Shiawassee (Shiawassee N.W.R., Saginaw, MI); U.P. (Upper Peninsula of Michigan).

LOONS THROUGH IBISES

A Pacific Loon moved from Duluth, MN 4 Jun to Superior, WI until 11 Jun (JLR, JiS, ph. TL). Horned Grebes lingered on Lake Superior in Ashland, WI 5 Jun (RB) and St. Louis, MN 15 & 22 Jun (fide DRB); even more unusual was one at Pte. Mouillee 12 Jun (AMB). Providing only the 2nd Michigan breeding record were two pairs of Rednecked Grebes in Delta (SH). More than 150 Eared Grebe nests were at East Grand Forks W.T.P., Polk, MN 19 Jul (DOL). East of its normal range was a Western Grebe in Washington, WI 12 Jun (MK). An intermediate-type Aechmophorus paired with a Clark's Grebe ferried 2 chicks on its back at L. Osakis, MN 5 Jul (JE).

Hoffman reported an Anhinga overhead in Dane, WI 10 Jun (p.a., RH). Snowy Egrets were in two Michigan, three Minnesota, and four Wisconsin locations, including one as

SA Minnesota's first **Brown Pelican**, an immature bird, was discovered by birders at Little Spirit L., *Jackson* 16 Jul (p.a., ph. PHS, AXH, ET, m.ob.); the same individual had been sighted by Thelen at Spirit L. (on the lowa side of the border) two days earlier. It lingered in the area on both sides of the border 16–27 Jul. Three days after its disappearance, a similar-looking bird was found at Saylorville Res. in cen. lowa, fueling speculation that the same individual was involved.

far n. as Ashland, WI 1 Jun (RB). An amazing 14 Little Blue Herons congregated in Kenosha 28 Jul+ (JD, AS, MBo, TP); Wisconsin's only other Little Blue visited Winnebago 25 Jun (DTe). In Minnesota, single Little Blue Herons graced Wilkin 10 Jun (JPS) and Sherburne N.W.R. 28 Jul (ASc). Michigan reported an imm. Little Blue in Monroe 27 Jul; it was joined by another on the 30th (LW). A cooperative Tricolored Heron lingered in Brown, WI 25 Jun-5 Jul (T&IB et al.). Disappointing after an excellent spring showing were Cattle Egrets in only three Minnesota counties. For the 3rd consecutive summer, 2 ad. Yellow-crowned Night-Herons vacationed in Jackson, MI (C&SB, AMB, SJ). In Minnesota, 2 ad. Yellow-crowneds in Dakota 30 Jun (RPR) were unrelated to 2 juvs. in Lac qui Parle 31 Jul+ (PCC). The Region's only Plegadis were 2 Glossy Ibis at Pte. Mouillee 1–2 Jul (p.a., JJ, AMB, SJ).

WATERFOWL THROUGH CRANES

Lingering from spring was an ad. Ross's Goose in Duluth, MN 4 Jun (ph. PHS). Unseasonal were 2 Cackling Geese at Pte. Mouillee 12 Jun (AMB, BCM) and a female King Eider at Whitefish Pt. 3 Jun (KM, AMB, CN). A Mississippi Kite soared over Rock 22 Jul (p.a., RSR); Wisconsin has 20 previous records. Michigan's only Sharptailed Grouse were in the U.P. in Chippewa. Northern Bobwhite was found in five s.-cen. Wisconsin counties. Though rare and local in Michigan, bobwhite reports were up from last year; this species is now extirpated from Minnesota. Lingering in Michigan were Rough-legged Hawks in Marquette 7 Jun (SH) and Gogebic 10 Jun (ATC).

Wet conditions precipitated a banner year for Yellow Rails in nw. Minnesota, but Michigan and Wisconsin had only single reports from Chippewa and Marquette, respectively. A pair of King Rails with at least one young was at Pte. Mouillee (p.a., BCM, AMB, LW); Wisconsin heralded Kings in Columbia, WI 4 Jun (ST) and Horicon 25 Jun+ (CS, SC, T&IB). Common Moorhen has declined in Minnesota, so an ad. with 6 chicks in Stearns 27 Jul+ (BR et al.), 2 ads. in Meeker 19 Jun (DMF), and singles in Olmsted 16-18 Jul (JWH, LS, PWP) and Wright 27 Jul (DMF) were encouraging; good numbers were also reported in Michigan at Maple River S.G.A. and at Pte. Mouillee. Whooping Cranes from the experimental flock wandered around Wisconsin to Dane (BD) and Walworth (WR) in early Jun, as well as to Horicon 2-30 Jul (JF, LM).

SHOREBIRDS

Piping Plover nesting success was good in Michigan (*fide* AMB). Also noteworthy in Michigan was a migrant Piping Plover at

St. Joseph, Berrien 21 Jul (AM, MO). An unknown number of Piping Plovets attempted nesting at Pine Is., Lake of the Woods, MN (BB, fide JM). Another Black-necked Stilt visited Horicon 2 Jul (T&IB). An American Avocet with one chick was seen in Big Stone, MN through 3 Jul (PCC). In Michigan, apparent fall migrant avocets arrived as early as 1 Jul in Berrien (RHo); another was in Oakland 21 Jul (PB, DF). Two avocets visited Horicon 24 Jul (LM). Solitary Sandpipers in Berrien, MI 16 Jun (DCV) and Walworth, WI 18 Jun (SF) were probably still northbound. Wisconsin had Willets in Ashland 19 Jun (EB), Milwaukee 12 & 21 Jul (JI, TP), and Manitowoc 20 Jul (CSo). Michigan had numerous reports of Willets in Berrien beginning 21 Jun (DH, m.ob.), while Minnesota had scattered reports from five counties in Jul. Two Whimbrels in Sheboygan (MM, JP, NP) and one in Milwaukee 5 Jun (SL) were still northbound; one in Cook 9 Jun (fide JWL) furnished only the 2nd Minnesota report for 2005. Most unusual among several godwit reports were single Hudsonians in Manitowoc, WI 22 Jun-4 Jul (CSo) and Berrien, MI 12 Jul (AMB).

Semipalmated Sandpiper counts peaked at 1101 and Least Sandpipers at 1197 in Lac Qui Parle, MN 24 Jul (PHS). Wisconsin reported a Western Sandpiper in Iowa 7 Jun (p.a., AH). A first-summer Curlew Sandpiper at Pte. Mouillee 11-13 Jul (p.a., AMB, MH, JJ, KT) was followed by an ad. at Lakewood W.T.P., Ionia 20-21 Jul (p.a., TBa, ST, KT). Buff-breasted Sandpipers arrived in all three states by the end of Jul, including a record-early arrival in Racine, WI 23 Jul (p.a., SF). The Region's only Ruff was a Reeve in Delta, MI 28 Jul (p.a., SH). A count of 319 Short-billed Dowitchers was noteworthy at Pte. Mouillee 9 Jul (AMB). Wilson's Phalarope nested at Muskegon; in Minnesota, most of the 272 Wilson's at Salt L., Lac Qui Parle 24 Jul were juvs. (PHS).

GULLS THROUGH NIGHTJARS

Wisconsin had a Laughing Gull in Manitowoc 28–29 Jun (CSo), but none were reported in Michigan through Jul. Out of range were single Franklin's Gulls at W.P.B.O. 19 Jun (LD) and Pte. Mouillee 21–23 Jun (AMB, LW), 3 in Ashland, WI 3–13 Jun (RB), and one at Ely, St. Louis, MN 6 Jun (RG). Providing Minnesota's 2nd summer record was an ad. Black-headed Gull in Jackson 16 Jul+ (p.a., PHS, AXH, m.ob.). Unseasonal was the Thayer's Gull in Manitowoc 30 Jun (CSo). Establishing Minnesota's 19th record and first since 1999 was an ad. Least Tern at Sherburne N.W.R. 8–9 Jun (PLJ, ph. AXH, ph. DWK, PCC).

Lingering from spring was at least one Eurasian Collared-Dove at Three Oaks,

Berrien, MI (p.a., AMB, JTW et al.). Wisconsin had Eurasian Collared-Doves in Green 11 Jun (QY) and Grant 16 Jun (ME); in Minnesota, they nested again in Dakota and Houston and were seen in at least six more counties. Michigan reported single White-winged Doves in Alger 12-16 Jun (p.a., BH, SHi, AMB, ATC, m.ob.) and Chippewa 13 Jun (p.a., DM). Furnishing Minnesota's 8th record was a White-winged Dove in Cook 10-16 Jul (JGW, ph. PHS, PCC). Unusual for Michigan's Lower Peninsula was a Great Gray Owl in Emmet 21 Jun (BK). Unprecedented numbers of Great Gray Owls summered in Bayfield, WI following last winter's irruption, but none of the 28+ Great Grays there nested (RB). Also unusual for Wisconsin was a Boreal Owl in Douglas 22 Jun (RJ). The Chuck-will's-widow in Berrien, MI called through 3 Jul (MBu, m.ob.), while one in Vernon, WI was last heard 29 Jun (J&KS, DJ).

FLYCATCHERS THROUGH THRUSHES

Far from its usual Minnesota haunts was an Acadian Flycatcher in Spencer Twp., Aitkin 10-11 Jun (WEN, WMS et al.). A pair of Say's Phoebes summered at Felton Prairie, Clay (m.ob.); nesting by this casual species has never been confirmed in Minnesota. Loggerhead Shrikes in nine Minnesota counties was typical for recent years, but Wisconsin's only reports were from St. Croix, and Michigan's last summer record was in 2001. White-eyed Vireos were found in three Wisconsin and four Michigan counties. Michigan hosted a territorial Bell's Vireo at Romulus, Wayne 27 Jun-23 Jul (p.a., JCr, DO). Wisconsin had Bell's Vireos in Dane, Green, Iowa, and LaCrosse, while Minnesota reported a county first in Brown (BTS). In Michigan, Philadephia Vireo breeding was confirmed in Marquette 7 Jul (SH).

Unusually far s. and of uncertain provenance was a Black-billed Magpie in *Anoka*, MN 16 Jul (JEH). At least one Rock Wren returned to the same location at Felton Prairie where Minnesota's first nesting occurred last year. Carolina Wrens were in five Wisconsin counties; Minnesota had 2 in *Scott* (RBW, BAF) and one in *Fillmore* (NBO). Carolina Wren breeding was confirmed for the first time in the U.P. in *Delta* (SH). South of its usual Wisconsin range was a Goldencrowned Kinglet in *Waukesha* 19 Jun (ASz); similarly lost in Michigan was a Hermit Thrush in *Allegan* 2 Jul (JR).

WARBLERS THROUGH FINCHES

A Black-throated Blue Warbler was tardy in Hillsdale, MI 2 Jun (JR). Yellow-throated Warblers graced Berrien and Lenawee in Michigan and Grant and Sheboygan in Wisconsin. Michigan's record-high total of 1415 singing male Kirtland's Warblers included

18 birds in five U.P. counties; up to 3 Kirtland's in Jackson (p.a., JPo) was noteworthy for Wisconsin. Three Prairie Warblers in Sheboygan, WI were no match for Michigan's multiple pairs in three counties. In Minnesota, where the species is considered casual, a territorial Prairie Warbler sang for naught in Dakota 6 Jun-2 Jul (ph. JPM, m.ob.). A remarkable 80 Cerulean Warblers at Allegan S.G.A., Allegan, MI was the highest tallied there in a decade (RS). Michigan's only Kentucky Warblers were in Hillsdale; Kentucky Warblers were in two Wisconsin and three s. Minnesota locations in early Jun. Wisconsin reported Hooded Warblers in five counties, including nesting in Dane (TB). Yellow-breasted Chats were in five Michigan and six Wisconsin counties, including one as far n. as Bayfield, WI 11-13 Jun (TO, RB).

In Minnesota, a male Summer Tanager paired with a female Scarlet Tanager in Dakota and fledged 2 young 29 Jun: one Brown-headed Cowbird and one Summer Tanager x Scarlet Tanager (ph. JPM). The nest was found 17 Jun; the young cowbird was seen on the 21st and the tanager chick, which was fed by both parents, was first seen on the 28th. In Wisconsin, Lark Sparrows were found in Portage (MBe) and Sauk (DT, BDu) in early Jun, and in Burnett on 23 Jul (LS). Henslow's Sparrows fared well in all three states, including 11 Lower Peninsula counties in Michigan and five Wisconsin counties as far ne. as Door 5 Jun (T&IB). Unprecedented numbers of Henslow's were in 28 Minnesota counties as far n. as Polk 17 Jun-1 Jul (NGE, ph. PHS), Mille Lacs 4 Jul (HHD), and Traverse 30 Jul (KRE et al.); at least 18 individuals were at Murphy-Hanrehan (RBW). Unseasonal in Wisconsin were White-crowned Sparrows in Milwaukee in late Jun (BBo), Oneida 18-31 Jul (J&KS), and Portage 29 Jul (RW). In nw. Minnesota, an accommodating Black-headed Grosbeak extended its late May visit in Marshall through 16 Jun (MBr, PCC, JMJ). Straying outside of its usual Minnesota range were single Blue Grosbeaks in Dakota (CM) and Yellow Medicine (D&BM) 13 Jun; a pair was in Brown 25 Jun+ (BTS). Michigan reported "fair numbers" of Evening Grosbeaks, with nesting in the Lower Peninsula, while Wisconsin's only reports were in Vilas (JBa).

Corrigenda: Michigan: Change Cinnamon Teal in *Crawford* during winter 2003–2004 from Michigan to Wisconsin (*N.A.B.* 58: 230). Delete Tufted Duck in *Van Buren* 6 Mar 2004 (*N.A.B.* 58: 375); the documentation suggested possible hybrid derivation. Delete undocumented Baird's Sandpipers in *Saginaw* and *Houghton*, Spring 2004 (*N.A.B.* 58: 375). Delete Ancient Murrelet 7 Nov 2004



Institute for Field Omithology

June Birding Opportunities

Birding by Ear

5-10 June 2006

Location: White Mountains, NH **Instructor:**

Mark Suomala

Caribbean Seabirds

18-24 June 2006 Location: San Salvador, Bahamas

Instructors:Bill Hayes and
Betty Anne Schreiber

Sparrows

26-30 June 2006

Location: Fort Collins, CO **Instructor:**

Jim Rising

Field Study and Classroom Education

- EMAIL: ifo@aba.org
- · WEBSITE: www.americanbirding.org/ifo
- PHONE: 800-850-2473 Ext. 235



American Birding

SONG BIRD COFFEE

SHADE-GROWN COFFEE



SAVES TREES FOR MIGRATING BIRDS

BUY YOUR NEXT BAG OF SONG BIRD COFFEE FROM ABA SALES

800.634.7736

WWW.AMERICANBIRDING.ORG/ABASALE



American Birding

YOUR PURCHASE SUPPORTS THE ABA'S BIRDERS' EXCHANGE PROGRAM

Need a great bird slide?



The Cornell Lab of Ornithology offers nearly 2000 first-rate, full-color slides at reasonable prices.

Available individually or in specially priced sets. Some sets include written scripts or taped narration and bird sounds.

Perfect for educators, libraries, birders, artists, and commercial use.

Visit us on the Web at http://birds.cornell.edu/closlides

Write or call for a free catalog

Cornell Lab of Ornithology Visual Services

159 Sapsucker Woods Rd., Ithaca, NY 14850 (607) 254-2450 birdslides@cornell.edu due to uncertainty about whether the murrelet actually entered Michigan waters (N.A.B. 59: 81). Change maximum number of Eurasian Collared-Doves to 4 in *Grand Traverse* (N.A.B. 58: 231, 375), and delete one in *Berrien* 7 May 2004 (N.A.B. 58: 375). Change number of Cave Swallows at S.M.R.R., Wayne 5–6 Nov 2004 to 2 (N.A.B. 59: 81). Delete undocumented Lark Sparrow in Wayne 7 May 2004 (N.A.B. 58: 376). Minnesota: Delete Prairie Falcon in Ramsey 27

Dec 2004 (N.A.B. 59: 270).

Cited observers (subregional editors boldfaced): Tim Baerwald (TBa), Pat Baize, Jim Baughman (JBa), Ty & Ida Baumann, David R. Benson, Murray Berner (MBe), Bill Berg, Tom Bethell, Brian Boldt (BBo), Marilyn Bontly (MBo), Chuck & Sue Bradford, Ryan Brady, Mary Broten (MBr), Erik Bruhnke, Marvin Budd (MBu), Adam M. Byrne (Michigan), Allen T. Chartier, Philip C. Chu, Julie Craves (JCr), Seth Cutright, Herb H. Dingmann, John Dixon, Louie Dombroski, Becca DuBey, Kim R. Eckert, Jessie Ellis, Nathaniel G. Emery, Marty Evanson, Bruce A. Fall, Sean Fitzgerald, Dan M. Floren, Jim Frank, Darlene Friedman, Richard Gibson, Skye Haas, Jay E. Hamernick, Don Henise, Anthony X. Hertzel, Scott Hickman (SHi), John W. Hockema, Pete Hoeger, Randy Hoffman, Ronald Hoffman (RHo), Aaron Holschbach, Bill Hurst, Matt Hysell, John Idzikowski, Dan Jackson, Scott Jennex, Robbye Johnson, Paul L. Johnson, Jeanie M. Joppru, Jerry Jourdan, Douglas W. Kieser, Ann E. Kessen (Minnesota), Ben Klaver, Mark Korducki, David O. Lambeth, Tim Lamey, James W. LInd, Steve Lubahn, Chris Mansfield, Dennis & Barbara Martin, James P. Mattsson, Mike McDowell, Ken Mettie, Jr., Larry Michael, Andre Moncrief, Jenny Moorman, Doug Munson, Brad C. Murphy, Warren E. Nelson, Chris Neri, Darrin O'Brien, Tim Oksiuta, Marie Ostrander, Nancy B. Overcott, Paul W. Pedersen, Jesse Peterson, Janine Polk (JPo), Nolan Pope, Tom Prestby, Jack Reinoehl, Janet L. Riegle, Wayne Rohde (Wisconsin), Bob Rogers, Robert P. Russell, Jr., Russ Schipper, Al Schirmacher (ASc), Jim Schnur (JiS), Carl Schwartz, Julian P. Sellers, Larry Semo, Richard Smallwood-Roberts (RSR), Brian T. Smith, Jerry & Karen Smith, Charles Sontag (CSo), Linda Sparling, William M. Stauffer, Aaron Stutz, Peder H. Svingen, Andrea Szymczak (ASz), Daryl Tessen (DTe), Kevin Thomas, Dar Tiede, Ed Thelen, Steve Thiessen, David C. Vinnedge, Josh G. Watson, LaRue Wells, Rob Whitmire, Robert B. Williams, Jonathan T. Wuepper, and Quentin Yoerger. Our sincere thanks to hundreds more contributors who could not be acknowledged individually.