Evening Grosbeaks were unusually numerous, evidenced by 154 at Battle Ground, *Clark* 22 Sep (JD) and 500 at Wickiup Res., *Deschutes* 9 Oct (S. Dougill).

Addenda: A Snowy Owl was at Penrose Pt., Pierce 9 Jul 2006, the Region's first summer record (†M. Cain). Grant's first Ruffed Grouse was at Northrup Canyon 20 Jun 2006 (MB).

Corrigenda: The Washington B.R.C. did not accept the Scarlet Tanager reported from Washtucna, Adams 2 Oct 2006 or the Baltimore Orioles from Vantage, Kittitas 28 May 2006 and Sequim, Clallam 24 May 2006. However, a Lesser Black-backed Gull at Monumental Dam, Walla Walla 1 Jan 2006 was accepted, bringing the Washington total to six records (†M&MD).

Initialed observers (subregional editors in boldface): Kathy Andrich (KAn), Tom Aversa (WA), Matt Bartels (MBa), Jessie Barry, Gary Bletsch, Keith Brady, Trent Bray (Union), Mary Breece, Wilson Cady, Bill Clemons, Alan Contreras, Craig Corder (Spokane), Cameron Cox (CCx), Jim Danzenbaker, Mike& Merry-Lynn Denny (M&MD), Dennis Duffy, Matt Dufort (MDu), Joe Engler (Clark), Dan Farrar, Bob Flores, Andy Frank, Chuck Gates (Crook), Joel Geier, Roy Gerig (Marion, Polk), Jeff Gilligan, Greg Gillson, Wink Gross, Denny Granstrand (Yakima), Randy Hill, Eugene Hunn, Stuart Johnston (Klickitat), Bruce LaBar (BLB), Bill LaFramboise (lower Columbia Basin), Nancy LaFramboise, Tom Mickel (Lane), Craig & Marilyn Miller (C. & M. Miller; Deschutes, Jefferson), Lois Miller, Scott Mills (SMi), Russ Namitz, Harry Nehls

(Oregon), Vic Nelson, Bob Norton (Olympic Pen.), Michael Patterson (Clatsop), Diane Pettey, Phil Pickering, W. Douglas Robinson (Benton, Linn) Doug Robberson, Dennis Rockwell, Tim Rodenkirk (Coos, Curry), Owen Schimdt, Doug Schonewald (DSc), Ryan T. Shaw (RTS), Gina Sheridan, Kevin Spencer (Klamath), Patrick and Ruth Sullivan (P&RS), Khahn Tran, Dennis Vroman (Josephine), Brad Waggoner (BSW), Terry J Wahl (TJW), Jay Withgott, Michael Woodruff, Charlie Wright.

Steven G. Mlodinow, 4819 Gardner Avenue Everett, Washington 98203, (SGMlod@aol.com) David Irons, 2125 Hayes Street Eugene, Oregon 97405, (Ilsdirons@msn.com) Bill Tweit, P.O. Box 1271 Olympia, Washington 98507, (Sebnabqill@aol.com)

Northern California



Steven A. Glover | Ed Pandolfino Scott B. Terrill | Michael M. Rogers

for fall, cool and foggy along the coast and hot inland. Whatever the weather conditions, it was another outstanding fall in terms of both the variety and overall numbers of vagrant waterbirds and passerines. Highlights included Fulvous Whistling-Duck, Streaked and Greater Shearwaters, Zone-tailed Hawk, Red-necked and Longtoed Stints, Common Ground-Dove, Alder and Fork-tailed Flycatchers and, best of all, a first state record—Taiga Flycatcher. The va-

grant warbler season also drew raves, with numbers of both species and individuals hearkening back to the "glory days" of the 1970s and 1980s.


Abbreviations: B.S.O.L. (Big Sur Ornithology Lab); C.B.R.C. (California B.R.C.); C.V. (Central Valley); C.R.P. (Cosumnes River Preserve. Sacramento); F.I. (Southeast Farallon I., San Francisco); P.R.B.O. (Pt. Reves B.O.); S.F. (San Francisco, not State Forest); U.C.H.R.E.C. (University of California Hopland Research and Extension Center, Mendocino). Reports of exceptional vagrants submitted without documentation are not published. Documentation of C.B.R.C. review species will be forwarded to Guy McCaskie, Secretary, P.O. Box 275, Imperial Beach, California 91933. Birds banded on F.I. should be credited to Pt. Reyes B.O. and those banded at Big Sur R. mouth to the Big Sur Ornithology Lab of the Ventana Wilderness Society.

WATERFOWL THROUGH QUAIL

Up to 4 secretive Fulvous Whistling-Ducks at the "Dead Pig Pond" n. of Angiola, Tulare 9 Oct+ included 2 juvs. starting 11 Oct (Tony Kurz, GaW, JSy, m.ob.). It is tempting to hope these birds may have bred nearby; they are now rare anywhere in the state. A count of 4800 Greater White-fronted Geese at L. Earl, Del Norte 1 Oct (ADB, Onik T. Arian) is the highest number ever recorded in nw. California (fide ADB); the same day, 5000 were not-

ed w. of Red Bluff, Tehama (BED). Two ad. Emperor Geese at the Big R. mouth, Mendocino 24 Nov (†DT, †Richard Hubacek, †DAJ) were last seen flying northward; presumably the same 2 were involved in a report farther s. near the Pt. Arena lighthouse, Mendocino the next day (Pete Panchin). Another was at the Arcata Bottoms, Humboldt 27 Nov (Kyle Spragens, ph. KGR, m.ob.). Two Ross's Geese with 26 Snow Geese at Indian Springs Res. 3 Nov (TEa) were the first found in Alpine. Brant inside S.F. Bay included one at Pt. Isabel in Richmond, Contra Costa 17-20 Oct (Alan Kaplan), likely the same bird nearby at Albany, Alameda/Contra Costa 28 Oct (Jack Hayden) and one at Palo Alto, Santa Clara 12 Nov+ (vt Manny Vara, Virginia Marshall, mob.). A Cackling Goose at Carson Valley 26 Nov (TEa, JCS) was only the 2nd for Alpine and the first leucopareia. The only Cackling Goose not identified as either this subspecies or minima was a taverneri captured and measured 20 Oct-2 Nov at F.I. (P.R.B.O.). A Barnacle Goose × Cackling Goose hybrid was at Hayward R.S., Alameda 13 Aug, where one or 2 such birds have been reported sporadically for 17 years (RIR). A Dusky Canada Goose (occidentalis) at Venice S.B. 12 Nov+ (ph. Garrett Lau, RSTh, m.ob.) was the first found in San Mateo; our notebooks have no previous records away from Del Norte and Humboldt, where this subspecies is a rare winter visitor The Long Valley, Mono Trumpeter Swan reported last season remained through 22 Oct

VOLUME 61 (2007) NUMBER 1



This cooperative immature Yellow-billed Loon was at Pescadero Creek, San Mateo County, California 18-27 (here 24) November 2006. *Photograph by Ron Wolfe.*

(m.ob.). Four Bewick's Swans were ne. of Marysville, Yuba 10 Nov (JHS). Five Tundra Swans at the Madera W.T.P. 29 Nov (Pete Fahey, Frank Gibson) furnished one of few records for Madera.

A Eurasian Wigeon at Pardee Pond 27 Nov (HG, DCR) was only the 2nd for Calaveras. A male American Wigeon × Mallard hybrid was reported from the Ukiah S.T.P., Mendocino 17 Nov (CEV). An imm. female Tufted Duck at Heenan Res. 19 Nov (†SAG) was a first for Alpine; other Tufted Ducks were at L. Merritt, Alameda 12 Nov (Bob Battagin) and L. Hennessey, Napa 15-30 Nov (MBe). A Whitewinged Scoter at O'Neill Forebay, Merced 18 Nov (KVV) was a surprising inland occurrence of this declining species. Eight Longtailed Ducks were reported, including the 6th for Shasta at Fall River L. 18 Nov (Ken Able et al., ph. B&CY) and one at Mono L., Mono 28 Oct+ (K. Duvall, m.ob.); the summering male in Mendocino was last noted 28 Aug (†KHv). Six juv. Hooded Mergansers at the Little R. mouth, Humboldt 19 Aug (RbF, KGR) strongly suggest nearby breeding. California Quail bred late again in Santa Cruz, with 3 ten-day old young accompanied by an ad. male along Glen Canyon Rd. 27 Sep (BSch).

LOONS THROUGH BOOBIES

A Yellow-billed Loon was at Eureka, Humboldt 13 Aug–22 Sep (ph. RbF, †DFx, m.ob.), and possibly the same bird was reported from Shelter Cove, Humboldt 1 Nov (RBS). A well-photographed juv. Yellow-billed Loon was at Pescadero Cr. mouth, San Mateo 18-27 Nov (FrT, RSTh, ph. m.ob.). "Al" the Laysan Albatross returned to Pt. Arena Cove, Mendocino 24 Nov (Rosie Rhia) for its 14th consecutive winter. Another Laysan was seen off Ft. Bragg, Mendocino 13 Aug (ShJ). A distant Mottled Petrel was seen from F.I. 26 Nov (†JTz). Now apparently annual in summer and early fall, a Galapagos/Hawaiian Petrel

was well documented off Ft. Bragg, Mendocino 13 Aug (LHg, ph. RyT, vt. LLu, ph. m.ob.). Two Streaked Shearwaters were on Monterey Bay: one 15 km w. of Cypress Pt., Monterey 30 Sep (SBT, ph. BLS, ph. LTer et al.) and a 2nd (determined to be a different bird by photographs) 15 Oct (DVP, ph. SNGH et al.) that was seen in both Monterey and Santa Cruz. Fleshfooted Shearwaters were present in good numbers, as exemplified by 31 on Monterey Bay, Santa Cruz and Monterey 22 Oct (Sh]). A well-documented

Greater Shearwater was on Monterey Bay in Santa Cruz and Monterey 15 Oct (ph. SNGH et al.), on the same trip with one of the Streaked Shearwaters! Buller's Shearwaters peaked at 1340 and 2750 on Monterey Bay, Monterey and Santa Cruz, 10 Sep and 7 Oct, respectively (Sh]), with single flocks estimat-



This Galapagos/Hawaiian Petrel put on a twenty-minute show as it circled the boat off Fort Bragg, Mendocino County, California 13 August 2006; the "Dark-rumped Petrel" (now considered two species) has been found increasingly frequently off California in recent years. Photograph by Don Doolittle.

ed to contain up to 1000 birds. These numbers represent substantial concentrations for the Region. After the first accepted record in California in 1993, Manx Shearwaters have proven to be annual, and reports have been increasing in recent years. This year, 22 to 25 were reported, with many documented. While some of these reports may involve the same birds, most do not. Records spanned the coast from Humboldt to Monterey, where most of the records occurred. After several years of absence or near absence in the Region, Blackvented Shearwaters returned to Monterey Bay with a maximum of 1000+ on 15 Oct (ShJ).

Nineteen Wilson's Storm-Petrels were re-

ported, with a maximum of 8 near Cordell Bank, Marin 7 Aug (RS et al.). Nine Ashy Storm-Petrels off Del Norte 22 Oct (PP) provided a long overdue county first. As is usual in recent years, a few Least Storm-Petrels were on Monterey Bay, Santa Cruz 9-30 Sep (Sh] et al.). Brown Boobies continued their push into the Region in unprecedented numbers. Singles were at Sinkyone Wilderness S.P., Mendocino 8-9 Aug (JRW, Nikki White), off Santa Cruz 15 Oct (subad. female; ph. SNGH, vt. LLu et al.), and at Humboldt Bay, Humboldt 29 Nov-5 Dec (†KMS, Karly Moore et al.). The latter was only the 2nd sulid reported in Humboldt and the first to be identified to species. Amazingly, a 2nd Brown Booby, an ad. female, was found at Humboldt Bay 3 Dec, and both birds were seen through 5 Dec. The ad. female was thought to be the same bird as an ad. female seen flying past Pt. St. George, Del Norte 1 Nov (ADB, Joe D. Gartland), a first for that county. Three females, 2 ads., and a subad. were on F.l. (†MtB, ph. JTz, †RbF et al.). At least one ad. was present there 20 Aug-30 Nov, at least 2 were present 26 Sep-12 Nov, and at least 3 birds were present 20 Oct-1 Nov.

HERONS THROUGH CRANES

The only Least Bittern reported was Lake's 8th, at Clear L. 8 Aug (SCH). The Del Norte Little Blue Heron was found molting into ad. plumage 27 Aug-18 Oct at the Smith R. estuary (ph. Dick Cronberg, ph. ADB, m.ob.), and later back where first discovered in Feb at the Alexandre Dairy near Ft. Dick 20-21 Nov (ADB, Onik T. Arian, Joe D. Gartland). The only other Little Blue Heron reported was a juv. at the Yolo Bypass W.A., Yolo 8-9 Aug (TFi, CLZ, JSL). Cattle Egret reports included the first in San Mateo in several years at Redwood City 21-25 Aug (Rich Ferrick et al.), one at Burris Creek W.A. 2 Sep (4th for Tehama; BED), 2 at the Ukiah S.T.P. 15 Sep (very few recent Mendocino records; CEV, GEC), the first record for Santa Cruz, Santa Cruz in a number of years, along West Cliff Drive 25 Sep (SGe), and Lake's 2nd at Robinson L. 27 Oct (GEC). White-faced Ibis were reported from seven coastal counties 19 Aug-21 Nov; 177 at Navy Beach, Mono L. 15-16 Aug (BrtM) was a high count for Mono.

Early juv. Northern Goshawks in surprising locations included one at Bear R. Ridge, Humboldt 22 Aug (†DFx) and another at the Madera W.T.P., Madera 5 Sep (JND). The Sonoma Common Black-Hawk was last seen at Laguna de Santa Rosa 7 Oct (Stan Moore); presumably the same bird was seen flying farther n. near the Sonoma County Airport 19 Sep (Elmer Dudik). Fifteen Broad-winged

Hawks were reported from five coastal counties 16 Sep-30 Oct. Late Swainson's Hawks included birds at Ed Levin C.P., Santa Clara 17 Oct (Randy Little), the Presidio, S.F. 10 Nov (JsC), and sw. of Madera, Madera 27 Nov (JND). A Zone-tailed Hawk seen 7 Nov along Summit Rd. se. of Hwy. 17 (†DLSu) was a first for both Santa Clara and Santa Cruz. Harlan's Hawks returned for an 8th winter near Humboldt Bay, Humboldt 4 Nov+ (ph. ScC et al.) and for a 4th winter along Barker Rd. e. of Hwy. 33, Kings 14 Nov (JSy). A Ferruginous Hawk at F.I. 25 Oct (Andy Pfeffer, †ITz et al.) made only the 2nd island record. Roughlegged Hawks were reported from coastal counties in good numbers 27 Sep-26 Nov, including 3 at F.I. 10 Nov (Andy Pfeffer et al.). An ad. Crested Caracara continued in coastal n. Monterey through the period (m.ob.); another briefly seen 8 km s. of Gilroy 8 Oct would be Santa Clara's first if accepted by the C.B.R.C. (†Mike & Jeanne Fritz). Early Merlins returned to Del Norte 11 Aug (ADB) and Humboldt 12 Aug (RBS). An overdue first for Del Norte, 2 imm. Common Moorhens were at L. Earl 26 Sep (SMcA). A single Sandhill Crane flying s. over Lewiston L. 7 Oct (Dale Kuhn) was one of very few found in Trinity.

SHOREBIRDS

It was a good fall for American Golden-Plovers, with 11 juvs. found 16 Sep-17 Nov, including 2 undocumented reports from Marin; remarkably, 6 of these birds were first found in Nov, which is late. Following the Sep Marin birds, one was at MacKerricher S.P., Mendocino 1-5 Oct (ph. †MMtt, DT, KHv),

and up to 2 were at the Yolo Bypass W.A., Yolo 24-26 Oct (†Stefan Schlick, ph. Jon Katz, †Jennifer Rycenga et al.). Up to 4 birds were found at the Arcata Bottoms, Humboldt 1-8 Nov (ph. KGR, DCo, RbF, ph. ScC). One at the Sacramento Regional W.T.P. 6-15 Nov (ph. †CCo, JTr, EP, KLL, m.ob.) and at the nearby Stone Lakes N.W.R. 17 Nov (JSL, RHw et al.) was only the 2nd for Sacramento. The last was present in Milpitas, Santa Clara 6-12 Nov (†SCR, RGJ, ph. Peggy Don, ph. †MMR, m.ob.). A Snowy Plover n. of Pleasant Grove 15-16 Aug (FrO, SAG, JSL) was Sutter's 3rd. Seventeen Solitary Sandpipers in 11 counties 6 Aug-24 Sep was about average. The Madera W.T.P. attracted

many notable shorebirds, including Madera's first record of Willet 20 Aug-3 Sep (GaW, Pete Fahey, JND, m.ob.), 2nd of Marbled Godwit 25 Aug (4 birds; JND), first of Ruddy



This Streaked Shearwater (center), with Pink-footed Shearwater and Pomarine Jaeger, spent nearly an hour with birders in Monterey Bay, California 30 September 2006. *Photograph by Brian L. Sullivan*.

Turnstone 31 Aug—3 Sep (ad. and juv.; FrO, GaW, m.ob.), 3rd and 4th of Semipalmated Sandpiper 15 Aug and 7 Sep (juvs.; JND, JSy), and first of Ruff 1-8 Sep (juv. male; GaW, m.ob.). A Hudsonian Godwit at the Davis Wetlands 1 Sep (†JKn) would be the first for Yolo if accepted by the C.B.R.C. A beautifully photographed juv. Bar-tailed Godwit at MacKerricher S.P. 6-16 Aug (ph. †MMtt, †DT, †JRW, †GEC, vt. LLu, m.ob.) was Mendocino's 2nd; another flying n. past Año Nuevo Pt. 3 Sep (PJM) would be San Mateo's 4th.



One of several recorded in fall 2006 off California, this Streaked Shearwater was photographed in Monterey Bay on 15 October; the species has been detected annually in the Region in recent years. *Photograph by Steven N. G. Howell.*

About 42 Semipalmated Sandpipers were reported in 18 counties, with the last being at FI. 16 Sep (RbF). A worn ad. Red-necked Stint at L. Tolowa 11 Aug (vt. Lucas Brueg) is the 2nd for Del Norte and the 5th for the Re-

gion. A Long-toed Stint reported from the Caspar Cr. mouth 23 Aug (†JRW, †DT) would be Mendocino's first and California's 2nd if accepted by the C.B.R.C. Baird's Sandpipers were widely reported 3 Aug–29 Sep; one at Moonglow Dairy, Monterey 26 Nov (†RF, JSo) was one day shy of the latest for the Region Modest numbers of Pectoral Sandpipers included 12 in Nov, including a late bird 24 Nov at Black Butte Forebay, Tehama (RoS). Five Sharp-tailed Sandpipers were reported: along 6th Avenue in se. Kings 17 Sep (3rd county

record; JRow, FrO et al.); at F.I. 6 Oct (juv.; ph. RbF); near Gustine, Merced 10 Oct (juv.; †PJM); at the Arcata S.T.P., Humboldt (juv.; KGR, DCo); and at Shollenberger Park Sonoma 7 Nov (juv.; ph. LHg). Only 5 Stilt Sandpipers were reported, 3 from Humboldt 3 & 9 Sep (ScC, SMcA) and 2 late birds in Alviso, Santa Clara 3-11 Nov (MJM, SCR, ph. WGB, ph. MMR). Eight Buffbreasted Sandpipers were reported from five coastal counties: at Asilomar S.B., Monterey 28-29 Aug (juv., BJW, ph. DR, ph. BHl, m.ob.); at Big Lagoon, Humboldt 30 Aug (Amber Transou et al.); at L. Tolowa, Del Norte 4-8 Sep (up to 2 juvs.; ADB Joe D. Gartland, Lucas Brueg); at

the Pilarcitos Cr. mouth, San Mateo 6-14 Sep (juv.; AJ, ph. Alan Walther, ph. DWN); at Abbotts Lagoon, Marin 19 Sep-2 Oct (2 on last date; Mark Butler, JsC, m.ob.); and near Ft Dick, Del Norte 25 Sep (juv.; Lucas Brueg). A



With over 20 Manx Shearwaters reported off Northern California in autumn 2006, one wonders whether the species increasing in the Region or just being more readily detected. This bird was smartly photographed in Monterey Bay on 22 October. Photograph by Clay Kempf.

whopping 32 Ruffs were reported from 17 counties, including at least 5 from Santa Clara and 4 each from Humboldt and Monterey. Notable were reports from Pleasant Grove, Sutter 18 Aug (2 birds; TEa), the former U.S. Naval Air Station at Alameda, S.F./Alameda 8 Sep (first S.F. record away from Fl., juv.; JSL, Leora Feeney), the American Canyon wetlands 1-

22 Oct (Napa's 3rd, juv. male; LKe, MBe, JLx, JCS), n. of Alpaugh, Tulare 14-16 Oct (juv. female; KiK, †SDS), and the above-cited first Madera record. Up to 3 juv. Short-billed Dowitchers at the Mud Lake S.T.P. 23-28 Aug were the first for Alpine (JCS, JSL, SAG). Red Phalaropes were scarce everywhere, and completely absent on many pelagic trips, but a few were located slightly inland around S.F. Bay 27 Aug-18 Sep.

GULLS THROUGH ALCIDS

The first Glaucous Gull of the season was at Pigeon Pt., San Mateo 27 Nov (Stefan Schlick). Elegant Terns are typically present in relatively small numbers in s. San Francisco Bay, so 1400 off Coyote Pt., San Mateo 2 Aug (RSTh) and 1040 off Hayward, Alameda 25 Aug (MJM) were unprecedented. Also unprecedented was a group of

23 Common Terns at the Kansas Ave. Ponds 2 Sep (John Lockhart, ph. SDS), a first for Tulare. Three Common Terns at East Park Res. 6 Sep (†]CS) were a Colusa first. Arctic Terns were quite scarce offshore, where they normally occur in numbers. Inland, where this species is always scarce, one was at Crowley L., Mono 23 Sep (JuH). Black Skimmer numbers continue to increase, as indicated by 31 at Redwood Shores, San Mateo 13 Sep

(RSTh). South Polar Skuas were present in approximately normal numbers, with a maximum of 26 on Monterey Bay, Monterey and Santa Cruz 30 Sep (ShJ). On the other hand, Long-tailed Jaegers were quite scarce this year, with only one day of doubledigit numbers: 32 off Ft. Bragg, Mendocino 14 Aug (ShJ). In the interior, where this species is always quite rare, a juv. at Camp Far West Res. 27 Aug (GjH et al.) was a first for Yuba and probably for the C.V. portion of Placer. One can only speculate whether this species occurs much farther offshore some

years, or if significant annual fluctuations reflect real population differences between years. An ad. Thick-billed Murre was found dead at Asilomar S.B., Monterey 1 Aug (ph. BLS, MtB). Xantus's Murrelets were quite scarce in the Region, with the only reports being one near Cordell Bank, Marin 24 Sep (ShJ) and 2 off Ft. Bragg, Mendocino 13 Aug



Yet another record of Greater Shearwater for California came from Monterey Bay 15 October 2006—the same day as birders documented a Streaked Shearwater nearby. Photograph by Steve N. G. Howell.

(ShJ). There were no reports of Craveri's Murrelet. A Horned Puffin was off Mendocino Headlands S.P., *Mendocino* 3-9 Aug (SSa, Alan Whitehead, OsJ et al.).

DOVES THROUGH FLYCATCHERS

A banner season for White-winged Doves saw no fewer than 21 individuals reach coastal or near-coastal areas 1 Aug-3 Nov. One at Markeleeville 3 Nov was a first for Alpine and an exceptional find e. of the Sierra (TEa); singles at San Jose 14 Aug (BGE) and San Martin 19-20 Sep (SCR et al.) furnished the 4th and 5th records for Santa Clara. An Inca Dove at Muir Beach, Marin 1 Sep (Dave MacKenzie, m.ob.) was thought by most to be an escapee. A cooperative Common Ground-Dove at Terrace Pt., Santa Cruz 13-19 Oct was the first documented in the Region in at least a decade (†SGe, †LGo, Wally Goldfrank, ph. JCS, m.ob.). The presence of Yellow-billed Cuckoos at Cock Robin I. was noted through at least 31 Aug (Greg Gray); 3 birds there on 5 Aug provided a new single-site high count for Humboldt and further fueled hopes that breeding may be taking place (Cameron Rognan). A Greater Roadrunner w. of Winters, Yolo 25 Oct provided the first report from Putah Cr. Canyon in "many years" (JTr). A Long-eared Owl near McArthur 18 Nov provided just the 2nd record for Shasta (ph. B&CY, Ken Able et al.); another Long-eared 10 Nov provided a first for the heavily birded Carmel R. mouth, Monterey (ph. SDry). No fewer than 8 Long-eareds were tallied at F.I. 28 Sep-29 Oct, including a new single-day high count of 4 on 29 Sep (P.R.B.O.). A Shorteared Owl 7 Oct at the Presidio was an excep-

tional find for mainland S.F. (PSar). Fifteen Short-eareds were recorded on F.I. 28 Aug—8 Nov (P.R.B.O.). An unidentified nighthawk reached the coast at Wilder Ranch S.P., Santa Cruz 14 Oct (Barry McLaughlin). Chimney Swift sightings at Big Sur R. mouth, Monterey continued through at least 20 Sep and included a high count of 8 on 16 Aug (ph. OsJ, MtB, RyT, BLS).

Six Black-chinned Hummingbirds in coastal Santa Cruz 23 Aug-17 Sep and 3 more in S.F. 1-9 Oct continued a recent pattern; singles reached Marin at outer Pt. Reyes, where less expected, 13 Aug (RS) and 23 Sep (RyT, SBT, LTer, MtB, Os]). Three Yellow-bellied Sapsuckers were reported: 3 Nov at Woodfords (first for Alpine; TEa), 12 Nov+ at Ed Levin C.P., Santa Clara (DvWb, m.ob.), and 19 Nov at L. Success, Tulare (SDS). A Pileated Woodpecker 11 Nov at Grover Hot Springs,

Alpine provided a rare record for the e. slope of the Sierra (JCS, TEa). An unidentified woodpewee 1 Nov at Neary Lagoon provided just the 2nd Santa Cruz record for Nov (Scott Smithson, Paul Miller). A Yellow-bellied Flycatcher reported from Fl. 7 Oct (†Jared Wolfe) awaits approval from the C.B.R.C. A well-studied Empidonax on Fl. 8-11 Sep was strongly believed to be an Alder Flycatcher; if accepted by the C.B.R.C., it would represent just the 3rd

A Taiga Flycatcher along Putah Cr., w. of Winters, Solano/Yolo, was a remarkable find 25 Oct (ph. JCS, ph. SBT et al.). A lucky few were able to reach the site and see the bird that afternoon, but the eager throng that assembled the following morning left disappointed. This first state record provided the first North American record s. of Alaska (where there are approximately 15 records; fide Thede Tobish) and just the 2nd for fall. Auspiciously, the Taiga Flycatcher also represents the first new non-introduced bird family (Muscicapidae) to be recorded in California since 1939 (when an Anhinga was discovered at L. Merced, S.F.). Although several species of Asian passerines have been found along the California coast and on offshore islands, only singles of Northern Wheatear, Rustic Bunting, and Brambling have ever been recorded inland in the Region.

Regional record and the 5th for California (b.: †MtB, vt. |Tz, ph. RbF, Jared Wolfe). Seven Least Flycatchers 29 Aug-8 Oct were on F.I. or the immediate coast, the lone exception being one along Coyote Cr., Santa Clara 8 Oct (SCR). Vagrant Eastern Phoebes were at Davis, Yolo 16 Oct (MP) and Terrace Pt., Santa Cruz 20 Oct (†SGe). One of the Region's rarest vagrant passerines, single Great Crested Flycatchers were at outer Pt. Reyes, Marin 12 Oct (ph. Jukka Jantunen) and the Big Sur R. mouth, Monterey 13 Oct (b.; B.S.O.L.). Twenty-eight Tropical Kingbirds were tallied 22 Sep-14 Nov, including rare sightings away from the immediate coast at South S.F., San Mateo 19 Oct (ASH), San Jose-Santa Clara W.P.C.P., Santa Clara 6 Nov (SCR, RGJ, MJM, DMa), and Ben Lomond, Santa Cruz 8 Oct (ph. Adam Romswinckel-Guise). Six Eastern Kingbirds were tallied, the most noteworthy being one 5 Aug flying nw. over Neary Lagoon, Santa Cruz (SGe) and the lone inland report, one 8 Sep at the U.C.H.R.E.C. (RJK, GEC, Barbara Dolan, C. Watson, G. Heineken). Remarkable was a Fork-tailed Flycatcher 28 Sep n. of Yuba City, Sutter (ph. Kevin Putnam). Just the 2nd record for the Region and California, the presence and the true identity of the bird went unreported until a month after the sighting, when photographs were shown to a more experienced birder (PBS).

SHRIKES THROUGH PIPITS

Northern Shrikes are expected in winter along the Region's n. coast in Humboldt and Del Norte but are virtually accidental along the coast as far s. as the S.F. Bay Area, so an imm. at the Presidio, S.F. 20 Oct (†HuC) and an ad. at Bolinas Lagoon, Marin 6-7 Nov (KH) were stellar finds. A Bell's Vireo near Galt 11 Aug (DGY) provided a rare record for Sacramento and San Joaquin and continued the recent string of C.V. sightings. A Yellow-throated Vireo made a brief appearance on outer Pt. Reyes, Marin 1 Oct (†Thomas Wurster, Liga Auzins et al.). Four Blue-headed Vireos were reported 9 Sep-3 Oct, though the only one for which we received details was at Mad River C.P., Humboldt 9 Sep (†DCo, Adam Wachtel). This would tie the earliest fall record for California if accepted by the C.B.R.C. Six Philadelphia Vireos were reported 5 Sep-15 Oct, though one at L. Merced, S.F. 14 Oct (†BFi, LLu, CLu) was the only one for which any details were received. Fourteen Red-eyed Vireos 5 Sep-10 Oct, including at least 7 from Hum-



Eleven American Golden-Plovers, all juveniles, were reported in autumn 2006 in Northern California, including this bird present at Virgin Creek Beach in MacKerricher State Park, Mendocino County 1 (here) through 5 October 2006. Six of these birds were first detected in November, rather late. *Photograph by Matthew A. Matthiessen.*

boldt, was higher than the recent fall average. A heavily watched Yellow-green Vireo graced outer Pt. Reyes, Marin 26 Sep-2 Oct (RS, ph. MWE, m.ob.). A Chestnut-backed Chickadee 13 Oct provided just the 2nd record for outer Pt. Reyes, Marin (RS). A single Pygmy Nuthatch 17 Sep was just the 2nd ever found on F.I. and the first since 1969 (RyT, †ITz et al.). The expected nuthatch on El., Redbreasted, was completely absent there this fall (fide ITz). Out-of-place Rock Wrens were at Stanford, Santa Clara 25 Sep (DSt), near the Cliff House, S.F. 29 Oct+ (ASH, m.ob.), and at San Mateo, San Mateo 11-24 Nov (ADeM et al.). A singing Canyon Wren 16 Aug at Big Sur R. mouth, Monterey was a local rarity (ph. OsJ); Canyon Wrens are exceptional anywhere along Region's coast.

The season's six reports of Gray Catbird included an Alameda first at Hayward R.S. 5 Sep (RJR, m.ob.), and Mono's first fall record 24 Sep near Lee Vining (JuH, BrtM, m.ob.). Gray Catbirds were also in Humboldt at Mad River C.P. 16 Oct (†Ron Melin, ph. DCo, ph. ScC), in Marin at Pt. Reyes 30 Sep (†ES, Mike McClaskey), in S.F. 8-16 Sep (DvA, CLo, Kathy

Robertson), and in Santa Cruz at Rancho Del Oso 15-30 Oct (DLSu, CGE). The Santa Cruz catbird was that county's 3rd or 4th record and the first since 1991. A Northern Mockingbird present mid-Sep—mid-Nov near L Earl, Del Norte (Onik Arian, m.ob.) was locally notable. Three reports of Brown Thrasher included one found dead near Patrick's Point S.P., Humboldt 17 Nov (Jeff Alan) and 2 banded on Fl. 11-16 Oct (P.R.B.O.). Del Norte's 2nd Red-throated Pipit record was documented by a sound recording 27-29 Sep (RLeV) Red-throated Pipits were also at Pt. Reyes, Marin 29 Sep (RS, Len Blumin), Carmel R. mouth, Monterey 1 Oct (DR), and at Light-

house S.B., Santa Cruz 11 Nov (SGe).


WARBLERS

Observers all along the coast noted the exceptional variety and abundance of uncommon and vagrant warblers this season. The total number of individuals (587) was the highest for our Region since the banner year of 1991 and the species total (24) the highest since 2001. The only Blue-winged Warbler, found near the Carmel R. mouth, Monterey 27 Oct (MtB, RyT, ph. DR, ph. BHl, m.ob.), was present through Dec. An impressive total of 49 Tennessee Warblers included 13 in Marin and 12 in S.F., with 6 of

the latter on El. The only C.V. report for this species was from Putah Cr., Solano 9 Sep (RMu). A Virginia's Warbler at Hayward R.S., Alameda 19 Sep was the first in 10 years at that location (RJR). Other Virginia's Warbler



This Buff-breasted Sandpipers was present at the Pilarcitos Creek mouth, San Mateo County, California 6-14 (here 10) September 2006. *Photograph by David W. Nelson*.



Reports of leucistic shorebirds are received occasionally, but seldom are they so nicely documented as this Western Sandpiper in Alviso, Santa Clara County, California 19 September 2006 (here); the bird remained here through 5 October. Photograph by Larry Semo.

reports included singles from Pt. Reyes, Marin 26 Aug (RS) and 24 Sep (Toby Romer) and one near L. Merced, S.F. 27 Sep-3 Oct (BFi, DWN, MWE, m.ob.). Thirteen Northern Parulas were found in eight different counties, 3 in Monterey, 2 each in Humboldt, Marin, and S.F. and one each in Mendocino, Mono. San Mateo, and Santa Clara. The Mono parula, at Rush Cr. 2-12 Aug (CMc), was a juv., suggesting this species may have bred nearby. The Region's 58 Chestnut-sided Warblers were reported from every coastal county except Del Norte. Away from the coast, Santa Clara recorded its 6th and 7th Chestnut-sideds; single birds were in Contra Costa, Mono, and Solano. The Solano Chestnut-sided, found at the Benicia S.R.A. 10-16 Sep (EPi, m.ob.), is believed to be the 2nd county record. Magnolia Warblers were present in large numbers, with 39 the highest total since 1999. The Magnolia found at Anderson River Park 9 Sep (†RoS, Cathy Santry) provided the 3rd record for Shasta. We count ourselves lucky to find one or 2 Cape May Warblers each fall, so this season's total of 6 was astounding. The Region's nw. corner was particularly blessed, with Del Norte hosting 2 Cape Mays, one s. of Crescent City 18 Sep (Onik Arian) and one near L. Earl 27 Sep (RLeV, SMcA). Humboldt added another at Shelter Cove 27 Sep (†Adam Brown). Singles were on El. 1-3 & 27-28 Sep (P.R.B.O.), and one was in Foster City, San Mateo 3 Oct (RSTh, ADeM). Eight Black-throated Blues included Mendocino's 2nd record, 5 Oct (JHv, DT, KHv), and a very late bird banded on El. 26 Nov (P.R.B.O.). A Black-throated Green Warbler at Rancho Del Oso 15 Oct (DSLu) was Santa Cruz's 5th record. S.F. had 2: one on F.I. 30 Sep. (P.R.B.O.) and one at the Presidio 7 Oct (PSar, †MWE). Another Black-throated Green was

at Pt. Reyes, Marin 30 Sep (Ed DeBellevue, GDg, DWN). There were 22 reports of single Blackburnian Warblers, the bulk of those from Marin (11) and S.F. (6). Mendocino recorded its first Blackburnian, a hatch-year female at Sinkyone Wilderness S.P. 19 Sep (JRW). A Regional highlight was a Yellowthroated Warbler at Pt. Reyes, Marin that stayed 16-28 Sep (Scott Schneider, BDP, David Hofmann, ph. DWN, m.ob.). Of the 14 Prairie Warblers in the Region, one 21 Aug at Pt. Reves (RS) was the earliest Marin record by 10 days, and another early bird provided Mendocino's 2nd record 24 Aug (†DT). The 125 Palm Warblers were all in coastal counties, although one 23 Oct near Garberville in Humboldt was well inland (RBS, Doug Wallace et al.). Two Bay-breasted Warblers were reported from Humboldt, but descriptions were sketchy or non-existent. Another Bay-breasted was at



This Empidonax, thought to be an Alder Flycatcher, was present on Southeast Farallon Island, California on 8 (here) through 11 September 2006. If accepted by the California Bird Records Committee, it will represent just the fifth record for the state. Photograph by Rob Fowler.

Pt. Reyes, Marin in Sep (fide RS), but the exact date is unknown. Our 84 Blackpoll Warblers included San Benito's first at Paicines Res. 27 Sep (DLSh). A Sacramento bird found on 1 Oct (JTr) could only be safely identified as a "Baypoll" (Blackpoll or Bay-breasted).

Black-and-white Warblers in Modesto 23 Sep (first for Stanislaus, ERC) and Gray Lodge W.A., Butte 26 Aug (JH) were the only two inland records among the 41 individuals reported this season. Among the 71 American Restarts was Trinity's first, a hatch-year bird banded at Hocker Flat 17 Oct (Dean Sedgwick), and Solano's first at Putah Cr. 25-27 Sep (MBe, RMu, JLx, RLCL). Other notable red-


starts included singles in Sacramento 2 Sep (TEa, Tanner Easterla), Fresno 16 Sep (Pete Fahey), and Mono on the late date of 18 Nov (JuH). The season's one Prothonotary Warbler was in San Mateo at San Bruno Mountain State and County Park 4-5 Oct (Herb Brandt). Three Ovenbirds were on F.I. (P.R.B.O.), 2 were in Marin (RS), and singles were in Humboldt 24 Oct (†COg, KMS, PAH, ph. KGR), Sonoma 5 Sep (DN, BDP), and at C.R.P. 1 Oct (first Sacramento record; [Tr). Twenty Northern Waterthrushes included one returning for its 5th winter to Charleston Road marsh, Santa Clara (MDo, m.ob.). A Kentucky Warbler at Westport 22-23 Sep (CEV, GEC, JRW) was Mendocino's first. Seven Connecticut Warblers was a remarkable total for the Region. Five of those were on F.I. between 3 Sep and 29 Oct (P.R.B.O.). Singles were in Arcata, Humboldt 15-16 Sep (ph. KGR, †DCo, ph. vt. SMcA) and Pt. Reyes, Marin 27-29 Aug (Mark Butler, Mary Ann Rotello, Heather Cameron, RS). Completing a fine season for Oporornis warblers was a Mourning Warbler on F.I. 11-12 Sep (P.R.B.O.). A Hooded Warbler at Spring Lake Park, Sonoma spent the summer and was last seen 4 Sep. Another Hooded was in S.F. 5 Oct (DvA), and the season's 3rd was at Natural Bridges S.B., Santa Cruz 5-7 Sep (LGo, MSc, SGe, m.ob.). Seven Canada Warblers included Santa Cruz's 6th and 7th records, plus 2 in Marin, 2 in San Mateo, and one in Monterey.

TANAGERS THROUGH ORIOLES

Only 2 Summer Tanagers were reported this season, one banded on El. and the other a rare Contra Costa find near Danville 14 Sep (PEG). The only Scarlet Tanager was on El. 27 Oct (P.R.B.O.). Seven coastal Green-tailed Towhees were in S.F. (3), Monterey (2), and Santa Clara (2), 24 Sep—24 Oct. It was raining Spizella sparrows this fall. Eight American Tree Sparrows, 39 Brewer's, and 118



Great Crested Flycatcher, a rare transient to California, was found at Point Reyes National Seashore, Marin County 12 October 2006 (here). Photograph by Jukka Jantunen.



This Fork-tailed Flycatcher near Yuba City, Sutter County, California 28 September 2006 was just the second ever found in the state and the first since 1992. Photograph by Kevin Putnam.

Clay-coloreds are numbers that have not been seen in our Region for many years. Notable American Tree Sparrow reports include *Shasta*'s 6th on 28-29 Nov (Ken Able, †BED, RoS) and 2 at Yolo Basin W.A., *Yolo* 20-26 Oct (Mary Schiedt, ph., m.ob.), with at least one remaining through the period. *Solano* recorded its 5th Clay-colored Sparrow on Putah Cr. 9 Sep (RMu), and a Clay-colored at Llano

Seco Unit of Sacramento N.W.R. (Scott Huber, JHS, John Lewis, Mike Skram) was a good find for Butte. San Benito had its 4th and 5th Brewer's Sparrow records 3 Sep and 5 Oct (both DLSh). Seven Vesper Sparrows in San Mateo was the most ever for that county. A Black-throated Sparrow in Panoche Valley was San Benito's 3rd (DLSh), and a bird at C.R.P. 26-28 Oct (JTr, ph. CCo) was an excellent C.V. find. Four of the 7 Lark Buntings were in S.F. (3 on FI.), with singles in Monterey, Marin, and Humboldt. Mon-

terey had 2 Nelson's Sharp-tailed Sparrows, one 27-28 Oct at the Carmel R. mouth (ph. MtB, ph. BHl et al.) and one at Moss Landing 5 Nov (John Thompson). Alpine's first Swamp Sparrow 28 Sep (TEa) was one of 56 reported this season, with Humboldt accounting for 23 of those. Humboldt also led the way with 3 of our 5 Harris's Sparrows.

The season's only Snow Bunting, found 19 Oct near the mouth of Redwood Cr. in Humboldt, would be the earliest ever for California if accepted by the C.B.R.C. (†KI). Five of our 33 Rose-breasted Grosbeaks were inland, one in Lassen, one in Yolo, and a surprising 3 in Sacramento. Ten Indigo Buntings included one summer holdover in Sacramento. Dickcis-

sels were in Humboldt 9 Oct (KI), on F.I. 12-13 Oct (P.RB.O.), and in San Mateo 1 Sep (AJ). A Bobolink at Herbert Wetland Prairie Preserve 6 Sep (†RH) was Tulare's first. A Rusty Blackbird was banded on F.I. and hung around 31 Oct-4 Nov (ph. P.R.B.O.). Great-tailed Grackles continued to consolidate their place in the Region, with a male and female giving Sierra its 4th and 5th records, new highs for Contra Costa, Santa Cruz, and Solano, and the first fall record for San Mateo. All of our 9 Orchard Orioles were found

along the coast from Marin to Santa Cruz 31 Aug-9 Nov. A Baltimore Oriole was banded on F.I. 29 Sep (P.R.B.O.), and an ad. male was in Santa Cruz 4 Sep (KAr, Emma Arul).

Cited observers (county coordinators in boldface): David Armstrong, Kumaran Arul, Alan D. Barron (Del Norte), Murray Berner (Napa), William G. Bousman (Santa Clara),



This Blue-winged Warbler, representing the Northern California Region's first fall record since 2001, was found near the Carmel River mouth in Monterey County 27 (here 28) October 2006. It remained through the period and over the winter. Photograph by Don Roberson.

Matthew Brady (MtB), Eric R. Caine, Scott Carey, George E. Chaniot; Josiah Clark, Luke W. Cole (Kings), Daryl Coldren, Chris Conard (Sacramento & Yolo), Hugh Cotter, Jeff N. Davis (Madera), Gary Deghi, Al De-Martini, Bruce E. Deuel (n. C.V. counties), Matthew Dodder, Stan Dryden, Todd Easterla, Mark W. Eaton (San Francisco), Ray Ekstrom (Siskiyou), Bruce G. Elliot, Chris G. Emmons (CGE), Brian Fitch, Tim Fitzer, David Fix (Humboldt), Rick Fournier (RF), Rob Fowler (RbF), James H. Gain (Stanislaus), Steve Gerow, Steve A. Glover (Contra Costa), Lois Goldfrank, Philip E. Gordon, Helen Green, Steve C. Hampton, Keith Hansen, Rob Hansen, Jim T. Havlena, Karen A. Havlena,

Gjon Hazard, Pablo A. Herrera, Rob Hewitt (RHe), Bill Hill, Justin Hite, Alan S. Hopkins, Steve N. G. Howell, Lisa Hug, John E. Hunter (Trinity), Ken Irwin, Alvaro Jaramillo, Richard G. Jeffers, David A. Jensen, Oscar Johnson, Shearwater Journeys, Robert J. Keiffer (Mendocino), Larry Kent, Jon King, Kim Kuska, Kimya L. Lambert, Cathie LaZier, Robin L. C. Leong (Solano), Ron LeValley, Cindy Lieurance, Leslie Lieurance, Jim Lomax, Calvin Lou, John S. Luther, Michael J Mammoser, Dean Manley, Matthew A Matthiessen, Sean McAllister, J. Mac Mc-Cormick (Plumas & Sierra), Chris McCreedy, Peter J. Metropulos (San Mateo), Bartshe Miller, Roger Muskat, Dan Nelson, David W Nelson, Kristie N. Nelson (Mono), Chet Ogan, Frances Oliver, Ed Pandolfino (Placer), Benjamin D. Parmeter, Michael Perrone, Eric Pilotte, Jude C. Power (Humboldt), Peter Pyle, David C. Rice, Robert J. Richmond (Alameda), Don Roberson (Monterey), Michael M. Rogers, Kerry G. Ross, Stephen C. Rottenborn, James Rowoth, Ruth A. Rudesill (Sonoma), Salvatore Salerno, Peter B. Sands, Rob Santry (RoS), Paul Saraceni, Barbara Scharfenstein, Michelle Scott, Jeff Seay, Debra L. Shearwater, Keith M. Slauson, Jim H Snowden, John Sorenson, Rich Stallcup, John C. Sterling (Modoc, Alpine, & Calaveras), Tim Steurer (Amador & El Dorado), Emilie Strauss, Dick Stovel, David L. Suddjian (Santa Cruz), Brian L. Sullivan, Steven D. Summers (Tulare), Robert B. Sutherland, Linda Terrill, Ryan Terrill (Marin), Scott B. Terrill Ronald S. Thorn, Jim Tietz (F.I.), Dorothy Tobkin, Francis Toldi, John Trochet, Steve Umland (Tuolumne), Chuck E. Vaughn, Kent Van Vuren (Merced & San Benito), David Vander Pluym (Mariposa), Dave Weber (DvWb), Brian J. Weed, Jerry R. White (Lake), Brian D C. Williams (Nevada), Gary Woods, David G Yee, Bob & Carol Yutzy (Shasta). Many more observers are not specifically cited; all are appreciated.

Steven A. Glover, (Doves to Wrentit)
6526 Conestoga Lane, Dublin, California 94568
(countylines@sbcglobal.net)
Ed Pandolfino, (Thrashers to Finches)
5530 Delrose Court, Carmichael, California 95608
(erpfromca@aol.com)
Scott B. Terrill, (Loons to Frigatebirds, Larids to Alcids)
H.T. Harvey & Associates
3150 Almaden Expressway, Suite 145
San Jose, California 95118
(sterrill@harveyecology.com)
Michael M. Rogers
(Waterfowl to Quail, Herons to Shorebirds)
499 Novato Avenue, Sunnyvale, California 94086

(m.m.rogers@comcast.net)