Western Great Lakes



Adam M. Byrne

The season started with cold temperatures but quickly transitioned to mild conditions that lingered through January. A change in the Polar Jet Stream then brought down frigid Arctic air for much of February. Minnesota reported below-average precipitation for December and January. Duluth actually had a brown Christmas: this northern outpost's first significant snowfall did not occur until late February!


Observers were treated to many rarities, most impressive among them the multiple Slaty-backed Gulls in both Minnesota and Wisconsin. Minnesota and Michigan reported American Three-toed Woodpeckers, Greentailed Towhee, Gray-crowned Rosy-Finch, and Eurasian Tree Sparrow. Other highlights were Curve-billed Thrasher in Minnesota and Great-tailed Grackle in Wisconsin, while Michigan reported Vermilion Flycatcher, Black-billed Magpie, Black-throated Gray Warbler, and Bullock's Oriole.

WATERFOWL

Rare mid-winter records for Minnesota were Greater White-fronted Geese in Olmsted 27 Dec-1 Jan (JWH) and Lac Qui Parle 12 Jan (BJU) and a Ross's Goose in McLeod 16 Dec-18 Feb (DMF, PRH). Single Ross's Geese were also reported on 16 Dec in Rice, MN (RBW) and Dane, WI. Wisconsin reported numerous wintering Cackling Geese, with a peak of 21 in Iowa 12 Jan (AH). Minnesota's Cackling Geese were scattered across 11 s. counties, while Michigan had singles on 16 Dec in Midland (JS, JZ) and Washtenaw (DC), 10 in Saginaw 18 Dec (DJP), and 3 in Huron 7 Jan (JCD). Noteworthy in Minnesota were 2 Greater Scaup at Duluth, St. Louis through 1 Jan (PHS), a female in Benton 5 Feb (HHD), and another in Hennepin through 17 Feb (m.ob.).

An imm. male King Eider was a pleasant surprise at Grand Haven, *Ottawa*, MI 21-22 Feb (CD, FD, CF, CP). Minnesota had a nearaverage 4 Harlequin Ducks on L. Superior, including 2 in Dec–Jan at Canal Park, Duluth, *St. Louis*, with one through 18 Feb. Wisconsin reported singles from nine locations and 2 in

Kenosha 6 Jan (PSc), while Michigan had one in Berrien 9 Dec (MJC) and up to 4 at Port Huron, St. Clair 29 Dec-3 Jan (ATC). Michigan reported good numbers of all three scoters. Wisconsin had lingering fall Whitewingeds through 10 Dec in Douglas (PHS). In Minnesota, singles were present in Washington 3-11 Dec (m.ob.), in Lac Qui Parle 19 Dec (BJU), at Two Harbors, Lake through 28 Jan (JWL), and at Duluth, St. Louis through 18 Feb (m.ob.). Exceptional for Minnesota was a Black Scoter on Ten Mile L., Cass 11 Dec (BAW et al.). Minnesota reported low numbers of Long-tailed Ducks along L. Superior and singles inland in Cass/Morrison 1-4 Jan (BAW et al., RBJ) and in Washington 13-15 Jan (PEB, m.ob.). Wisconsin's largest concentration was of 1000+ in Sheboygan 19 Dec (DT); the state also had an inland record of 2 on 8 Feb in Winnebago (DK). Wisconsin had 2 Barrow's Goldeneyes on the Kenosha C.B.C., as well as singles in Milwaukee 24 Dec (MB) and



This female American Three-toed Woodpecker in Keweenaw County, Michigan 9 December 2006 was one of at least two birds at this site and up to five reported statewide. The species dispersed widely in winter 2006-2007, particularly in Ontario and Québec. *Photograph David Pavlik*.

Ozaukee 31 Jan (DT); Minnesota had an ad. male on the Mississippi R., *Dakota* 19 Jan–1 Feb (KJB, CMB, PEB, JPM).

LOONS THROUGH RAPTORS

Wisconsin had a phenomenal six Red-throated Loon reports from six counties, including an amazing 15 in *Sheboygan* 20 Dec (DT); Michigan had birds in four counties. The lone Pacific Loon was in *Milwaukee*, WI 2 Dec (JH). Wisconsin had a Pied-billed Grebe winter in *Dane* (ST), single Horned Grebes on 6 Jan in *Sheboygan* (TW) and *Ozaukee* (KK), and single Red-necked Grebes in *Manitowoc* 10 Jan (FS) and in *Ozaukee* 19 Feb (DT). Michigan reported Red-neckeds from five

counties, including an unusual inland record at Baw Beese L., Hillsdale (JR). Rare in Michigan were Western Grebes in Chippewa 23 Dec (SH, LD, JRa; p.a.), Berrien 22-28 Dec (PCC, WG; p.a.), and Marquette 30 Dec (BV), as well as a Western/Clark's 30 Dec in Keweenaw (IK). A tardy American Bittern was found in Saginaw, MI 5 Dec (EPD). Michigan had late Great Egrets in Monroe 1 Dec and Wayne 3-4 Dec (WGP), and an odd lingering egret in Washtenaw 10 Dec-14 Jan (MSJ). Wisconsin also had a tardy egret present through 8 Jan in Ozaukee (DG). Michigan had 2 Black-crowned Night-Herons in Monroe 17 Dec (ATC), and at least 2 spent the winter in Wayne (WGP); Wisconsin had a late Blackcrowned in Marquette 15 Dec.

A mid-winter Turkey Vulture in Walworth, WI 5-9 Jan (JJ, DG) was unusual. An Osprey on the Little Bay De Noc C.B.C., Delta, MI was very unexpected. Wisconsin had a lackluster season for Northern Goshawks, with only three reports statewide. Golden Eagles were reported in good numbers from all three states. Wisconsin had 4 different Gyrfalcons, most unusual being one patrolling fields in Grant 15 Dec (RH). Minnesota had ad. gray morphs near Hastings, Dakota 19 Jan+ (BSe, JPM, DAC, m.ob.) and at Duluth, St. Louis 3 Jan-16 Feb (DLE, PHS, m.ob.), both of these birds likely returning individuals from previous winters. Michigan's only Gyrfalcon was in Marquette 27 Jan+ (RDR).

RAILS THROUGH JAEGERS

Wisconsin reported a Virginia Rail in Jefferson 10 Feb (MP). Michigan had 3 late Killdeer in Manistee 16 Dec (TG); more difficult to classify were 3 on 29 Jan (TB, MH) and up to 6 from 8-18 Feb (TB, PU) in Berrien, one in Hillsdale 27 Feb (JR), and 2 in Van Buren 28 Feb (MHW). Wisconsin had up to 4 Purple Sandpipers through 1 Jan in Sheboygan (DT) and another in Racine 28 Dec (JD); Michigan had up to 2 at New Buffalo, Berrien 2-22 Dec (MH, KM), one in Muskegon 21 Dec-2 Jan (JP, PCC), one at Saugatuck, Allegan 2 Jan (RiB), and one in Macomb 9-15 Jan (RP, ET, m.ob.).

Laughing Gulls were found in Winnebago 23-24 Dec and Racine 7 Jan (EH), both Wisconsin. Both Michigan and Wisconsin reported good numbers of Thayer's and Iceland Gulls. Minnesota reported 2 Iceland Gulls at Black Dog L., *Dakota*, a first-cycle bird 2 Dec (JPM, PHS, CLW) and a second-cycle bird 20 Dec–8 Jan (JPM, PEB, m.ob.), plus up to 2 ad. Lesser Black-backed Gulls in *Hennepin/Dakota* through 16 Dec (m.ob.). Wisconsin reported 7 Lesser Black-backeds from six counties, while Michigan had birds in 10 counties.

A first-cycle Great Black-backed Gull was

WESTERN GREAT LAKES

SA While always on an avid larophile's target list, **Slaty-backed Gull** is an exceptional find anywhere in the United States. Nobody, however, would have anticipated the presence of at least 3 different birds in Minnesota and Wisconsin! Minnesota recorded its 2nd and 3rd Slaty-backed Gulls (both p.a.) within six months of its first. An ad. was well documented at Black Dog L, *Dakota* 9-13 Dec (JPM, ADS). A fourth-cycle bird discovered on the St. Croix R., *Washington* 14 Jan moved to the Mississippi R. and frequented both Minnesota and *Pierce*, WI through 25 Jan (JPM, MAO, BAF, DWK, PHS, LP). Additional Wisconsin reports were one at Little Lake Buttes des Morts, *Winnebago* 16 Dec–1 Jan and then again on 28 Feb (DT) and one in *LaCrosse* 2 Jan (DJ). A photographic review revealed very similar bill markings between the gulls in *LaCrosse*, WI and *Dakota*, MN/Pierce, WI, suggesting they may have been the same individual (DJ).

present intermittently in *St. Louis*, MN through 6 Jan (m.ob.). More than two weeks later than any previous Minnesota record was a Black-legged Kitiwake at L. Pepin, *Wabasha* 11-12 Jan (DB, JWH et al.). Michigan had a kitiwake in *Berrien* 13-17 Dec (TB, MH, m.ob.) and a Parasitic Jaeger in *St. Clair* 2 Dec (AJR).

HUMMINGBIRDS THROUGH WARBLERS

Wisconsin hosted the only Selasphorus hummingbird through 8 Dec in Green (JRo). Michigan's only Eurasian Collared-Doves were in Grand Traverse, where they have been present for the past three years. Minnesota had record-high counts of 43 in Renville 13 Dec (PME) and 22 in Brown/Cottonwood 28 Jan (BTS), as well as reports from an additional nine counties; Wisconsin had seven reports from five counties. Minnesota reported below-average Snowy and Northern Hawk Owl numbers. Michigan had at least 10 Snowy Owls in seven counties and Wisconsin reported only 6 birds; neither state reported Northern Hawk Owl. Great Gray Owls were also in low numbers; Minnesota had birds in five counties, Wisconsin reported one in Shawano 16 Dec (RBr) and 3 in Bayfield 15 Jan-21 Feb (RB), and Michigan had no reports. Minnesota had more Short-eared Owl reports than normal, including up to 24 wintering in Wilkin, 16 wintering in Anoka, and another 16 on the Warren C.B.C. 30 Dec (fide JMJ). Michigan reported a maximum of 10 Short-eareds from 4 Dec-10 Jan in Saginaw (CS, LA, BG, m.ob.). A Boreal Owl was a rare find on the Little Bay de Noc C.B.C., Delta, MI (JF, MiB).

Minnesota had Yellow-bellied Sapsuckers in Lac Qui Parle 27 Dec (BJU), Dakota 14 Jan (MR), and Houston 6 Feb (AS); Michigan reported at least 7 sapsuckers from six counties. American Three-toed Woodpeckers were found in 10 Minnesota counties, with the southernmost records at the Pine/Carlton line 20-27 Dec (MCA, K&rCR) and in Pine 1-11 Feb (JMP). Michigan's last American Threetoed Woodpecker report was in 2002, so 2 females through 21 Dec in Keweenaw (CP, ZG, JY, m.ob.), one in Alger 28 Dec (SCH, JHo), and one in Marquette 20 Feb+ (RDR) were exceptional. Michigan's 3rd Vermilion Flycatcher lingered through 1 Dec and was found dead on 2 Dec in Marquette (m.ob.). The fall's Gray Jay irruption tapered off by Dec, leaving only a few strays in nw. Minnesota. A skittish Black-billed Magpie frequented a deer carcass in Keweenaw, MI 30 Dec-10 Jan (ZG, JK, m.ob.). Minnesota reported 5 Carolina Wrens from three counties, while the species was much more numerous in both Wisconsin and Michigan. The only Marsh Wrens were 2 in Monroe 17 Dec (ATC) and a very northerly bird in Marquette 11 Jan (ZG), both Michigan. Michigan reported Ruby-crowned Kinglets from six counties.

A female Mountain Bluebird was in Dakota, MN 18-30 Jan (JPM, DAC, m.ob.). Townsend



Furnishing the sixth record for Michigan, this Black-throated Gray Warbler at Grand Rapids, Kent County treated birders 17 through 20 (here) January 2007 before being found dead on 21 January. *Photograph Jeff Schultz*.

Solitaire numbers were below average in Minnesota, with 11 birds in three n. counties and 6 birds in the south. Wisconsin reported a returning solitaire in Sauk 12 Jan (TW) and one in Ashland (RB), while Michigan had 2 at Copper Harbor, Keweenaw (TA, m.ob.) and one in Marguette 11 Jan (ZG). Minnesota reported 20 Varied Thrushes in 14 counties, down from recent years. Wisconsin had 6 Varied Thrushes in six counties, while Michigan had one linger into Jan in Iosco (DKo) and one in Midland 20 Jan-4 Feb (MF). A Gray Catbird lingered through 18 Feb in Lake, MN (B&SN); other catbirds were singles in Berrien, Ml 16 Dec (WEJ) and in Dane, WI 20 Jan (AM). Rare in Michigan's Upper Peninsula was a Northern

Mockingbird in Alger 20 Dec (NFC), while Minnesota had late Jan reports in Hennepin and Lac Qui Parle. Michigan had Brown Thrashers in Berrien 17 Dec (JTW, m.ob.) and Kalamazoo 6-23 Feb (RLL, L&MW). Wisconsin had thrashers in Dunn 20 Dec (MM), Richland 27 Dec (JC), and Dane 29 Jan (BS), while Minnesota had reports from Itasca 7 Dec (EEO), Clay 16 Dec (fide JMJ), and Dakota 11 Jan (R&CP). Minnesota's 4th Curve-billed Thrasher, reportedly present since Aug, lingered through 3 Dec at Nashwauk, Itasca (R≪ p.a.).

Winter American Pipits are becoming almost commonplace in Michigan; this year's reports were one on 5 Dec and 4 on 22 Feb, both in Wayne (ATC), and up to 2 in Berrien 10-18 Feb (DCV, TB). With only three Bohemian Waxwing reports statewide, this was one of Wisconsin's poorest winters for this species in decades. Outstanding was a welldocumented Yellow Warbler at Belle Isle, Wayne, MI 27-28 Dec (AD, N&JG). A Blackthroated Gray Warbler at Grand Rapids, Kent 17-20 Dec (CP) was found dead 21 Dec, providing Michigan its 6th record. A Pine Warbler wintered at a feeder in Outagamie, WI (DT), while Minnesota had a Pine Warbler at a feeder on the Duluth C.B.C., St. Louis 16 Dec (KRE). A Prairie Warbler lingered through 2 Dec in Milwaukee, WI (BA), while Michigan had a Common Yellowthroat in Wayne 17 Dec (ATC).

TANAGERS THROUGH WEAVER FINCHES

Michigan had a rare winter tanager duo: a Summer Tanager lingering through 3 Dec at Grand Marais (TBl, JRa, KZ) and a Western Tanager 6-9 Jan at Munising (RE, SCH), both Alger. Providing Minnesota's 3rd winter record and 5th overall was a banded Green-tailed Towhee that wintered at Mountain Lake, Cottonwood (R&DG, EDu, DAC, m.ob.); photographs documented the band number, and it was eventually determined that this individual was banded as an ASY male at Thunder Cape B.O., Ontario 10 Jun 2006! Not to be outdone, Michigan hosted its 5th winter and 9th overall Green-tailed Towhee in Marquette (LFT, m.ob.). Minnesota reported a male Spotted Towhee in Mower 6-26 Feb (J&JS, RNS) and another in Scott 29 Jan-2 Feb. Wisconsin had Eastern Towhees in Grant 26 Dec (DKi) and an amazing bird in n. Iron 15 Jan+ (RB), while Michigan had a towhee in Bay 29 Jan+ (G&rEP) and 4 in early Feb in Berrien (fide TB). Chipping Sparrows were present in St. Croix, WI 3 Jan+ (MRo), Ramsey, MN 21-27 Jan (SKE), Van Buren, MI 26 Feb (MHW), and Kalamazoo, MI 28 Feb (RS). Minnesota reported a Clay-colored Sparrow, accidental in winter, at a feeder in Olmsted 12 Feb (JWH) and a female/imm. Lark Bunting near Duluth Airport, St. Louis 11 Dec (DAG, KRE, JWL). Michigan had Harris's Sparrows at Hastings, Barry 10 Dec (AK) and Traverse City, Grand Traverse 19 Feb. A phenomenal flock of 10,000 Snow Buntings was present in Landglade, WI 3-4 Jan (DT, TP). Rare in Michigan were 2 different Indigo Buntings, singles in Marquette 16 Dec (JQ) and Houghton 16 Dec-early Jan (O. Mills, J. Kaplan).

A Rose-breasted Grosbeak was photographed at a feeder in Ashland, WI 5-21 Dec (RB). Marking the mild winter were a Yellowheaded Blackbird in Nicollet 12 Dec (RMD) and at least 2 in Lac Qui Parle 31 Dec and 17 Jan (BJU). Minnesota birders reported Rusty Blackbirds from six s. counties and Beltrami, Cass, Lake, and Otter Trail in the north. Wisconsin had Rusty Blackbirds in Waukesha 16 Dec (DG) and Rock 13 Jan (OY), while Michigan's only report was 5 on 17 Dec in Monroe (ATC). Wisconsin's first Great-tailed Grackle was present near Horicon Marsh, Dodge 31 Jan+ (JB, m.ob.). A potential 5th state record was a Bullock's Oriole in Bangor Twp., Bay 3 Dec (G&EP, M&MW; p.a.). Minnesota reported a late ad. male Baltimore Oriole at Rochester, Olmsted 23 Dec (WIK).

Grav-crowned Rosy-Finches were found in both Minnesota and Michigan. Minnesota had 3 of the "interior form" winter near Cloquet, Carlton (MS, m.ob.), while Michigan had its 5th state record at L'Anse, Baraga 17 Dec+ (MHe, CP, JK, m.ob.). Multiple Hoary Redpoll reports came from eight n. counties in Minnesota, while Michigan and Wisconsin had only singles in Marquette 5 Jan (BJ) and Iron 22 Jan (RB), respectively. Observers continue to comment on the declining presence of Evening Grosbeaks. Wisconsin reported a peak of 155 in Ashland 29 Jan (ASh), while Minnesota's high counts were only 40 in Aitkin 3 Dec (K&CR) and 50 in Koochiching 28 Dec (TC). Minnesota's 6th Eurasian Tree Sparrow sporadically visited a feeder at Fergus Falls, Otter Tail 15 Dec-22 Jan (S&DM, D&ST); Michigan's 3rd made a return visit to a feeder at Topaz, Ontonagon 23 Dec-29 Jan (KW, RSe).

Corrigenda: The 6 Ross's Geese reported on 22 Feb at Paw Paw L., *Berrien* included in the winter 2005-2006 report were not accepted by the Michigan records committee. Also in that report, the Northern Hawk Owl at Soo Junction should be in *Luce*, not *Chippewa*.

Contributors (subregional editors in boldface): Betsy Abert, Larry Abraham, Mark C.

Alt, Tom Auer, Tim Baerwald (TB), Karl J. Bardon, Jack Barthlomai, Dedrick Benz (DB), Mike Berg (MBe), Tony Block (TBo), Marilyn Bontly (MB), Ryan Brady (RB), Rick Brigham (RiB), Robert Brodhagen (RBr), Conny M. Brunnell, Paul E. Budde, David A. Cahlander, Donald Chalfant (DC), Allen T. Chartier, Philip C. Chu, Tom Crumpton, John Curnow, Andy Dettling, Ed P. DeVries, Charlie Dewitt, Feller Dewitt, Herb H. Dingmann, John Dixon, Louis Dombroski, Edward Duerksen (EDu), Robert M. Dunlap, Kim R. Eckert, Paul M. Egeland, Simon K. Emms, Robert Epstein, David L. Evans, Mike Fales, Bruce A. Fall, Dan M. Floren, Joel Flory, Chip Francke, Robert & Diane Gardner, Zack Gayk, Neil & John Gilbert, Wayne Gleiber, Tim Granger, Bob Grefe, David A. Grosshuesch, Dennis Gustafson (DG), Skye Haas (SH), Max Henschell (MHe), Scott C. Hickman, John W. Hockema, Pete R. Hoeger, Randy Hoffman, Jude Holloway (JHo), Aaron Holschbach, Eric Howe, Judith Huf (JH), Matt Hysell (MH), Dan Jackson, Joe Jacyna (]]), Robert B. Janssen, Margaret S. Jewett, Brian Johnson, Wendy E. Jones, Jeanie M. Joppru, Joe Kaplan, William J. Kass, Kay Kavanagh, Douglas W. Kieser, Dennis Kirschbaum (DKi), Anne Klein, Diana Koch (DKo), Dennis Kuecherer (DK), Roger & Laurie Larson, Robert L. Leppard, James W. Lind, James P. Mattsson, Adrien Mauss, Steve & Diane Millard, Kip Miller, Mark Mosey, Brad Murphy, Bill & Susie Nelson, Mark A. Ochs, Earl E. Orf, Robert & Carolyn Papke, Matt Paulson, Walter G. Pawloski, Larry Persico, David J. Peters, Glenn & Ellen Peterson, Rob Poniatowski (RP), James Ponshair (JP), Jackie M. Potts, Tom Prestby, Caleb Putnam (CP), Judy Quirk, John Ralston (JRa), Jack Reinoehl (JR), Kim & Cindy Risen, Mark Roberts (MR), Mary Roen (MRo), John Romano (JRo), Ryne D. Rutherford, Alan J. Ryff, Bill Sarzongi (BS), Paul Schilke (PSc), Fawn Schillinglaw, Russ Schipper, Mike Schrage, Robert Seasor (RSe), Blaine Seeliger (BSe), Jeanne & James Sheehan, Ann Sherlock (ASh), Richard M. Smaby, Andrew D. Smith, Brian T. Smith, Joe Soehnel (JS), Alan Stankevitz (AS), Peder H. Svingen, Carolyn Szaroletta, Louis F. Taccolini, Daryl Tessen (DT), Steve Thiessen (ST), Dan & Sandy Thimgam, Eli Thomas, Pat Underwood, Bill J. Unzen, Bruce Ventura, David C. Vinnedge, Ben A. Wieland, Marilyn & Myles Willard, Robert B. Williams, Larry & Mary Wolf, Chris L. Wood, Tom Wood, Jonathon T. Wuepper, Kitt Wulf, Mary H. Wyatt, Quenetin Yoerger, Joseph Youngman, Jerry Ziarno, Kirk Zufelt, 🔂

Adam M. Byrne, 11771 Rachel Lane DeWitt, Michigan 48820, (byrnea@msu.edu)



A Birder's Guide to Florida

by Bill Pranty, published 2005; 672 pages; paper(lay-flat)

Item #175 ABA Member Price: \$20.76 (List \$25.95)



North American birders savor Florida as the

place to see species not found elsewhere in the US or Canada, such as Snail Kite, Short-tailed Hawk, Black-hooded Parakeet, Mangrove Cuckoo, Blackwhiskered Vireo, or Florida Scrub-Jay. These are but a few of the Florida specialties that make a trip to the Sunshine State such an exciting adventure for birders. More than 330 birding sites are described, and more than 400 species accounts are now included.

