

ORNITOLOGIA NEOTROPICAL

EDITOR

RAYMOND McNEIL

INDEX TO VOLUME 13, 2002

(Authors, key words, families, common names, latin names)

An International Journal of Neotropical Ornithology
published by

THE NEOTROPICAL ORNITHOLOGICAL SOCIETY

- Abeille's Oriole, 197–201
Abeillia abeillei, 167–193
 Acadian Flycatcher, 381–396
Accipiter bicolor, 273–282, 397–412
Accipiter cooperi, 197–201
Accipiter erythromeniis, 273–282
Accipiter poliogaster, 273–282
Accipiter striatus, 197–201
Accipiter superciliosus, 273–282
 Acorn Woodpecker, 167–193
Actitis macularia, 381–396
Aeronantes saxatalis, 197–201
 Agroecosystems, 307–311
 Águila Arpía, 365–379
 Águila Crestuda Real, 273–282
 Águila Mora, 313–317
 Águila Negra, 273–282
 Águila Viuda, 273–282
 Aguilucho Andino, 313–317
 Aguilucho Chico, 427–432
 Aguilucho Cola Corta, 273–282
 Aguilucho Común, 313–317
 Albanese, G., 437–439
 Alilicucu Común, 273–282
 Altamira Oriole, 381–396
 Altitudinal limit, 197–201
 Alvarado Orellana, S., 427–432
Amaurospiza concolor, 381–396
Amazilia beryllina, 167–193
Amazilia candida, 381–396
Amazilia cyanocephala, 167–193
Amazilia saucerrottei, 397–412
Amazilia tzacatl, 381–396, 397–412
Amazilia yucatanensis, 381–396
 Amazon Kingfisher, 381–396
Amazona albifrons, 381–396
Amazona farinosa, 381–396
 Amazonia, 337–363
Amblycercus holosericeus, 167–193, 381–396
 American Kestrel, 167–193, 197–201
 American Pipit, 197–201
 American Redstart, 381–396, 397–412
 American Robin, 197–201
 Amethyst-throated Hummingbird, 167–193
Anabacerthia variegaticeps, 167–193
Anas discors, 381–396
 Anciães, M., 159–165
 Andes, 301–305, 397–412
 Anna's Hummingbird, 197–201
 Annotated bibliography, 31–59
 Antarctic Cormorant, 267–271
 Antarctic Fulmar, 137–142
 Antarctic Prion, 137–142
 Antarctica, 267–271, 413–422
 Antártida, 413–422
Anthracothorax nigricollis, 397–412
Anthracothorax prevostii, 381–396
Anthus rubescens, 197–201
 Antiparasite behavior, 433–436
 Antpittas, 423–425
Aphelocoma californica, 197–201
Aphelocoma unicolor, 167–193
Apbrastura spinicauda, 427–432
 Apodidae, 61–84
Aptenodytes forsteri, 267–271
Ara macao, 381–396
 Aramburu, R., 433–436
 Ararajuba, 336, 464
Aratinga nana, 381–396
Aratinga pertinax, 397–412
Aratinga strenua, 167–193
Aratinga wagleri, 397–412
 Arctic Tern, 267–271
Ardea alba, 381–396
Ardea herodias, 381–396
 Argentina, 9–15, 31–59, 87–89, 113–119,
 273–282, 283–292, 307–311, 313–317
Arremon aurantirostris, 381–396
Arremon taciturnus, 397–412
Arremonops chloronotus, 381–396
 Ash-throated Gnatcatcher, 293–295
Asio clamator, 31–59
Asio flammans, 31–59
Asio stygius, 273–282
Aspatha gularis, 167–193
Atalotriccus pilaris, 397–412
Athene cunicularia, 31–59
 Atlantic Petrel, 137–142
Atlapetes albinucha, 167–193
Atlapetes albofrenatus, 302, 397–412

- Atthis ellioti*, 167–193
Attila spadiceus, 381–396
 Audubon's Warbler, 197–201
Aulacorhynchus calorhynchus, 397–412
Aulacorhynchus prasinus, 167–193
 Austral Thrush, 427–432
Automolus ochrolaemus, 381–396
Automolus rubiginosus, 167–193
 Aves rapaces, 313–317
 Avian assemblage, 397–412
 Avifauna, 381–396
 Aysén, 427–432
 Azure-crowned Hummingbird, 167–193
 Babin, M.J., 319–321
 Baltimore Oriole, 381–396
 Bananaquit, 381–396, 397–412
 Band-backed Wren, 167–193
 Band-tailed Pigeon, 167–193, 397–412
 Bare-crowned Antbird, 381–396
 Bare-eyed Thrush, 397–412
 Barn Swallow, 381–396
 Barrantes, G., 121–136
 Barred Antshrike, 167–193, 381–396, 397–412
 Barred Forest-Falcon, 167–193, 381–396
 Barred Parakeet, 167–193
 Barro Colorado Island, 365–379
 Bar-winged Oriole, 167–193
 Basanta, D., 113–119
Basileuterus belli, 167–193
Basileuterus culicivorus, 381–396, 397–412
Basileuterus rufifrons, 167–193
Basileuterus tristriatus, 397–412
 Bat Falcon, 381–396, 397–412
 Bay-breasted Warbler, 381–396, 397–412
 Bay-headed Tanager, 397–412
 Bazzano, G., 9–15
 Behavior, 143–151, 159–165, 225–234, 297–299, 319–321
 Belize, 437–439
 Belted Flycatcher, 167–193
 Berón, M.P., 413–422
 Berylline Hummingbird, 167–193
 Bibliografía, 31–59
 Bibliography, 31–59
 Bicolored Antvireo, 297–299
 Bicolored Hawk, 397–412
 Bird collecting, 209–214
 Birds of prey, 31–59, 273–282
 Biscutate Swift, 61–84
 Black Hawk Eagle, 381–396
 Black Inca, 302
 Black Phoebe, 397–412
 Black Robin, 167–193
 Black Swift, 197–201
 Black Vulture, 167–193, 381–396
 Black-and-white Seed-eater, 397–412
 Black-and-white Warbler, 167–193, 381–396, 397–412
 Black-and-yellow Silky-flycatcher, 121–136
 Black-bellied Whistling Duck, 381–396
 Black-billed Cuckoo, 381–396
 Black-billed Thrush, 397–412
 Black-browed Albatross, 137–142
 Blackburnian Warbler, 397–412
 Black-capped Swallow, 167–193
 Black-capped Tyrannulet, 397–412
 Black-cheeked Woodpecker, 381–396
 Black-chinned Siskin, 427–432
 Black-cowled Oriole, 381–396
 Black-crowned Night-Heron, 197–201, 381–396
 Black-crowned Tityra, 381–396
 Black-faced Antthrush, 381–396
 Black-faced Grosbeak, 381–396
 Black-faced Tanager, 397–412
 Black-headed Saltator, 167–193, 381–396
 Black-headed Siskin, 167–193
 Black-headed Trogon, 381–396
 Black-headed Vulture, 283–292
 Black-hooded Thrush, 397–412
 Blackpoll Warbler, 397–412
 Black-tailed Tityra, 397–412
 Black-throated Green Warbler, 167–193, 381–396
 Black-throated Jay, 167–193
 Black-throated Mango, 397–412
 Black-throated Shrike Tanager, 381–396
 Black-vented Oriole, 167–193
 Blue Bunting, 381–396

- Blue Ground Dove, 381–396
 Blue Seedeater, 381–396
 Blue-and-white Mockingbird, 167–193
 Blue-black Grassquit, 397–412
 Blue-black Grosbeak, 381–396, 397–412
 Blue-crowned Chlorophonia, 167–193
 Blue-crowned Motmot, 167–193, 381–396
 Blue-gray Tanager, 381–396
 Blue-grey Tanager, 397–412
 Blue-headed Parrot, 397–412
 Blue-headed Vireo, 381–396
 Blue-hooded Euphonia, 397–412
 Blue-necked Tanager, 397–412
 Blue-throated Hummingbird, 197–201
 Blue-throated Motmot, 167–193
 Blue-winged Teal, 381–396
 Blue-winged Warbler, 381–396
 Boat-billed Flycatcher, 167–193, 381–396, 397–412
 Bocanegra, A., 85–86
Bolborhynchus lineola, 167–193
 Book reviews, 105–107, 219–220, 329–331
 Booted Racket-tail, 397–412
 Bran-colored Flycatcher, 397–412
 Brazil, 17–30, 61–84, 195–196
 Breeding association, 113–119
 Breeding behavior, 225–234
 Breeding biology, 17–30, 61–84, 121–136
 Breeding colony, 87–89
 Breeding ecology, 143–151
 Breeding population, 267–271
 Breeding success, 17–30
 Bright-rumped Attila, 381–396
 Broad-billed Hummingbird, 197–201
 Bronzy Inca, 397–412
Brotogeris jugularis, 397–412
 Brown Booby, 205–208
 Brown Creeper, 167–193, 197–201
 Brown Jay, 381–396
 Brown Pelican, 381–396
 Brown Skua, 267–271
 Brown Violetear, 397–412
 Brown-backed Solitaire, 167–193
 Brown-capped Vireo, 167–193, 397–412
 Brown-hooded Gull, 283–292
 Brown-hooded Parrot, 381–396
 Brown-throated Parakeet, 397–412
 Brown-throated Wren, 197–201
 Bruera, N., 9–15
Buarremon brunneinucha, 167–193
Bubo virginianus, 31–59, 197–201, 313–317
Bubulcus ibis, 283–292, 381–396
 Bucher, E., 433–436
 Buenos Aires, 307–311
 Buff-bellied Hummingbird, 381–396
 Buff-breasted Wren, 397–412
 Buff-throated Foliage-gleaner, 381–396
 Buff-throated Saltador, 381–396, 397–412
 Buff-throated Woodcreeper, 397–412
 Buffy-crowned Wood-Partridge, 167–193
 Búho, 313–317
 Burnished-buff Tanager, 397–412
 Bushtit, 197–201
 Bushy-crested Jay, 167–193
Buteo albignola, 313–317, 427–432
Buteo albonotatus, 167–193
Buteo brachyurus, 167–193, 273–282
Buteo jamaicensis, 167–193, 197–201
Buteo leucorrhous, 273–282
Buteo magnirostris, 31–59, 273–282, 381–396, 397–412
Buteo polyosoma, 31–59, 313–317
Buteogallus anthracinus, 381–396
Buteogallus urubitinga, 273–282, 381–396
Butorides virescens, 381–396
 Cabanne, G.S., 273–282
 Cabo Blanco, 205–208
 Caburé Chico, 273–282
 Caburé, 313–317
 Cadena, C.D., 301–305
Calocitta formosa, 167–193
Calonectris diomedea, 91–92, 137–142
Calonectris edwardsii, 137–142
Calypte anna, 197–201
Campephilus guatemalensis, 381–396
 Camperi, A. R., 87–89
Campylopterus falcatus, 397–412
Campylopterus hemileucurus, 167–193
Campylopterus rufus, 167–193
Campylorhamphus trochilrostris, 397–412

- Campylorhynchus rufinucha*, 167–193
Campylorhynchus zonatus, 167–193
 Canada Warbler, 397–412
 Canevari, P., 93–95
 Cape Petrel, 137–142
 Cape Verde Shearwater, 137–142
Caprimulgus vociferus, 197–201
 Captive breeding, 365–379
 Capulino negro y amarillo, 121–136
 Caracolero, 113–119
 Carancho, 273–282
Carduelis barbatus, 427–432
Carduelis notata, 167–193
Carduelis pinus, 197–201
Carduelis psaltria, 167–193, 397–412
Carduelis xanthogastra, 397–412
 Carruthers, E.H., 397–412
Caryothraustes polioaster, 381–396
 Cassin's Vireo, 197–201
Catharacta antarctica, 267–271, 283–292
Catharacta maccormicki, 267–271
Cathartes aura, 167–193, 273–282, 283–292, 381–396
Cathartes burrovianus, 273–282
Catharus aurantiirostris, 167–193
Catharus dryas, 167–193, 397–412
Catharus frantzii, 167–193
Catharus guttatus, 197–201
Catharus occidentalis, 197–201
Catharus ustulatus, 167–193, 381–396, 397–412
 Cattle Egret, 283–292, 381–396
Celeus castaneus, 381–396
Cercomacra tyrannina, 381–396
Certhia americana, 167–193, 197–201
 Cerulean Warbler, 397–412
Ceryle torquata, 381–396
Chaetocercus jourdani, 397–412
Chaetura vauxi, 167–193, 197–201
Chalybura buffonii, 397–412
Chamaea fasciata, 197–201
Charadrius wilsonia, 235–245
 Charrancito Americano, 235–245
 Chaves-Campos, J., 205–208
 CHD, 159–165
 Chestnut-capped Brush-Finch, 167–193
 Chestnut-collared Swift, 167–193
 Chestnut-colored Woodpecker, 381–396
 Chestnut-headed Oropendola, 381–396
 Chestnut-sided Shrike-Vireo, 167–193
 Chestnut-sided Warbler, 381–396
 Chiapas, 381–396
 Chile, 427–432
 Chimango, 283–292
Chloroceryle amazona, 381–396
Chloroceryle americana, 381–396
Chlorophanes spiza, 381–396
Chlorophonia occipitalis, 167–193
Chlorospingus ophthalmicus, 167–193
Chlorostilbon poortmanni, 302, 397–412
Chondrohierax uncinatus, 273–282
Chordeiles acutipennis, 397–412
 Chorletejo Piquigrueso, 235–245
Chrysornis oenone, 397–412
Ciccaba virgata, 167–193, 381–396
 Cicchino, A., 433–436
Cinclus leucocephalus, 319–321
 Cinereous Becard, 397–412
 Cinnamon Becard, 381–396, 397–412
 Cinnamon Flycatcher, 397–412
 Cinnamon-bellied Flower-piercer, 167–193, 197–201
Circus buffoni, 31–59
Circus cinereus, 31–59
 Cirignoli, S., 31–59
Cissopsis leveriana, 397–412
 Claramunt, S., 255–266
Claravis pretiosa, 381–396
 Clay-colored Robin, 167–193, 381–396
 Climatic modeling, 1–8
 Cloud forest, 167–193
 Clutch size, 17–30
 Coastal Patagonia, 283–292
Coccothraustes abeillei, 167–193
Coccothraustes vespertinus, 197–201
Coccyzus americanus, 381–396
Coccyzus erythrophthalmus, 381–396
Coeligena coeligena, 397–412
Coeligena prunellei, 302
Coeligena torquata, 397–412

- Coereba flaveola*, 381–396, 397–412
Colaptes auratus, 167–193
 Cold tolerance, 197–201
 Colecta científica, 209–214
Colibri coruscans, 397–412
Colibri delphinae, 397–412
Colibri thalassinus, 167–193, 197–201, 397–412
 Collared Aracari, 381–396
 Collared Forest Falcon, 381–396, 167–193
 Collared Inca, 397–412
 Collared Trogon, 167–193, 397–412
 Collections, 323–324
 Colombia, 1–8, 301–305, 423–425
 Colombian Mountain-Grackle, 301–305
Columba fasciata, 167–193, 397–412
Columba flavirostris, 167–193
Columba livia, 283–292
Columba nigrirostris, 381–396
Columba subvincaea, 397–412
Columbina talpacoti, 381–396
 Common Black Hawk, 381–396
 Common Bush-Tanager
 Common Pauraque, 381–396
 Common Tody Flycatcher, 381–396, 397–412
 Common Yellowthroat, 381–396
 Communities, 167–193, 397–412
 Comparison, 143–151
Controstrum leucogenys, 397–412
Conopophaga peruviana, 293–295
 Conservation, 9–15, 167–193, 235–245, 381–396
Contopus borealis, 397–412
Contopus cinereus, 381–396, 397–412
Contopus fumigatus, 397–412
Contopus pertinax, 167–193, 197–201
Contopus virens, 381–396
 Cooperative breeding, 301–305
 Cooper's Hawk, 197–201
Coragyps atratus, 167–193, 273–282, 283–292, 381–396
 Corales Stappung, S., 427–432
Corapipo leucorrhoa, 397–412
 Corbella, C., 9–15
 Cordilleran Flycatcher, 197–201
 Coria, N.R., 413–422
 Corportamiento de aleteo, 319–321
Corvus corax, 197–201
 Cory's Shearwater, 137–142
 Costa Rica, 121–136, 205–208
Cotinga amabilis, 381–396
 Cotorra Argentina, 433–436
 Cracidae, 143–151
Cranioleuca obsoleta, 255–266
Cranioleuca pyrrhophya, 255–266
Cranioleuca subcristata, 397–412
Crax rubra, 381–396
 Crescent-chested Warbler, 167–193
 Crested Caracara, 283–292
 Crested Guan, 381–396
 Crested Oropendola, 397–412
 Crested Spinetail, 397–412
 Crimson-backed Tanager, 397–412
 Crimson-collared Tanager, 381–396
 Crossbill, 225–234
Crotophaga ani, 397–412
Crotophaga sulcirostris, 381–396
Crypturellus boucardi, 381–396
Crypturellus cinnamomeus, 167–193, 381–396
Crypturellus soui, 381–396, 397–412
Cyanerpes cyaneus, 381–396
Cyanocitta stelleri, 197–201
Cyanocompsa cyanooides, 381–396
Cyanocompsa parellina, 381–396
Cyanocorax melanocyaneus, 167–193
Cyanocorax morio, 381–396
Cyanocorax yncas, 381–396, 397–412
Cyanolyca pumilo, 167–193
Cyclarhis gujanensis, 167–193, 397–412
Cynanthus latirostris, 197–201
 Cypress plantation, 167–193
Cypseloides niger, 197–201
Cyrtonyx ocellatus, 167–193
Dactylortyx thoracicus, 167–193
Daption capense, 137–142
 Dark-backed Goldfinch
 Darrieu, C. A., 87–89
 de Alba Bocanegra, A., 85–86
 Delgado-V., C.A., 423–425
Dendrocincla anabatina, 381–396
Dendrocincla homochroa, 167–193

- Dendrocincla homochroa*, 381–396, 397–412
Dendrocolaptes sanctibomae, 381–396
Dendrocoryna autumnalis, 381–396
Dendroica castanea, 381–396, 397–412
Dendroica cerulea, 397–412
Dendroica coronata, 197–201
Dendroica fusca, 397–412
Dendroica graciae, 167–193
Dendroica magnolia, 381–396
Dendroica occidentalis, 197–201
Dendroica pensylvanica, 381–396
Dendroica petechia, 381–396, 397–412
Dendroica striata, 397–412
Dendroica townsendi, 197–201
Dendroica virens, 167–193, 381–396
Dendrortyx leucophrys, 167–193
Density, 167–193
Devenish, C., 301–305
Diet composition, 121–136
Diet monitoring, 413–422
Diet, 307–311, 413–422
Diets, 413–422
Diglossa baritula, 167–193, 197–201, 397–412
Diomedea epomophora, 137–142
Distribution, 203–204, 205–208, 427–432
Disturbance, 235–245
Dives dives, 167–193, 381–396
Dominican Republic, 225–234
Doricha enicura, 167–193
Dot-winged Antwren, 381–396
Dryocopus lineatus, 381–396, 397–412
Dumetella carolinensis, 381–396
Dusky Antbird, 381–396
Dusky-capped Flycatcher, 167–193, 381–396, 397–412
Dyrz, A., 143–151
Dysithamnus mentalis, 381–396
Dysithamnus occidentalis, 297–299
Eastern Bluebird, 167–193
Eastern Meadowlark, 197–201
Eastern Wood Pewee, 381–396
Ectoparasites, 433–436
Ecuador, 297–299
Egagrópilas, 313–317
Eggs, 225–234, 437–439
Egretta caerulea, 17–30, 381–396
Egretta thula, 381–396
Egretta tricolor, 381–396
El Salvador, 167–193
Elaenia flavogaster, 397–412
Elaenia frantzii, 167–193
Elanoides forficatus, 273–282
Elanus leucurus, 307–311
Emerald Toucanet, 167–193
Emerald-chinned Hummingbird, 167–193
Emperor Penguin, 267–271
Empidonax albigularis, 197–201
Empidonax flavescens, 167–193
Empidonax flaviventris, 381–396
Empidonax hammondi, 197–201
Empidonax minimus, 381–396
Empidonax occidentalis, 197–201
Empidonax traillii, 381–396
Empidonax traillii/alnorum, 397–412
Empidonax virescens, 381–396
Ergaticus ruber, 197–201
Erythrura poeppigiana, 397–412
Esparvero Chico, 273–282
Esparvero Común, 273–282
Esparvero Grande, 273–282
Esparvero Variado, 273–282
Eucometis penicillata, 381–396, 397–412
Eugenes fulgens, 167–193, 197–201
Eumomota superciliosa, 167–193
Eupausia superba, 413–422
Eupherusa eximia, 381–396
Euphonia affinis, 167–193, 381–396
Euphonia gouldi, 381–396
Euphonia hirundinacea, 381–396
Euphonia laniirostris, 397–412
Euphonia musica, 397–412
Euphonia xanthogaster, 397–412
Evening Grosbeak, 197–201
Falco columbarius, 197–201
Falco deiroleucus, 381–396
Falco peregrinus, 31–59, 313–317
Falco rufigularis, 381–396, 397–412
Falco sparverius, 167–193, 197–201, 313–317
Falconiformes, 247–254
Favero, M., 413–422

- Felizola Diniz-Filho, J.A., 247–254
 Ferruginous Pygmy Owl, 381–396
 Field observations, 423–425
 Figueroa Rojas, R.A., 427–432
 Figueroa, O.A., 437–439
 Fish prey, 413–422
 Fishery effects, 137–142
 Fishery waste tips, 283–292
 Flame-colored Tanager, 167–193
Florisuga mellivora, 381–396, 397–412
 Fonseca, V. S. da S., 137–142
 Food sources, 283–292
 Foraging behavior, 397–412
 Foraging ecology, 365–379
 Foraging, 319–321
 Forest Elaenia, 397–412
 Fork-tailed Woodnymph, 397–412
Formicarius analis, 381–396
Formicivora grisea, 397–412
Forpus passerinus, 397–412
 Fresh plant material, 433–436
Fulmarus glacialisoides, 137–142
 Fulvous Owl, 167–193
 Fulvous-headed Tanager, 397–412
 Furnariidae, 255–266
Galbula ruficauda, 381–396
 Garnet-throated Hummingbird, 167–193
 Gavilán Mixto, 313–317
 Gentoo Penguin, 267–271, 413–422
 Geographic range size, 247–254
 Geographical variation, 255–266, 337–363
Geothlypis trichas, 381–396
Geotrygon albifacies, 167–193
Geotrygon montana, 381–396
Geranoaetus melanoleucus, 31–59, 313–317
 Giaccardi, M., 283–292
 Giant Cowbird, 397–412
Glaucidium brasilianum, 273–282, 381–396
Glaucidium gnoma, 197–201
Glaucidium nanum, 313–317
Glaucis birsuta, 397–412
 Glossy-black Thrush, 397–412
Glyphorhynchus spirurus, 381–396
Glyphorhynchus spirurus, 397–412
 Golden-breasted Fruiteater, 397–412
 Golden-browed Warbler, 167–193
 Golden-crowned Flycatcher, 397–412
 Golden-crowned Warbler, 381–396, 397–412
 Golden-faced Tyrannulet, 397–412
 Golden-fronted Greenlet, 397–412
 Golden-fronted Woodpecker, 167–193, 381–396
 Golden-headed Manakin, 397–412
 Golden-hooded Tanager, 381–396
 Golden-olive Woodpecker, 167–193
 Golden-olive Woodpecker, 381–396, 397–412
 Golden-tailed Sapphire, 397–412
 Golden-winged Warbler, 397–412
 Gómez de Silva Garza, H., 203–204
 Gómez de Silva, H., 197–201
 González, O., 325–327
 Gorgeted Wood-quail, 302
 Gorrión Serrano, 203–204
 Grace's Warbler, 167–193
Grallaria gnatimalensis, 381–396
Grallaricula flavirostris, 423–425
Grallaricula nana, 423–425
Granatellus sallaei, 381–396
 Grant, P., 219–220
 Gray Catbird, 381–396
 Gray Seedeater, 397–412
 Gray Silky-flycatcher, 167–193
 Gray-breasted Wood-Wren, 167–193
 Gray-chested Dove, 381–396
 Gray-fronted Dove, 381–396
 Gray-headed Tanager, 381–396
 Grayish Saltator, 167–193, 381–396, 397–412
 Gray-throated Chat, 381–396
 Great Antshrike, 381–396
 Great Black Hawk, 381–396
 Great Blue Heron, 381–396
 Great Crested Flycatcher, 381–396
 Great Curassow, 381–396
 Great Egret, 381–396
 Great Horned Owl, 197–201
 Great Kiskadee, 167–193, 381–396
 Great Shearwater, 137–142
 Great Tinamou, 381–396
 Greater Kiskadee, 397–412
 Greater Pewee, 167–193, 197–201, 397–412

- Greater Rhea, 9–15
 Greater Yellowlegs, 381–396
 Great-tailed Grackle, 381–396
 Green Hermit, 397–412
 Green Heron, 381–396
 Green Honeycreeper, 381–396
 Green Jay, 381–396, 397–412
 Green Kingfisher, 381–396
 Green Violet-ear, 167–193, 197–201, 397–412
 Green-backed Sparrow, 381–396
 Green-breasted Mango, 381–396
 Greeney, H.F., 297–299
 Greenish Elaenia, 381–396
 Green-rumped Parrotlet, 397–412
 Green-throated Mountain-gem, 167–193
 Grey-breasted Wood-wren, 397–412
 Grey-chinned Hermit, 397–412
 Grey-headed Albatross, 137–142
 Grey-headed Tanager
 Groove-billed Ani, 381–396
 Guevara, S., 91–92
 Guira Tanager, 397–412
Gymnocicbla nudiceps, 381–396
Habia fuscicauda, 381–396
Habia rubica, 381–396, 397–412
 Habitat, 427–432
 Habitat management, 9–15
 Habitat use, 9–15, 121–136
Haematopus palliatus, 235–245
 Halcón Montés Chico, 273–282
 Halcón Montés Grande, 273–282
 Halcón Peregrino, 313–317
 Halconcito Colorado, 313–317
 Hammond's Flycatcher, 197–201
Hapalopsittaca amazonina, 302
Haplospiza rustica, 167–193
 Harpa Tagle, 365–379
Harpia harpyja, 365–379, 381–396
 Harpy Eagle, 381–396
Harpophalietus solitarius, 167–193, 381–396
 Harrington, B., 93–95
Heliodoxa leadbeateri, 397–412
Heliomaster longirostris, 381–396, 397–412
Heliobryx barroti, 381–396
Helmitberos vermivorus, 381–396
Hemithraupis guira, 397–412
Henicorbina leucophrys, 167–193, 397–412
Henicorbina leucosticta, 381–396
 Hepatic Tanager, 397–412
 Hermit Thrush, 197–201
 Hermit Warbler, 197–201
 Hernández-Baños, B.E., 381–396
 Hernández-Baños, E., 209–214
Herpetotheres cachinnans, 381–396, 397–412
 Highland Guan, 167–193
 Highlands, 121–136
Hirundo rustica, 381–396
 Hispaniola, 225–234
 Hispaniolan Crossbill, 225–234
 Hogan, D.R., 293–295
 Hooded Grosbeak, 167–193
 Hooded Merganser, 85–86
 Hooded Oriole, 381–396
 Hooded Warbler, 381–396
 Horned Guan, 167–193
 House Sparrow, 283–292
 House Wren, 167–193, 397–412, 427–432
 Hsu, Y.-C., 365–379
 Hughes, R.A., 325–327
 Hutton's Vireo, 197–201
 Hybridization, 255–266
Hylocharis cyanus, 397–412
Hylocharis leucotis, 167–193, 197–201
Hylocichla mustelina, 381–396
Hylomanes momotula, 381–396
Hylophilus aurantiifrons, 397–412
Hylophilus decurtatus, 381–396
Hylophilus flavipes, 397–412
Hylophilus ochraceiceps, 381–396
Icteria virens, 381–396
 Icteridae, 301–305
Icterus abeillei, 197–201
Icterus chrysater, 167–193, 397–412
Icterus cucullatus, 381–396
Icterus dominicensis, 381–396
Icterus galbula, 381–396
Icterus gularis, 381–396
Icterus maculialatus, 167–193
Icterus mesomelas, 381–396

- Icterus parisorum*
Icterus pectoralis, 381–396
Icterus spurius, 381–396
Icterus wagleri, 167–193
Ictinea plumbea, 273–282, 381–396
Ilicura militaris, 159–165
 Indigo Bunting, 381–396
 Inventory, 167–193
 Ivory-billed Woodcreeper, 167–193, 381–396
 Jones, J., 397–412
 Joseph, L., 1–8, 337–363
 Jote Cabeza Amarilla, 273–282
 Jote Cabeza Colorada, 273–282
 Jote Cabeza Negra, 273–282
 Jote Real, 273–282
 Juárez, M., 87–89
Junco phaeonotus, 197–201
 Keel-billed Toucan, 381–396
 Kelp Gull, 267–271, 283–292
 Kentucky Warbler, 381–396
 King Vulture, 167–193, 381–396
Klais guimeti, 397–412
 Koepcke, H.-W., 215–217
 Komar, O., 167–193
 Krill, 413–422
Lampornis amethystinus, 167–193
Lampornis clemenciae, 197–201
Lampornis viridipallens, 167–193
Lamprolaima rhami, 167–193
Lanio aurantius, 381–396
Lanius ludovicianus, 381–396
Larus atricilla, 381–396
Larus dominicanus, 267–271, 283–292
Larus maculipennis, 283–292
 Latitudinal extent, 247–254
 Latta, S.C., 225–234
 Laughing Falcon, 381–396, 397–412
 Laughing Gull, 381–396
 Laurie Island, 413–422
 Lazuline Sabrewing, 397–412
 Least Flycatcher, 381–396
 Least Tern, 235–245
 Lechuza Bataraz, 313–317
 Lechuza de Campanario, 313–317
 Lechuza Listada, 273–282
 Lechuzón Negruzco, 273–282
Legatus leucophaius, 381–396, 397–412
Lepidocolaptes affinis, 167–193
Lepidocolaptes souleyetii, 381–396, 397–412
Lepidopygia goudoti, 397–412
Leptodon cayanensis, 273–282
Leptopogon amanrocephalus, 381–396
Leptopogon superciliaris, 397–412
Leptotila cassini, 381–396
Leptotila rufaxilla, 381–396
Leptotila verreauxi, 167–193, 381–396, 397–412
 Lesser Goldfinch, 167–193
 Lesser Greenlet, 381–396
 Lesser Kiskadee, 397–412
 Lesser Nighthawk, 397–412
 Lesser Seed-Finch, 397–412
 Lesser Swallow-tailed Swift, 167–193
Leucopternis albicollis, 381–396
 Leveau, C.M., 307–311
 Leveau, L.M., 307–311
 Lice, 323–324
 Lincoln's Sparrow, 197–201, 381–396
 Lineated Woodpecker, 381–396, 397–412
Lipaugus unirifus, 381–396
 Little Blue Heron, 17–30, 381–396
 Little Hermit, 381–396, 397–412
 Little Tinamou, 381–396, 397–412
 Local distribution, 121–136
 Loggerhead Shrike, 381–396
 Loiselle, B. A.
 Long-billed Gnatwren, 381–396
 Long-billed Starthroat, 381–396, 397–412
 Long-tailed Hermit, 381–396
 López de Aquino, S., 209–214
Lophodytes cucullatus, 85–86
Lophotriccus pileatus, 397–412
 Lovely Cotinga, 381–396
Loxia curvirostre, 197–201
Loxia megalaga, 225–234
 Luquer, L., 93–95
Lurocalis semitorquatus, 381–396
 Macá Común, 113–119
 MacGillivray's Warbler, 167–193, 381–396
Machaeropterus regulus, 397–412
Macroagelaius subalaris, 301–305

- Macronectes giganteus*, 137–142, 267–271
 Magellanic Penguin, 137–142
 Magnificent Hummingbird, 167–193, 197–201
 Magnolia Warbler, 381–396
 Magpie Tanager, 397–412
Malacoptila mysticalis, 397–412
Malacoptila panamensis, 381–396
Manacus candei, 381–396
 Mangrove Swallow, 381–396
 Mangrove Vireo, 437–439
 Mangrove, 17–30
 Manx Shearwater, 137–142
 Many-banded Aracari, 397–412
 Marín, G., 91–92
 Martella, M. B., 9–15
 Masked Tityra, 381–396, 397–412
 Masked Trogon, 397–412
 Maya Vireo, 437–439
 Mealy Parrot, 381–396
Mecocerculus stictopterus, 397–412
Megarynchus pitangna, 167–193, 381–396, 397–412
 Mejia, D.A., 225–234
Melanerpes aurifrons, 167–193, 381–396
Melanerpes formicivorus, 167–193
Melanerpes pucherani, 381–396
Melanerpes rubricapillus, 397–412
Melanotis hypoleucus, 167–193
 Melodious Blackbird, 167–193, 381–396
Melospiza lincolni, 197–201, 381–396
 Mexican Chickadee, 197–201
 México, 85–86, 197–201, 209–214, 235–245, 381–396
Micrastur ruficollis, 167–193, 273–282, 381–396
Micrastur semitorquatus, 167–193, 273–282, 381–396
Microcerculus marginatus, 397–412
Microbopias quixensis, 381–396
 Migrants, 397–412
 Milano Blanco, 307–311
 Milano Cabeza Gris, 273–282
 Milano Pico Garfio, 273–282
 Milano Plomizo, 273–282
 Milano Tijereta, 273–282
Milvago chimango, 283–292
Mionectes oleagineus, 381–396, 397–412
Mionectes olivaceus, 397–412
 Mirlo Acuatico Gorriblanco, 319–321
 Misiones, 273–282
Mitrephanes phaeocercus, 167–193
Mniotilta varia, 167–193, 381–396, 397–412
 Molecular sexing, 159–165
Molothrus bonariensis, 283–292
Momotus momota, 167–193, 381–396
 Monk Parakeet, 433–436
 Montalti, D., 267–271
 Montecristo National Park, 167–193
 Montezuma Oropendola, 381–396
 Mortality, 137–142
 Mottled Owl, 167–193, 381–396
 Mountain Elaenia, 167–193
 Mountain Pygmy-Owl, 197–201
 Mountain Robin, 167–193
 Mountain Trogon, 167–193
 Mourning Warbler, 397–412
 Mouse-colored Tyrannulet, 397–412
 Moustached Brush-finch, 302, 397–412
 Moustached Puffbird, 397–412
 Moustached Wren, 397–412
 Muñoz del Viejo, A., 235–245
 Muñoz, J., 91–92
 Museum collections, 323–324
 Museums, 323–324
Myadestes occidentalis, 167–193
Myadestes unicolor, 167–193
Myiarchus crinitus, 381–396
Myiarchus tuberculifer, 167–193, 381–396, 397–412
Myiobius sulphureipygius, 381–396
Myioborus miniatus, 167–193, 397–412
Myioborus pictus, 167–193
Myiodynastes chrysocephalus, 397–412
Myiodynastes luteiventris, 381–396
Myiodynastes maculatus, 397–412
Myiopagis gaimardii, 397–412
Myiopagis viridicata, 381–396
Myiophobus fasciatus, 397–412
Myiopsitta monachus, 433–436
Myiozetetes cayanensis, 143–151, 397–412

- Myiozetetes similis*, 143–151, 167–193, 381–396, 397–412
- Nassif Del Lama, S., 159–165
- Navarro S., A.G., 381–396
- Navarro, J., 9–15
- Neotropical Cormoran, 381–396t
- Neotropical migrants, 397–412
- Neotropical Ornithological Congress, 109–111, 221–223, 333–335, 461–463
- Neotropical Ornithological Society Funds, 111–112, 223–224, 335–336, 463–464
- Neotropics, 209–214, 247–254
- Nest density, 205–208
- Nest failures, 17–30
- Nest losses, 143–151
- Nest record, 293–295
- Nest site location, 17–30
- Nest, 205–208, 293–295, 297–299
- Nest, 433–436, 437–439
- Nesting behavior, 301–305
- Nesting biology, 293–295, 297–299
- Nests, 433–436
- Nest-site selection, 205–208
- News, 109–112, 221–224, 333–336, 461–464
- Nightingale Wren, 397–412
- Nocturnal Curassow, 143–151
- Northern Barred Woodcreeper, 381–396
- Northern Flicker, 167–193
- Northern House Wren, 197–201
- Northern Raven, 197–201
- Northern Rough-winged Swallow, 381–396
- Northern Waterthrush, 381–396, 397–412
- Notharchus macrorhynchos*, 381–396
- Nothocrax urumutum*, 143–151
- Notiochelidon pileata*, 167–193
- Null models, 247–254
- Nycticorax nycticorax*, 197–201, 381–396
- Nyctidromus albicollis*, 381–396
- Ñandú, 9–15
- Obituaries, 93–95, 215–217, 325–327
- Ocellated Quail, 167–193
- Ochre-bellied Flycatcher, 381–396, 397–412
- Ochre-breasted Antpitta, 423–425
- Ocreatus underwoodii*, 397–412
- Odontophorus guttatus*, 381–396
- Odontophorus strophium*, 302
- Ojeda, V., 313–317
- Olivaceous Woodcreeper, 381–396
- Olive Warbler, 167–193, 197–201
- Olive-backed Euphonia, 381–396
- Oliveras de Ita, A., 203–204
- Olive-sided Flycatcher, 397–412
- Olive-striped Flycatcher, 397–412
- Olive-throated Parakeet, 381–396
- Olmos, F., 17–30
- Oniki, Y., 195–196, 323–324
- Onychorhynchus coronatus*, 381–396
- Oporornis formosus*, 381–396
- Oporornis philadelphia*, 397–412
- Oporornis tolmiei*, 167–193, 381–396
- Orange-bellied Euphonia, 397–412
- Orange-billed Nightingale-Thrush, 167–193
- Orange-billed Sparrow, 381–396
- Orange-breasted Falcon
- Orange-chinned Parakeet, 397–412
- Orange-crowned Warbler, 197–201
- Orchard Oriole, 381–396
- Oreobasis derbianus*, 167–193
- Oriturus superciliosus*, 197–201
- Ornate Hawk Eagle, 381–396
- Ornithion semiflavum*, 381–396
- Ortalis leucogastra*, 167–193
- Ortalis vetula*, 381–396
- Oryzoborus angolensis*, 397–412
- Osprey, 381–396
- Ostrero, 235–245
- Otus choliba*, 31–59, 273–282
- Otus guatemalae*, 381–396
- Ovenbird, 167–193, 381–396
- Pachyptila belcheri*, 137–142
- Pachyptila desolata*, 137–142
- Pachyramphus aglaiae*, 381–396
- Pachyramphus cinnamomeus*, 381–396, 397–412
- Pachyramphus rufus*, 397–412
- Pacific Parakeet, 167–193
- Pagagonia, 313–317
- Painted Bunting, 381–396
- Painted Redstart, 167–193
- Pale-billed Woodpecker, 381–396
- Pale-breasted Spinetail, 397–412

- Pale-breasted Thrush, 397–412
 Pale-eyed Pygmy-Tyrant, 397–412
 Pale-vented Thrush, 397–412
 Palleroni, A., 365–379
 Palm Tanager, 397–412
 Paltry Tyrannulet, 167–193, 397–412
 Panamá, 121–136, 143–151, 365–379
Pandion haliaetus, 381–396
Panyptila cayennensis, 167–193
Parabuteo unicinctus, 313–317
 Paraná State, 61–84
 Paranaense forest, 273–282
 Pardela Cenicienta, 91–92
 Pardiñas, U. F. J., 31–59, 307–311
 Parker III, T. A., 153–158
 Parrots, 1–8 337–363
Parula pitiayumi, 381–396, 397–412
Parula superciliosa, 167–193
Passer domesticus, 283–292
Passerina ciris, 381–396
Passerina cyanea, 381–396
Passerina cyanoides, 397–412
 Passerini's Tanager, 381–396
 Patagonia, 427–432
 Patagonian raptors, 313–317
 Payne, L., 93–95
 Pectoral Sparrow, 397–412
Pelecanus occidentalis, 381–396
 Pellet analysis, 31–59
 Pellet identification, 313–317
 Pellet, 31–59
Penelope purpurascens, 381–396
Penelopina nigra, 167–193
 Peru, 143–151, 293–295
 Petra, M. V., 137–142
 Petracci, P. F., 113–119
 Petrel de Cory, 91–92
Peucedramus taeniatus, 167–193, 197–201
Phaeochroa cuvierii, 381–396
Phaeomyias murina, 397–412
Phaethornis augusti, 397–412
Phaethornis griseigularis, 397–412
Phaethornis guy, 397–412
Phaethornis hispidus, 397–412
Phaethornis longuemareus, 381–396, 397–412
Phaethornis superciliosus, 381–396
Phainoptila melanoxantha, 121–136
Phalacrocorax bransfieldensis, 267–271
Phalacrocorax brasilianus, 381–396
Phalaenoptilus nuttalli, 197–201
Pharomachrus fulgidus, 397–412
Pharomachrus mocinno, 167–193
Pheucticus chrysopheplus, 381–396
Pheucticus ludovicianus, 167–193, 381–396, 397–412
 Philadelphia Vireo, 381–396
Phyllomyias nigrocapillus, 397–412
Phyllomyias griseiceps, 397–412
Piaya cayana, 167–193, 381–396, 397–412
 Pichorim, M., 61–84
 Pico Cruzado de la Hispaniola, 225–234
Piculus rubiginosus, 167–193, 381–396, 397–412
Picumnus squamulatus, 397–412
 Pine Siskin, 197–201
 Pine-oak forest, 167–193
 Pingüino Papua, 413–422
 Pin-tailed Manakin, 159–165
Pionopsitta haematotis, 381–396
Pionus menstruus, 397–412
Pionus senilis, 381–396
Pipilo maculatus, 197–201
Pipra erythrocephala, 397–412
Pipra mentalis, 381–396
Pipreola aureopectus, 397–412
 Pipridae, 159–165
 Piquero Moreno, 205–208
Piranga bidentata, 167–193
Piranga flava, 397–412
Piranga leucoptera, 397–412
Piranga rubra, 381–396, 397–412
 Piratic Flycatcher, 381–396
 Piratic Flycatcher, 397–412
Pitangus lictor, 397–412
Pitangus sulphuratus, 167–193, 381–396, 397–412
 Plain Antvireo, 381–396
 Plain Chachalaca, 381–396
 Plain Wren, 167–193
 Plain Xenops, 381–396
 Plantation management, 397–412

- Platyichla flavipes*, 397–412
Platyrrinchus canrominus, 167–193, 381–396
 Plumbeous Kite, 381–396
 Plumbeous Vireo, 197–201
Podiceps occipitalis, 87–89
Poecile sclateri, 197–201
Poecilatriccus sylvia, 381–396
 Polar Skua, 267–271
Polioptila plumbea, 397–412
Polyborus plancus, 273–282, 283–292
 Poorwill, 197–201
 Predation, 365–379
 Prey, 31–59, 365–379
Procellaria aequinoctialis, 137–142
 Procellariidae, 91–92
 Procellariiformes, 137–142
 Productivity, 17–30
 Protective umbrella, 113–119
Psaltriparus minimus, 197–201
Psarocolius decumanus, 397–412
Psarocolius montezuma, 381–396
Psarocolius wagleri, 381–396
 Psittacidae, 433–436
 Psittadiformes, 433–436
Pterodroma incerta, 137–142
Pterodroma mollis, 137–142
Pteroglossus pluricinctus, 397–412
Pteroglossus torquatus, 381–396
Ptilogonyx cinereus, 167–193
 Puebla-Olivares, F., 381–396
Puffinus gravis, 137–142
Puffinus griseus, 137–142
Puffinus puffinus, 137–142
 Purple-crowned Fairy, 381–396
 Pygmy Nuthatch, 197–201
Pygoscelis papua, 267–271, 413–422
Pyrrhomyias cinnamomea, 397–412
Pyrrhura amazonum, 337–363
Pyrrhura caeruleiceps, 1–8
Pyrrhura eisenmanni, 1–8
Pyrrhura lucianii, 337–363
Pyrrhura melanura, 337–363
Pyrrhura perlata, 337–363
Pyrrhura peruviana, 337–363
Pyrrhura picta, 1–8
Pyrrhura roseifrons, 337–363
Pyrrhura snethlageae, 337–363
Pyrrhura subandina, 1–8
Pyrrhura, 1–8, 337–363
Quiscalus mexicanus, 381–396
 Ramoni-Perazzi, P., 397–412
 Ramos de Sant'Ana, C.E., 247–254
Rampastos sulfuratus, 381–396
Rampbocaenus melanurus, 381–396
Rampbocelus carbo, 397–412
Rampbocelus dimidiatus, 397–412
Rampbocelus passerinii, 381–396
Rampbocelus sanguinolentus, 381–396
 Rangel, T.F.L.V.B., 247–254
 Rapaces, 31–59, 273–282, 313–317
 Rapoport effect, 247–254
 Raptors prey, 31–59
 Raptors, 31–59, 273–282, 313–317
 Recent publications, 97–104
 Red Crossbill, 197–201
 Red Warbler, 197–201
 Red-billed Pigeon, 167–193
 Red-billed Scythebill, 397–412
 Red-capped Manakin, 381–396
 Red-crowned Ant Tanager, 381–396, 397–412
 Red-crowned Woodpecker, 397–412
 Red-eyed Vireo, 397–412
 Red-legged Honeycreeper, 381–396
 Red-rumped Woodpecker, 397–412
 Red-tailed Hawk, 167–193, 197–201
 Red-throated Ant Tanager, 381–396
Regulus calendula, 197–201
 Reproduction, 235–245
 Resplendent Quetzal, 167–193
Rhea americana, 9–15
Rhytipterna holerythra
 Ringed Kingfisher, 381–396
 Roadside Hawk, 381–396, 397–412
 Robertson, R.J., 397–412
 Rock Dove, 283–292
 Rodríguez, J. R., 91–92
 Rodríguez-Ayala, E., 381–396
 Rojas-Soto, O. R., 85–86, 209–214
Rollandia rolland, 113–119
 Rolland's Grebe, 113–119

- Roosting, 195–196
Rose-breasted Grosbeak, 167–193, 381–396, 397–412
Rose-throated Becard, 381–396
Rosthramus sociabilis, 113–119
Royal Albatros, 137–142
Royal Flycatcher, 381–396
Ruby-crowned Kinglet
Ruddy Foliage-gleaner, 167–193
Ruddy Ground Dove, 381–396
Ruddy Pigeon, 397–412
Ruddy Quail Dove, 381–396
Ruddy Woodcreeper, 167–193
Ruddy Woodcreeper, 381–396, 397–412
Ruddy-capped Nightingale-Thrush, 167–193
Ruddy-tailed Flycatcher, 381–396
Rufous Mourner, 381–396
Rufous Piha, 381–396
Rufous Sabrewing, 167–193
Rufous-and-white Wren, 167–193, 397–412
Rufous-breasted Hermit, 397–412
Rufous-breasted Spinetail, 381–396
Rufous-breasted Wren, 397–412
Rufous-browed Peppershrike, 167–193, 397–412
Rufous-browed Wren, 167–193
Rufous-capped Warbler, 167–193
Rufous-collared Robin, 167–193
Rufous-naped Wren, 167–193
Rufous-shafted Woodstar, 397–412
Rufous-tailed Hummingbird, 381–396, 397–412
Rufous-tailed Jacamar, 381–396
Russet Nightingale-Thrush, 197–201
Rusty Flower-piercer, 397–412
Rusty-faced Parrot, 302
Rusty-margined Flycatcher, 143–151, 397–412
Saldivia Pérez, H., 427–432
Saltator albicollis, 397–412
Saltator atriceps, 167–193, 381–396
Saltator coerulescens, 167–193, 381–396, 397–412
Saltator maximus, 381–396, 397–412
San Pedro, 273–282
Sanchez-González, L.A., 209–214
Sarcoramphus papa, 167–193, 273–282, 381–396
Sayaca Tanager, 195–196
Sayornis nigrescens, 397–412
Scale-crested Pygmy-Tyrant, 397–412
Scaled Antpitta, 381–396
Scaled Piculet, 397–412
Scaly-breasted Hummingbird, 381–396
Scaly-throated Foliage-gleaner, 167–193
Scaly-throated Leaf-tosser, 381–396
Scaphidura oryzivora, 397–412
Scarlet Macaw, 381–396
Scarlet-fronted Parakeet, 397–412
Schiffornis turdinus, 381–396
Schistochlamys melanopsis, 397–412
Schulenberg, T. S., 143–151
Scientific collecting, 209–214
Sclerurus guatemalensis, 381–396
Sclerurus mexicanus, 167–193
Scott's Oriole, 197–201
Scrub Euphonia
Scrub Euphonia, 167–193, 381–396
Scrub Greenlet, 397–412
Seabirds, 137–142, 267–271
Seipke, S.H., 273–282
Seiurus aurocapillus, 167–193, 381–396
Seiurus noveboracensis, 397–412
Selasphorus platycercus, 197–201
Sepia-capped Flycatcher, 381–396
Setophaga ruticilla, 381–396, 397–412
Sex identification, 159–165
Sex-ratio, 159–165
Seymour Island, 267–271
Shade coffee, 397–412
Sharp-shinned Hawk, 197–201
Shining-green Hummingbird, 397–412
Shiny Blackbird, 283–292
Short-billed Pigeon, 381–396
Short-tailed Emerald, 302, 397–412
Short-tailed Hawk, 167–193
Short-tailed Nighthawk, 381–396
Sialia mexicana, 197–201
Sialia sialis, 167–193
Sierra Madre Sparrow, 203–204

- Silva e Silva, R., 17–30, 31–59
 Silva, N., 301–305
 Silver-beaked Tanager, 397–412
 Silvery Grebe, 87–89
 Sinaloa, 235–245
 Singing Quail, 167–193
 Systematics, 255–266
Sitta carolinensis, 197–201
Sitta pygmaea, 197–201
Sittasomus griseicapillus, 381–396
 Slate-colored Solitaire, 167–193
 Slate-crowned Antpitta, 423–425
 Slate-headed Tody Flycatcher, 381–396
 Slate-throated Redstart, 397–412
 Slaty Finch, 167–193
 Slaty-breasted Tinamou, 381–396
 Slaty-capped Flycatcher, 397–412
 Slaty-tailed Trogon, 381–396
 Slender Sheartail, 167–193
 Smoky-brown Woodpecker, 381–396, 397–412
 Smooth-billed Ani, 397–412
 Snail Kite, 113–119
 Snowy Egret, 381–396
 Soave, G.E., 87–89, 267–271
 Social Flycatcher, 143–151, 167–193, 381–396, 397–412
 Social organization, 159–165
 Soft-plumaged Petrel, 137–142
 Solitary Eagle, 167–193, 381–396
 Sondreal, M.L., 225–234
 Sooty Shearwater, 137–142
 Sooty-capped Hermit, 397–412
 Sooty-headed Tyrannulet, 397–412
 Southern Giant Petrel, 137–142, 267–271
 Southern Skua, 283–292
 Sparkling Violetear, 397–412
 Sparkling-tailed Hummingbird, 167–193
 Species limits, 255–266
 Species management, 9–15
 Species richness, 397–412
 Specimen value, 323–324
 Speckled Tanager, 397–412
 Sphenisciformes, 137–142
Spheniscus magellanicus, 137–142
Spizæetus ornatus, 273–282, 381–396
Spizæetus tyrannus, 381–396
Spizæstur melanoleucus, 273–282
Sporophila americana, 381–396
Sporophila intermedia, 397–412
Sporophila luctuosa, 397–412
Sporophila nigricollis, 397–412
Sporophila torqueola, 381–396
 Spot-breasted Oriole, 381–396
 Spot-breasted Wren, 381–396
 Spot-crowned Woodcreeper, 167–193
 Spotted Nightingale-Thrush, 167–193, 397–412
 Spotted Sandpiper, 381–396
 Spotted Towhee, 197–201
 Spotted Woodcreeper, 167–193
 Spotted Woodquail, 381–396
 Squirrel Cuckoo, 167–193, 381–396, 397–412
 Status, 143–151, 381–396
 Steely-vented Hummingbird, 397–412
Stelgidopteryx serripennis, 381–396
 Steller's Jay, 197–201
Sterna antillarum, 235–245
Sterna paradisæa, 267–271
 Stockwell, D., 1–8
 Straight-billed Woodcreeper, 397–412
 Streaked Flycatcher, 397–412
 Streaked Saltator, 397–412
 Streaked Xenops, 397–412
 Streak-headed Woodcreeper, 381–396, 397–412
Streptoprocne biscutata, 61–84
Streptoprocne rutila, 167–193
Streptoprocne zonaris, 381–396
 Striped Cuckoo, 381–396, 397–412
 Striped Manakin, 397–412
 Striped Sparrow, 197–201
 Stripe-tailed Hummingbird, 381–396
Strix fulvescens, 167–193
Strix hylophila, 273–282
Strix rufipes, 313–317
 Strong-billed Woodcreeper, 397–412
 Stub-tailed Spadebill, 167–193, 381–396
Sturnella magna, 197–201
Sula leucogaster, 205–208

- Sulphur-bellied Flycatcher, 381–396
 Sulphur-rumped Flycatcher, 381–396
 Summer Tanager, 381–396, 397–412
 Swainson's Thrush, 167–193, 381–396, 397–412
 Swallow-Tanager, 397–412
Synallaxis albescens, 397–412
Synallaxis erythrothorax, 381–396
 Systematics, 337–363
Tachycineta albilinea, 381–396
Tachycineta thalassina, 197–201
Tachyphonus luctuosus, 397–412
Tachyphonus rufus, 397–412
 Taguató Común, 273–282
 Taguató Negro, 273–282
Tangara cayana, 397–412
Tangara cyanicollis, 397–412
Tangara guttata, 397–412
Tangara gyrola, 397–412
Tangara larvata, 381–396
Tapera naevia, 381–396, 397–412
Taraba major, 381–396
 Tawny-crowned Greenlet, 381–396
 Tawny-throated Leaf-tosser, 167–193
 Tawny-winged Woodcreeper, 381–396
 Taxonomy, 337–363
 Temperate rainforest, 427–432
 Tennessee Warbler, 397–412
Terentriccus erythrurus, 381–396
Tersina viridis, 397–412
Thalassarche chlororhynchos, 137–142
Thalassarche chrysostoma, 137–142
Thalassarche melanophris, 137–142
Thalurania furcata, 397–412
Thamnophilus doliatus, 167–193, 381–396, 397–412
 Thick-billed Euphonia, 397–412
 Thicket Tinamou, 167–193, 381–396
 Thin-billed Prion, 137–142
Thlypopsis fulviceps, 397–412
 Thorn-tailed Rayadito, 427–432
Thraupis abbas, 381–396
Thraupis episcopus, 381–396, 397–412
Thraupis palmarum, 397–412
Thraupis sayaca, 195–196
 Three-striped Warbler, 397–412
 Thrush-like Schiffornis, 381–396
Thryothorus albinucha, 381–396
Thryothorus genibarbis, 397–412
Thryothorus leucotis, 397–412
Thryothorus maculipectus, 381–396
Thryothorus modestus, 167–193
Thryothorus rufalbus, 167–193, 397–412
Thryothorus rutilus, 397–412
Tiaris olivacea, 167–193
Tilmatura dupontii, 167–193
Tinamus major, 381–396
Tityra cayana, 397–412
Tityra inquisitor, 381–396
Tityra semifasciata, 381–396, 397–412
Todirostrum cinereum, 381–396, 397–412
 Tody Motmot, 381–396
Tolmomyias sulphureus, 167–193, 381–396, 397–412
 Tororoi Enano, 423–425
 Tororoi Piquigualdo, 423–425
 Torres, J., 205–208
 Touchton, J.M., 365–379
 Townsend's Warbler, 197–201
 Trejo, A., 313–317
 Tricolored Heron, 381–396
Tringa melanoleuca, 381–396
Troglodytes aedon, 167–193, 197–201, 397–412, 427–432
Troglodytes rufociliatus, 167–193
Trogon collaris, 167–193
Trogon massena, 381–396
Trogon melanocephalus, 381–396
Trogon mexicanus, 167–193
Trogon personatus, 397–412
Trogon violaceus, 167–193, 381–396
Trogon violaceus, 397–412
 Tropical Gnatcatcher, 397–412
 Tropical Kingbird, 381–396, 397–412
 Tropical Parula, 381–396, 397–412
 Tropical Pewee, 381–396, 397–412
 Tufted Flycatcher, 167–193
Turdus albicollis, 397–412
Turdus assimilis, 167–193, 381–396
Turdus falcklandii, 427–432

- Turdus grayi*, 167–193, 381–396
Turdus ignobilis, 397–412
Turdus infuscatus, 167–193
Turdus leucomelas, 397–412
Turdus migratorius, 197–201
Turdus nudigenis, 397–412
Turdus obsoletus, 397–412
Turdus olivater, 397–412
Turdus plebejus, 167–193
Turdus rufitorques, 167–193
Turdus serranus, 397–412
 Turkey Vulture, 167–193, 197–201, 283–292, 381–396
 Turquoise-browed Motmot, 167–193
Tyrannus melancholicus, 381–396, 397–412
Tyto alba, 31–59, 313–317
 Unicolored Jay, 167–193
 Urban waste tips, 283–292
 Variable Seedeater, 381–396
 Vaux's Swift, 167–193, 197–201
 Vega, X., 235–245
 Venezuela, 91–92, 397–412
Veniliornis fumigatus, 381–396, 397–412
Venilornis kirki, 397–412
 Vermiculated Screech Owl, 381–396
Vermivora celata, 197–201
Vermivora chrysoptera, 397–412
Vermivora peregrina, 397–412
Vermivora pinus, 381–396
 Violaceous Trogon, 167–193, 381–396
 Violet Sabrewing, 167–193
 Violet-fronted Brilliant, 397–412
 Violet-green Swallow, 197–201
 Violet-headed Hummingbird, 397–412
Vireo cassini, 197–201
Vireo flavoviridis, 381–396
Vireo gilvus, 197–201
Vireo griseus, 381–396
Vireo huttoni, 197–201
Vireo leucophrys, 167–193, 397–412
 Vireo Manglero
Vireo olivaceus, 397–412
Vireo pallens, 437–439
Vireo philadelphicus, 381–396
Vireo solitarius, 381–396
Vireolanius melitophrys, 167–193
Volatina jacarina, 397–412
 Vuilleumier, F., 97–104, 105–107, 215–217
 Warbling *Vireo*, 197–201
 Waste tips, 283–292
 Wedge-billed Woodcreeper, 381–396, 397–412
 Western Bluebird, 197–201
 Western Scrub Jay, 197–201
 Whip-poor-will, 197–201
 White Hawk, 381–396
 White-banded Tyrannulet, 397–412
 White-bearded Hermit, 397–412
 White-bellied Chachalaca, 167–193
 White-bellied Emerald, 381–396
 White-breasted Nuthatch, 197–201
 White-breasted Wood Wren, 381–396
 White-browed Wren, 381–396
 White-capped Dipper, 319–321
 White-chinned Petrel, 137–142
 White-chinned Sapphire, 397–412
 White-collared Manakin, 381–396
 White-collared Seedeater, 381–396
 White-collared Swift, 381–396
 White-crowned Parrot, 381–396
 White-eared Conebill, 397–412
 White-eared Hummingbird, 167–193, 197–201
 White-eyed Vireo, 381–396
 White-faced Quail-Dove, 167–193
 White-fringed Antwren, 397–412
 White-fronted Parrot, 381–396
 White-lined Tanager, 397–412
 White-naped Brush-Finch, 167–193
 White-necked Jacobin, 381–396, 397–412
 White-necked Puffbird, 381–396
 White-necked Thrush, 397–412
 White-ruffed Manakin, 397–412
 White-shouldered Tanager, 397–412
 White-tailed Kite, 307–311
 White-throated Flycatcher, 197–201
 White-throated Hawk, 427–432
 White-throated Magpie-Jay, 167–193
 White-throated Robin, 167–193, 381–396
 White-throated Swift, 197–201

- White-tipped Dove, 167–193, 381–396, 397–412
- White-tipped Quetzal, 397–412
- White-vented Plumeleteer, 397–412
- White-whiskered Puffbird, 381–396
- White-winged Crossbill, 225–234
- White-winged Dove, 167–193
- White-winged Tanager, 397–412
- Willis, E.O., 195–196
- Willow Flycatcher, 381–396
- Willow/Alder Flycatcher, 397–412
- Willson Hillman, S., 293–295
- Wilsonia canadensis*, 397–412
- Wilsonia citrina*, 381–396
- Wilsonia pusilla*, 167–193, 381–396
- Wilson's Warbler, 167–193, 381–396
- Wine-throated Hummingbird, 167–193
- Wing-flashing, 319–321
- Wintering birds, 197–201
- Wood Thrush, 381–396
- Worm-eating Warbler, 381–396
- Wrentit, 197–201
- Wunderle, J.M., 329–331
- Xenops minutus*, 381–396
- Xenops rutilans*, 397–412
- Xenospiza baileyi*, 203–204
- Xenotriccus callizonus*, 167–193
- Xiphocolaptes promeropyrhyynchus*, 397–412
- Xipborhynchus erythropygius*, 167–193
- Xipborhynchus flavigaster*, 167–193, 381–396
- Xipborhynchus guttatus*, 397–412
- Xipborhynchus picus*, 397–412
- Yaxchilán, 381–396
- Yellow Grosbeak, 381–396
- Yellow Warbler, 381–396, 397–412
- Yellow-backed Oriole, 167–193, 397–412
- Yellow-bellied Elaenia, 397–412
- Yellow-bellied Flycatcher, 381–396
- Yellow-bellied Seedeater, 397–412
- Yellow-bellied Siskin, 397–412
- Yellow-bellied Tyrannulet, 381–396
- Yellow-billed Cacique, 167–193, 381–396
- Yellow-billed Cuckoo, 381–396
- Yellow-billed Toucanet, 397–412
- Yellow-breasted Chat, 381–396
- Yellow-eyed Junco, 197–201
- Yellow-faced Grassquit, 167–193
- Yellow-green Vireo, 381–396
- Yellowish Flycatcher, 167–193
- Yellow-legged Thrush, 397–412
- Yellow-nosed Albatross, 137–142
- Yellow-olive Flycatcher, 167–193, 381–396, 397–412
- Yellow-tailed Oriole, 381–396
- Yellow-throated Euphonia, 381–396
- Yellow-winged Tanager, 381–396
- Yorio, P., 283–292
- Zenaida asiatica*, 167–193
- Zimmerius vilissimus*, 167–193, 397–412
- Zimmerius viridiflavus*, 397–412
- Zone-tailed Hawk, 167–193

Reviewers for Ornitología Neotropical, Volume 13

Each manuscript submitted for publication in Ornitología Neotropical is generally reviewed by two specialists, often including a member of the editorial board, and frequently by a third one. The following individuals kindly reviewed one or more (*) manuscripts for Volume 13: Allison V. Andors, Jophn Bates, Robert C. Beason, Javier Bellati, Craig W. Benkman, Marcelo Bertellotti, Joana Burger,

Jaime Collazo, Charles T. Collins, John P. Croxal*, David C. Duffy, Jessica R. Eberhard, G. I. Fernandez, Jon Fjeldså, Esteban Frere, Patricia Gandini, Kevin J. Gaston, Fabian M. Jaksic*, Jaimé E. Jiménez*, Leo Joseph*, Jeremy Kerr, Manuel Marín, Raymond McNeil*, Diego Montalti*, Jean-Louis Mougín, David N. Nettleship, John P. O'Neil, Katherine C. Parsons, Ivette Perfecto, John H. Rappole*, J.