

# ORNITOLOGIA NEOTROPICAL

EDITOR

RAYMOND McNEIL

## **INDEX TO VOLUME 17, 2006**

(Authors, key words, families, common names, latin names)

An International Journal of Neotropical Ornithology  
published by

**THE NEOTROPICAL ORNITHOLOGICAL SOCIETY**

- Abourachid, A., 363–371  
 Abundance estimation, 203–212  
 Abundante, 491–500  
*Abutilon pictum*, 613–617  
*Accipiter bicolor*, 161–172  
*Accipiter striatus ventralis*, 161–172  
 Accipitridae, 39–55  
 Acosta Hospitaleche, C., 81–94, 235–241  
*Actitis macularia*, 531–548  
 Aerial insectivores, 213–225  
*Agelaius xanthomus*, 259–269  
 Agriculture machinery, 605–607  
 Agroecosystem, 271–282  
 Aguilar, S., 39–55  
 Albuquerque, J., 39–55  
 Alcedinidae, 481–490  
 Altitudinal Atlantic forest, 373–382  
 Altitudinal forest fragment, 373–382  
 Alvarez-Loayza, P., 307–312  
*Amazilia fimbriata*, 213–225  
 Anatomy, 235–241  
 Andean foothills, 601–604  
 Andes, 151–154, 161–172, 173–181, 461–406,  
 589–592  
 Ant-gardens, 307–312  
*Anthracothorax viridis*, 271–282  
*Aphrastura spinicauda*, 1–14  
*Aptenodytes forsteri*, 235–241  
*Ara ararauna*, 491–500  
 Aracari, 363–371  
*Aratinga weddellii*, 609–612  
 Arboreal locomotion, 363–371  
*Arenaria interpres*, 531–548, 549–562  
 Areta, J. I., 433–437, 593–595  
 Argentina, 27–38, 63–72, 155–158, 243–258,  
 289–293, 301–305, 353–362, 419–432,  
 433–437, 441–444, 501–513, 515–529,  
 593–595  
 Army ants, 151–154  
*Arremon flavirostris*, 213–225  
 Ascanio, D., 457–460  
*Asio clamator*, 289–293  
 Atlantic forest birds, 243–258  
 Atlantic forest, 243–258, 373–382, 593–595  
*Automolus leucophthalmus*, 213–225  
 Avian haematozoa, 515–529  
 Avian reproduction, 271–282  
 Azpiroz, A. B., 445–451, 457–460  
 Bairlein, F., 531–548, 549–562  
 Bamboo seeds, 609–612  
 Bamboo, 609–612  
 Barn Owl, 353–362  
 Barrantes, G., 295–300  
*Basileuterus flaveolus*, 213–225  
*Basileuterus hypoleucus*, 213–225  
*Basileuterus tristriatus chitrensis*, 593–595  
 Bechard, M. J., 161–172  
 Behavior, 57–62, 105–146, 363–371, 461–406  
 Belize, 333–352  
 Benthos, 531–548, 549–562  
 Bernal, M., 283–287  
*Biatas nigropectus*, 243–258  
 Bird banding, 501–513  
 Bird communities, 213–225  
 Bird richness, 419–432  
 Bird species composition, 419–432  
 Birds, 333–352  
 Bivalva, 531–548  
 Blake, J. G., 213–225  
 Blood parasites, 515–529  
 Blue-and-White Swallow, 619–622  
 Blue-and-Yellow Macaw, 491–500  
 Bodrati, A., 243–258, 593–595  
 Body mass, 409–418  
 Body size, 409–418  
 Bogdaschewski, R., 353–362  
 Book review, 473–475, 623–625  
 Bosque, C., 457–460  
 Brada da Rosa, G. A., 619–622  
 Bragantian Peninsula, 531–548, 549–562  
 Brazil, 213–225, 373–382, 491–500, 531–548,  
 549–562, 619–622, 619–622  
 Breeding areas, 501–513  
 Breeding biology, 321–331  
 Breeding colony, 283–287  
 Breeding season, 57–62  
 Breeding, 105–146, 283–287, 301–305, 445–  
 451, 457–460  
 Broad-winged Hawk, 563–579  
 Brown-breasted Bamboo-Tyrant, 593–595

- Búbo Magallánico, 27–38  
*Bubo magellanicus*, 27–38  
*Bubo virginianus*, 441–444  
*Bubulcus ibis*, 63–72  
 Búcker, A. D. L., 395–401  
 Buddenhagen, C., 73–80  
 Buenaventura, 395–401  
 Buenos Aires, 441–444  
 Buff-breasted Wren, 409–418  
 Burrowing Parrot, 515–529  
 Bustos, N., 605–607  
*Buteo albicaudatus*, 161–172  
*Buteo brachyurus*, 161–172  
*Buteo jamaicensis*, 161–172, 271–282  
*Buteo magnirostris*, 161–172  
*Buteo platypterus*, 161–172, 563–579  
*Buteo swainsoni*, 161–172  
*Buteogallus meridionalis*, 161–172  
 Cabrera, D., 395–401  
 Cal, R. N., 333–352  
*Calidris alba*, 531–548, 549–562  
*Calidris canutus*, 531–548, 549–562  
*Calidris pusilla*, 531–548, 549–562  
*Campostoma obsoletum*, 213–225  
*Campylorhamphus trochilrostris*, 213–225  
 Canopy phenology, 491–500  
 Capllonch, P., 501–513  
 Caracara plancus  
 Caribbean, 271–282  
 Carnivores, 213–225  
 Carpintero de Hoffmann, 295–300  
 Carrión, J. M., 183–202  
*Casiornis rufa*, 213–225  
 Castaño, A. M., 161–172  
*Cathartes aura*, 161–172  
*Catharus frantzii*, 383–394  
*Catharus thrushes*, 383–394  
*Catharus ustulatus*, 383–394  
*Catoptrophorus semipalmatus*, 531–548, 549–562  
 Cattle Egret, 63–72  
 Cauca River Valley, 161–172  
 Census, 333–352  
 Central America, 39–55  
*Cephalopterus penduliger*, 395–401  
 Cerradão, 213–225  
 Cerrado, 213–225, 491–500  
*Ceryle rudis*, 481–490  
*Ceryle torquata*, 481–490  
 Cerylinae, 481–490  
 Chaco, 501–513  
*Chamaeza ruficauda*, 243–258  
 Charadriidae, 531–548, 549–562  
*Charadrius collaris*, 531–548, 549–562  
*Charadrius semipalmatus*, 531–548, 549–562  
 Chaves, L., 439–440  
 Chestnut Wood-quail, 15–25  
 Chile, 1–14, 203–212, 283–287, 467–472, 605–607, 605–607  
 Chilean Tinamou, 467–472  
 Chillán, 605–607  
*Chloroceryle*, 481–490  
*Chlorostilbon maugaens*, 271–282  
 Choconi, R. G., 515–529  
*Chondrohierax uncinatus*, 161–172  
 Chotacabras Tijereta, 585–588  
 Christensen, B., 383–394  
*Chusquea uruguayensis*, 593–595  
 Cinereous Conebill, 613–617  
 Cinnamon-bellied Ground-Tyrant, 155–158  
*Circus cyaneus*, 161–172  
*Cissopis leveriana*, 609–612  
*Claravis pretiosa*, 213–225  
 Clark, C. J., 403–408  
*Clibanornis dendrocolaptoides*, 243–258  
 Cliff Flycatcher, 619–622  
 Cloud forest, 151–154, 313–316, 461–406, 589–592  
 Cloud montane forest, 383–394  
 Clutch size, 321–331  
*Cnemotriccus fuscatus*, 213–225  
*Coccyzus minor*, 271–282  
 Cockle, K., 243–258  
*Coereba flaveola*, 271–282  
 Coexistence, 383–394  
 Coffe plantation, 271–282  
 Collared Plover, 531–548, 549–562  
 Collazo, J. A., 271–282  
 Colombia, 161–172  
 Colony attendance, 95–103  
 Colorado, G. J., 161–172

- Columba squamosa*, 271–282  
*Columbina talpacoti*, 213–225  
 Conirostrum cinereum, 613–617  
*Conothraupis speculigera*, 609–612  
 Conservation value, 271–282  
 Conservation, 39–55, 105–146, 243–258, 271–282  
 Consumption, 531–548, 549–562  
*Contopus portoricensis*, 271–282  
 Copulation, 439–440  
 Coraciiformes, 481–490  
*Coragyps atratus*, 161–172  
 Cormorán Cuello Negro, 95–103  
 Corrado, N., 81–94  
 Corvidae, 105–146  
*Corvus leucognaphalus*, 105–146  
*Coryphospingus cucullatus*, 213–225  
*Corythopis delalandi*, 213–225  
 Costa Rica, 295–300, 453–456, 593–595  
 Courtship, 439–440  
 Cracidae, 373–382  
 Crest display, 439–440  
 Crested Tagle, 581–584  
 Crustacea, 531–548  
 Cruz, A., 259–269  
 Cruzatt Molina, J., 467–472  
 Cuba, 227–233  
*Cyanocompsa cyanooides*, 609–612  
*Cyanocorax caeruleus*, 243–258  
*Cyanocorax chrysops*, 213–225  
*Cyanoliseus patagonus*, 515–529  
*Cyklarbis gujanensis*, 213–225  
 Cygan, J. P., 593–595  
 Dead trees, 295–300  
 Death, 605–607  
 Degrange, F. J., 81–94  
 Delta del Río Paraná, 441–444  
*Dendrocolaptes platyrostris*, 213–225  
*Dendroica petechia*, 259–269  
 Diaz, G. I. C., 321–331  
 Diet, 151–154, 289–293, 307–312, 313–316, 353–362, 373–382, 441–444, 467–472, 549–562  
 Dingle, C., 601–604  
 Dispersal, 563–579  
 Display dive, 403–408  
 Distribution, 39–55, 227–233, 243–258, 445–451, 457–460, 501–513, 593–595  
 Diversity, 419–432  
 Dobbs, R. C., 151–154, 173–181, 321–331  
 Dominican Republic, 105–146  
 Donatelli, R. J., 481–490  
*Dorifera ludovicae*, 321–331  
 Droppings, 549–562  
 Drozd, H. O., 301–305  
 Dry Chaco, 433–437  
 Dry fruits, 491–500  
*Dryocopus galeatus*, 243–258  
*Dysithamnus mentalis*, 213–225  
 East Andean foothills, 147–149  
 Ecology, 15–25, 105–146  
 Eco-morphology, 383–394  
 Ecuador, 147–149, 151–154, 173–181, 183–202, 313–316, 321–331, 395–401, 585–588, 589–592, 601–604, 613–617  
 Ecuadorian ornithology, 183–202  
 Eggs, 147–149, 151–154, 155–158, 173–181, 321–331, 395–401, 461–406, 585–588, 589–592, 601–604  
*Elaenia mesoleuca*, 213–225  
*Elanoides forficatus*, 161–172  
*Elanus leucurus*, 161–172  
 Endangered species, 563–579  
 Endemic, 15–25  
 Environmental gradient, 353–362  
 Escobar, M. A. H., 203–212  
 Estación Científica Charles Darwin, 183–202  
 Estades, C. F., 1–14, 203–212  
*Encalíptus*, 213–225  
*Encometis penicillata*, 213–225  
*Endyptes chrysocome*, 235–241  
*Endyptes chrysocome*, 81–94  
 Euler's Flycatcher, 501–513  
*Euphonia musica*, 271–282  
 Exclosure experiment, 531–548  
 Extinction, 105–146  
 Extirpation, 105–146  
*Falco columbarius*, 161–172  
*Falco femoralis*, 161–172  
*Falco peregrinus*, 161–172

- Falco rufifularis*, 161–172  
*Falco sparverius*, 161–172, 271–282  
 Falcon state, 445–451  
 Fecal sacs, 313–316  
 Feeding, 581–584, 609–612  
 Feeding ecology, 491–500  
 Feeding habitat, 353–362  
 Feeding rates, 313–316  
 Feeding strategy, 549–562  
 Fierro-Calderón, K., 15–25  
 Figueroa R., R. A., 467–472  
 Flocks, 307–312, 433–437  
 Flores, M., 283–287  
 Food habits, 441–444  
 Food resources, 95–103, 491–500  
 Food, 609–612  
 Foraging behavior, 173–181, 613–617  
 Foraging strategies, 549–562  
 Foraging, 173–181  
 Forest birds, 203–212  
 Forest fragment, 491–500  
 Fossil penguins, 81–94  
 Franco, P., 15–25  
 Freile, J. F., 183–202  
 Frugivores, 213–225  
 Frugivory, 373–382  
*Fuchsia hybrida*, 613–617  
 Fuerte Esperanza, 433–437  
 Galapagos Mockingbird, 73–80  
 Galapagos, 73–80, 183–202  
 Gallery forest, 213–225  
*Gampsonyx swainsonii*, 161–172  
 Gasparini, G., 235–241  
 Gastropoda, 531–548  
 Gelis, R. A., 151–154, 313–316, 395–401, 601–604  
 Generalists Insectivores, 213–225  
 Geographic regions, 183–202  
*Geospiza fortis*, 73–80  
*Geospiza fuliginosa*, 73–80  
*Geotrygon montana*, 271–282  
 Gill, S. A., 409–418  
 Gleffe, J. D., 271–282  
 González-Acuña, D., 467–472  
 Gradient, 419–432  
*Gralaria Bigotada*, 313–316  
*Grallaria alleni*, 313–316  
*Grallaria haplonota*, 601–604  
*Grallaricula peruviana*, 461–406  
 Gramineous, 467–472  
 Granivores, 213–225  
 Green-and-gold Tanager, 307–312  
 Greeney, H. F., 147–149, 151–154, 173–181, 313–316, 321–331, 395–401, 461–406, 585–588, 589–59., 601–604  
 Green-fronted Lancebill, 321–331  
 Grey Plover, 531–548, 549–562  
 Groom, M. J., 271–282  
 Ground insectivores, 213–225  
*Guadua bamboo*, 609–612  
 Guilds, 419–432  
 Habitat, 243–258, 593–595  
 Habitat fragmentation, 373–382  
 Habitat use, 383–394, 563–579  
 Habitat-resource segregation, 383–394  
 Haiti, 105–146  
 Hanson, T., 453–456  
*Haplospiza rustica*, 609–612  
 Harms, I., 585–588  
*Harpia harpyja*, 39–55, 581–584  
 Harpy Eagle, 39–55, 581–584  
 Hayhurst, J. G., 321–331  
*Hemitriccus margaritaceiventer*, 213–225  
*Hemitriccus obsoletus*, 593–595  
 Hemoparasites, 515–529  
 Hengstenberg, D. W., 563–579  
 Highland Motmot, 151–154  
 Hilltop, 619–622  
 Hilltopping horse-flies, 619–622  
 Hiron, M., 383–394  
*Hirundinea ferruginea*, 619–622  
 Hispaniola, 105–146  
 Historical ornithology, 183–202  
 History, 183–202  
 Hoffmann's Woodpecker, 295–300  
 Höfling, E., 363–371, 481–490  
 Home range, 563–579  
 Hopping kinematics, 363–371  
 Host selection, 259–269  
 Host specificity, 259–269

- Host use, 259–269  
 House Sparrow, 457–460  
 Humerus, 81–94  
*Icterus croconotus strictifrons*, 301–305  
*Icterus dominicensis*, 271–282  
*Ictinia mississippiensis*, 161–172, 433–437  
 Incubation, 395–401, 453–456, 461–406  
 Incubation behavior, 453–456, 585–588  
 Incubation period, 589–592  
 Insect aggregation, 619–622  
 Insect predation, 619–622  
 Insecta, 531–548  
 Intestinal parasites, 515–529  
 Invasive plants, 73–80  
 Invertebrates, 27–38  
 Iribarne, O. O., 419–432  
 Isacch, J. P., 419–432  
 Island, 563–579  
 Jablonski, P., 593–595  
 Jamieson, L. H., 151–154  
 Jewell, K. J., 73–80  
 Karst forest, 563–579  
 Kerr, S., 321–331  
 Kober, K., 531–548, 549–562  
 Krabbe, N., 601–604  
 Labrada, O., 227–233  
 Laguna Mar Chiquita, 63–72  
*Lathrotriccus eulerei argentinus*, 501–513  
 Latitudinal gradient, 353–362  
 Latitudinal variation, 353–362  
 Laying time, 601–604  
 Leaf insectivores, 213–225  
 Lebbin, D. J., 609–612  
 Lechuzón orejudo, 289–293  
 Lek, 619–622  
*Lepidocolaptes angustirostris*, 213–225  
*Leptopogon amaurocephalus*, 213–225  
*Leptopogon rufipectus*, 173–181  
*Leptotila rufaxilla*, 213–225  
*Leptotila verreauxi*, 213–225  
 Lettered Aracari, 363–371  
 Leveau, L. M., 353–362  
 Lezama-López, M., 39–55  
 Limestone forest, 563–579  
*Limnodromus griseus*, 531–548, 549–562  
*Limosa fedoa*, 531–548, 549–562  
 Linear models, 63–72  
 Living penguins, 81–94  
 Locomotion, 363–371  
 Lohnes, R., 585–588  
 Longitudinal gradient, 353–362  
 Longitudinal variation, 353–362  
 Long-wattled Umbrellabird, 395–401  
 López Sepúlveda, P., 467–472  
 López-Ortiz, R., 259–269  
*Loxigilla portoricensis*, 271–282  
 Lynch, R. L., 585–588  
*Lysurus castaneiceps*, 147–149  
 Malzof, S., 441–444  
 Mandibles, 235–241  
 Marbled Godwit, 531–548, 549–562  
*Margarops fuscatus*, 271–282  
 Márquez, C., 39–55, 161–172  
 Marsh  
 Martin, P. R., 151–154  
 Masello, J. F., 515–529  
 Matico, 301–305  
 Matola, S., 39–55  
 Maugeri, F. G., 155–158, 301–305  
 McLean, A., 395–401  
 Medina-Miranda, R., 259–269  
 Medium Ground Finch, 73–80  
*Megascyle torquata*, 481–490  
*Megascops nudipes*, 271–282  
*Melanerpes hoffmannii*, 295–300  
*Melanerpes portoricensis*, 271–282  
*Mellisuga minima*, 403–408  
 Mesoamerica, 453–456  
 Midence, S., 39–55  
 Migration, 161–172, 501–513  
 Migratory routes, 501–513  
 Migratory thrushes, 383–394  
*Milvago chimachima*, 161–172  
*Mimus polyglottos*, 271–282  
 Miranda-Castro, L., 271–282  
 Misiones, 593–595  
 Mississippi Kite, 433–437  
 Mist nets, 213–225  
 Mist-netting, 203–212, 333–352  
*Molothrus bonariensis*, 259–269, 609–612

- Molothrus oryzivora*, 609–612  
*Momotus aequatorialis*, 151–154  
*Momotus momota*, 213–225  
 Montane forest, 173–181  
 Montane forest reserve, 383–394  
 Monte Desert, 27–38  
 Moraga, C., 605–607  
*Morphnus guianensis*, 581–584  
 Morphology, 383–394  
 Morphometry, 81–94  
 Mortality, 605–607  
 Mosquera, R., 39–55, 581–584  
 Mosqueta parda, 501–513  
 Mosqueta pecho pardo, 593–595  
 Moustached Antpitta, 313–316  
 Movements, 563–579  
*Musci-pipra vetula*, 619–622  
*Muscisaxicola capistratus*, 155–158  
 Mustivariate análisis, 235–241  
*Myiarchus antillarum*, 271–282  
*Myiarchus swainsoni*, 619–622  
*Myiarchus tyrannulus*, 213–225  
*Myiodynastes maculatus*, 213–225  
 Nabte, M. J., 27–38  
 Ñacurutu, 441–444  
*Nannopsittaca dachillae*, 609–612  
 Natural history, 151–154, 321–331, 403–408  
 Nectar robbing, 613–617  
 Nectarivores, 213–225  
 Nemertinea, 531–548  
 Neotropical birds, 581–584  
 Neotropical, 39–55, 213–225  
*Nesomimus parvulus*, 73–80  
 Nest, 147–149, 151–154, 155–158, 173–181, 295–300, 301–305, 585–588, 589–592, 593–595, 601–604  
 Nest building, 295–300  
 Nest location, 147–149  
 Nest placement, 321–331  
 Nest site, 395–401  
 Nesting, 173–181  
 Nesting behavior, 295–300, 307–312, 453–456  
 Nesting biology, 395–401  
 Nestlings, 589–592  
 Nesting seasonality, 321–331  
 Nesting success, 63–72  
 Nestling diet, 307–312  
 Nestling pterylosis, 301–305  
 Nestlings, 307–312, 313–316, 321–331  
 New records, 445–451  
*Nonnula rubecula*, 213–225  
 Northbound migration, 433–437  
 Northern Andes, 161–172  
 Northern Neotropics, 383–394  
 Northern Patagonia, 155–158  
*Notboprocta predicaria*, 467–472  
*Notboprocta predicaria*, 605–607  
*Numenius phaeopus*, 531–548, 549–562  
*Nystalus maculatus*, 213–225  
*Oceanodroma tethys*, 283–287  
*Odontophorus hyperythrus*, 15–25  
 Oligochaeta, 531–548  
 Olive Finch, 147–149  
 Olive Oropendola, 57–62  
 Omnivores, 213–225  
*Onychorhynchus coronatus*, 439–440  
 Opportunism, 549–562  
 Orange-backed Troupial, 301–305  
 Orchids, 307–312  
 Ornithological exploration, 183–202  
 Ornithology, 183–202  
*Oroaetus isidori*, 161–172  
 Ortiz-Crespo, F., 183–202  
 Osteology, 481–490  
 Páez, M., 203–212  
*Palaeospheniscus patagonicus*, 81–94  
 Panama, 409–418, 581–584  
*Pandion haliaetus*, 161–172  
 Paraná river floodplain, 289–293  
*Paraptendytes antarcticus*, 81–94  
 Parasite removal, 313–316  
 Parasites, 515–529  
 Pardiñas, U. F. J., 27–38, 353–362  
 Parental care, 313–316  
 Parrots, 491–500  
 Parulidae, 593–595  
 Pascotto, M. C., 481–490  
*Passer domesticus*, 457–460  
*Patagioenas inornata*, 227–233

- Patagonia, 27–38, 95–103, 155–158  
 Patagonian Conure, 515–529  
 Pautasso, A. A., 289–293  
 Pedroni, F., 373–382  
*Penelope superciliaris*, 373–382  
 Perdiz chilena, 605–607  
 Pereira, J., 441–444  
 Pérez, C. F., 419–432  
 Peruvian Antpitta, 461–406  
*Phalacrocorax magellanicus*, 95–103  
*Pibialura flavirostris*, 243–258  
*Phylloscartes paulista*, 243–258  
 Piana, R., 39–55  
 Piaskowski, V. D., 333–352  
*Piaya cayana*, 213–225  
*Pipile jacutinga*, 243–258  
*Pipra fasciicauda*, 213–225  
 Piratelli, A., 213–225  
 Plain Pigeon, 227–233  
 Plain-backed Antpitta, 601–604  
*Platyrinchus mystaceus*, 213–225  
*Pluvialis squatarola*, 531–548, 549–562  
 Poaceae, 467–472  
*Poecilurus scutatus*, 213–225  
 Point counts, 203–212  
 Polychaeta, 531–548  
 Post-fledged young, 581–584  
 Predation, 619–622  
 Predators, 151–154  
 Prey availability, 531–548, 549–562  
 Prey size, 549–562  
 Prey, 441–444  
 Prieto-Albuja, F., 183–202  
*Psarocolius yuracares*, 57–62  
*Pseudotriccus ruficeps*, 589–592  
 Psittacidae, 491–500  
 Psittaciformes, 515–529  
*Psophia leucoptera*, 609–612  
*Pteroglossus inscriptus*, 363–371  
 Puerto Rico, 105–146, 271–282, 563–579  
*Pygobelidon cyanoleuca*, 619–622  
*Pygoscelis adeliae*, 81–94, 235–241  
*Pygoscelis antarctica*, 81–94, 235–241  
*Pygoscelis papua*, 81–94, 235–241  
 Quillfeldt, P., 515–529  
 Quintana, F., 95–103  
 Quintana, R., 441–444  
 Ragusa-Netto, J., 491–500  
 Ramos-Álvarez, K. R., 259–269  
 Ramphastidae, 363–371  
 Rangel-Salazar, J. L., 383–394  
 Raptors, 161–172  
 Raptor migration, 161–172  
 Red Knot, 531–548, 549–562  
 Regional scale, 353–362  
 Renous, S., 363–371  
 Reproduction, 15–25, 271–282  
 Research history, 183–202  
 Resident thrushes, 383–394  
 Resident-migratory coexistence  
 Restall, R., 457–460  
 Rettig, N., 39–55  
 Ringed Kingfisher, 481–490  
 Río Negro province, 155–158  
 Riparian habitats, 419–432  
 Riquelme Salazar, P., 467–472  
 Rock Shags, 95–103  
 Rodents, 27–38, 289–293  
 Rodrigues Silva, W., 373–382  
 Rodríguez-Ferraro, A., 57–62, 445–451, 457–460  
 Royal Flycatcher, 439–440  
 Ruddy Turnstone, 531–548, 549–562  
 Rufous-breasted Flycatcher, 173–181  
 Rufous-headed Pygmy-Tyrant, 589–592  
 Rustán, J. J., 81–94  
 Rusty-margined Guan, 373–382  
 Saba, S. L., 27–38  
 Salta province, 301–305  
*Saltator similis*, 213–225  
 Sanaïotti, T., 39–55  
 Sánchez, B., 227–233  
 Sánchez, J. E., 39–55  
 Sanderling, 531–548, 549–562  
 Sandoval, L., 295–300  
 Santa Fe, 289–293  
 Sapoznikow, A., 95–103  
*Sarcoramphus papa*, 161–172  
*Saurothera vieilloti*, 271–282  
 Savanna, 213–225

- Scolopacidae, 531–548, 549–562  
 Seasonal fluctuations, 95–103  
 Secondary cavity-nesting birds, 1–14  
 Secondary nectar robbing, 613–617  
 Seed dispersal, 73–80, 307–312, 373–382  
 Seed viability, 73–80  
 Seeds, 609–612  
 Sehgal, R. N. M., 515–529  
 Seipke, S. H., 433–437  
 Semipalmated Plover, 531–548, 549–562  
 Semipalmated Sandpiper, 549–562  
 Sexing technique, 409–418  
 Sexual size dimorphism, 409–418  
 Shaded coffee plantation  
 Shear-tailed Grey-Tyrant, 619–622  
 Shiny Cowbird, 259–269  
 Shorebirds, 531–548, 549–562  
 Short-billed Dowitcher, 531–548, 549–562  
 Sibun riverine forest, 333–352  
 Simeone, A., 283–287  
 Singing rate, 601–604  
 Sipunculida, 531–548  
*Sittasomus griseicapillus*, 213–225  
 Size dimorphism, 409–418  
 Skewes Ramm, O., 467–472  
 Skewes, O., 605–607  
 Skulls, 235–241  
 Small Ground Finch, 73–80  
 Sornoza, F., 395–401  
 Soto, A., 457–460  
 South America, 39–55, 501–513  
 Spheniscidae, 81–94, 235–241  
*Spheniscus magellanicus*, 81–94, 235–241  
*Spheniscus humboldti*, 235–241  
*Spindalis portoricensis*, 271–282  
 Spotted Sandpiper, 531–548  
 Stand attributes, 1–14  
 Status, 39–55, 457–460  
 Stawarczyk, T., 593–595  
*Streptoprocne zonaris*, 619–622  
 Strigiformes, 441–444  
 Stripe-breasted Wren, 453–456  
*Strix hylophila*, 243–258  
 Suárez, L., 183–202  
 Substrate selection, 295–300  
 Sudamérica, 501–513  
 Survival, 63–72  
 Swainson's Flycatcher, 619–622  
 Swallow-tailed Nightjar, 585–588  
 Systematics, 81–94, 235–241, 481–490  
 Tabanidae, 619–622  
*Tachyphonus rufus*, 213–225  
 Tambussi, C. P., 81–94  
 Tanagers, 613–617  
*Tangara schrankii*, 307–312  
 Tangara verde y dorada, 307–312  
*Taraba major*, 213–225  
 Taxonomic groups, 183–202  
*Tecomeria capensis*, 613–617  
 Tell, L., 515–529  
 Territorial behavior, 403–408  
 Teta, P., 353–362, 441–444  
 Teul, M., 333–352  
*Thamnophilus doliatus*, 213–225  
*Thamnophilus punctatus*, 213–225  
 Thiollay, J.-M., 39–55  
 Threatened species, 15–25, 243–258  
 Three-striped Warbler, 593–595  
*Thryothorus leucotis*, 409–418  
*Thryothorus thoracicus*, 453–456  
*Tiaris bicolor*, 271–282  
*Tiaris olivacea*, 271–282  
 Tidal flat, 419–432  
 Tidwell, M., 601–604  
*Todus mexicanus*, 271–282  
 Tomasevic, J. A., 1–14, 203–212  
 Torcaza Boba, 227–233  
 Torres, R., 63–72  
*Troglodytes aaron*, 1–14  
 Troglodytidae, 453–456  
 Tropical habitat, 531–548, 549–562  
 Trunk insectivores, 213–225  
*Turdus amaurochalinus*, 213–225  
*Turdus leucomelas*, 213–225  
*Turdus plumbeus*, 271–282  
 Tyrannidae, 155–158, 501–513  
*Tyrannus caudifasciatus*, 271–282  
*Tyrannus dominicensis*, 271–282  
*Tyto alba*, 353–362  
*Urospalis segmentata segmentata*, 585–588

- Vaca B., F. J., 601–604  
 Van Houtan, K. S., 307–312  
 Vargas, J. de J., 39–55, 581–584  
 Venezuela, 57–62, 445–451, 457–460  
 Ventosa-Febles, E. A., 259–269  
 Vervain Hummingbird, 403–408  
 Vilella, F. J., 563–579  
*Vireo altiloquus*, 271–282  
*Vireo chivi*, 213–225  
*Vireo latimeri*, 271–282  
 Vocalization, 105–146  
 Vogt, C. A., 613–617  
 Vonhof, M. J., 409–418  
 Vukasovic, M. A., 203–212  
 Water loss, 461–406, 589–592  
 Watson, M., 581–584  
 Wedge-rumped Store-petrel, 283–287  
 West Indies, 105–146  
 Whimbrel, 531–548, 549–562  
 Whitacre, D., 39–55  
 White-collared Swift, 619–622  
 White-necked Crow, 105–146  
 Wiley, J. W., 105–146, 227–233  
 Willet, 531–548, 549–562  
 Williams, K. M., 333–352  
 Yungas, 501–513  
 Zaca, W., 373–382  
 Zelaya, P., 501–513  
*Zenaida asiatica*, 271–282

## REVIEWERS FOR ORNITOLOGÍA NEOTROPICAL, VOLUME 17

Each manuscript submitted for publication in *Ornitología Neotropical* is generally reviewed by two specialists, often including a member of the editorial board, and frequently by a third one. The following individuals kindly reviewed one or more (\*) manuscripts for Volume 17: Kathryn E. H. Aitken, Jorge Albuquerque, J. A. Amat, K. A. Angel, Paulo De Tarso Antas, Adrián Azpiroz, J. Mazar Barnett, Marc Bechard, C. W. Benkman, Keith L. Bildstein\*, John G. Blake\*, Elisa Bonaccorso, Céline Boutin, Daniel Cadena, N. Cappuccino, Roberto Carmona, Juan Luis Celis, D. A. Christie, Anne Clark, K. L. Cockle, Malcolm Coulter, Ana Cruz-Angón, André Desrochers, Alejandro DiGiacomo, RC. Dobb, Sarah Durell\*, J. Eberhard, Christian Érard, R. Michael Erwin, Patricia Escalante, Cristián F. Estades, Marco Favero, Carla S. Fontana, Rosendo Fraga\*, Juan F. Freile, Peter Grant, Harold F. Greeney\*, James Ha, Amanda M. Hale, Brian Harrington, Helen Hays, Fritz Hertel, Sebastian K. Herzog, Shelley A. Hinsley, Elisabeth

Höfling\*, J. Jahcke, Fabián Jaksic\*, Jerome A. Jakson, Jaime E. Jiménez, Gustavo H. Kattan, Oliver Komar, Nills Krabbe, Kristof Kyskowski, Rudi Ricardo Laps, Miguel Lentino, Catherine Lindell, Gustavo A. Londoño, Miguel A. Marini, Luis Marone, George R. Maxwell, Tomasz Mazgajski, Raymond McNeil\*, Diego Montalti, Luis Gonzalo Morales\*, Juan Moreno, J. C. Motta-Junior, A. G. Navarro-Sigüenza, Christian Olivo\*, Raúl Ortiz-Pulido, María Andreina Pacheco, Sergio Pacheco, Rosana Paredes, A. Parrado-Rosselli, Robert Payne, Raúl Perez Rivera, Augusto Piratelli, Flavio Quintana, Jorje E. Ramírez-Albores, Sharon Reid, W. Douglas Robinson, Marcos Rodrigues, Karl-L. Schuchmann, C. H. Sekercioglu, Humphrey P. Sitters\*, Neal G. Smith, Mark T. Stanback, F. Gary Stiles, M. Stucchi\*, Ethan Temeles, John Terborgh, Jean-Marc Thiollay, Jeff Thompson, J. C. Torres, Alejandro Travaini, Ana Trejo\*, Darius P. Tubelis, Marcelo Vasconcelos, A. Vezu, J. M. E. Vielliard, Pascal Villard\*, François