

INDEX TO VOLUME 7, 1976

Compiled by *Mildred Comar*

- Acanthis bornemanni*, 21, 85
Accipiter gentilis, 108-110
Acridotheres cristatellus, 20
Aegolius funereus, 15, 90, 93, 97
Agelaius funereus, 15, 90, 93, 97
 , 85
Ainley, David G., occurrence of seabirds
 in the coastal region of California, The,
 33-68
Ajaia ajaja, 97
Alauda arvensis, 16
Albatross, Black-footed, 37, 40, 42, 44,
 51, 61, 115
 Laysan, 11, 12, 37, 42, 44, 51-52, 115
 Short-tailed, 12, 116
 Wandering, 134
Alecto rufa, 82
Amazilia yucatanensis, 84
Ammodramus bairdi, 21
Amphispiza bilineata, 21
 caudacuta, 92, 97
 lecontei, 18, 89, 97
Anas penelope, 87, 97
 rubripes, 19
Anhinga, 97
Anhinga anhinga, 97
Ani, Groove-billed, 84, 153-154
Anthus spragueii, 95, 97
Aquila chrysaetos, 137-152
Archilochus colubris, 84
Auklet, Cassin's, 61, 133
 Parakeet, 133
 Rhinoceros, 41, 60, 62, 112, 133
Aythya affinis, 13
 fuligula, 13
Baltz, Donald M. and G. Victor Morejohn,
 Evidence from seabirds of plastic par-
 ticle pollution off central California,
 111-112
Becard, Rose-throated, 85
Behle, W. H. and M. L. Perry, Utah
 Birds, review, 32
Bittern, Least, 28, 87
Blackbird, Rusty, 17
 Tricolored, 85
Bombycilla cedrorum, 101
 garrulus, 101, 102
Bonasa umbellus, 87, 93, 97
Booby, Blue-footed, 37, 41, 45, 57, 124,
 155-157
Brown, 45, 57, 135
Red-footed, 135
Brachyramphus brevirostris, 15, 135
 marmoratus, 38, 41, 43, 59, 61, 133
Brant, 97
 "Black," 13, 97
Branta bernicla, 13, 97
 b. brota, 13
 b. nigricans, 13, 97
 leucopsis, 19
Bubo virginianus, 138
Bubulcus ibis, 12, 86, 87
Bucephala albeola, 13
Bufflehead, 13
Bunting, Indigo, 18
 Lark, 18
 Lazuli, 101, 102
 Painted, 86, 89
 Snow, 86, 92
Bushtit, "Black-eared," 85
Buteo lagopus, 28
 lineatus, 90, 95, 97
 nitidus, 84
Butorides virescens, 28
Calamospiza melanocorys, 18
Calcarius ornatus, 18
 pictus, 84, 85, 96, 97
Calidris canutus, 86, 87
 ferruginea, 14
 fuscicollis, 14
Calonectris leucomelas, 121
Calypte anna, 15, 83, 90, 92, 97
Campstostoma imberbe, 85
Campylorhynchus
 brunneicapillus, 85
Canachites canadensis, 82
Caprimulgus vociferus, 97
Caracara, 83
 Caracara cheriway, 83
Carduelis (Acanthis) (Spinus)
 bornemanni, 21, 85
 psaltria, 18
 tristis, 101, 104
Carlson, Charles M. and P. D. Skaar, Pip-
 ing Plover in Montana, 69-70
Carpodacus cassini, 101
 mexicanus, 18, 101, 102
 purpureus, 92, 95, 96, 97
Casmerodium albus, 12
Cassidix mexicanus, 30, 84, 89, 92, 97
Catharacta skua, 37, 41, 45, 58, 128
 s. chilensis, 58
 s. maccormicki, 58

- Catharus guttatus*, 101
minimus, 88, 89, 94, 97
ustulatus, 29, 101
Cephus columba, 61, 132
Cerorhinca monocerata, 41, 60, 62, 112,
 133
Certhia familiaris, 101
Chaetura vauxi, 84
Chamea fasciata, 85
Charadrius alexandrinus, 13
melodus, 69-70, 87, 89, 90, 93
montanus, 14
semipalmatus, 13, 29
Chen rossii, 13, 86, 87
 Chickadee, Black-capped, 29
Chordeiles acutipennis, 97
minor, 29
Cistothorus platensis, 89, 91, 94, 95, 97
Coccyzus americanus, 15
erythrophthalmus, 15
Colaptes auratus, 101
a. chrysoides, 84
Columbina passerina, 82
Contopus virens, 88, 94, 95, 97
Conuropsis carolinensis, 82
Coragyps atratus, 82, 84
 Cormorant, Brandt's, 61, 124, 125
 Double-crested, 61, 124, 125
 Olivaceous, 97
 Pelagic, 61, 124, 125
Corvus brachyrhynchos, 16
b. caurinus, 16
b. hesperis, 16
Coturnicops noveboracensis, 97
 Crane, Whooping, 87, 97
 Creeper, Brown, 101
 Crossbill, Red, 101, 102, 104
 White-winged, 101, 105, 106
Crotophaga sulcirostris, 84, 153-154
 Crow, Common, 16
 "Northwestern," 16
 Cuckoo, Black-billed, 15
 Yellow-billed, 15
 Curlew, Eskimo, 97
Cyanocitta cristata, 16
stelleri, 29
Cyclorrhynchus psittacula, 133
Cygnus buccinator, 13, 89, 93, 97
olor, 19, 82
Daption capense, 121
Dendroica caerulea, 29, 88
castanea, 88, 91, 92
cerulea, 97
coronata, 101
discolor, 83, 94, 97
dominica, 91, 94, 97
fusca, 88, 91, 94, 96
magnolia, 20
occidentalis, 83, 85, 97
palmarum, 17
pensylvanica, 17, 29
petechia, 101, 105
pinus, 91, 94, 96, 97
tigrina, 17, 86, 88, 91, 92, 94, 97
townsendi, 101, 105
virens, 88
Dichromana rufescens, 97
Diomedea albatrus, 12, 116
exulans, 134
immutabilis, 11, 12, 37, 42, 44, 51-52,
 115
nigripes, 37, 40, 42, 44, 51, 61, 115
 Dove, Ground, 82
 Inca, 83
 Mourning, 101
 White-winged, 93, 97
 Dowitcher, Short-billed, 87, 90, 93, 95,
 97
Dryocopus pileatus, 82, 85
 Duck, Black, 19
 Harlequin, 97
 Tufted, 13
 Eagle, Bald, 28
 Golden, 137-152
Ectopistes migratorius, 20
 Egret, Cattle, 12, 86, 87
 Great, 12
 Reddish, 97
 Snowy, 19, 28
Egretta thula, 19, 28
 Eider, Common, 19, 97
Elanoides forficatus, 92, 97
 Elliott, Bruce G., Blue-footed Booby in
 northern California, 155-157
Empidonax hammondi, 101, 105
minimus, 16
wrightii, 16
Endomychura craveri, 26, 38, 60, 134
hypoleuca, 15, 38, 41, 43, 45, 59-60,
 61, 62, 64
b. scrippsi, 133-134
Eudocimus albus, 82
Eugenys fulgens, 89, 97
Euphagus carolinus, 17
Falco rusticolis, 95, 97
 Finch, Cassin's, 101
 House, 18, 101, 102
 Purple, 92, 95, 96, 97
 Flicker, Common, 101
 "Gilded," 84

- Florida caerulea*, 12, 86, 90, 92, 97
 Flycatcher, Beardless, 85
 Gray, 16
 Hammond's, 101, 105
 Least, 16
 Olivaceous, 97
 Vermilion, 88, 90
Fratercula corniculata, 38, 59, 132
Fregata magnificens, 37, 41, 45, 57, 61, 124
 minor, 124
 Frigatebird, Great, 124
 Magnificent, 37, 41, 45, 57, 61, 124
 Fulmar, Northern, 37, 40, 42, 44, 52, 62, 112, 116-117
Fulmarus glacialis, 37, 40, 42, 44, 52, 62, 112, 116-117
Gallinula chloropus, 28, 90, 97
 Gallinule, Common, 28, 90, 97
 Purple, 84
Gavia adamsii, 12, 84
 arctica, 86, 87, 90
 stellata, 87, 89, 97
 Gnatcatcher, Blue-gray, 20
 Godwit, Bar-tailed, 14
 Hudsonian, 14, 90, 92, 93, 97
 Goldfinch, American, 101, 104
 Lesser, 18
 Goose, Barnacle, 19
 Ross', 13, 86, 87
 Goshawk, Northern, 108-110
 Grackle, Great-tailed, 30, 84, 89, 92, 97
 Grant, Gilbert S. and Norman Hogg, Behavior of late-nesting Black Skimmers at Salton Sea, California, 73-80
 Grebe, Red-necked, 97
 Grosbeak, Black-headed, 101
 Blue, 20
 Evening, 101, 102
 Rose-breasted, 17
 Grouse, Ruffed, 87, 93, 97
 Spruce, 82
Grus americana, 87, 97
 Guillemot, Pigeon, 61, 132
Guiraca caerulea, 20
 Gull, Black-headed, 20
 California, 27
 Franklin's, 29
 Glaucous-winged, 112
 Gray, 76
 Heermann's, 25, 26, 112
 Iceland, 19, 89, 97
 Ivory, 97
 Laughing, 89, 90, 93, 95, 97
 Little, 11, 14, 83, 95, 97
 Mew, 112
 Sabine's, 37, 41, 43, 58, 128
 Thayer's, 14
 Western, 61, 82
Gymnorhinus cyanocephala, 16
 Gyrfalcon, 95, 97
Haliaeetus leucocephalus, 28
Halocyptena microsoma, 26, 37, 41, 43, 45, 56, 61, 62, 123, 156
 Hawk, Gray, 84
 Harris', 82, 84
 Red-shouldered, 90, 95, 97
 Rough-legged, 28
Helmintheshorus vermivorus, 88
 Heron, Black-crowned Night, 28
 Green, 28
 Little Blue, 12, 86, 90, 92, 97
 Louisiana, 86, 92, 97
Hesperiphona vespertina, 101, 102
Histrionicus histrionicus, 97
 Hoechlin, Don R., Development of Golden Eaglets in southern California, 137-152
 Hogg, Norman, see Grant, G. S.
 Hudson, George E., see Johnson, R. E.
 Hummingbird, Allen's, 84
 Anna's, 15, 83, 90, 92, 97
 Blue-throated, 83, 87, 95, 97
 Broad-tailed, 20
 Buff-bellied, 84
 Rivoli's, 89, 97
 Ruby-throated, 84
 White-eared, 84
 Hunn, Eugene S., see Mattocks, P. W., et al.
Hydranassa tricolor, 86, 92, 97
Hydroprogne caspia, 83, 84, 93, 97
Hylocharis leucotis, 84
Hylocichla mustelina, 86
 Ibis, Glossy, 97
 White, 82
Icterus cucullatus, 83, 85
 parisorum, 83, 85, 95, 96, 97
 spurius, 20
Ixobrychus exilis, 28, 87
Ixoreus naevius, 29, 86, 101, 104
 Jaeger, Long-tailed, 14, 97, 126
 Parasitic, 87, 93, 95, 97, 126, 127
 Pomarine, 87, 93, 97, 126, 127, 128
 Jay, Blue, 16
 Pinon, 16
 Steller's, 29
 Jehl, Joseph R., Jr., northernmost colony of Heermann's Gull, The, 25-26

- Johnson, Richard E. and George E. Hudson, Bird mortality at a glassed-in walkway in Washington State, 99-107
 Junco, Dark-eyed, 100, 101
 Gray-headed, 21
Junco caniceps, 21
 hyemalis, 100, 101
 Kingfisher, Belted, 101
 Kinglet, Golden-crowned, 101
 Ruby-crowned, 101
 Kite, Swallow-tailed, 92, 97
 Kittiwake, Black-legged, 38, 41, 43, 45,
 58-59, 61, 62, 90, 93, 97, 112, 128
 Red-legged, 20
 Knopf, F. L., Ancient Murrelet in Utah, 27
 Knot, Red, 86, 87
Lampornis clemenciae, 83, 87, 95, 97
Larus atricilla, 89, 90, 93, 95, 97
 californicus, 27
 canus, 112
 glaucus, 112
 glaucopterus, 19, 89, 97
 beermanni, 25, 26, 112
 minutus, 11, 14, 83, 95, 97
 modestus, 76
 occidentalis, 61, 82
 pixican, 29
 ridibundus, 20
 tbayeri, 14
Laterallus jamaicensis, 82
 Laymon, Stephen, review by, 72
Limnodromus griseus, 87, 90, 93, 95,
 97
Limnothlypis swainsonii, 94, 97
Limosa haemastica, 14, 90, 92, 93, 97
 lapponica, 14
Lobipes lobatus, 126
 Longspur, Chestnut-collared, 18
 Smith's, 84, 85, 96, 97
 Loon, Arctic, 86, 87, 90
 Red-throated, 87, 89, 97
 Yellow-billed, 12, 84
Lophortyx californicus, 82
Loxia curvirostra, 101, 102, 104
 leucoptera, 101, 105, 106
Lunda cirrhata, 61, 133
 Magpie, Black-billed, 29
 Martin, Purple, 97
 Mattocks, Philip W., Jr., Eugene S. Hunn.
 Terence R. Wahl, checklist of the birds
 of Washington State, with recent
 changes annotated, A, 1-24
 Meadowlark, Eastern, 92, 95, 97

Megacyrle alcyon, 101
Melanitta nigra, 93, 97
Meleagris gallopavo, 13
Melospiza georgiana, 18
 lincolni, 101, 105
Mimus polyglottus, 16
Mniotilla varia, 29, 101, 105
 Mockingbird, 16
 Morejohn, G. V., see Baltz, D. M.
 Murre, Common, 61, 62, 114, 131, 132
 Thick-billed, 14, 59, 114, 131, 132
 Murrelet, Ancient, 27, 38, 41, 43, 45,
 59, 61, 62, 97, 134
 Craveri's, 26, 38, 60, 134
 Kittlitz's, 15, 135
 Marbled, 38, 41, 43, 59, 61, 133
 Xantus', 15, 38, 41, 43, 45, 59-60, 61,
 62, 64, 133-134
Myadestes townsendi, 101
Mycteria americana, 97
Myiarchus tuberculifer, 97
 Myna, Crested, 20
 Nighthawk, Common, 29
 Lesser, 97
Numenius borealis, 97
 Nuthatch, Red-breasted, 101
Nycticorax nycticorax, 28
Oceanites oceanicus, 37, 41, 45, 56, 123
Oceanodroma castro, 134
 furcata, 12, 37, 40, 44, 54-55, 61,
 121
 homochroa, 37, 40, 55-56, 61, 123
 leucorhoa, 37, 40, 43, 45, 55, 61,
 121, 156
 melia, 37, 40, 43, 45, 56, 61, 62
 64, 71, 122, 123
 tethys kelsalli, 121
Oenanthe oenanthe, 82
Olor buccinator, 89, 93, 97
Oporornis agilis, 89, 97
 formosus, 83, 88, 89, 91, 94, 96, 97
 philadelphus, 29
 tolmiei, 101, 105
 Oriole, Hooded, 83, 85
 Orchard, 20
 Scott's, 83, 85, 95, 96, 97
 Ovenbird, 17
 Owl, Barred, 15, 97
 Boreal, 15, 90, 93, 97
 Great Horned, 138
 Spotted, 93, 95, 97
Pagophila eburnea, 97
Parabuteo unicinctus, 82, 84
 Parakeet, Carolina, 82

- Partridge, Gray, 82
 Red-legged, 82
Parula americana, 29
Parula, Northern, 29
Parus atricapillus, 29
Passer domesticus, 100, 101
Passerina amoena, 101, 102
 cirs, 86, 89
 cyanea, 18
Passerella iliaca, 101
Pelecanus erythrorhynchos, 28
 occidentalis, 97
Pelican, Brown, 97
 White, 28
Perdix perdix, 82
Petrel, Cape, 121
 Mottled (Scaled), 134
Peucedramus taeniatus, 85
Pewee, Eastern Wood, 88, 94, 95, 97
Phaethon aethereus, 37, 41, 45, 57-58,
 123, 156
 lepturus, 134
Phainopepla, 29, 91, 95, 97
Phainopepla nitens, 29, 91, 95, 97
Phalacrocorax auritus, 61, 124, 125
 pelagicus, 61, 124, 125
 penicillatus, 61, 124, 125
 olivaceus, 97
Phalarope, Northern, 126
 Red, 86, 89, 93, 95, 97, 124, 126
Phalaropus fulicarius, 86, 89, 93, 95, 97,
 124, 126
Pheucticus ludovicianus, 17
 melanocephalus, 101
Philobela minor, 90, 97
Philomachus pugnax, 14, 84
Phoebe, Black, 20, 83, 88, 90, 94, 97
 Eastern, 31
Pica pica, 29
Pigeon, Passenger, 20
Pipit, Sprague's, 95, 97
Piranga flava, 89, 97
 ludoviciana, 101
 Pitman, R. L. and Steven M. Speich,
 Black Storm-Petrel breeds in the United States, 71
Platyparsis algaiæ, 85
Plectrophenax nivalis, 86, 92
Plegadis falcinellus, 97
Plover, Mountain, 14
 Piping, 69-70, 87, 89, 90, 93
 Semipalmated, 13, 29
 Snowy, 13
Podiceps grisegena, 97
Polioptila caerulea, 20
Porphyruia martinica, 84
Progne subis, 97
Protonotaria citrea, 17, 88, 91, 94, 97
Psaltriparus minimus
 "melanotis," 85
Pterodroma inexpectata, 134
Ptychoramphus aleuticus, 61, 133
Puffin, Horned, 38, 59, 132
 Tufted, 61, 133
Puffinus bulleri, 12, 37, 39, 40, 42, 44,
 54, 61, 116, 118, 119
 carneipes, 12, 37, 40, 44, 52, 61,
 116, 120
 creatorepus, 37, 40, 42, 44, 52-53, 61,
 112, 116, 117, 119
 griseus, 37, 40, 42, 44, 53, 61, 112,
 116, 119
 puffinus, 19, 37, 39, 40, 42, 44, 54,
 61, 62, 116, 119
 tenuirostris, 37, 40, 42, 44, 53-54,
 61, 112, 116, 120
Pyrocephalus rubinus, 88, 90
Quail, California, 82
Quiscalus (Cassidix)
 mexicanus, 30, 84, 89, 92, 97
Rail, Black, 82
 Virginia, 28
 Yellow, 97
Rallus limicola, 28
 Reddall, Jack, Colorado Field Ornithologists Official Records Committee report, 1972 through 1975, 81-97
Redpoll, Hoary, 21, 85
Redstart, American, 30
 Painted, 92, 96, 97
Regulus calendula, 101
 satrapa, 101
Rissa brevirostris, 20
 tridactyla, 38, 41, 43, 45, 58-59, 61,
 62, 90, 93, 97, 112, 128
Robin, American, 100, 101
Ruff, 14, 84
Rynchops niger, 73-80
Sandpiper, Buff-breasted, 86, 87, 90, 97
 Curlew, 14
 Terek, 19
 White-rumped, 14
Sapsucker, Red-naped, 15
Sayornis nigricans, 20, 83, 88, 90, 94,
 97
 phoebe, 31
Scardafella inca, 83
Scua, Lesser, 13
 Schaeffer, Philip P., Treasurer's report,
 158

- Scoter, Black, 93, 97
Seiurus aurocapillus, 17
 motacilla, 83, 85, 97
 noveboracensis, 17, 29
Selasphorus platycercus, 20
 sasin, 84
Setophaga picta, 92, 96, 97
 ruticilla, 30
 Shearwater, Buller's (New Zealand), 12, 37, 39, 40, 42, 44, 54, 61, 116, 118, 119
 Flesh-footed, 12, 37, 40, 44, 52, 61, 116, 120
 Manx, 19, 37, 39, 40, 42, 44, 54, 61, 62, 116, 119
 Pink-footed, 37, 40, 42, 44, 52-53, 61, 112, 116, 117, 119
 Short-tailed, 37, 40, 42, 44, 53-54, 61, 112, 116, 120
 Sooty, 37, 40, 42, 44, 53, 61, 112, 116, 119
 Streaked, 121
 Shuster, William C., Northern Goshawk nesting densities in montane Colorado, 108-110
 Siskin, Pine, 100, 101, 104
Sitta canadensis, 101
 Skaar, P. D., Eastern Phoebe in Montana, 31; Montana Bird Distribution, review, 72; also see Carlson, C. M.
 Skimmer, Black, 73-80
 Skua, 37, 41, 45, 58, 128
 Skylark, 16
 Small, Arnold, Western Bird Photographers, 137
 Solitaire, Townsend's, 101
Somateria mollissima, 19, 97
 Sparrow, Baird's, 21
 Black-chinned, 85
 Black-throated, 21
 Chipping, 101, 103
 Clay-colored, 18
 Fox, 101
 Golden-crowned, 18, 92, 95, 97
 Harris', 30
 House, 100, 101
 Le Conte's, 18, 89, 97
 Lincoln's, 101, 105
 Sharp-tailed, 92, 97
 Swamp, 18
 White-crowned, 101, 102
 White-throated, 30
 Speich, Steven M., see Pitman, R. L.
Sphyrapicus nuchalis, 15
 ruber, 15
- Spinus psaltria*, 18
 pinus, 100, 101, 104
 tristis, 101, 104
Spizella atrogularis, 85
 pallida, 18
 passerina, 101, 103
 Spoonbill, Roseate, 97
 Stallcup, Richard W., Pelagic birds of Monterey Bay, California, 113-136
 Starling, 16
Stercorarius longicaudus, 14, 97, 126
 parasiticus, 87, 93, 95, 97, 126, 127
 pomarinus, 87, 93, 97, 126, 127, 128
Sterna albifrons, 87, 90, 97
 forsteri, 128-131
 birundo, 128, 131
 paradisea, 82, 128-131
 Storm-Petrel, Ashy, 37, 40, 55-56, 61, 123
 Black, 37, 40, 43, 45, 56, 61, 62, 64, 71, 122, 123
 Fork-tailed, 12, 37, 40, 44, 54-55, 61, 121
 Galapagos, 121
 Harcourt's, 134
 Leach's, 37, 40, 43, 45, 55, 61, 121, 156
 Least, 26, 37, 41, 43, 45, 56, 61, 62, 123, 156
 Wilson's, 37, 41, 45, 56, 123
Strix occidentalis, 93, 95, 97
 varia, 15, 97
Sturnella magna, 92, 95, 97
Sturnus vulgaris, 16
Sula leucogaster, 45, 57, 135
 nebulouxii, 37, 41, 45, 57, 124, 155-157
 sula, 135
 Swan, Mute, 19, 82
 Trumpeter, 13, 89, 93, 97
 Swift, Vaux's, 84
Synthliboramphus antiquus, 27, 38, 41, 43, 45, 59, 61, 62, 97, 134
 Tanager, Hepatic, 89, 97
 Western, 101
 Tern, Arctic, 82, 128-131
 Caspian, 83, 84, 93, 97
 Common, 128-131
 Forster's, 128-131
 Least, 87, 90, 97
 Thrasher, Bendire's, 94, 97
 Brown, 20, 29
 Crissal, 29
 Long-billed, 97

- Thrush, Gray-cheeked, 88, 89, 94, 97
 Hermit, 101
 Swainson's, 29, 101
 Varied, 29, 86, 101, 104
 Wood, 86
Toxostoma bendirei, 94, 97
 dorsale, 29
 longirostre, 97
 rufum, 20, 29
Troglodytes aedon, 101
 Tropicbird, Red-billed, 37, 41, 45, 57-
 123, 156
 White-tailed, 134
Tryngites subruficollis, 86, 87, 90, 97
Turdus migratorius, 100, 101
 Turkey, 13
Uria aalge, 61, 62, 114, 131, 132
 lomvia, 14, 59, 114, 131, 132
Vermivora celata, 101
 chrysoptera, 86, 88, 91, 94
 "lawrencei," 85
 luciae, 89, 97
 peregrina, 17
 pinus, 83, 85, 91, 94, 97
 ruficapilla, 101, 105
 Vireo, Philadelphia, 86, 89, 91, 94, 95,
 97
 Warbling, 101
 White-eyed, 83, 85, 91, 94, 97
 Yellow-throated, 86, 88, 97
Vireo flavifrons, 86, 88, 97
 gilvus, 101
 griseus, 83, 85, 91, 94, 97
 philadelphicus, 86, 89, 91, 94, 95,
 97
 Vulture, Black, 82, 84
 Wahl, Terence R., see Mattocks, P. W.,
 et al.
 Warbler, Bay-breasted, 88, 91, 92
 Black-and-white, 29, 101, 105
 Blackburnian, 88, 91, 94, 96
 Black-throated Blue, 29, 88
 Black-throated Green, 88
 Blue-winged, 83, 85, 91, 94, 97
 Canada, 30, 89, 91, 94, 97
 Cape May, 17, 86, 88, 91, 92, 94, 97
 Cerulean, 97
 Chestnut-sided, 17, 29
 Connecticut, 89, 97
 Golden-winged, 86, 88, 91, 94
 Hermit, 83, 85, 97
 Hooded, 89, 91
 Kentucky, 83, 88, 89, 91, 94, 96, 97
 "Lawrence's," 85
 Lucy's, 89, 97
 MacGillivray's, 101, 105
 Magnolia, 20
 Mourning, 29
 Nashville, 101, 105
 Olive, 85
 Orange-crowned, 101
 Palm, 17
 Pine, 91, 94, 96, 97
 Prairie, 83, 94, 97
 Prothonotary, 17, 88, 91, 94, 97
 Swainson's, 94, 97
 Tennessee, 17
 Townsend's, 101, 105
 Wilson's, 101, 105
 Worm-eating, 88
 Yellow, 101, 105
 Yellow-rumped, 101
 Yellow-throated, 91, 94, 97
 Waterthrush, Louisiana, 83, 85, 97
 Northern, 17, 29
 Waxwing, Bohemian, 101, 102
 Cedar, 101
 Webb, Bruce E., Groove-billed Ani in
 northeastern Colorado, A, 153-154;
 review by, 32
 Wheatear, 82
 Whip-poor-will, 97
 Wigeon, European, 87, 97
Wilsonia canadensis, 30, 89, 91, 94, 97
 citrina, 89, 91
 pusilla, 101, 105
 Wilt, Richard A., Unusual birds in the
 vicinity of Pipe Spring, Arizona, 28-30
 Woodcock, American, 90, 97
 Woodpecker, Pileated, 82, 85
 Wren, Cactus, 85
 House, 101
 Short-billed Marsh, 89, 91, 94, 95, 97
 Wrentit, 85
Xema sabini, 37, 41, 43, 58, 128
Xenus cinereus, 19
Zenaida asiatica, 93, 97
 macroura, 101
Zonotrichia albicollis, 30
 atricapilla, 18, 92, 95, 97
 leucophrys, 101, 102
 querula, 30