

# INDEX, WESTERN BIRDS, VOLUME 9, 1978

Compiled by Mildred Comar

- Aethia cristatella*, 49, 50, 55, 56, 60, 62, 63  
*pusilla*, 49, 50, 55, 56, 60, 62, 63  
*pygmaea*, 49, 50, 55, 56, 60, 62, 63  
 Akialoa, Lanai, 72  
 Albatross, Black-footed, 48, 50, 52, 56, 63  
     Laysan, 48, 50, 52, 56, 61, 62, 63  
 Amakihi, 76  
*Amazilia verticalis*, 91-92  
     *v. subspecies*, 91  
*Amphispiza bilineata*, 85-89  
*Anas poecilorhyncha zonorhyncha*, 127-128  
 Annear, John T., see Henny, C.  
*Anous stolidus*, 75  
     *tenuirostris*, 75  
 Apapane, 76  
*Aphelocoma coerulescens*, 42  
*Ardea herodias*, 106  
*Arenaria interpres*, 75  
*Asio flammeus*, 111  
     *f. sandwichensis*, 76  
     *otus*, 16, 17, 18  
 auklet, Cassin's, 49, 50, 55, 56, 60, 62, 63  
     Crested, 49, 50, 55, 56, 60, 62, 63  
     Least, 49, 50, 55, 56, 60, 62, 63  
     Parakeet, 49, 50, 55, 56, 60, 62, 63  
     Rhinoceros, 55  
     Whiskered, 49, 50, 55, 56, 60, 62, 63  
*Auriparus flaviceps*, 11, 16, 17, 18, 19  
 Banks, Richard C. and Robert W. Dickerman, Mexican nesting records for the American Bittern, 130  
 Barrett, Michael, see Boswall, J.  
 Barrows, Cameron and Katherine Barrows, Roost characteristics and behavioral thermo-regulation in the Spotted Owl, 1-8  
 Binford, Laurence C., Lesser Black-backed Gull in California, with notes on field identification, 141-150  
 Bittern, American, 130  
 Bleich, Vernon C. and Bonnar Blong, Magnificent Frigatebird in San Bernardino County, California, A, 129  
 Blong, Bonnar, see Bleich, V.  
 Bluebird, Mountain, 21-32  
     Western, 21-32  
*Bonasa umbellus*, 121-126  
 Booby, Blue-faced, 175-176  
     Blue-footed, 106, 175  
     Brown, 75, 106, 175  
     Red-footed, 175  
 Boswall, Jeffery and Michael Barrett, Notes on the breeding birds of Isla Raza, Baja California, 93-108  
*Botaurus lentiginosus*, 130  
*Brachyramphus brevirostris*, 55  
     *marmoratus*, 55  
 Braun, Clait E., see Hoffman, R.  
*Bubo virginianus*, 82  
*Bucephala clangula*, 118  
*Bulweria bulwerii*, 74  
*Buteo jamaicensis*, 15, 82  
     *swainsoni*, 82  
*Calidris alba*, 76, 106  
     *mauri*, 115  
*Calonectris leucomelas*, 55  
*Calypte costae*, 16  
*Campylorhynchus brunneicapillus*, 16, 18  
*Carduelis flammea*, 61  
*Carpodacus cassinii*, 80  
     *mexicanus*, 16, 17, 18  
*Casmerodius albus*, 106  
*Catharacta macormicki*, 48, 50, 54  
*Cathartes aura*, 15  
*Catoptrophorus semipalmatus*, 106  
*Cepphus columba*, 49, 55  
*Cerorhinca monocerata*, 55  
 Chickadee, Chestnut-backed, 41-42  
     Mountain, 41  
*Chordeiles acutipennis*, 16, 17  
*Cinclus mexicanus*, 174  
*Circus cyaneus*, 15, 114  
*Colaptes auratus cafer*, 69  
*Columbina passerina*, 15  
 Conry, Jeanne, see Webb, B.  
 Coot, American, 141-144  
 Copper, William A., Clifford P. Ohmart and Donald L. Dahlsten, Predation by a Rubber Boa on Chestnut-backed Chickadees in an artificial nesting site, 41-42  
 Cormorant, Brandt's, 106  
     Double-crested, 38, 39  
     Japanese, 55  
     Pelagic, 55  
     Red-faced, 48, 53  
*Corvus corax*, 106  
*Coturnicops noveboracensis*, 169  
 Creeper, Lanai, 72  
 Crockett, Allen B. and Paula L. Hansley, Apparent response of *Picoides* woodpeckers to outbreak of the Pine Bark Beetle, 67-70

- Crossbill, Red, 79-81  
 White-winged, 79-81
- Curlew, Bristle-thighed, 75
- Cyclorhynchus psittacula*, 49, 50, 55, 56, 60, 62, 63
- Dahlsten, Donald L., see Copper, W.
- Dendragapus obscurus*, 121-126
- Dickerman, Robert W., see Banks, R.
- Diomedea immutabilis*, 48, 50, 52, 56, 61, 62, 63  
*nigripes*, 48, 50, 52, 56, 63
- Dipper, 174
- Dove, Ground, 15  
 Mourning, 15  
 White-winged, 15
- Dowitcher, Long-billed, 117
- Duck, Harlequin, 48, 53  
 Spotbill, 127-128
- Eagle, Bald, 35-37
- Egger, Mark, probable nesting record of the Northern Waterthrush in Oregon, A, 83-84
- Egret, Great, 106  
 Snowy, 33, 38
- Egretta thula*, 33, 38
- Eider, Common, 55
- Elanus leucurus*, 131-133
- Endomychura craveri*, 93, 106
- Everett, Stephen, see Marti, C.
- Falco mexicanus*, 15  
*peregrinus*, 100, 106  
*sparverius*, 15
- Falcon, Peregrine, 100, 106  
 Prairie, 15
- Finch, Cassin's, 80  
 House, 16, 17, 18
- Flicker, Common, 69
- Florida caerulea*, 33-34
- Flycatcher, Ash-throated, 16, 18  
 Nutting's, 135-136  
 Franzreb, Kathleen E., Breeding bird densities, species composition, and bird species diversity of the Algodones Dunes, 9-20
- Fratercula corniculata*, 49-64
- Fregata magnificens*, 106, 129  
*minor*, 75
- Frigatebird, Great, 75  
 Magnificent, 106, 129
- Fulica americana*, 141-144
- Fulmar, Northern, 48, 50, 51, 52, 56, 61, 63
- Fulmarus glacialis*, 48, 50, 51, 52, 56, 61, 63
- Gardiner, Kenneth W., Bird photography, 110-120
- Geococcyx californianus*, 16
- Gnatcatcher, Black-tailed, 11, 16, 17, 19
- Godwit, Marbled, 106, 120
- Goldeneye, Common, 118
- Goose, Emperor, 137, 138
- Grebe, Eared, 97, 106
- Grouse, Blue, 121-126  
 Ruffed, 121-126  
 Sharp-tailed, 123, 125
- Guillemot, Pigeon, 49, 55
- Gull, Black-headed, 48, 54, 148  
 Black-tailed, 55  
 California, 141-144, 171  
 Glaucous, 171  
 Glaucous-winged, 48, 50, 54, 141, 171  
 Great Black-backed, 145, 147, 171  
 Heermann's, 93, 96, 98-101, 102, 105  
 Herring, 55, 142, 144-147, 171; subspecies, 145-147  
 Kelp, 143, 145, 147  
 Lesser Black-backed, 141-150, 171-173  
 Little, 148  
 Mew, 55  
 Ring-billed, 38, 106, 142, 171  
 Sabine's, 49, 54  
 Slaty-backed, 55, 143, 145, 147, 171  
 Thayer's, 145, 171  
 Western, 93, 97-98, 141-145, 148, 149, 171
- Gymnorhinus cyanocephalus*, 80
- Haematopus palliatus*, 97
- Haliaeetus leucocephalus*, 35-37
- Hansley, Paula L., see Crockett, A.
- Hawk, Marsh, 15, 114  
 Red-tailed, 15, 82  
 Swainson's, 82
- Hemignathus obscurus lanaiensis*, 72
- Henny, Charles J. and John T. Annear, White-tailed Kite breeding record for Oregon, A, 131-133
- Herlugson, Christopher J., Comments on the status and distribution of Western and Mountain bluebirds in Washington, 21-32
- Heron, Black-crowned Night, 38, 75  
 Great Blue, 106  
 Little Blue, 33-34  
 Yellow-crowned Night, 177-178
- Heteroscelus incanus*, 75, 106; *H. sp.*, 48, 53
- Himantione sanguinea*, 76
- Hirai, Lawrence T., Native birds of Lanai, Hawaii, 71-77
- Histrionicus histrionicus*, 48, 53
- Hoechlin, Don, Yellow-crowned Night Heron in California, 177-178

- Hoffman, Richard W., and Clait E. Braun, Characteristics and status of Ruffed Grouse and Blue Grouse in Colorado, 121-126
- Hubbard, John P., status of the Northern Shrike in New Mexico, The, 159-168
- Hummingbird, Costa's, 16  
Violet-crowned, 91-92
- Hunn, Eugene S., Black-throated Sparrow vagrants in the Pacific Northwest, 85-89; see Weber, W.
- Iwi, 72
- Jaeger, Long-tailed, 48, 50, 54, 58  
Parasitic, 48, 50, 54, 58  
Pomarine, 48, 50, 53, 58
- Jay, Pinon, 80  
Scrub, 42
- Johnson, Jerome A. and Fred R. Ziegler, Violet-crowned Hummingbird in California, A, 91-92
- Kennedy, Joseph L., see Tait, I.
- Kestrel, American, 15
- Kiff, Lloyd F., Probable Black Rail nesting record for Alameda County, California, 169-170
- Kite, White-tailed, 131-133
- Kittiwake, Black-legged, 49, 50, 51, 54, 58, 63  
Red-legged, 49, 50, 51, 54, 59, 63
- Knopf, Fritz L., see Tait, I.
- Lanius excubitor*, 159-168  
*e. borealis*, 165-167  
*e. invictus*, 159-168  
*ludovicianus*, 16, 163
- Larus argentatus*, 55, 142-147, 171  
*a. argentatus*, 145  
*a. smithsonianus*, 142, 145-147  
*a. subspecies*, 142-147  
*californicus*, 141-144, 171  
*canus*, 55  
*crassirostris*, 55  
*delawarensis*, 38, 106, 142, 171  
*dominicanus*, 143, 145, 147  
*fuscus*, 141-150, 171-173  
*f. fuscus*, 145-147  
*f. graellsii*, 141-150, 171-173  
*glaucescens*, 48, 50, 54, 141, 171  
*heermanni*, 93, 96, 98-101, 102, 105  
*hyperboreus*, 171  
*marinus*, 145, 147, 171  
*minutus*, 148  
*occidentalis*, 93, 97-98, 141-145, 148, 149, 171  
*o. livens*, 93, 97-98, 148, 171  
*o. occidentalis*, 141-145, 148, 149, 171
- o. wymani*, 141-143, 148, 171  
*ridibundus*, 48, 54  
*schistisagus*, 55, 143, 145, 147, 171  
*thayeri*, 145, 171
- Laterallus jamaicensis*, 151-158, 169-170  
*j. coturniculus*, 151-158, 169-170
- Lewis, David B. and W. Breck Tyler, First record of the Blue-faced Booby from the Pacific Coast of the United States, 175-176
- Limnodromus scolopaceus*, 117
- Limosa fedoa*, 106, 120
- Lophortyx douglasii*, 134  
*gambelii*, 11, 15, 18
- Loxia curvirostra*, 79-81  
*leucoptera*, 79-81
- Loxops maculata montana*, 72  
*virens*, 76
- Lunda cirrhata*, 49-64
- MacIntosh, Richard A., see Trapp, J.
- Manolis, Tim, Status of the Black Rail in central California, 151-158
- Marti, Carl D. and Stephen W. Everett, Polygyny in Utah Dippers, 174
- Murre, Common, 49, 50, 54, 59  
Thicket-billed, 49, 50, 54, 59
- Murrelet, Ancient, 49, 50, 55, 56, 60, 62, 63  
Craveri's, 93, 106  
Japanese, 62  
Kittlitz's, 55  
Marbled, 55
- Myiarchus cinerascens*, 16, 18  
*nuttingi*, 135-136
- Nighthawk, Lesser, 16, 17
- Noddy, Common, 75  
White-capped, 75
- Numenius phaeopus*, 106  
*tahitiensis*, 75
- Nyctanassa violacea*, 177-178
- Nycticorax nycticorax*, 38  
*n. hoactli*, 75
- Oceanodroma castro*, 49, 50, 53, 62  
*furcata*, 49, 50, 53, 58, 63  
*leucorhoa*, 49, 50, 53, 57  
*melania*, 97  
*monorhis*, 49, 53  
*tristrami*, 49, 53
- Ohmart, Clifford P., see Copper, W.
- Olor buccinator*, 90
- Osprey, 94, 97, 104
- Ou, 72
- Owl, Barn, 82  
Great-horned, 82  
Long-eared, 16, 17, 18  
Short-eared, 76, 111  
Spotted, 1-8

- Oystercatcher, American, 97  
*Pandion haliaetus*, 94, 97, 104  
*Parus gambeli*, 41  
*rufescens*, 41-42  
*Passer domesticus*, 18  
*Pedioecetes phasianellus*, 123, 125  
*Pelecanus erythrorhynchos*, 38-40  
*occidentalis*, 106, 119  
Pelican, Brown, 106, 119  
White, 38-40  
Petrel, Bulwer's 74  
Cook's, 48, 53  
Dark-rumped, 72, 74  
Kermadec, 48, 53  
Mottled, 48, 50, 52, 57  
Solander's, 48, 50, 53, 57, 62  
*Petrochelidon pyrrhonota*, 16  
*Phaeornis obscurus lanaiensis*, 72  
*Phaethon lepturus dorotheae*, 74  
*rubricauda rothschildi*, 75  
*Phalacrocorax auritus*, 38, 39  
*capillatus*, 55  
*pelagicus*, 55  
*penicillatus*, 106  
*urile*, 48, 53  
*Phalacte canagica*, 137, 138  
Phoebe, Black, 16  
Say's, 16  
*Picoides pubescens*, 67-70  
*scalaris*, 16, 18  
*tridactylus*, 67-70  
*villosus*, 67-70  
Plover, Golden, 75  
*Pluvialis dominica fulva*, 75  
*Podiceps nigricollis*, 97, 106  
*Polioptila melanura*, 11, 16, 17, 19  
*Psittirostra psittacea*, 72  
*Pterodroma cookii*, 48, 53  
*inexpectata*, 48, 50, 52, 57  
*neglecta*, 48, 53  
*phaeopygia sandwichensis*, 72, 74  
*solandri*, 48, 50, 53, 57, 62  
*Ptychoramphus aleuticus*, 49, 50, 55, 56, 60,  
62, 63  
Puffin, Horned, 49-64  
Tufted, 49-64  
*Puffinus bulleri*, 62  
*carneipes*, 55  
*griseus*, 48, 50, 52, 57  
*leucomelas*, 55  
*pacificus chlororhynchus*, 74  
*puffinus*, 97  
*tenuirostris*, 48, 50, 52, 57, 63  
Quail, Elegant, 134  
Gambel's, 11, 15, 18  
Rail, Black, California, 151-158, 169-170  
Clapper, 112  
Yellow, 169  
*Rallus longirostris*, 112  
Raven, Common, 106  
Redpoll, Common, 61  
*Rissa brevirostris*, 49, 50, 51, 54, 58, 63  
*tridactyla*, 49, 50, 51, 54, 59, 63  
Roadrunner, 16  
Sanderling, 76, 106  
Sandpiper, Western, 115  
*Sayornis nigricans*, 16  
*saya*, 16  
*Seiurus noveboracensis*, 83-84  
*n. subspecies*, 83  
Shea, David S., Bald Eagle concentrations  
in Glacier National Park, 35-37  
Shearwater, Buller's, 62  
Flesh-footed, 55  
Manx, 97  
Short-tailed, 48, 50, 52, 57, 63  
Sooty, 48, 50, 52, 57  
Streaked, 55  
Wedge-tailed, 74  
Shrike, Loggerhead, 16, 163  
Northern, 159-168  
*Sialia currucoides*, 21-32  
*mexicana*, 21-32  
Skua, South Polar, 48, 50, 54  
Small, Arnold, Western bird photographe-  
rs, 109  
Smith, Kimberly G., White-winged Cross-  
bills breed in northern Utah, 79-81  
*Somateria mollissima*, 55  
Sparrow, Black-throated, 85-89  
House, 18  
Starling, 16, 28, 29  
*Stercorarius longicaudus*, 48, 50, 54, 58  
*parasiticus*, 48, 50, 54, 58  
*pomarinus*, 48, 50, 53, 58  
*Sterna aleutica*, 55  
*caspia*, 38  
*elegans*, 93, 101-106  
*forsteri*, 113, 116  
*fuscata*, 75  
*maxima*, 93, 101-106  
*paradisaea*, 49, 54  
Storm-Petrel, Black, 97  
Fork-tailed, 49, 50, 53, 58, 63  
Harcourt's, 49, 50, 53, 62  
Leach's, 49, 50, 53, 57  
Swinhoe's, 49, 53  
Tristram's, 49, 53  
*Strix occidentalis*, 1-8  
*Sturnus vulgaris*, 16, 28, 29

- Sula dactylatra*, 175-176  
*d. subspecies*, 175-176  
*leucogaster*, 75, 106, 175  
*nebouxii*, 106, 175  
*sula*, 175
- Swallow, Cliff, 16
- Swan, Trumpeter, 90
- Synthliboramphus antiquus*, 49, 50, 55, 56, 60, 62, 63  
*wumizusume*, 62
- Tait, Ian C., Fritz L. Knopf and Joseph L. Kennedy, White Pelicans nesting at Honey Lake, California, 38-40
- Tattler, Wandering, 75, 106; sp., 48, 53
- Tern, Aleutian, 55  
 Arctic, 49, 54  
 Caspian, 38  
 Elegant, 93, 101-106  
 Forster's, 113, 116  
 Royal, 93, 101-106  
 Sooty, 75
- Thrasher, Crissal, 16, 18  
 Le Conte's, 16
- Thrush, Lanai, 72
- Toxostoma dorsale*, 16, 18  
*lecontei*, 16
- Trapp, John L. and Richard A. MacIntosh, First North American specimen of the Spotbill Duck, 127-128
- Tropicbird, Red-tailed, 75  
 White-tailed, 74
- Turnstone, Ruddy, 75
- Tyler, Jack D., Elegant Quail in Barranca de Cobre, Chihuahua, 134
- Tyler, W. Breck, see Lewis, D.
- Tyto alba*, 82
- Uria aalge*, 49, 50, 54, 59  
*lomvia*, 49, 50, 54, 59
- Verdin, 11, 16-19
- Vestiaria coccinea*, 72
- Vulture, Turkey, 15
- Wahl, Terence, R., Seabirds in the northwestern Pacific Ocean and south central Bering Sea in June, 1975, 45-66
- Walton, Brian James, Nesting of Swainson's Hawk in San Luis Obispo County, California, in 1977, 82
- Waterthrush, Northern, 83-84
- Webb, Bruce E. and Jeanne A. Conry, First record of a Lesser Black-backed Gull in Colorado, 171-173
- Weber, Wayne C. and Eugene S. Hunn, First record of the Little Blue Heron for British Columbia and Washington, 33-34
- Whimbrel, 106
- Willet, 106
- Woodpecker, Downy, 67-70  
 Hairy, 67-70  
 Ladder-backed, 16, 18  
 Northern Three-toed, 67-70
- Wren, Cactus, 16, 18
- Xema sabini*, 49, 54
- Zenaida asiatica*, 15  
*macroura*, 15
- Ziegler, Fred R., see Johnson, J.
- Zimmerman, Dale A., definite record of the Trumpeter Swan from New Mexico, A, 90; probable Nutting's Flycatcher in southwestern New Mexico, A, 135-136