

NOTES

Hybrid *mearnsi* X *caniceps* individuals have been recognized previously. Miller (Condor 41:211-214, 1939) describes such breeding specimens from isolated sections of the Wasatch Mountains in Utah and scattered ranges in southern Wyoming. Similar hybrids have been collected in the Flagstaff, Arizona, area in winter (specimens deposited at the Museum of Vertebrate Zoology, G.F. Barrowclough pers. comm.). However, east of the Continental Divide in Colorado, *Junco* hybrids of this combination are relatively rare.

This paper benefited from comments and assistance provided by George F. Barrowclough, Eugene Eisenmann and Ned K. Johnson.

Accepted 30 December 1980

INDEX, WESTERN BIRDS, VOLUME 11, 1980

Compiled by Mildred Comar

- Accipiter cooperii*, 12, 25, 117
 gentilis, 12, 89-96
 striatus, 12, 25, 32, 117
Actitis macularia, 14
Aechmophorus occidentalis, 10
Aegolius acadicus, 118
Aeronautes saxatalis, 16, 118
Aethia cristatella, 104
 pygmaea, 135-140
Agelaius phoeniceus, 20, 121
 tricolor, 20, 121, 122, 123
Aimophila cassinii, 103-104
 ruficeps, 21, 122
Alauda arvensis, 104, 166
Albatross, Black-footed, 10
 Short-tailed, 10, 47-48, 162
 Wandering, 104
Alectoris chukar, 13
Amazilia verticalis, 104
Ammodramus bairdii, 104
 savannarum, 8, 21, 122
Ammospiza caudacuta, 169, 171
 leconteii, 104, 171
Amphispiza
 belli, 7, 21, 122
 bilineata, 21
- Anas acuta*, 11, 117
 americana, 11
 clypeata, 11
 crecca, 11
 cyanoptera, 11, 117
 discors, 11
 formosa, 104
 platyrhynchos, 11, 116
 querquedula, 104
 strepera, 11
Ani, Groove-billed, 104
Anser albifrons, 11
Anthus cervinus, 104, 167
 spinoletta, 18, 33, 120, 122
 spragueii, 104
Aphelocoma coerulescens, 9, 17, 119,
 124, 183
Aphriza virgata, 14
Aquila chrysaetos, 12, 25, 32, 117
Archilochus alexandri, 16, 118
Ardea herodias, 11, 116, 202
Arenaria interpres, 13
 melanocephala, 13
Arnold, John R., Distribution of the
 Mockingbird in California, 97-102

- Asio flammeus*, 16, 32, 33, 202
otus, 57-59, 118, 122
- Athene cucularia*, 16, 32
- Athwood, Jonathan L., United States
distribution of the California Black-
tailed Gnatcatcher, The, 65-78
- Auklet, Cassin's, 15
Crested, 104
Rhinoceros, 22, 154
Whiskered, 135-140
- Avocet, American, 8, 14
- Aythya affinis*, 12
americana, 11
collaris, 11
fuligula, 104, 164
marila, 12
valisineria, 12
- Banks, Richard C., Summer record of
the Tree Sparrow in California, 56
- Bittern, American, 8, 11
Least, 8, 11
- Blackbird, Brewer's, 9, 20, 33, 121,
124, 125
Red-winged, 20, 121
Tricolored, 20, 121, 122, 123
- Blackbird, Yellow-headed, 20
- Bluebird, Mountain, 6, 155-156
Western, 6, 120, 124, 126
- Blus, Lawrence J., and Charles J.
Henny, Canada Geese incubate eggs
laid in previous years, 112
- Bobolink, 20
- Bombycilla cedrorum*, 18, 120
garrulus, 18
- Booby, Blue-footed, 10
Brown, 103, 104
Masked, 104
Red-footed, 104, 199-200
- Botaurus lentiginosus*, 8, 11
- Bradley, Richard A., Avifauna of the
Palos Verdes Peninsula, California,
1-24
- Brant, 11
- Branta bernicla*, 11
canadensis, 11, 112, 116
c. moffitti, 112
- Brotogeris versicolurus*, 15
- Bubo virginianus*, 16, 84, 118, 202
- Bubulcus ibis*, 11, 104, 181
- Bucephala albeola*, 12
clangula, 12
- Bufflehead, 12
- Bunting, Indigo, 20
Lark, 21
Lazuli, 8, 20, 121
Snow, 104, 171
- Bushtit, 17, 119, 124, 125
- Buteo albonotatus*, 12, 164
jamaicensis, 12, 25-33, 117, 181
lagopus, 12, 25-33
lineatus, 12, 25, 31, 117, 122,
181-182
platypterus, 12, 104
regalis, 12, 25, 31
swainsoni, 31-32
- Butorides striatus*, 11, 116
- Byrd, G. Vernon and Daniel D. Gibson,
Distribution and population status of
Whiskered Auklet in the Aleutian
Islands, Alaska, 135-140
- Calamospiza melanocorys*, 21
- Calcarius mccounii*, 104
- Calidris acuminata*, 165
alba, 14
alpina, 14
bairdii, 14
canutus, 14
ferruginea, 104
fuscicollis, 104
mauri, 14
melanotos, 14
minutilla, 14
pusilla, 104, 165
ruficollis, 104
- Calonectris leucomelas*, 104
- Calypte anna*, 9, 16, 118, 124, 125
costae, 16
- Campylorhynchus brunneicapillus*, 18
- Canvasback, 12
- Capella gallinago*, 13, 117
- Caprimulgus vociferus*, 104
- Cardellina rubrifrons*, 104
- Cardinal, 104
- Cardinalis cardinalis*, 104
sinuatus, 104, 170
- Carduelis lawrencei*, 7, 20, 121
pinus, 20, 121, 124, 125
psaltria, 9, 20, 121, 124
tristis, 9, 20, 121
- Carpodacus cassinii*, 20
mexicanus, 8, 9, 20, 49, 52, 121,
124
purpureus, 20, 121, 124
- Casmerodius albus*, 8, 11
- Catbird, Gray, 167
- Catharacta maccormacki*, 14
- Cathartes aura*, 12, 25, 32, 117
- Catharus fuscescens*, 104
guttatus, 18, 120
minimus, 104
ustulatus, 18, 120, 124, 125
- Catherpes mexicanus*, 120

- Catoptrophorus semipalmatus*, 14, 54
Cepphus columba, 154
Cerorhinca monocerata, 22, 154
Certhia familiaris, 18, 119
Chaetura pelagica, 22
 vauxi, 16, 118
Chamaea fasciata, 6, 119, 124, 126
Charadrius alexandrinus, 8, 13
 melodus, 104
 semipalmatus, 13
 vociferus, 13, 33, 117, 122, 123
 wilsonia, 165
 Chat, Yellow-breasted, 19, 121
Chen caerulescens, 11
 Chickadee, Chestnut-backed, 119
 Mountain, 17
Chlidonias niger, 15
Chondestes grammacus, 21, 122, 124, 126
Chordeiles acutipennis, 16
 Chukar, 13
Cinclus cinclus, 60
 mexicanus, 60, 120, 122, 123
Circus cyaneus, 12, 25-33, 117, 122, 123
Cistothorus palustris, 18
Clangula hyemalis, 12
Coccyzus americanus, 8, 15
 erythrophthalmus, 104
Colaptes auratus, 9, 16, 37, 38, 118, 124
Columba fasciata, 7, 15, 118
 livia, 15, 118
 Conover, Michael R., Corrigendum, 173
 Conry, Jeanne A. and Bruce E. Webb, Intergrade Juncos (*Junco hyemalis mearnsi* x *J. caniceps caniceps*) in eastern Colorado, 205-206
Contopus pertinax, 104, 166
 sordidulus, 17, 119
 virens, 104, 166
 Coot, American, 13
 Cormorant, Brandt's, 10
 Double-crested, 10
 Olivaceous, 104
 Pelagic, 10
Corvus brachyrhynchos, 9, 17, 119, 124, 126
 corax, 17, 119
 Cowbird, Bronzed, 104
 Brown-headed, 9, 20, 69, 76, 121, 122, 129-132
 Crane, Sandhill, 13
 Creeper, Brown, 18, 119
 Crossbill, Red, 8, 21
 White-winged, 104
Crotophaga sulcirostris, 104
 Crow, Common, 9, 17, 119, 124, 126
 Cuckoo, Black-billed, 104
 Yellow-billed, 8, 15
 Curlew, Long-billed, 14
Cyanocitta cristata, 104, 166, 182-183
 stelleri, 17, 119, 183
Cygnus bewickii, 164
 buccinator, 164
Cynanthus latirostris, 104, 166
Cypseloides niger, 16, 118
 Davis, John, Walter D. Koenig and Pamela L. Williams, Birds of Hastings Reservation, Monterey County, California, 113-120
 Debban, Kim R., see Wilkinson, G.
Dendrocygna bicolor, 8, 11
 autumnalis, 164
Dendroica caerulescens, 19
 castanea, 104, 183
 cerulea, 104, 167
 chrysoparia, 104
 coronata, 19, 120, 124, 125, 126, 157
 c. auduboni, 157
 discolor, 19, 104
 dominica, 19, 104, 170
 fusca, 19, 104
 graciae, 104, 170
 magnolia, 19
 nigrescens, 19, 121, 157, 158
 occidentalis, 19, 121
 palmarum, 19
 pensylvanica, 19
 petechia, 19, 120
 pinus, 104
 striata, 19, 103, 104
 townsendi, 19, 121, 157-159
 virens, 19, 157, 183
 DeWeese, Lawrence R., see Richmond, M.
Dichromanassa rufescens, 104
 Dickcissel, 104, 170
 Dickerman, Robert W., Robert M. Zink and Susan L. Frye, Migration of the Purple Martin in southern Mexico, 203-204
Diomedea albatrus, 10, 47-48, 162
 exulans, 104
 nigripes, 10
 Dipper, 60, 120, 122, 123
 European, 60
Dolichonyx oryzivorus, 20
 Dotterel, 104

- Dove, Inca, 104
 Mourning, 15, 118
 Ringed Turtle, 15
 Rock, 15, 118
 Spotted, 15
 White-winged, 15
 Dowitcher, Long-billed, 14
 Short-billed, 14
 Duck, Ring-necked, 11
 Ruddy, 12
 Tufted, 104, 164
Dumetella carolinensis, 167
 Dunlin, 14
 Eagle, Bald, 12, 25
 Golden, 12, 25, 32, 117
 Egger, Mark, First record of the
 Hudsonian Godwit for Oregon, 53-55
 Egret, Cattle, 11, 104, 181
 Great, 8, 11
 Reddish, 104
 Snowy, 11
Egretta thula, 11
 Eider, King, 164
 Ekstrom, Ray, Photo essay, 187-194
Elanus leucurus, 12, 25-33, 117, 151-
 153, 181
Empidonax difficilis, 8, 17, 119
d. insulicola, 8
hammondii, 17, 119
minimus, 166
oberholseri, 17
traillii, 17, 119
wrightii, 17
Endomychura hypoleuca, 15
Eremophila alpestris, 8, 17, 119, 122
Eudromias morinellus, 104
Eugenes fulgens, 49-52
Euphagus cyanocephalus, 9, 20, 33,
 121, 124, 125
Falco columbarius, 13, 25, 31, 117, 122
mexicanus, 13, 25, 31, 117, 122
peregrinus, 13, 117, 122
rusticolus, 103, 104
sparverius, 13, 25-32, 117
 Falcon, Peregrine, 13, 117, 122
 Prairie, 13, 25, 31, 117, 122
 Finch, Cassin's, 20
 House, 8, 9, 20, 49, 52, 121, 124
 Purple, 20, 121, 124
 Flicker, Common, 9, 16, 37, 38, 118,
 124
Florida caerulea, 11, 103, 104
 Flycatcher, Ash-throated, 17, 119
 Coues', 104, 166
 Dusky, 17
 Gray, 17
 Great Crested, 22, 104
 Hammond's, 17, 119
 Least, 166
 Olivaceous, 104
 Olive-sided, 17, 119
 Sulphur-bellied, 104
 Vermilion, 17
 Western, 8, 17, 119
 Willow, 17, 119
Fregata magnificens, 10
 Frigatebird, Magnificent, 10
 Frye, Susan L., see Dickerman, R.
Fulica americana, 13
 Fulmar, Northern, 10
Fulmarus glacialis, 10
 Gadwall, 11
Gallinula chloropus, 13
 Gallinule, Common, 13
 Purple, 104
 Gardetto, Jeffrey, see Marcot, B.G.
 Garganey, 104
Gavia adamsii, 104, 162
arctica, 10, 116
immer, 10, 116
stellata, 10, 116
Geococcyx californianus, 16, 118, 122,
 123
Geothlypis trichas, 19, 121
 Gibson, Daniel D., see Byrd, G.
Glaucidium gnoma, 118
 Gnatcatcher, Black-tailed, 18, 65-78
 Blue-gray, 18, 120, 183
 Godwit, Bar-tailed, 55, 104, 165
 Black-tailed, 53
 Hudsonian, 53-55, 104
 Marbled, 14, 53
 Goldeneye, Common, 12
 Goldfinch, American, 9, 20, 121
 Lawrence's, 7, 20, 121
 Lesser, 9, 20, 121, 124
 Goose, Canada, 11, 112, 116
 Emperor, 164
 Snow, 11
 White-fronted, 11
 Goshawk, 12, 89-96
 Grackle, Common, 104, 170
 Great-tailed, 20, 104
 Grebe, Eared, 10
 Horned, 10
 Least, 104
 Pied-billed, 10
 Red-necked, 10
 Western, 10
 Grosbeak, Black-headed, 20, 121
 Blue, 7, 8, 20, 121
 Evening, 20
 Rose-breasted, 20, 183

- Grus canadensis*, 13
 Guillemot, Pigeon, 154
Guiraca caerulea, 7, 8, 20, 121
 Gull, Black-headed, 104
 Bonaparte's, 15, 117
 California, 15, 182, 209
 Franklin's, 15, 209
 Glaucous, 14
 Glaucous-winged, 15, 154
 Heermann's, 15
 Herring, 15, 182
 Lesser Black-backed, 104
 Little, 15, 104, 166
 Mew, 15
 Ring-billed, 15, 182, 209
 Sabine's, 15, 182, 209
 Thayer's, 15
 Western, 15, 199, 200
Gymnorhinus cyanocephala, 17
 Gyrfalcon, 103, 104
Haematopus bachmani, 13
 *palliatu*s, 13, 164
Haliaeetus leucocephalus, 12, 25
 Harrington-Tweit, Bill, First records of the
 White-tailed Kite in Washington,
 151-153
 Hawk, Broad-winged, 12, 104
 Cooper's, 12, 25, 117
 Ferruginous, 12, 25, 31
 Harris', 111
 Marsh, 12, 25-33, 117, 122, 123
 Red-shouldered, 12, 25, 31, 117,
 122, 181-182
 Red-tailed, 12, 25-33, 117, 181
 Rough-legged, 12, 25-33
 Sharp-shinned, 12, 25, 32, 117
 Swainson's, 31-32
 Zone-tailed, 12, 164
 Hayward, James L., Jr., and Asa C.
 Thoreson, Dippers in marine habitats
 in Washington, 60
 Helm, Roger C., Short-tailed Albatross
 off California, A, 47-48
Helmitheros vermivorus, 104, 167
 Henny, Charles J., see Blus, L.
 Heron, Black-crowned Night, 11
 Great Blue, 11, 116, 202
 Green, 11, 116
 Little Blue, 11, 103, 104
 Yellow-crowned Night, 11, 103, 104,
 164
Hesperiphona vespertina, 20
Heteroscelus incanus, 14
 Hill, Randy, see Marcot, B.
Himantopus mexicanus, 8, 14
Hirundo rustica, 17, 119, 122, 201
 Huber, Harriet R. and T. James Lewis,
 First records of the Red-footed Booby
 in the western United States, 199-200
 Hummingbird, Allen's, 7-8, 16, 118
 Anna's, 9, 16, 118, 124, 125
 Black-chinned, 16, 118
 Blue-throated, 49-52, 104
 Broad-billed, 104, 166
 Broad-tailed, 16, 182
 Calliope, 16, 118
 Costa's, 16
 Rivoli's, 49-52
 Rufous, 16, 118
 Violet-crowned, 104
Hyllocichla mustelina, 104, 167, 168
 Ibis, White-faced, 11
Icteria virens, 19, 121
Icterus cucullatus, 9, 20, 121
 galbula, 9, 20, 121
 parisorum, 20, 121
 spurius, 20
Iridoprocne bicolor, 17, 119, 196
Ixobrychus exilis, 8, 11
Ixoreus naevius, 18, 120
 Jaeger, Long-tailed, 22
 Parasitic, 14
 Pomarine, 14
 Jay, Blue, 104, 166, 182-183
 Pinyon, 17
 Scrub, 9, 17, 119, 124, 183
 Steller's, 17, 119, 183
 Jehl, Joseph R., Trends in the state list
 of California birds, 103-110
Junco caniceps, 21, 122
 c. caniceps, 205-206
 hyemalis, 21, 122, 124, 205-206
 h. aikeni, 205
 h. hyemalis, 205
 h. mearnsi, 205-206
 h. oregonus, 205
 Junco, Dark-eyed, 21, 122, 124, 205-
 206
 Gray-headed, 21, 122, 205-206
 Oregon, 205
 Pink-sided, 205-206
 Slate-colored, 205
 White-winged, 205
 Kennedy, Joseph L., see Knopf, F.
 Kestrel, American, 13, 25-32, 117
 Killdeer, 13, 33, 117, 122, 123
 Kingbird, Cassin's, 17
 Eastern, 17
 Thick-billed, 104
 Tropical, 17, 104
 Western, 8, 17, 119
 Kingfisher, Belted, 8, 16, 118

- Kinglet, Golden-crowned, 18, 120
 Ruby-crowned, 18, 120
- Kite, White-tailed, 12, 25-33, 117, 151-153, 181
- Kittiwake, Black-legged, 15
- Knight, Richard L. and Dana C. Ryan, Unusual case of Barn Swallow mortality, An, 201
- Knight, Richard L., Jeff Skritez and Dana C. Ryan, Four additional cases of bird mortality on barbed-wire fences, 202
- Knopf, Fritz L. and Joseph L. Kennedy, Foraging sites of White Pelicans nesting at Pyramid Lake, Nevada, 175-180
- Knot, Red, 14
- Koenig, Walter D., see Davis, J.
- Lampornis clemenciae*, 49-52, 104
- Lanius ludovicianus*, 18, 120
- Lark, Horned, 8, 17, 119, 122
- Larus argentatus*, 15, 182
- californicus*, 15, 182, 209
- canus*, 15
- delawarensis*, 15, 182, 209
- fuscus*, 104
- glaucescens*, 15, 154
- heermanni*, 15
- hyperboreus*, 14
- minutus*, 15, 104, 166
- occidentalis*, 15, 199, 200
- philadelphia*, 15, 117
- pipixcan*, 15, 209
- ridibundus*, 104
- thayeri*, 15
- Laterallus jamaicensis*, 22
- Laymon, Stephen A., Western bird photographers, 187-194
- Lewis, T.J., see Huber, H.
- Limnodromus griseus*, 14
- scolopaceus*, 14
- Limosa fedoa*, 14, 53
- haemastica*, 53-55, 104
- lapponica*, 55, 104, 165
- limosa*, 53
- Littlefield, Carroll D., New bird records from Malheur National Wildlife Refuge, Oregon, 181-185
- Lobipes lobatus*, 14
- Longspur, McCown's, 104
- Loon, Arctic, 10, 116, 174
- Common, 10, 116, 174
- Red-throated, 10, 116
- Yellow-billed, 104, 162
- Lophodytes cucullatus*, 12
- Lophortyx californicus*, 13, 117, 124
- Loxia curvirostra*, 8, 21
- leucoptera*, 104
- Lunda cirrhata*, 154
- Luther, John S., Fourth report of the California Bird Records Committee, 161-173
- Maggie, Black-billed, 57
- Yellow-billed, 119, 124, 126
- Mallard, 11, 116
- Marcot, Bruce G. and Jeffrey Gardetto, Status of the Spotted Owl in Six Rivers National Forest, California, 79-87
- Marcot, Bruce G. and Randy Hill, Flammulated Owls in northwestern California, 141-149
- Martin, Gray-breasted, 203-204
- Purple, 17, 119, 122, 123, 195-198, 203-204
- McNicholl, Martin K., Songs of MacGillivray's and Townsend's warblers in coastal British Columbia, 157-159
- Meadowlark, Western, 20, 121, 124, 126
- Megasceryle alcyon*, 8, 16, 118
- Melanerpes erythrocephalus*, 104
- formicivorus*, 6, 7, 16, 118, 124, 125, 126
- lewis*, 16, 118, 122, 123
- Melanitta deglandi*, 12
- nigra*, 12
- perspicillata*, 12
- Meleagris gallopavo*, 117, 122
- Melospiza georgiana*, 21
- lincolni*, 21, 122
- melodia*, 21, 122, 124, 125
- Merganser, Common, 12, 117
- Hooded, 12
- Red-breasted, 12
- Mergus merganser*, 12, 117
- serrator*, 12
- Merlin, 13, 25, 31, 117, 122
- Mimus polyglottos*, 9, 18, 97-102, 120, 122, 123
- Mniotilta varia*, 19
- Mockingbird, 9, 18, 97-102, 120, 122, 123
- Molothrus aeneus*, 104
- ater*, 9, 20, 69, 76, 121, 122, 129-132
- Motacilla alba*, 104, 167
- flava*, 104
- Murre, Common, 15
- Thick-billed, 104, 166
- Murrelet, Ancient, 15
- Xantus', 15

- Myadestes townsendi*, 18, 120
Myiarchus cinerascens, 17, 119
 crinitus, 22, 104
 tuberculifer, 104
Myioborus pictus, 52
Myiodynastes luteiventris, 104
 Nighthawk, Lesser, 16
Nucifraga columbiana, 17, 119
Numenius americanus, 14
 phaeopus, 14
 Nutcracker, Clark's, 17, 119
 Nuthatch, Pygmy, 18, 155-156
 Red-breasted, 8, 17, 119
 White-breasted, 6, 7, 17, 119, 124, 126
Nuttallornis borealis, 17, 119
Nyctanassa violacea, 11, 103, 104, 164
Nycticorax nycticorax, 11
Oceanites oceanicus, 164
Oceanodroma homochroa, 22
 leucorhoa, 22
 melania, 10
 tethys, 104, 107, 164
Oenanthe oenanthe, 104, 167
 Oldsquaw, 12
Olor bewickii, 104, 164
 columbianus, 11
Oporornis agilis, 104, 168, 170
 formosus, 104, 170
 philadelphia, 104, 157, 170
 tolmiei, 19, 121, 122, 123, 157-159
Oreortyx pictus, 6, 117
Oreoscoptes montanus, 18
 Oriole, Hooded, 9, 20, 121
 Northern, 9, 20, 21
 Orchard, 20
 Scott's, 20, 121
 Osprey, 13, 117
Otus asio, 6, 22, 118
 flammeolus, 35-46, 141-149
 Ovenbird, 19
 Owl, Barn, 16, 118, 202
 Burrowing, 16, 32
 Flammulated, 35-46, 141-149
 Great Gray, 85
 Great Horned, 16, 84, 118, 202
 Long-eared, 57-59, 118, 122
 Pygmy, 118
 Saw-whet, 118
 Screech, 6, 22, 118
 Short-eared, 16, 32, 33, 202
 Spotted, 79-87, 141
 Tawny, 85-86
 Ural, 85-86
Oxyura jamaicensis, 12
 Oystercatcher, American, 13, 164
 Black, 13
Pandion haliaetus, 13, 117
Parabuteo unicinctus, 111
 Parakeet, Canary-winged, 15
Parula americana, 104, 120
 Parula, Northern, 104, 120
Parus gambeli, 17
 inornatus, 6, 22, 119, 124
 rufescens, 119
 wollweberi, 49
Passer domesticus, 20, 121, 124, 125
Passerculus sandwichensis, 8, 21, 33, 121
Passerella iliaca, 21, 122
Passerina amoena, 8, 20, 121
 cyanea, 20
Pavo cristatus, 13
 Peafowl, Common, 13
Pelecanus erythrorhynchos, 10, 175-180
 occidentalis, 10
 Pelican, Brown, 10
 White, 10, 175-180
 Petrel, Cook's, 104
 Mottled (Scaled), 104, 162, 163
Petrochelidon pyrrhonota, 9, 17, 119, 122, 123
 Pewee, Eastern Wood, 104, 166
 Western Wood, 17, 119
Phaethon lepturus, 104
 rubicauda, 104
 Phainopepla, 18, 120
Phainopepla nitens, 18, 120
Phalacrocorax auritus, 10
 olivaceus, 104
 pelagicus, 10
 penicillatus, 10
Phalaenoptilus nuttallii, 16, 118
 Phalarope, Northern, 14
 Red, 14, 117
 Wilson's, 14
Phalaropus fulicarius, 14, 117
Phasianus colchicus, 13
 Pheasant, Ring-necked, 13
Pheucticus ludovicianus, 20, 183
 melanocephalus, 20, 121
Philacte canagica, 164
Philomachus pugnax, 104, 165
 Phoebe, Black, 17, 119, 124, 126
 Eastern, 17, 166
 Say's, 17, 119
Pica nuttalli, 119, 124, 126
 pica, 57
Picoides albolarvatus, 17
 nuttallii, 7, 16, 119, 124, 126
 pubescens, 8, 16, 119
 villosus, 16, 118

- Pigeon, Band-tailed*, 7, 15, 118
Pillmore, Richard E., see *Richmond, M.*
Pinkowski, Benedict C., *Pygmy Nuthatch*
feeds Mountain Bluebird nestlings,
 155-156
Pintail, 11, 117
Pipilo chlorurus, 21, 121
 erythrophthalmus, 8, 9, 21, 121, 124
 e. clementae, 8
 e. megalonyx, 121
 fuscus, 6, 9, 21, 121, 124
 f. crissalis, 121
Pipit, Red-throated, 104, 167
 Sprague's, 104
 Water, 18, 33, 120, 122
Piranga flava, 20, 104
 ludoviciana, 20, 121
 olivacea, 20, 170
 rubra, 20
Plectrophenax nivalis, 104, 171
Plegadis chihi, 11
Plover, American Golden, 13
 Black-bellied, 13
 Piping, 104
 Semipalmated, 13
 Snowy, 8, 13
 Wilson's, 165
Pluvialis dominica, 13
 squatarola, 13
Podiceps auritus, 10
 dominicus, 104
 griseogena, 10
 nigricollis, 10
Podilymbus podiceps, 10
Polioptila caerulea, 18, 120, 183
 melanura, 18, 65-78
 m. californica, 65-78
 m. lucida, 65-66
Poocetes gramineus, 122
Poorwill, 16, 118
Porphyryula martinica, 104
Porzana carolina, 8, 13, 202
Progne chalybea, 203-204
 modesta, 203
 subis, 17, 119, 122, 123, 195-198,
 203-204
Protonotaria citrea, 19, 103, 104, 167
Psaltriparus minimus, 17, 119, 124, 125
Pterodroma cookii, 104
 inexpectata, 104, 162, 163
Ptychoramphus aleuticus, 15
Puffin, Tufted, 154
Puffinus creatopus, 10
 gravis, 104
 griseus, 10
 puffinus, 10
 tenuirostris, 10, 162
Pyrocephalus rubinus, 17
Pyrrhuloxia, 104, 170
Pyrrhuloxia sinuata, 104, 170
Quail, California, 13, 117, 124
 Mountain, 6, 117
Quiscalus mexicanus, 20, 104
 quiscula, 104, 170
Rail, Black, 22
 Clapper, 8, 13
 Virginia, 8, 13, 117
Rallus limicola, 8, 13, 117
 longirostris, 8, 13
Raven, Common, 17, 119
Recurvirostra americana, 8, 14
Redhead, 11
Redstart, American, 20
 Painted, 52
Regulus calendula, 18, 120
 satrapa, 18, 120
Richmond, Merle L., *Lawrence R.*
 DeWeese, and *Richard E. Pillmore*,
 Brief observations on the breeding
 biology of the Flammulated Owl in
 Colorado, 35-46
Rissa tridactyla, 15
Roadrunner, 16, 118, 122, 123
Robin, American, 9, 18, 120, 122, 124,
 125
 Rufous-backed, 104
Ruff, 104, 165
Ryan, Dana C., see *Knight, R.*
Rynchops niger, 104
Salpinctes obsoletus, 18, 120
Sanderling, 14
Sandpiper, Baird's, 14
 Buff-breasted, 14, 53, 165
 Curlew, 104
 Least, 14
 Pectoral, 14
 Rufous-necked, 104
 Semipalmated, 104, 165
 Sharp-tailed, 165
 Solitary, 14, 117
 Spotted, 14
 Western, 14
 White-rumped, 104
Sapsucker, Red-breasted, 118
 Red-naped, 118
 Williamson's, 16
 Yellow-bellied, 16, 118

- Sayornis nigricans*, 17, 119, 124, 126
phoebe, 17, 166
saya, 17, 119
- Scardafella inca*, 104
- Scaup, Lesser, 12
 Greater, 12
- Scoter, Black, 12
 Surf, 12
 White-winged, 12
- Scott, Virgil E., see Svoboda, P.
- Seiurus aurocapillus*, 19
 noveboracensis, 19
- Selasphorus platycercus*, 16, 182
 rufus, 16, 118
 sasin, 7-8, 16, 118
 s. sedentarius, 7-8, 16
- Setophaga ruticilla*, 20
- Shearwater, Greater, 104
 Manx, 10
 Pink-footed, 10
 Short-tailed, 10, 162
 Sooty, 10
 Streaked, 104
- Shoveler, Northern, 11
- Shrike, Loggerhead, 18, 120
- Shuster, William C., Northern Goshawk
 nest site requirements in the Colorado
 Rockies, 89-96
- Sialia currucoides*, 6, 155-156
 mexicana, 6, 120, 124, 126
- Siskin, Pine, 20, 121, 124, 125
- Sitta canadensis*, 8, 17, 119
 carolinensis, 6, 7, 17, 119, 124, 126
 pygmaea, 18, 155-156
- Skimmer, Black, 104
- Skriletz, Jeff, see Knight R.
- Skua, South Polar, 14
- Skylark, Common, 104, 166
- Snipe, Common, 13, 117
- Solitaire, Townsend's, 18, 120
- Somateria spectabilis*, 164
- Sora, 8, 13, 202
- Sordahl, Tex A., and Debra A. Tirmen-
 stein, Possible helper at a Long-eared
 Owl nest, 57-59
- Sparrow, Baird's, 104
 Black-chinned, 7, 8, 21, 122
 Black-throated, 21
 Brewer's, 21
 Cassin's, 103, 104
 Chipping, 21, 122
 Clay-colored, 21, 104
 Field, 22, 104
 Fox, 21, 122
 Golden-crowned, 21, 122
 Grasshopper, 8, 21, 122
- Harris', 21, 122
 House, 20, 121, 124, 125
 Lark, 21, 122, 124, 126
 LeConte's, 104, 171
 Lincoln's, 21, 122
 Rufous-crowned, 21, 122
 Sage, 7, 21, 122
 Savannah, 8, 21, 33, 121
 Sharp-tailed, 169, 171
 Song, 21, 122, 124, 125
 Swamp, 21
 Tree, 21, 56
 Vesper, 122
 White-crowned, 21, 122, 124, 125
 White-throated, 21, 122
- Sphyrapicus nuchalis*, 118
 ruber, 118
 thryoideus, 16
 varius, 16
- Spiza americana*, 104, 170
- Spizella arborea*, 21, 56
 a. ochracea, 56
 atrogularis, 7, 8, 21, 122
 breweri, 21
 pallida, 21, 104
 passerina, 21, 122
 pusilla, 22, 104
- Spofford, Sally Hoyt, Ability of Blue-
 throated and Rivoli's hummingbirds to
 survive subfreezing temperatures,
 49-52
- Starling, 18, 58, 120, 122
- Steganopus tricolor*, 14
- Stelgidopteryx ruficollis*, 8, 17, 119
- Stellula calliope*, 16, 118
- Sterna albifrons*, 15
 caspia, 15, 118
 elegans, 15
 forsteri, 15
 hirundo, 15, 182
 maxima, 15
 paradisaea, 15
- Stercorarius longicaudus*, 22
 parasiticus, 14
 pomarinus, 14
- Stilt, Black-necked, 8, 14
- Storm-Petrel, Ashy, 22
 Black, 10
 Galapagos, 104, 107, 164
 Leach's, 22
 Wilson's, 164
- Streptopelia chinensis*, 15
 risoria, 15
- Strix aluco*, 85-86
 nebulosa, 85

- occidentalis*, 79-87, 141
o. caurina, 79-87
uralensis, 85-86
Sturnella neglecta, 20, 121, 124, 126
Sturnus vulgaris, 18, 58, 120, 122
Sula dactylatra, 104
leucogaster, 103, 104
nebouxii, 10
sula, 104, 199-200
 Surfbird, 14
 Svoboda, Peggy L., Kimberley E. Young
 and Virgil E. Scott, Recent nesting
 records of Purple Martins in western
 Colorado, 195-198
 Swallow, Barn, 17, 119, 122, 201
 Cliff, 9, 17, 119, 122, 123
 Rough-winged, 8, 17, 119
 Tree, 17, 119, 196
 Violet-green, 17, 119
 Swan, Bewick's, 104, 164
 Trumpeter, 164
 Whistling, 11
 Swift, Black, 16, 118
 Chimney, 22
 Vaux's, 16, 118
 White-throated, 16, 118
Synthliboramphus antiquus, 15
Tachycineta thalassina, 17, 119
 Tanager, Hepatic, 20, 104
 Scarlet, 20, 170
 Summer, 20
 Western, 20, 121
 Tattler, Wandering, 14
 Teal, Baikal, 104
 Blue-winged, 11
 Cinnamon, 11, 117
 Green-winged, 11
 Tern, Arctic, 15
 Black, 15
 Caspian, 15, 118
 Common, 15, 182
 Elegant, 15
 Forster's, 15
 Least, 15
 Royal, 15
 Thoresen, Asa Clifford, Diurnal land visi-
 tations by Rhinoceros Auklets, 154;
 see Hayward, J.L.
 Thrasher, Bendire's, 18
 Brown, 18, 120
 California, 7, 18, 120, 124, 126
 Sage, 18
 Thrush, Gray-cheeked, 104
 Hermit, 18, 120
 Swainson's, 18, 120, 124, 125
 Varied, 18, 120
 Wood, 104, 167, 168
Thryomanes bewickii, 18, 120
 Tirmenstein, Debra A., see Sordahl, T.A.
 Titmouse, Bridled, 49
 Plain, 6, 22, 119, 124
 Towhee, Brown, 6, 9, 21, 121, 124
 Green-tailed, 21, 121
 Rufous-sided, 8, 9, 21, 121, 124
Toxostoma bendirei, 18
redivivum, 7, 18, 120, 124, 126
rufum, 18, 120
r. longicauda, 120
Tringa flavipes, 14
melanoleucus, 14
solitaria, 14, 117
Troglodytes aedon, 7, 18, 120
troglodytes, 120
 Tropicbird, Red-tailed, 104
 White-tailed, 104
Tryngites subruficollis, 14, 53, 165
Turdus migratorius, 9, 18, 120, 122,
 124, 125
*rufopalliatu*s, 104
 Turkey, 117, 122
 Turnstone, Black, 13
 Ruddy, 13
Tyrannus crassirostris, 104
melancolicus, 17, 104
tyrannus, 17
verticalis, 8, 17, 119
vociferans, 17
Tyto alba, 16, 118, 202
Uria aalge, 15
lomvia, 104, 166
 Van Vuren, Dirk, Harris' Hawk in Utah,
 A, 111
 Veery, 104
Vermivora celata, 7, 8, 19, 120
c. lutescens, 7, 19
c. sordida, 7, 19
chrysoptera, 104, 167
luciae, 19
peregrina, 19
pinus, 104
ruficapilla, 19, 120
virginiae, 19
 Vireo, Bell's, 7, 18, 129-133
 Gray, 18
 Hutton's, 18, 120
 Philadelphia, 104, 167
 Red-eyed, 19
 Solitary, 18, 120
 Warbling, 19, 120
 White-eyed, 104, 167
 Yellow-green, 167
 Yellow-throated, 104, 167
Vireo bellii, 7, 18, 129-133
b. pusillus, 129-133

- flavifrons*, 104, 167
flavoviridis, 167
gilvus, 19, 120
griseus, 104, 167
huttoni, 18, 120
olivaceus, 19
philadelphicus, 104, 167
solitarius, 18, 120
vicinior, 18
Vulture, Turkey, 12, 25, 32, 117
Wagtail, White, 104, 167
 Yellow, 104
Warbler, Bay-breasted, 104, 183
 Black-and-White, 19
 Blackburnian, 19, 104
 Blackpoll, 19, 103, 104
 Black-throated Blue, 19
 Black-throated Gray, 19, 121, 157, 158
 Black-throated Green, 19, 157, 183
 Blue-winged, 104
 Canada, 19, 104, 170
 Cerulean, 104, 167
 Chestnut-sided, 19
 Connecticut, 104, 168, 170
 Golden-cheeked, 104
 Golden-winged, 104, 167
 Grace's, 104, 170
 Hermit, 19, 121
 Hooded, 104, 170
 Kentucky, 104, 170
 Lucy's, 19
 MacGillivray's, 19, 121, 122, 123, 157-159
 Magnolia, 19
 Mourning, 104, 157, 170
 Nashville, 19, 120
 Orange-crowned, 7, 8, 19, 120
 Dusky, 7, 19
 Lutescent, 7, 19
 Palm, 19
 Pine, 104
 Prairie, 19, 104
 Prothonotary, 19, 103, 104, 167
 Red-faced, 104
 Tennessee, 19
 Townsend's, 19, 121, 157-159
 Virginia's, 19
 Wilson's, 7, 19, 121
 Worm-eating, 104, 167
 Yellow, 19, 120
 Yellow-rumped, 19, 120, 124, 125, 126, 157
 Yellow-throated, 19, 104, 170
Waterthrush, Northern, 19
Waxwing, Bohemian, 18
 Cedar, 18, 120
Webb, Bruce E., see Conry, J.
Wheatear, 104, 167
Whimbrel, 14
Whip-poor-will, 104
Whistling-Duck, Black-bellied, 164
 Fulvous, 8, 11
Wigeon, American, 11
Wilbur, Sanford R., Least Bell's Vireo in Baja California, Mexico, The, 129-133
Wilkinson, Gerald S. and Kim R. Debban, Habitat preferences of wintering diurnal raptors in the Sacramento Valley, 25-34
Willet, 14, 54
Williams, Pamela L., see Davis, J.
Wilsonia canadensis, 19, 104, 170
 citrina, 104, 170
 pusilla, 7, 19, 121
Wilt, Richard A., Corrigendum, 173
Woodpecker, Acorn, 6, 7, 16, 118, 124, 125, 126
 Downy, 8, 16, 119
 Hairy, 16, 118
 Lewis', 16, 118, 122, 123
 Nuttall's, 7, 16, 119, 124, 126
 Red-headed, 104
 White-headed, 17
Wren, Bewick's, 18, 120
 Cactus, 18
 Canyon, 120
 House, 7, 18, 120
 Long-billed Marsh, 18
 Rock, 18, 120
 Winter, 120
Wrentit, 6, 119, 124, 126
Xanthocephalus xanthocephalus, 20
Xema sabini, 15, 182, 209
Yellowlegs, Greater, 14
 Lesser, 14
Yellowthroat, Common, 19, 121
Young, Kimberley E., see Svoboda, P.
Zenaida asiatica, 15
 macroura, 15, 118
Zink, Robert M., see Dickerman, R.
Zonotrichia albicollis, 21, 122
 atricapilla, 21, 122
 leucophrys, 21, 122, 124, 125
 l. nuttallii, 125
 querula, 21, 122