

WESTERN BIRDS, INDEX, VOLUME 17, 1986

Compiled by Mildred Comar

- Accipiter cooperii*, 5, 119, 184
 gentilis, 5, 184
 striatus, 5, 119, 184
Actitis macularia, 6, 118, 120, 184
Aechmophorus clarkii, 2, 3, 175, 183
 occidentalis, 3, 183
Aegolius acadicus, 8, 185
 funereus, 2
Aeronautes saxatalis, 9, 121, 185
Aethia cristatella, 8, 50
 pusilla, 2, 8, 50
Agelaius phoeniceus, 14, 126, 187
 tricolor, 14
Aix sponsa, 4, 176, 184
Ajaia ajaja, 14
Alauda arvensis, 10, 50
Albatross, Black-footed, 3
 Laysan, 3, 54
 Short-tailed, 3, 50, 51, 54, 71
 Wandering, 3, 50
Alectoris chukar, 5, 184
Aimophila cassinii, 13, 51, 70, 181, 186
 ruficeps, 13, 186
Amazilia violiceps, 9, 50
Ammodramus bairdii, 13, 70, 181, 186
 caudacutus, 13, 51, 71
 leconteii, 13, 51, 59, 71
 savannarum, 13, 182, 186
Amphispiza belli, 13, 186
 bilineata, 13, 186
Anas acuta, 4, 117, 119, 184
 americana, 5, 184
 clypeata, 4, 184
 crecca, 4, 117, 119, 184
 cyanoptera, 4, 119, 184
 discors, 4, 184
 formosa, 4, 50
 penelope, 4, 176, 184
 platyrhynchos, 4, 118, 119, 184
 querquedula, 4, 50, 58
 rubripes, 4
 strepera, 4, 184
Anhinga, 2, 4, 50, 57, 72
Anhinga anhinga, 2, 4, 50, 57, 72
Ani, Groove-billed, 8, 50, 177, 184
Anser albifrons, 4, 175, 184
Anthus cervinus, 11, 51, 66
 spinoletta, 11, 123, 175, 179, 186
 spragueii, 11, 51, 66, 179, 186
Aphelocoma coerulescens, 10, 185
Aphriza virgata, 7
Aquila chrysaetos, 5, 87-89, 117, 120,
 134, 184
Archilochus alexandri, 9, 121, 185
 colubris, 2, 9, 41-42, 50, 62, 74
Ardea herodias, 4, 118, 119, 136, 183
Arenaria interpres, 7, 176, 184
 melanocephala, 7
Asio flammeus, 8, 185
 otus, 8, 185
Athene cunicularia, 8, 22, 185
Auklet, Cassin's, 8
 Crested, 8, 50
 Least, 2, 8, 50
 Parakeet, 8, 50, 52, 62
 Rhinceros, 8
Auriparus flaviceps, 10
Avocet, American, 6, 173, 176, 184
Aythya affinis, 5, 184
 americana, 5, 184
 collaris, 5, 184
 fuligula, 5, 50, 58
 marila, 5
 valisineria, 5, 184
Baltosser, William H., Seasonal analysis
 of a southwestern New Mexico
 riparian bird community, 115-131
Barn-Owl, Common, 8, 184
Barrows, Cameron W., Habitat relation-
 ships of Winter Wrens in northern
 California, 17-20
Bartramia longicauda, 6, 50
Bidstrup, Frances C., see Page, G.
Binford, Laurence C., Checklist of
 California birds—1986, 1-16
Bittern, American, 4, 183
 Least, 4
Black-Hawk, Common, 2, 5, 50, 58, 119
Blackbird, Brewer's, 14, 126, 187
 Red-winged, 14, 126, 187
 Rusty, 14, 182, 187
 Tricolored, 14
 Yellow-headed, 14, 187
Bluebird, Mountain, 11, 174, 185
 Western, 11, 118, 123, 185
Bobolink, 14, 173, 174, 182, 187
Bombycilla cedrorum, 11, 186
 garrulus, 11, 179, 186
Bonasa umbellus, 6
Booby, Blue-footed, 3
 Brown, 3, 50, 56
Western Birds 17:196-208, 1986

- Masked, 3, 50
 Red-footed, 3, 50
Botarus lentiginosus, 4, 183
Brachyramphus brevirostris, 2, 8, 50
 marmoratus, 8
 Brambling, 2, 14, 50, 51, 71
 Brant, 4
Branta bernicla, 4
 canadensis, 4, 184
 leucopsis, 2
Bubo virginianus, 8, 88, 107, 114, 121,
 134, 184
Bubulcus ibis, 4, 175, 183
Bucephala albeola, 5, 184
 clangula, 5, 184
 islandica, 5, 184
 Bufflehead, 5, 184
 Bunting, Indigo, 13, 186
 Lark, 13, 186
 Lazuli, 13, 125, 186
 Painted, 13, 51, 70, 75, 181, 186
 Rustic, 2, 14, 50, 51, 71
 Snow, 14, 51, 71
 Varied, 13, 51
 Burton, Kenneth, see Tyler, W.
 Bushtit, 10, 117, 123, 185
Buteo albonotatus, 5, 50, 59
 jamaicensis, 5, 88, 107-114, 117,
 120, 184
 lagopus, 5, 107-114, 184
 lineatus, 5
 nitidus, 72
 platypterus, 5
 regalis, 5, 184
 swainsoni, 5, 184
Buteogallus anthracinus, 2, 5, 50, 58,
 119
Butorides striatus, 4, 183

Calamospiza melanocorys, 13, 186
Calcarius lapponicus, 14, 182, 187
 mccownii, 14, 182, 186
 ornatus, 14, 187
 pictus, 182, 187
Calidris alba, 7, 176, 184
 acuminata, 7
 alpina, 7, 177, 184
 bairdii, 7, 184
 canutus, 7, 176, 184
 ferruginea, 7, 50
 fuscicollis, 7, 50
 himantopus, 7, 184
 mauri, 7, 184
 melanotos, 7, 184
 minuta, 2, 7, 50, 61
 minutilla, 7, 120, 184
 ptilocnemis, 7
 pusilla, 7, 176, 184
 ruficollis, 7, 50, 73
 temminckii, 73
Callipepla californica, 6, 184
 gambelii, 6, 120
 squamata, 184
Calonectris leucomelas, 3, 46, 50
Calypte anna, 9
 costae, 9
Campylorhynchus brunneicapillus, 11
 Canvasback, 5, 184
Caprimulgus vociferus, 9, 175, 185
Cardellina rubrifrons, 13, 51, 70, 175,
 186
 Cardinal, Northern, 13, 51, 125
Cardinalis cardinalis, 13, 51, 125
 sinuatus, 13, 51
Carduelis flammea, 14, 51, 71
 lawrencei, 14
 pinus, 14, 126, 187
 psaltria, 14, 126, 187
 tristis, 14, 126, 175, 187
Carpodacus cassinii, 14, 187
 mexicanus, 14, 126, 187
 purpureus, 14, 182, 187
Casmerodius albus, 4, 175, 183
 Catbird, Gray, 11, 50, 64, 175, 179, 185
Catharacta maccormicki, 7
Cathartes aura, 5, 88, 118, 119, 184
Catharus fuscescens, 11, 50, 172, 175,
 178, 185
 guttatus, 11, 118, 123, 185
 minimus, 11, 50
 ustulatus, 11, 123, 175, 185
Catherpes mexicanus, 11, 185
Catoptrophorus semipalmatus, 6
Centrocercus urophasianus, 6
Cephus columba, 8
Cerorhinca monocerata, 8
Certhia americana, 10, 98, 117, 123,
 185
Ceryle alcyon, 9, 121, 185
Chaetura pelagica, 9
 vauxi, 9, 177, 185
Chamaea fasciata, 11
Charadrius alexandrinus, 6, 145-170,
 184
 hiaticula, 2
 melodus, 6, 50
 mongolus, 6, 50, 60
 montanus, 6, 174, 176, 184
 morinellus, 6, 50, 95
 semipalmatus, 6, 184

- vociferus*, 6, 120, 184
wilsonia, 6, 50
 Chat, Yellow-breasted, 13, 125, 186
Chen caerulescens, 4, 93, 94, 184
canagica, 4, 50, 51, 58
rossii, 4, 93, 94, 184
 Chickadee, Black-capped, 10, 178, 185
 Chestnut-backed, 10, 98
 Mountain, 10, 185
Chlidonias niger, 8, 184
Chondestes grammacus, 13, 186
Chordeiles acutipennis, 9
 minor, 9, 185
 Chukar, 5, 184
Cinclus mexicanus, 11, 185
Circus cyaneus, 5, 117, 119, 184
Cistothorus palustris, 11, 123, 185
 platensis, 11, 50
Clangula hyemalis, 5
Coccothraustes vespertinus, 14, 187
Coccyzus americanus, 8, 91, 121, 184
 erythrophthalmus, 8, 50, 62, 177, 184
 Cohen, Robert R., Female Tree Swallow
 nests successfully following loss of
 eye, 40
Colaptes auratus, 9, 121, 185
 Cole, Ronald E., First record of a Ruby-
 throated Hummingbird in California,
 41-42
Colibri thalassinus, 73
 Collins, Charles T., Identification quiz,
 93-94
 Collins, Paul W., Charles Drost, and
 Gary M. Fellers, Migratory status of
 Flammulated Owls with recent
 records from the California Channel
 Islands, 21-31
Columba fasciata, 8, 177, 184
 livia, 8, 184
Columbina inca, 8, 177, 184
 passerina, 8
 talpacoti, 15
 Condor, California, 5
Contopus borealis, 9, 185
 pertinax, 9, 50, 62, 175, 185
 sordidulus, 9, 121, 185
 virens, 9, 50, 74, 185
 Coot, American, 6, 184
Coragyps atratus, 2, 74
 Cormorant, Brandt's, 4
 Double-crested, 4, 136, 183, 189
 Olivaceous, 4, 50, 56
 Pelagic, 4
 Cornett, James W., Gila Woodpecker
 nesting in northern Baja California,
 139-140
Corvus brachyrhynchos, 10, 118, 122,
 185
 corax, 10, 88, 118, 123, 185
 cryptoleucus, 118, 122
Coturnicops noveboracensis, 6, 50, 60,
 72
 Cowbird, Bronzed, 14
 Brown-headed, 14, 126, 187
 Crane, Sandhill, 6, 120, 176, 184,
 192-193
Creagrus furcatus, 2
 Creeper, Brown, 10, 98, 117, 123, 185
 Crossbill, Red, 14, 187
 White-winged, 14, 51
Crotophaga sulcirostris, 8, 50, 177, 184
 Crow, American, 10, 118, 122, 185
 Cuckoo, Black-billed, 8, 50, 62, 117,
 184
 Yellow-billed, 8, 91, 121, 184
 Curlew, Little, 2, 6, 50, 60
 Long-billed, 6, 184
Cyanocitta cristata, 10, 50, 178, 185
 stelleri, 10, 39, 98, 185
Cyclorhynchus psittacula, 8, 50, 52, 62
Cygnus buccinator, 4, 50, 72
 columbianus, 4, 184
 cygnus, 4, 50, 57
Cyananthus latirostris, 9, 50, 62
Cypseloides niger, 9
Cyrtonyx montezumae, 175, 184

Daption capense, 2
Dendragapus obscurus, 6, 174, 184
Dendrocycyna autumnalis, 4, 50
 bicolor, 4
Dendroica caerulescens, 12, 180, 186
 castanea, 12, 180, 186
 cerulea, 12, 51
 chrysoparia, 12, 51, 66
 coronata, 12, 117, 124, 126
 discolor, 12
 dominica, 12, 51, 66, 172, 180, 186
 fusca, 12, 180, 186
 graciae, 12, 51, 67, 186
 magnolia, 12, 180, 186
 nigrescens, 12, 124, 186
 occidentalis, 12, 186
 palmarum, 12, 180, 186
 pennsylvanica, 12, 180, 186
 petechia, 12, 124, 129, 186
 pinus, 12, 51, 67
 striata, 12, 180, 186
 tigrina, 12
 townsendi, 12, 124, 186
 virens, 12, 180, 186
 Dickcissel, 13, 181, 186

- Diomedea albatrus*, 3, 50, 51, 54, 71
exulans, 3, 50
immutabilis, 3, 54
nigripes, 3
Dipper, American, 11, 185
Dolichonyx oryzivorus, 14, 173, 174, 182, 187
Dotterel, Eurasian, 6, 50, 95
Dove, Inca, 8, 177, 184
Mourning, 8, 88, 121, 129, 184
Rock, 8, 184
Spotted, 8
White-winged, 8, 121
Dowitcher, Long-billed, 7, 184
Short-billed, 7, 184
Drost, Charles, see Collins, P.
Dryocopus pileatus, 9
Duck, American Black, 4
Harlequin, 5
Ring-necked, 5, 184
Ruddy, 5, 184
Tufted, 5, 50, 58
Wood, 4, 176, 184
Dumetella carolinensis, 11, 50, 64, 175, 179, 185
Dunlin, 7, 177, 184
Eagle Bald, 5, 85-86, 87, 119, 184
Golden, 5, 87-89, 117, 120, 134, 184
Eakle, Wade L., and Teryl G. Grubb,
Prey remains from Golden Eagle
nests in central Arizona, 87-89
Egret, Cattle, 4, 175, 183
Great, 4, 175, 183
Reddish, 4, 50, 57
Snowy, 4, 183, 189
Egretta caerulea, 4
rufescens, 4, 50, 57
thula, 4, 183, 189
tricolor, 4, 183, 189
Eider, King, 5, 50
Steller's, 2, 5, 50
Elanus caeruleus, 5
Emberiza rustica, 2, 14, 50, 51, 71
Empidonax alnorum, 2, 15
difficilis, 10, 122, 185
flaviventris, 9, 50, 74
hammondii, 9, 172, 174, 178, 185
minimus, 9, 178, 185
oberholseri, 9, 185
traillii, 9, 185
virescens, 2
wrightii, 9, 118, 121, 185
Engilis, Andrew, Jr., see Cole R.
Eremophila alpestris, 10
Eudocimus albus, 4
Eugenus fulgens, 2, 178, 185
Euphagus carolinus, 14, 182, 187
cyaenocephalus, 14, 126, 187
Falco columbarius, 5, 184
mexicanus, 5, 107-114, 117, 120, 184
peregrinus, 5, 184
rusticolus, 5, 50, 60
sparverius, 5, 32, 120, 184
Falcon, Peregrine, 5, 184
Prairie, 5, 107-114, 117, 120, 184
Fellers, Gary M., see Collins, P.
Finch, Cassin's, 14, 187
House, 14, 126, 187
Purple, 14, 182, 187
Rosy, 14
Findholt, Scott, L., New American White
Pelican nesting colony in Wyoming,
136-138; Ring-billed Gull: a
rediscovered nesting species in
Wyoming, 189-190
Flicker, Northern, 9, 121, 185
Flycatcher, Acadian, 2
Alder, 2, 15
Ash-throated, 10, 122, 185
Brown-crested, 10
Dusky, 9, 185
Dusky-capped, 10, 50, 62, 74
Gray, 9, 118, 121, 185
Great Crested, 10, 50, 63
Hammond's, 9, 172, 174, 178, 185
Least, 9, 178, 185
Olive-sided, 9, 185
Scissor-tailed, 10, 50, 63, 74, 178, 185
Sulphur-bellied, 10, 50, 63
Western, 10, 122, 185
Willow, 9, 185
Vermillion, 10, 122, 178, 185
Yellow-bellied, 9, 50, 74
Fratercula cirrhata, 8
corniculata, 8
Fregata magnificens, 4
Frigatebird, Magnificent, 4
Fringilla montifringilla, 2, 14, 50, 51, 71
Fulica americana, 6, 184
Fulmar, Northern, 3
Fulmarus glacialis, 3
Gadwall, 4, 184
Gallinago gallinago, 7, 120, 173, 174, 177, 184
Gallinula chloropus, 6, 176, 184

- Gallinule, Purple, 6, 50
 Garganey, 4, 50, 58
 Garrison, Barrett A., Observation of copulation between a non-nesting adult and subadult Bald Eagle in California, 85-86
 Gatz, Thomas A., and Paul L. Hegdal, Local winter movements of four raptor species in central Colorado, 107-114
 Gavia adamsii, 3, 50, 54, 55
 arctica, 2
 immer, 3, 183
 pacifica, 2, 3, 175, 183
 stellata, 3
 Geococcyx californianus, 8, 184
 Geothlypis trichas, 13, 124, 186
 Glaucidium gnoma, 8, 98, 185
 Gnatcatcher, Black-tailed, 11
 Blue-gray, 11, 185
 Godwit, Bar-tailed, 6, 50
 Hudsonian, 6, 50
 Marbled, 7, 184
 Golden-Plover, Lesser, 6, 176
 Goldeneye, Barrow's, 5
 Common, 5, 184
 Goldfinch, American, 14, 126, 175, 187
 Lawrence's, 14
 Lesser, 14, 126, 187
 Goose, Barnacle, 2
 Canada, 4, 184
 Emperor, 4, 50, 51, 58
 Greater White-fronted, 4, 175, 184
 Ross', 4, 93, 94, 184
 Snow, 4, 93, 94, 184
 Goshawk, Northern, 5, 184
 Grackle, Common, 14, 51, 71
 Great-tailed, 14, 126, 187
 Grebe, Clark's, 2, 3, 175, 183
 Eared, 3, 183
 Horned, 3, 175, 183
 Least, 3, 50
 Pied-billed, 3, 183
 Red-necked, 3
 Western, 3, 183
 Grosbeak, Black-headed, 13, 125, 186
 Blue, 13, 125, 186
 Evening, 14, 187
 Pine, 14, 175, 187
 Rose-breasted, 13, 186
 Ground-Dove, Common, 8
 Ruddy, 2, 15
 Grouse, Blue, 6, 174, 184
 Ruffed, 6
 Sage, 6
 Sharp-tailed, 6, 50
 Grubb, Teryl G., see Eakle, W.
 Grus canadensis, 6, 120, 176, 184, 192-193
 Guillemot, Pigeon, 8
 Guiraca caerulea, 13, 125, 186
 Gull, Black-tailed, 2, 74
 Bonaparte's, 7, 65
 California, 7, 133, 134, 136, 184, 189
 Common Black-headed, 7, 16, 50, 61, 65, 73
 Franklin's, 7, 184
 Glaucous, 7
 Glaucous-winged, 7
 Heermann's, 7
 Herring, 7
 Iceland, 2, 15
 Laughing, 7
 Lesser Black-backed, 7, 50
 Little, 7, 50, 61
 Mew, 7, 141-142
 Ring-billed, 7, 117, 120, 141, 184, 189-190
 Sabine's, 7, 177, 184
 Swallow-tailed, 2
 Thayer's, 7
 Western, 7
 Yellow-footed, 7
 Gymnogyps californianus, 5
 Gymnorhinus cyanocephalus, 10, 185
 Gyrfalcon, 5, 50, 60

 Haematopus bachmani, 6
 palliatu, 6, 50, 60, 73
 Haemig, Paul D., Nesting of the Phainopepla on Santa Cruz Island, California, 48
 Haliaeetus leucocephalus, 5, 85-86, 87, 119, 184
 Harrier, Northern, 5, 117, 119, 184
 Hawk, Broad-winged, 5
 Cooper's, 5, 119, 184
 Ferruginous, 5, 184
 Gray, 72
 Harris', 5, 50, 52, 59
 Red-shouldered, 5
 Red-tailed, 5, 88, 107-114, 117, 120, 184
 Rough-legged, 5, 107-114, 184
 Sharp-shinned, 5, 119, 184
 Swainson's, 5, 184
 Zone-tailed, 5, 50, 59
 Hegdal, Paul L., see Gatz, T.
 Helmintheros vermivorus, 12, 51, 68, 172, 181, 186

- Heron, Great Blue, 4, 118, 119, 136, 183
 Green-backed, 4, 183
 Little Blue, 4
 Tricolored, 4
Heteroscelus brevipes, 2, 6, 33-36, 50
incanus, 6, 33-36
Himantopus mexicanus, 6, 176, 184
Hirundo pyrrhonota, 10, 118, 122, 129, 185
rustica, 10, 185
Histrionicus histrionicus, 5
 Hummingbird, Allen's, 9
 Anna's, 9
 Black-chinned, 9, 121, 185
 Blue-throated, 9, 50
 Broad-billed, 9, 50, 62
 Broad-tailed, 9, 41, 118, 121, 185
 Calliope, 9, 41, 185
 Costa's, 9
 Magnificent, 2, 178, 185
 Ruby-throated, 2, 9, 41-42, 50, 62, 74
 Rufous, 9, 185
 Violet-crowned, 9, 50
Hylocichla mustelina, 11, 50, 64, 179, 185
 Ibis, White, 4
 White-faced, 4, 50, 183
Icteria virens, 13, 125, 186
Icterus cucullatus, 14, 187
galbula, 14, 126, 187
parisorum, 14, 187
pustulatus, 14, 51
spurius, 14, 187
Ictinia mississippiensis, 5, 50, 58, 72
Ixobrychus exilis, 4
Ixoreus naevius, 11
 Jaeger, Long-tailed, 7
 Parasitic, 7
 Pomarine, 7, 177, 184
 Jay, Blue, 10, 50, 178, 185
 Gray, 10, 174, 185
 Pinyon, 10, 185
 Scrub, 10, 185
 Steller's, 10, 39, 98, 185
 Jehl, Joseph R., Jr., Caspian Tern at Mono Lake, The, 133-135
 Junco, Dark-eyed, 13, 117, 126, 186
Junco hyemalis, 13, 117, 126, 186
 Kestrel, American, 5, 32, 120, 184
 Killdeer, 6, 120, 184
 Kingbird, Cassin's, 10, 122, 185
 Eastern, 10, 178, 185
 Thick-billed, 10, 50
 Tropical, 10
 Western, 10, 122, 185
 Kingfisher, Belted, 9, 121, 185
 Kinglet, Golden-crowned, 11, 185
 Ruby-crowned, 11, 117, 123, 185
 Kite, Black-shouldered, 5
 Mississippi, 5, 50, 58, 72
 Kittiwake, Black-legged, 7
 Knot, Red, 7, 176, 184
Lagopus leucurus, 2
Lampornis clemenciae, 9, 50
Lanius cristatus, 2, 12
excubitor, 12, 186
ludovicianus, 12, 118, 123, 186
 Lark, Horned, 10
Larus argentatus, 7
atricilla, 7
californicus, 7, 133, 134, 136, 184, 189
canus, 7, 141-142
crassirostris, 2, 74
delawarensis, 7, 117, 120, 141, 184, 189-190
fuscus, 7, 50
glaucescens, 7
glaucoides, 2, 15
heermanni, 7
hyperboreus, 7
livens, 7
minutus, 7, 50, 61
occidentalis, 7
philadelphia, 7, 65
pipixcan, 7, 184
ridibundus, 7, 16, 50, 61, 65, 73
thayeri, 7
Laterallus jamaicensis, 6
Leucosticte arctoa, 14
Limnodromus griseus, 7, 184
scolopaceus, 7, 184
Limnithlypis swainsonii, 172, 181, 186
Limosa fedoa, 7, 184
haemastica, 6, 50
lapponica, 6, 50
 Longspur, Chestnut-collared, 14, 187
 Lapland, 14, 182, 187
 McCown's, 14, 182, 186
 Smith's, 182, 187
 Loon, Arctic, 2
 Common, 3, 183
 Pacific, 2, 3, 175, 183
 Red-throated, 3

- Yellow-billed, 3, 50, 54, 55
Lophodytes cucullatus, 5, 176, 184
Loxia curvirostra, 14, 187
leucoptera, 14, 51
Lymnocyptes minimus, 7, 50, 61
- Magpie**, Black-billed, 10, 174, 178, 185
 Yellow-billed, 10
Mallard, 4, 118, 119, 184
Martin, Purple, 10, 185
Meadowlark, Eastern, 187
 Western, 14, 118, 126, 187
Melanerpes erythrocephalus, 9, 50
 formicivorus, 9, 121, 185
 lewis, 9, 174, 185
 uropygialis, 9, 121, 139-140, 178, 185
Melanitta fusca, 5, 176, 184
 nigra, 5
 perspicillata, 5, 176, 184
Meleagris gallopavo, 6, 184
Melospiza georgiana, 13, 125, 186
 lincolni, 13, 117, 125, 186
 melodia, 13, 117, 125, 186
Merganser, Common, 5, 118, 119, 184
 Hooded, 5, 176, 184
 Red-breasted, 5, 176, 184
Mergellus albellus, 2, 5, 50, 58
Mergus merganser, 5, 118, 119, 184
 serrator, 5, 176, 184
Merlin, 5, 184
Micrathene whitneyi, 8
Mimus polyglottos, 11, 185
Mniotilta varia, 12, 186
Mockingbird, Northern, 11, 185
Molothrus aeneus, 14
 ater, 14, 126, 187
Moorhen, Common, 6, 176, 184
Motacilla alba, 1, 2, 11, 50, 51, 52, 64, 67
 flava, 2, 11, 51
 lugens, 1, 2, 11, 51, 52, 64
Murre, Common, 8
 Thick-billed, 8, 50, 73
Murrelet, Ancient, 8
 Craver's, 8
 Kittlitz's, 2, 8, 50
 Marbled, 8
 Xantus', 8
Myadestes townsendi, 11, 175, 185
Mycteria americana, 4, 175, 183
Myiarchus cinerascens, 10, 122, 185
 crinitus, 10, 50, 63
 tuberculifer, 10, 50, 62, 74
 tyrannulus, 10
Myioborus pictus, 13, 118, 125, 175, 186
- Myiodynastes luteiventris*, 10, 50, 63
- Night-Heron**, Black-crowned, 4, 183, 189
 Yellow-crowned, 4, 50, 57, 72
Nighthawk, Common, 9, 185
 Lesser, 9
Norris, Larry L., Nesting of Plumbeous Solitary Vireo in the southern Sierra Nevada, 37-39
Nucifraga columbiana, 10, 185
Numenius americanus, 6, 184
 minutus, 2, 6, 50, 60
 phaeopus, 6
Nutcracker, Clark's, 10, 185
Nuthatch, Pygmy, 10, 185
 Red-breasted, 10, 185
 White-breasted, 10, 123, 125
Nyctea scandiaca, 8, 50, 52, 62
Nycticorax nycticorax, 4, 183, 189
 violaceus, 4, 50, 57, 72
- Oceanites oceanicus*, 3, 50, 56
Oceanodroma castro, 3, 50
 furcata, 3
 homochroa, 3
 leucorhoa, 3
 melania, 3
 microsoma, 3
 tethys, 3, 50, 56, 72
Oenanthe oenanthe, 11, 50
Oldsquaw, 5
Oporornis agilis, 12, 51, 68
 formosus, 12, 51, 68, 172, 181, 186
 philadelphia, 13, 51, 70, 181, 186
 tolmiei, 13, 175, 186
Oreortyx pictus, 6
Oreoscoptes montanus, 11, 175, 185
Oriole, Hooded, 14, 187
 Northern, 14, 126, 187
 Orchard, 14, 187
 Scott's, 14, 187
 Streak-backed, 14, 51
Osprey, 5, 184
Otus flammeolus, 8, 21-31, 184
 kennicottii, 8, 22
Ovenbird, 12, 181, 186
Owl, Barred, 2, 8, 50
 Boreal, 2
 Burrowing, 8, 22, 185
 Elf, 8
 Flammulated, 8, 21-31, 184
 Great Gray, 8
 Great Horned, 8, 88, 107, 114, 121, 134, 184
 Long-eared, 8, 185
 Northern Saw-whet, 8, 185

- Short-eared, 8, 185
 Snowy, 8, 50, 52, 62
 Spotted, 8, 185
- Oxyura jamiacensis*, 5, 184
- Oystercatcher, American, 6, 50, 60, 73
 Black, 6
- Page, Gary W., Frances C. Bidstrup,
 Robert J. Ramer, and Lynn E.
 Stenzel, Distribution of wintering
 Snowy Plovers in California and ad-
 jacent states, 145-170
- Pandion haliaetus*, 5, 184
- Parabuteo unicinctus*, 5, 50, 52, 59
- Parula, Northern, 12, 180, 186
- Parula americana*, 12, 180, 186
- Parus atricapillus*, 10, 178, 185
gambeli, 10, 185
inornatus, 10, 185
rufescens, 10, 98
wollweberi, 123
- Passer domesticus*, 14, 187
- Passerculus sandwichensis*, 13, 186
- Passerella iliaca*, 13, 186
- Passerina amoena*, 13, 125, 186
ciris, 13, 51, 70, 75, 181, 186
cyanea, 13, 186
versicolor, 13, 51
- Paulson, Dennis R., Identification of
 juvenile tattlers and a Gray-tailed
 Tattler record from Washington,
 33-36
- Pelican, American White, 3, 136-138,
 183
 Brown, 4
- Pelecanus erythrorhynchos*, 3, 136-138,
 183
occidentalis, 4
- Perisoreus canadensis*, 10, 174, 185
- Petrel, Cape, 2
 Cook's, 2, 3, 50, 51, 54, 55, 79-84
 Mottled, 3, 50
 Solander's, 2
 Stejneger's, 4, 50
- Peucedramus taeniatus*, 175
- Pewee, Greater, 9, 50, 62, 175, 185
- Phaethon aethereus*, 3
lepturus, 3, 50, 56
rubricauda, 3, 50
- Phainopepla, 11, 48, 175, 186
- Phainopepla nitens*, 11, 48, 175, 186
- Phalacrocorax auritus*, 4, 136, 183
olivaceus, 4, 50, 56
pelagicus, 4
penicillatus, 4
- Phalaenoptilus nuttallii*, 9, 185
- Phalarope, Red, 7, 184
 Red-necked, 7, 177, 184
 Wilson's, 7, 173, 174, 177, 184
- Phalaropus fulicaria*, 7, 184
lobatus, 7, 177, 184
tricolor, 7, 184
- Phasianus colchicus*, 6, 120
- Pheasant, Ring-necked, 6, 120
- Pheucticus ludovicianus*, 13, 186
melanocephalus, 13, 125, 186
- Philomachus pugnax*, 7
- Phoebe, Black, 10, 122, 185
 Eastern, 10, 122, 178, 185
 Say's, 10, 118, 122, 185
- Phylloscopus fuscatus*, 11, 50, 63, 65
- Pica nuttalli*, 10
pica, 10, 174, 178, 185
- Picoides albolarvatus*, 9
arcticus, 9
nuttallii, 9, 43-44
pubescens, 9, 43-44, 175, 185
scalaris, 9, 118, 121
tridactylus, 2, 15, 174, 185
villosus, 9, 98, 121, 185
- Pigeon, Band-tailed, 8, 177, 184
- Pinicola enucleator*, 14, 175, 187
- Pintail, Northern, 4, 117, 119, 184
- Pipilo aberti*, 13, 125
chlorurus, 13, 118, 125, 175, 186
erythrophthalmus, 13, 117, 125, 186
fuscus, 13, 118, 125, 186
- Pipit, Red-throated, 11, 51, 66
 Sprague's, 11, 51, 66, 179, 186
 Water, 11, 123, 175, 179, 186
- Piranga flava*, 13, 186
ludoviciana, 118, 125, 186
olivacea, 13, 51, 70, 74, 181, 186
rubra, 13, 125, 186
- Plectrophenax nivalis*, 14, 51, 71
- Plegadis chihi*, 4, 50, 183
- Plover, Black-bellied, 6, 184
 Common Ringed, 2
 Mongolian, 6, 50, 60
 Mountain, 6, 174, 176, 184
 Piping, 6, 50
 Semipalmated, 6, 184
 Snowy, 6, 145-170, 184
 Wilson's, 6, 50
- Pluvialis dominica*, 6, 176
squatarola, 6, 184
- Podiceps auritus*, 3, 175, 183
grisegena, 3
nigricollis, 3, 183
- Podilymbus podiceps*, 3
- Polioptila caerulea*, 11, 185
melanura, 11

- Polysticta stelleri*, 2, 5, 50
Poocetes gramineus, 13, 175, 186
 Poorwill, Common, 9, 185
Porphyryla martinica, 6, 50
Porzana carolina, 6, 184
Progne subis, 10, 185
Protonotaria citrea, 12, 51, 68, 181, 186
Psaltriparus minimus, 10, 117, 123, 185
 Ptarmigan, White-tailed, 2
Pterodroma cookii, 2, 3, 50, 51, 54, 55,
 79-84
 inexpectata, 3, 50
 longirostris, 3, 50
 solandri, 2
Ptychoramphus aleuticus, 8
 Puffin, Horned, 8
 Tufted, 8
Puffinus auricularis, 2
 bulleri, 3, 45-47
 carneipes, 3, 45
 creatopus, 3, 45
 gravis, 3, 50
 griseus, 3, 45, 46, 83
 leucomelas, 3, 46, 50
 opisthomelas, 3
 pacificus, 45
 puffinus, 72
 tenuirostris, 3
 Pygmy-Owl, Northern, 8, 98, 185
Pyrocephalus rubinus, 10, 122, 178,
 185
 Pyrrhuloxia, 13, 51

 Quail, California, 6, 184
 Gambel's, 6, 120
 Montezuma, 175, 184
 Mountain, 6
 Scaled, 184
Quiscalus mexicanus, 14, 126, 187
 quiscula, 14, 51, 71

 Radke, Marcia F. and William R. Radke,
 Breeding by a two-year old Sandhill
 Crane, 192-193
 Radke, William R., see Radke, M.
 Rail, Black, 6
 Clapper, 6
 Virginia, 6, 184
 Yellow, 6, 50, 60, 72
Rallus limicola, 6, 184
 longirostris, 6
 Ramer, Robert J., see Page, G.
 Raven, Chihuahuan, 118, 122
 Common, 10, 88, 118, 123, 185
Recurvirostra americana, 6, 173, 176, 184

 Redhead, 5, 184
 Redpoll, Common, 14, 51, 71
 Redshank, Spotted, 2, 6, 50
 Redstart, American, 12, 124, 172, 180,
 186
 Painted, 13, 118, 125, 175, 186
Regulus calendula, 11, 117, 123, 185
 satrapa, 11, 185
Riparia riparia, 10, 185
Rissa tridactyla, 7
 Roadrunner, Greater, 8, 184
 Roberson, Don, Ninth report of the
 California Bird Records Committee,
 49-77
 Robin, American, 11, 123, 185
 Rufous-backed, 11, 50, 64
 Rosenberg, Gary H. and Scott B. Terrill,
 Avifauna of Apache County,
 Arizona, 171-187
 Ruff, 7
Rynchops niger, 8

Salpinctes obsoletus, 11, 185
 Sanderling, 7, 176, 184
 Sandpiper, Baird's, 7, 184
 Buff-breasted, 7, 50, 61
 Curlew, 7, 50
 Least, 7, 120, 184
 Pectoral, 7, 184
 Rock, 7
 Semipalmated, 7, 176, 184
 Sharp-tailed, 7
 Solitary, 6, 120
 Spotted, 6, 118, 120, 184
 Stilt, 7, 184
 Upland, 6, 50
 Western, 7, 184
 White-rumped, 7, 50
 Sapsucker, Red-breasted, 9, 97-105
 Red-naped, 2, 9, 121, 174, 185
 Williamson's, 9, 174, 185
 Yellow-bellied, 9, 185
Sayornis nigricans, 10, 122, 185
 phoebe, 10, 122, 178, 185
 saya, 10, 118, 122, 185
 Scaup, Greater, 5
 Lesser, 5, 184
 Scoter, Black, 5
 Surf, 5, 176, 184
 White-winged, 5, 176, 184
 Screech-Owl, Western, 8, 22
Seiurus aurocapillus, 12, 181, 186
 motacilla, 12, 51, 68
 noveboracensis, 12, 124, 186

- Selasphorus platycercus*, 9, 41, 118,
121, 185
 rufus, 9, 185
 sasin, 9
- Setophaga ruticilla*, 12, 124, 172, 180,
186
- Shearwater, Black-vented, 3
 Buller's, 3, 45-47
 Flesh-footed, 3, 45
 Greater, 3, 50
 Manx, 72
 Pink-footed, 3, 45
 Short-tailed, 3
 Sooty, 3, 45, 46, 83
 Streaked, 3, 46, 50
 Townsend's, 2
 Wedge-tailed, 45
- Shoveler, Northern, 4, 184
- Shrike, Brown, 2, 12
 Loggerhead, 12, 188, 123, 186
 Northern, 12, 186
- Shuford, W. David, Have ornithologists
 or breeding Red-breasted Sapsuckers
 extended their range in coastal
 California?, 97-105
- Sialia currucoides*, 11, 174, 185
 mexicana, 11, 118, 123, 185
- Siskin, Pine, 14, 126, 187
- Sitta canadensis*, 10, 185
 carolinensis, 10, 123, 185
 pygmaea, 10, 185
- Skimmer, Black, 8
- Skua, South Polar, 7
- Skylark, Eurasian, 10, 50
- Smew, 2, 5, 50, 58
- Snipe, Common, 7, 120, 173, 174, 177,
184
 Jack, 7, 50, 61
- Solitaire, Townsend's, 11, 175, 185
- Somateria spectabilis*, 5, 50
- Sora, 6, 184
- Sparrow, American Tree, 13, 186
 Baird's, 13, 70, 181, 186
 Black-chinned, 13
 Black-throated, 13, 186
 Brewer's, 13, 186
 Cassin's, 13, 51, 70, 181, 186
 Chipping, 13, 118, 125, 186
 Clay-colored, 13, 181, 186
 Field, 13, 51, 70, 181, 186
 Fox, 13, 186
 Golden-crowned, 13, 182, 186
 Grasshopper, 13, 182, 186
 Harris', 13, 186
 House, 14, 187
 Lark, 13, 186
 Le Conte's, 13, 51, 69, 71
 Lincoln's, 13, 117, 125, 186
 Rufous-crowned, 13, 186
 Sage, 13, 186
 Savannah, 13, 186
 Sharp-tailed, 13, 51, 71
 Song, 13, 117, 125, 186
 Swamp, 13, 125, 186
 Vesper, 13, 175, 186
 White-crowned, 13, 117, 126, 175,
 186
 White-throated, 13, 126, 186
- Sphyrapicus nuchalis*, 2, 9, 121, 174,
185
 ruber, 9, 97-105
 thyroideus, 9, 174, 185
 varius, 9, 185
- Spiza americana*, 13, 181, 186
- Spizella arborea*, 13, 186
 atrogularis, 13
 breweri, 13, 186
 pallida, 13, 118, 125, 186
 passerina, 13, 118, 125, 186
 pusilla, 13, 51, 70, 181, 186
- Spoonbill, Roseate, 4
- Starling, European, 12, 124, 129, 139,
186
- Stelgidopteryx serripennis*, 10, 122, 185
- Stellula calliope*, 9, 41, 185
- Stenzel, Lynne E., see Page, G.
- Stercorarius longicaudus*, 7
 parasiticus, 7
 pomarinus, 7, 177, 184
- Sterna antillarum*, 8
 caspia, 8, 133-135, 136, 177, 184,
189
 elegans, 8
 forsteri, 8, 184
 fuscata, 2, 8, 50
 hirundo, 8, 177, 184
 maxima, 7
 nilotica, 7
 paradisaea, 8
 sandvicensis, 8, 50
- Stilt, Black-necked, 6, 176, 184
- Stint, Little, 2, 7, 50, 61
 Rufous-necked, 7, 50, 73
 Temminck's, 73
- Stork, Wood, 4, 175, 183
- Storm-Petrel, Ashy, 3
 Band-rumped, 3, 50
 Black, 3
 Fork-tailed, 3
 Leach's, 3

- Least, 3
 Wedge-rumped, 3, 50, 56, 72
 Wilson's, 3, 50, 56
Streptopelia chinensis, 8
risoria, 2
Streptoprocne zonaris, 2, 9, 50
Strix nebulosa, 8
occidentalis, 8, 185
varia, 2, 8, 50
Sturnella magna, 187
neglecta, 14, 118, 126, 187
Sturnus vulgaris, 12, 124, 129, 139, 186
Sula dactylatra, 3, 50
leucogaster, 3, 50, 56
nebouxii, 3
sula, 3, 50
 Surfbird, 7
 Swallow, Bank, 10, 185
 Barn, 10, 185
 Cliff, 10, 118, 122, 129, 185
 Northern Rough-winged, 10, 122, 185
 Tree, 10, 40, 174, 178, 185
 Violet-green, 10, 122, 185
 Swan, Trumpeter, 4, 50, 72
 Tundra, 4, 184
 Whooper, 2, 4, 50, 57
 Swift, Black, 9
 Chimney, 9
 Vaux's, 9, 177, 185
 White-collared, 2, 9, 50
 White-throated, 9, 121, 185
Synthliboramphus antiquus, 8
craveri, 8
hypoleucus, 8

Tachybaptus dominicus, 3, 50
Tachycineta bicolor, 10, 40, 174, 178, 185
thalassina, 10, 122, 185
 Tanager, Hepatic, 13, 186
 Scarlet, 13, 51, 70, 74, 181, 186
 Summer, 13, 125, 186
 Western, 13, 118, 125, 186
 Tattler, Gray-tailed, 2, 6, 33-36, 50
 Wandering, 6, 33-36
 Teal, Baikal, 4, 50
 Blue-winged, 4, 184
 Cinnamon, 4, 119, 184
 Green-winged, 4, 117, 119, 184
 Tern, Arctic, 8
 Black, 8
 Caspian, 7, 133-135, 136, 177, 184, 189
 Common, 7, 177, 184
 Elegant, 7
 Forster's, 7, 184
 Gull-billed, 7
 Least, 8
 Royal, 7
 Sandwich, 8, 50
 Sooty, 2, 8, 50
 Terrill, Scott B., see Rosenberg, G.
 Thrasher, Bendire's, 11, 186
 Brown, 11, 179
 California, 11
 Crissal, 11
 Curve-billed, 11, 50
 Le Conte's, 11
 Sage, 11, 175, 185
 Thrush, Gray-cheeked, 11, 50
 Hermit, 11, 188, 123, 185
 Swainson's, 11, 123, 175, 179, 185
 Varied, 11
 Wood, 11, 50, 64, 179, 185
Thryomanes bewickii, 11, 123, 129, 185
 Titmouse, Bridled, 123
 Plain, 10, 185
 Towhee, Abert's, 13, 125
 Brown, 13, 118, 125, 186
 Green-tailed, 13, 118, 125, 175, 186
 Rufous-sided, 13, 117, 125, 186
Toxostoma bendirei, 11, 186
crissale, 11
curvirostre, 11, 50
lecontei, 11
redivivum, 11
rufum, 11, 179
Tringa erythropus, 2, 6, 50
flavipes, 6, 184
melanoleuca, 6, 184
solitaria, 6, 120
Troglodytes aedon, 11, 118, 123, 185
troglydites, 11, 17-20, 118, 123, 185
 Tropicbird, Red-billed, 3
 Red-tailed, 3, 50
 White-tailed, 3, 50, 56
Tryngites subruficollis, 7, 50, 61
Turdus migratorius, 11, 123, 185
rufopalliatus, 11, 50, 64
 Turkey, Wild, 6, 184
 Turnstone, Black, 7
 Ruddy, 7, 176, 184
 Turtle-Dove, Ringed, 2
 Tyler, Wm. Breck and Kenneth Burton.
 Cook's Petrel specimen from
 California. A. 79-84
Tympanuchus phasianellus, 6, 50
Tyrannus crassirostris, 10, 50
forficatus, 10, 50, 63, 74, 178, 185
melancholicus, 10

- tyrannus*, 10, 178, 185
verticalis, 10, 122, 185
vociferans, 10, 122, 185
Tyto alba, 8, 184
- Unitt, Philip, Another hybrid Downy ×
 Nuttall's Woodpecker from San
 Diego County, 43-44
- Uria aalge*, 8
lomvia, 8, 50, 73
- Veery, 11, 50, 172, 175, 178, 185
 Verdin, 10
- Vermivora celata*, 12, 186
chrysoptera, 1, 12, 51, 66, 179, 186
luciae, 12, 124, 186
peregrina, 12, 179, 186
pinus, 12, 51, 66, 179, 186
ruficapilla, 12, 186
virginiae, 12, 124, 186
- Violet-ear, Green, 73
- Vireo, Bell's, 12
 Gray, 12, 39
 Hutton's, 12
 Philadelphia, 12, 51, 66, 69, 179, 186
 Red-eyed, 1, 12, 51, 186
 Solitary, 12, 37-39, 124, 186
 Warbling, 12, 124, 186
 White-eyed, 12, 51, 179, 186
 Yellow-throated, 12, 51, 124
- Vireo bellii*, 12
flavifrons, 12, 51, 124
gilvus, 12, 124, 186
griseus, 12, 51, 179, 186
huttoni, 12
olivaceus, 1, 12, 51, 186
philadelphicus, 12, 51, 66, 69, 179,
 186
solitarius, 12, 37-39, 124, 186
vicinior, 12, 39
- Vulture, Black, 2, 74
 Turkey, 5, 88, 118, 119, 184
- Wagtail, Black-backed, 1, 2, 11, 51, 52,
 64
 White, 1, 2, 11, 50, 51, 52, 64, 67
 Yellow, 2, 11, 51
- Wahl, Terence R., Notes on the feeding
 behavior of Buller's Shearwater,
 45-47
- Warbler, Bay-breasted, 12, 180, 186
 Black-and-white, 12, 186
 Black-throated Blue, 12, 180, 186
 Black-throated Gray, 12, 124, 186
 Black-throated Green, 12, 180, 186
 Blackburnian, 12, 180, 186
- Blackpoll, 12, 180, 186
 Blue-winged, 1, 12, 51, 66, 179, 186
 Canada, 13
 Cape May, 12
 Cerulean, 12, 51
 Chestnut-sided, 12, 180, 186
 Connecticut, 12, 51, 68
 Dusky, 11, 50, 63, 65
 Golden-cheeked, 12, 51, 66
 Golden-winged, 1, 12, 51, 66, 179,
 186
 Grace's, 12, 51, 67, 186
 Hermit, 12, 186
 Hooded, 13
 Kentucky, 12, 51, 68, 172, 181, 186
 Lucy's, 12, 124, 186
 MacGillivray's, 13, 175, 186
 Magnolia, 12, 180, 186
 Mourning, 13, 51, 70, 181, 186
 Nashville, 12, 186
 Olive, 175
 Orange-crowned, 12, 186
 Palm, 12, 180, 186
 Pine, 12, 51, 67
 Prairie, 12
 Prothonotary, 12, 51, 68, 181, 186
 Red-faced, 13, 51, 70, 175, 186
 Swainson's, 172, 181, 186
 Tennessee, 12, 179, 186
 Townsend's, 12, 124, 186
 Virginia's, 12, 124, 186
 Wilson's, 12, 118, 124, 175, 186
 Worm-eating, 12, 51, 68, 172, 181,
 186
 Yellow, 12, 124, 129, 186
 Yellow-rumped, 12, 117, 124, 186
 Yellow-throated, 12, 51, 66, 172, 180,
 186
- Waterthrush, Louisiana, 12, 51, 68
 Northern, 12, 124, 186
- Waxwing, Bohemian, 11, 179, 186
 Cedar, 11, 186
- Weber, John W., First verified record of
 the Mew Gull for Idaho, 141-142
- Wheatear, Northern, 11, 50
- Whimbrel, 6
- Whip-poor-will, 9, 175, 185
- Whistling-Duck, Black-bellied, 4, 50
 Fulvous, 4
- Wigeon, American, 5, 184
 Eurasian, 4, 176, 184
- Willet, 6
- Wilsonia canadensis*, 13
citrina, 13
pusilla, 13, 118, 124, 175, 186

- Wood-Pewee, Eastern, 9, 50, 74, 185
- Western, 9, 121, 185
- Woodpecker, Acorn, 9, 121, 185
- Black-backed, 9
- Downy, 9, 43-44, 175, 185
- Gila, 9, 121, 139-140, 178, 185
- Hairy, 9, 98, 121, 185
- Ladder-backed, 9, 118, 121
- Lewis', 9, 174, 185
- Nuttall's, 9, 43-44
- Pileated, 9
- Red-headed, 9, 50
- Three-toed, 2, 15, 174, 185
- White-headed, 9
- Wren, Bewick's, 11, 123, 129, 185
- Cactus, 11
- Canyon, 11, 185
- House, 11, 123, 185
- Marsh, 11, 123, 185
- Rock, 11, 185
- Sedge, 11, 50
- Winter, 11, 17-20, 118, 123, 185
- Wrentit, 11
- Xema sabini*, 7, 177, 184
- Xanthocephalus xanthocephalus*, 14, 187
- Yellowlegs, Greater, 6, 184
- Lesser, 6, 184
- Yellowthroat, Common, 13, 124, 186
- Zenaida asiatica*, 8, 121
- macroura*, 8, 88, 121, 129, 184
- Zonotrichia albicollis*, 13, 126, 186
- atricapilla*, 13, 182, 186
- leucophrys*, 13, 117, 126, 175, 186
- querula*, 13, 186