

WESTERN BIRDS, INDEX, VOLUME 21, 1990

Compiled by Mildred Comar

- Aegithalos minimus*, 35-36, 114, 127, 130, 132, 133, 134
Aegolius acadicus, 12, 13, 14, 15
Aeronautes saxatalis, 130
Aimophila cassinii, 165, 166
 ruficeps, 114
Alauda arvensis, 146
Albatross, Laysan, 140, 177
 Short-tailed, 149-150
Ammodramus caudacutus, 165
Amphispiza belli, 114
 bilineata, 131
Anderson, Clifford M., and David M.
 Batchelder, First Confirmed Nesting of
 the Black-shouldered Kite in Washington,
 37-38
Anhinga, 145, 147, 151
Anhinga anhinga, 145, 147, 151
Anser albifrons, 171
Anthus cervinus, 159
Aphelocoma coerulescens, 127, 128, 130,
 132, 133, 134
Aquila chrysaetos, 128, 182
Archilochus alexandri, 157
 colubris, 157, 162
Asio otus, 12, 14, 15, 129, 132, 133
Atwood, Jonathan L., see Collins, C. T.
Avocet, American, 54, 56, 58, 60, 62, 63
Aythya fuligula, 152

Batchelder, David M., see Anderson, C. M.
Bevier, Louis R., Eleventh Report of the
 California Bird Records Committee, 145-
 176
Black-Hawk, Common, 169
Bombycilla cedrorum, 131
Booby, Blue-footed, 168
 Brown, 151
Brambling, 167
Branta leucopsis, 170-172
 bernicla, 171, 172
 canadensis, 171
Bubo virginianus, 12, 13, 14, 129
Bunting, Lazuli, 131
 Painted, 165
 Snow, 166, 167
Bushtit, 35-36, 114, 127, 130, 132, 133,
 134
Buteo albonotatus, 152, 169
 jamaicensis, 128
Buteogallus anthracinus, 169

Calcarius pictus, 146
Calidris alpina, 54, 57, 60-63
 mauri, 54, 57, 59-63
 minutilla, 54, 56, 60
 ruficollis, 153
Callipepla californica, 113
 gambelii, 128
Calonectris leucomelas, 150
Calypte anna, 130
 costae, 114, 130
Campylorhynchus brunneicapillus, 81-126,
 130, 185
Caprimulgus carolinensis, 77, 137-138
Cardinal, Northern, 164-165, 172
Cardinalis cardinalis, 164-165, 172
 sinuatus, 165
Carduelis flammea, 167-168, 170
 hornemanni, 168
 lawrencei, 131, 132, 133
 psaltria, 33-34, 131, 133
Carpodacus cassinii, 131
 mexicanus, 131, 179
Catbird, Gray, 159, 172
Catharus fuscescens, 159
 guttatus, 130
 minimus, 159
Catherpes mexicanus, 130, 133
Catoptrophorus semipalmatus, 54, 55, 62
Chamaea fasciata, 114
Charadrius alexandrinus, 39-40
 hiaticula, 169
 vociferus, 177
Chen canagica, 152
Chickadee, Mountain, 130
Chloroceryle americana, 170
Chordeiles acutipennis, 129
Chuck-will's-widow, 77, 137-138
Cistothorus platensis, 158-159, 163, 164
Coccyzus erythrophthalmus, 156
Colaptes auratus, 130
Collins, Charles T., and Jonathan L. Atwood,
 First Records of the Thick-billed Kingbird
 in Baja California, Mexico, 75-76; Dale
 Delaney, and Jonathan Atwood, First
 Record of the Great Kiskadee in Baja
 California, Mexico, 73-74; see also
 Foerster, K. S.
Columbina talpacoti, 145, 147, 155-156
 inca, 155
 passering, 155, 156

- Contopus pertinax*, 158
sordidulus, 130
 Cormorant, Olivaceous, 151
Corvus corax, 130
Coturnicops noveboracensis, 153, 169
 Cowbird, Brown-headed, 35–36, 179
 Cuckoo, Black-billed, 156
 Curlew, Long-billed 54, 55, 62
Cygnus buccinator, 152
cygnus, 168
Cynanthus latirostris, 156–157
Cypseloides niger, 1–9

 Delaney, Dale, see Collins, C. T.
Dendrocygna autumnalis, 151
Dendroica sp., 179
cerulea, 160
coronata, 131
dominica, 160
graciae, 160
nigrescens, 131
occidentalis, 131
pinus, 160
townsendi, 131
Diomedea albatrus, 149–150
immutabilis, 140, 177
 Dominguez, Raymundo, see Rodriguez-Estrella, R.
 Dove, Common Ground, 155, 156
 Inca, 155
 Mourning, 128, 179
 Ruddy Ground, 145, 147, 155–156
 White-winged, 177
 Dowitcher spp., 54, 56, 58, 60, 63
 Long-billed, 56, 57
 Short-billed, 57
 Duck, Black-bellied Whistling, 151
 Tufted, 152
Dumetella carolinensis, 159, 172
 Dunlin, 54, 57, 60–63

 Eagle, Golden, 128, 182
 Egret, Reddish, 151
Egretta rufescens, 151
 Eider, King, 152
Elanus caeruleus, 37–38
Empidonax difficilis, 130
flaviventris, 158
Empidonax varius, 146
Eugenes fulgens, 169–170

Falco peregrinus, 181–183
rusticolus, 153
sparverius, 132, 133, 177

 Falcon, Peregrine, 181–183
 Finch, Cassin's, 131
 House, 131, 179
 Flicker, Northern (Red-shafted), 130
 Flycatcher, Ash-throated, 130
 Dusky-capped, 158
 Great Crested, 158
 Scissor-tailed, 158, 172
 Sulphur-bellied, 146
 Variegated, 146
 Western, 130
 Yellow-bellied, 158
 Foerster, Kevin S., and Charles T. Collins,
 Breeding Distribution of the Black
 Swift in Southern California, 1–9
Fringilla montifringilla, 167

 Garrett, Kimball L., Leucistic Black-
 vented Shearwaters (*Puffinus*
opisthomelas) in Southern Califor-
 nia, 69–72
Gavia adamsii, 17–24, 148–149, 168,
 172
immer, 17–22
Glaucidium gnoma, 12, 14, 15
 Gnatcatcher, Black-Tailed, 101
 Blue-gray, 130, 133
 California, 81, 114, 115
 Godwit, Marbled, 54, 56, 60, 62
 Goldfinch, Lawrence's, 131, 132, 133
 Lesser, 33–34, 131, 133
 Goose, Barnacle, 147, 170–172
 Canada, 171
 Emperor, 152
 White-fronted, 171
 Grackle, Common, 167, 170
 Grosbeak, Black-headed, 131
 Ground-Dove, Common, 155, 156
 Ruddy, 155–156
 Gubanich, Alan A., and Howard R.
 Panik, Cowbird Parasitism on the
 Lead-colored Bushtit, 35–36
 Gull, Common Black-headed, 145, 155,
 169
 Little, 154
 Ring-billed, 177
 Western, 177
Gymnorhinus cyanocephalus, 132, 133
 Gyrfalcon, 153

Haematopus palliatus, 153
 Harris, Stanley W., and Ben Hawkins, A
 Specimen of Chuck-will's-widow
 from Humboldt County, California,
 77

- Hawk, Common Black, 169
 Red-tailed, 128
 Zone-tailed, 152, 169
- Hawkins, Ben, see Harris, S. W.
- Helmintheros vermivorus*, 161
- Heron, Yellow-crowned Night, 151
- Holway, David A., Patterns of Winter Shorebird Occurrence in a San Francisco Bay Marsh, 51–64
- Howell, Steve N. G., Identification of White and Black-backed Wagtails in Alternate Plumage, 41–49
- Hummingbird, Anna's, 130
 Black-chinned, 157
 Broad-billed, 156–157
 Costa's, 114, 130
 Magnificent, 169–170
 Ruby-throated, 157, 162
- Icterus galbula*, 131
parisorum, 131, 132, 133
- Ictinia mississippiensis*, 152, 168
plumbea, 152
- Ixoreus naevius*, 179
- Jay, Pinyon, 132, 133
 Scrub, 127, 128, 130, 132, 133, 134
- Junco, Dark-eyed, 131, 179
Junco hyemalis, 131, 179
- Kestrel, American, 132, 133, 177
- Killdeer, 177
- Kingbird, Thick-billed, 75–76, 158
 Western, 130, 184
- Kingfisher, Green, 170
- Kinglet, Ruby-crowned, 130
- Kiskadee, Great, 73–74
- Kite, Black-shouldered, 37–38
 Mississippi, 152, 168
 Plumbeous, 152
- Lanius ludovicianus*, 131
- Larus delawarensis*, 177
minutus, 154
occidentalis, 177
ridibundus, 145, 155, 169
- Limnodromus* spp., 54, 56, 58, 60, 63
griseus, 57
scolopaceus, 56, 57
- Limosa fedoa*, 54, 56, 60, 62
- Longspur, Smith's, 146
- Loon, Common, 17–22
 Yellow-billed, 17–24, 148–149, 168, 172
- Mata, Eustolia, see Rodriguez-Estrella, R.
- McCaskie, Guy, First Record of the Band-rumped Storm-Petrel in California, 65–68; and Richard E. Webster, A Second Wedge-tailed Shearwater in California, 139–140
- Meadowlark, Western, 179
- Melanerpes erythrocephalus*, 157
formicivorus, 130, 132
- Mellink, Eric, and Eduardo Palacios, Observations on Isla Guadalupe in November 1989, 177–180
- Mimus polyglottos*, 131, 179
- Mockingbird, Northern, 131, 179
- Molothrus ater*, 35–36, 179
- Morlan, Joseph, see Webster, R. E.
- Motacilla alba*, 41–50
flava, 159
lugens, 41–49, 159
- Myadestes townsendi*, 130
- Myiarchus cinerascens*, 130
crinitus, 158
tuberculifer, 158
- Myiodynastes luteiventris*, 146
- Nighthawk, Lesser, 129
- Night-Heron, Yellow-crowned, 151
- Noble, Paul L., Distribution and Density of Owls at Monte Bello Open Space Preserve, Santa Clara County, California, 11–16
- Numenius americanus*, 54, 55, 62
- Nyctanassa violacea*, 151
- Nyctea scandiaca*, 156
- Oceanites oceanicus*, 66, 147, 150–151
- Oceanodroma castro*, 65–68
leucorhoa, 65, 66, 140, 177
melania, 65, 66, 140
microsoma, 65, 66, 140
- Oporornis agilis*, 161
formosus, 161, 170
philadelphia, 161
- Oreortyx pictus*, 127, 128, 132, 133, 136
- Oriole, Northern (Bullock's), 131
 Scott's, 131, 132, 133
- Otus kennicottii*, 12, 13, 14, 15
- Owl, Barn 12, 15
 Barred, 147, 156
 Great Horned, 12, 13, 14, 129
 Long-eared, 12, 14, 15, 129, 132, 133
 Northern Pygmy, 12, 14, 15

- Northern Saw-whet, 12, 13, 14, 15
 Snowy, 156
 Western Screech, 12, 13, 14, 15
 Oystercatcher, American, 153
- Palacios, Eduardo, see Mellink, E.
 Panik, Howard R., see Gubanich, A. A.
Parus gambeli, 130
 inornatus, 127, 128, 132, 133
Passerella iliaca, 131
Passerina amoena, 131
 ciris, 165
 Pavelka, Mark A., Peregrine Falcons
 Nesting in San Diego, California,
 181–183
 Peterson, A. Townsend, Birds of Eagle
 Mountain, Joshua Tree National
 Monument, California, 127–135
 Petrel, Cook's, 140, 147, 168
 Mottled, 150
 Pewee, Greater, 158
 Western Wood, 130
 Phainopepla, 131, 179
Phainopepla nitens, 131, 179
Phalacrocorax olivaceus, 151
Phaethicus melanocephalus, 131
 Phillips, Allan R., Identification and
 Southward Limits, in America, of
 Gavia adamsii, the Yellow-billed
 Loon, 17–24
Philomachus pugnax, 153–154
 Phoebe, Say's, 130
 Piazza, John J., First Documented
 Record of Chuck-will's-widow in New
 Mexico, 137–138
Picoides scalaris, 130, 133
 tridactylus, 157
Pipilo chlorurus, 131
 crissalis, 114
 erythrophthalmus, 114, 131, 132,
 133
 Pipit, Red-throated, 159
Piranga ludoviciana, 131
 olivacea, 164
Pitangus sulphuratus, 73–74
Plectrophenax nivalis, 166, 167
 Plover, Black-bellied, 54, 56, 57, 59
 Common Ringed, 169
 Snowy, 39–40
Pluvialis squatarola, 54, 56, 57, 59
Polioptila caerulea, 130, 133
 californica, 81, 114, 115
 melanura, 101
Protonotaria citrea, 161
Psaltriparus minimus, 35–36, 114,
 127, 130, 132, 133, 134
Pterodroma cookii, 140, 147, 168
 inexpectata, 150
Puffinus bulleri, 140
 carneipes, 139
 griseus, 139, 140
 opisthomelas, 69–72
 pacificus, 139–140, 150
 tenuirostris, 139
 Pyrrhuloxia, 165
- Quail, California, 113
 Gambel's, 128
 Mountain, 127, 128, 132, 133, 136
Quiscalus quiscula, 167, 170
- Rail, Yellow, 153, 169
 Raven, Common, 130
 Rea, Amadeo M., and Kenneth L.
 Weaver, The Taxonomy, Distribution,
 and Status of Coastal California
 Cactus Wrens, 81–126
Recurvirostra americana, 54, 56, 58,
 60, 62, 63
 Redpoll, Common, 167–168, 170
 Hoary, 168
 Redshank, Spotted, 153, 172
Regulus calendula, 130
 Rivera R., Laura, see Rodriguez-Estrella, R.
 Roberson, Don, see Webster, R. E.
 Robin, Rufous-backed, 159
 Rodriguez-Estrella, Ricardo, Laura Rivera
 Rodriguez, Eustolia Mata, and
 Raymundo Dominguez, First Record
 of the Western Kingbird (*Tyrannus*
 verticalis) in Baja California Sur, 184
 Ruff, 153–154
- Salpinctes obsoletus*, 130, 179
 Sandpiper, Buff-breasted, 153, 154, 169
 Least, 54, 56, 60
 Rufous-necked, 153
 Western, 54, 57, 59–63
Sayornis saya, 130
 Screech-Owl, Western, 12, 13, 14, 15
 Shearwater, Black-vented, 69–72
 Buller's, 140
 Flesh-footed, 139
 Short-tailed, 139
 Sooty, 140
 Streaked, 150
 Wedge-tailed, 139–140, 150
 Shrike, Loggerhead, 131

- Skylark, Eurasian, 146
 Solitaire, Townsend's, 130
Somateria spectabilis, 152
 Sparrow, Black-chinned, 131, 132, 133
 Black-throated, 131
 Cassin's, 165, 166
 Fox, 131
 Rufous-crowned, 114
 Sage, 114
 Sharp-tailed, 165
 White-crowned, 131, 179
Spizella atrogularis, 131, 132, 133
 Starling, European, 179
 Stephens, Daniel A., Cheryl Webb, and Charles H. Trost, First Report of Nesting Lesser Goldfinch in Idaho, 33-34
Sterna anaethetus, 30
 caspia, 78-80
 fuscata, 25-32
 sandvicensis, 155
 Stint, Rufous-necked, 153
 Storm-Petrel, Band-rumped, 65-68
 Black, 65, 66, 140
 Leach's, 65, 66, 67, 140, 177
 Least, 65, 66, 140
 Wilson's, 66, 67, 147, 150-151
Strix varia, 156
Sturnella neglecta, 179
Sturnus vulgaris, 179
Sula leucogaster, 151
 nebouxii, 168
 Swallow, Violet-green, 130
 Swan, Trumpeter, 152
 Whooper, 168
 Swift, Black, 1-9
 White-throated, 130

Tachycineta thalassina, 130
 Tanager, Scarlet, 164
 Western, 131
 Taylor, Daniel M., The Caspian Tern in Idaho, 78-80
 Tern, Bridled, 30
 Caspian, 78-80
 Sandwich, 155
 Sooty, 25-32
 Thrasher, California, 114, 132, 133
 Thrush, Gray-cheeked, 159
 Hermit, 130
 Varied, 179
Thryomanes bewickii, 114, 128, 130, 133, 134
 Titmouse, Plain, 127, 128, 132, 133


 Towhee, California, 114
 Green-tailed, 131
 Rufous-sided, 114, 131, 132, 133
Toxostoma redivivum, 114, 132, 133
Tringa erythropus, 153, 172
Troglodytes bewickii, 114, 128, 130, 133, 134
 Trost, Charles H., see Stephens, D. A.
Tryngites subruficollis, 153, 154, 169
Turdus rufopalliatus, 159
Tyrannus crassirostris, 75-76, 158
 forficatus, 158, 172
 verticalis, 130, 184
Tyto alba, 12, 15

 Veery, 159
Vermivora celata, 131
 pinus, 160
 Vireo, Gray, 131, 132, 133
 Hutton's, 131
 Philadelphia, 159, 170
 Solitary, 131
 Warbling, 131
 Yellow-green, 159-160, 170
 Yellow-throated, 145, 159
Vireo flavifrons, 159
 flavoviridis, 159-160, 170
 gilvus, 131
 huttoni, 131
 philadelphicus, 159, 170
 solitarius, 131
 vicinior, 131, 132, 133

 Wagtail, Black-backed, 41-49, 159
 White, 41-50
 Yellow, 159
 Warbler, sp., 179
 Black-throated Gray, 131
 Blue-winged, 160
 Cerulean, 160
 Connecticut, 161
 Grace's, 160
 Hermit, 131
 Kentucky, 161, 170
 Mourning, 161
 Orange-crowned, 131
 Pine, 160
 Prothonotary, 161
 Townsend's, 131
 Wilson's, 131
 Worm-eating, 161
 Yellow-rumped, 131
 Yellow-throated, 160
 Waxwing, Cedar, 131

- Weaver, Kenneth L., see Rea, A. M.
 Webb, Cheryl, see Stephens, D. A.
 Webster, Richard E., Joseph Morlan, and
 Don Roberson, First Record of the
 Sooty Tern in California, 25-32; see
 also McCaskie, G.
 Whistling-Duck, Black-bellied, 151
 Willet, 54, 55, 62
Wilsonia pusilla, 131
 Winchell, Clark S., First Breeding Record
 of the Snowy Plover for San
 Clemente Island, 39-40
 Woodpecker, Acorn, 130, 132
 Ladder-backed, 130, 133
 Red-headed, 157
 Three-toed, 145, 157
 Wood-Pewee, Western, 130
 Wren, Bewick's, 114, 128, 130, 133,
 134
 Cactus, 81-126, 130, 185
 Canyon, 130, 133
 Rock, 130, 179
 Sedge, 158-159, 163, 164
 Wrentit, 114

Zenaida asiatica, 177
macroura, 128, 179
Zonotrichia leucophrys, 131, 179



Ruddy Ground-Dove

Sketch by Tim Manolis