

WESTERN BIRDS, INDEX, VOLUME 28, 1997

Compiled by Jack W. Schlotte and Philip Unitt

- Accentor, Siberian, 73
Accipiter cooperii, 113
 gentilis, 53, 113–114
 striatus, 53
Actitis hypoleucos, 58
 macularia, 58, 100, 102, 162–163
Aechmophorus occidentalis, 48, 98
Aegolius acadicus, 65
 funereus, 65
Aeronauta saxatalis, 104
Aethia cristatella, 63
 pusilla, 63
 pygmaea, 63
Agapornis personata, 184
 roseicollis, 184
Agee, Andrea, Killdeer hatches in a
 Snowy Plover nest, 115
Aegelaius phoeniceus, 79–80
Aix sponsa, 51
Ajaia ajaja, 117, 125
Alauda arvensis, 68
Albatross, Black-footed, 48, 126
 Laysan, 48
 Light-mantled Sooty, 117, 122,
 125, 126
 Short-tailed, 48
 Shy, 117
Alle alle, 63
Amazona aestiva, 184, 192, 203,
 204, 213
 albifrons, 184, 203, 204, 206
 amazonica, 184, 192
 europalliata, 189, 192
 autumnalis, 184, 192, 202, 203,
 204, 213
 finschi, 186, 189, 190, 191, 192,
 198–199, 200, 202–208, 209–217
 ochrocephala, 189, 192
 oratrix, 186, 189–190, 191, 192,
 193, 197, 198–199, 200, 202,
 203, 204, 209, 215
 pretrei, 184
 viridigenalis, 186, 188–189, 191,
 192, 193, 196, 197, 198–199,
 200, 202–208, 209–217
Ammodramus bairdii, 36, 179
 caudacutus, 36
 henslowii, 36
 lecontei, 36, 135
 savannarum, 179
Amphispiza bilineata, 36, 105, 106
Anas acuta, 51
 americana, 51
 clypeata, 51
 crecca, 51
 cyanoptera, 51
 discors, 51
 falcata, 51
 formosa, 51
 penelope, 51
 platyrhynchos, 51
 poecilorhyncha, 51
 querquedula, 51
 rubripes, 51
 strepera, 51
Anser albifrons, 50
 erythropus, 50
 fabalis, 50
Anthus cervinus, 74, 138
 gustavi, 74
 hodgsoni, 74
 rubescens, 2, 74, 105
 spragueii, 34, 138
 trivialis, 74
Aphriza virgata, 59, 102
Apus apus, 65
 acificus, 65–66
Aquila chrysaetos, 54
Ara ararauna, 184
 chloroptera, 184
 macao, 184
 militaris, 184
Aratinga acuticaudata, 185, 186,
 191, 192, 197, 198–199, 200,
 203, 204
 canicularia, 182, 192
 erythrogenys, 186, 187, 191, 192,
 197, 198–199, 200, 203, 204
 mitrata, 186, 187, 190, 191, 192,
 197, 198–199, 200, 203, 204,
 218–222
Archilochus alexandri, 17, 130
 colubris, 66, 117, 129, 130, 133
Ardea alba, 49, 100
 herodias, 49, 100
Ardeola bacchus, 49
Arenaria interpres, 59, 162, 163
 melanocephala, 59, 102, 162, 163, 165
Asio flammeus, 65
 otus, 65
Auklet, Cassin's, 63
 Crested, 63
 Least, 63
 Parakeet, 63
 Rhinoceros, 63
 Whiskered, 63

- Avocet, American, 57
Aythya affinis, 52
americana, 51
collaris, 51–52
ferina, 51
fuligula, 52, 136
marila, 52
valisineria, 51
- Bartramia longicauda*, 2, 58, 128
 Becard, Rose-throated, 118
 Bittern, American, 49
 Yellow, 49
- Blackbird, Brewer's, 80
 Red-winged, 79–80
 Rusty, 36, 80
 Yellow-headed, 80
- Black-Hawk, Common, 136
 Bluebird, Eastern, 33
 Mountain, 72
- Bluethroat, 72, 138
 Bluetail, Red-flanked, 72
 Bobolink, 36, 40, 79
 Bock, Carl E., see Walsh, J. J.
Bombycilla cedrorum, 74
garrulus, 74
- Bonasa umbellus, 56
 Booby, Blue-footed, 100, 101, 106
 Brown, 100, 102, 106, 124
 Masked, 98, 99, 124
 Red-footed, 124
- Botaurus lentiginosus, 49
Brachyramphus brevirostris, 63
marmoratus, 63
- Bradley, Jim, see Leukering, T.
 Brambling, 80
Branta bernicla, 50
canadensis, 50–51
leucopis, 47
- Breese, Dawn, see Tershy, B. R.
Brotogeris chiriri, 183, 186, 188, 191, 192, 196, 197, 198–199, 200
pyrrhocopterus, 184, 192
versicolorus, 183, 186, 188, 191, 192, 193, 196, 209
- Bubo virginianus*, 64, 104
Bubulcus ibis, 49
Bucephala albeola, 52
clangula, 52
islandica, 52
- Buchanan, Joseph B., and Joseph R.
 Evenson, Abundance of shorebirds at Willapa Bay, Washington, 158–168
- Budgerigar, 183, 184, 185
 Bufflehead, 52
 Bullfinch, 82
Bulweria bulwerii, 117–118
- Bunting, Gray, 79
 Indigo, 35, 76, 225–227
 Lark, 36
 Lazuli, 225–227
 Little, 79
 McKay's, 79
 Painted, 35, 135, 139
 Pallas', 79
 Pine, 79
 Reed, 79
 Rustic, 79
 Snow, 79
 Yellow-breasted, 79
- Buteo albonotatus*, 127, 136
jamaicensis, 53–54, 103
lagopus, 54
swainsoni, 53
- Buteogallus anthracinus*, 136
Butorides virescens, 49, 100
- Cacatua galerita*, 184
Calamospiza melanocorys, 36
Calcarius lapponicus, 79
mccownii, 36
ornatus, 36, 41
pictus, 2, 36, 79
- Calidris acuminata*, 59
alba, 59, 159, 162, 164, 166
alpina, 60, 160, 161, 162, 164, 166
bairdii, 59
canutus, 59, 160, 162, 163–164, 165
ferruginea, 60, 127, 131
fuscicollis, 59, 137
himantopus, 60
maritima, 59
mauri, 59, 160, 161, 162, 164, 166
melanotos, 59
minuta, 59, 128, 137
minutilla, 59, 160, 162, 164, 165
ptilocnemis, 59–60
pusilla, 59
ruficollis, 59, 117, 128, 131
subminuta, 59
temminckii, 59
tenuirostris, 59
- Calypte anna*, 13–18, 66, 104, 130
costae, 66, 104, 130
- CanVASback, 51
Caprimulgus indicus, 65
ridgwayi, 118
vociferus, 65
- Caracara, Crested, 118, 136
Caracara plancus, 118, 136
Carduelis flammea, 81
hornemannii, 81–82
pinus, 82
psaltria, 106

- sinica*, 82
- spinus*, 82
- tristis*, 82
- Carpodacus cassini*, 81
 - erythrinus*, 81
 - mexicanus*, 81, 106
 - purpureus*, 81
- Catbird, Gray, 33, 134, 138
- Cathartes macrourus*, 61
- Cathartes aura*, 53
- Catharus fuscescens*, 33, 40, 41, 47, 72, 133
 - guttatus*, 72, 105
 - minimus*, 33, 40, 72, 133–134
 - ustulatus*, 72
- Catoptrophorus semipalmatus*, 47, 162, 165
- Cephus columba*, 63
 - grylle*, 63
- Cerorhinca monocerata*, 63
- Certhia americana*, 70
- Ceryle alcyon*, 66, 104
- Chace, Jameson F., Alexander Cruz, and Alexander Cruz Jr., Nesting success of the Western Wood-Pewee in Colorado, 110–112
- Chaetura pelasgica*, 65
 - vauxi*, 65
- Charadrius alexandrinus*, 57, 115, 174–176
 - dubius*, 57
 - hiaticula*, 57, 118
 - mongolus*, 57
 - morinellus*, 57
 - semipalmatus*, 57, 161, 162
 - vociferus*, 57, 115, 161, 162
 - wilsonia*, 137
- Chat, Yellow-breasted, 47
- Chen caerulescens*, 50
 - canagica*, 50, 125
 - rossii*, 50
- Chickadee, Black-capped, 69
 - Boreal, 69
 - Chestnut-backed, 69
 - Gray-headed, 69
 - Mountain, 69
- Chlidonias leucopterus*, 63, 118
 - niger*, 63
- Chondestes grammacus*, 77, 105
- Chordeiles acutipennis*, 65, 104
 - minor*, 65
- Cinclus mexicanus*, 70
- Circus cyaneus*, 53
- Cistothorus platensis*, 33
- Clangula hyemalis*, 52
- Coccothraustes coccothraustes*, 82
 - vespertinus*, 82
- Coccycus americanus*, 64
- Cockatiel, 184, 185, 203, 204
- Cockatoo, Sulphur-crested, 184
- Colaptes auratus*, 67
- Collins, Charles T., Hybridization of a Sandwich and Elegant Tern in California, 169–173; and Lisa M. Kares, Seasonal flock sizes of naturalized Mitred Parakeets (*Aratinga mitrata*) in Long Beach, California, 218–222; see also Garrett, K. L.
- Colomba fasciata*, 64
 - livia*, 47
- Columbina talpacoti*, 132, 138
- Contopus cooperi*, 67
 - pertinax*, 137
 - sordidulus*, 67, 110–112
 - virens*, 33, 40, 117, 133
- Cooper, Daniel S., see Rowe, S. P.
- Coot, American, 56
 - Eurasian, 56
- Coragyps atratus*, 118
- Cormorant, Brandt's, 49, 97, 100, 106
 - Double-crested, 49, 100
 - Kenyon's, 49
 - Pelagic, 49
 - Red-faced, 49
- Corvus brachyrhynchos*, 69, 111, 202, 212, 221
 - caurinus*, 69
 - corax*, 69, 105, 106, 111
- Cowbird, Brown-headed, 80, 106, 111, 143, 149–150, 152, 153–154, 225
- Crane, Common, 57
 - Sandhill, 56–57
- Creagrus furcatus*, 118
- Creeper, Brown, 70
- Crossbill, Red, 81
 - White-winged, 81
- Crow, American, 69, 111, 202, 212, 221
 - Northwestern, 69
- Cruz, Alexander, see Chace, J. F.
- Cruz, Alexander Jr., see Chace, J. F.
- Cuckoo, Common, 64
 - Oriental, 64
 - Yellow-billed, 64
- Cuculus canorus*, 64
 - saturatus*, 64
- Curlew, Bristle-thighed, 59
 - Eskimo, 58
 - Far Eastern, 59
 - Little, 58, 117, 128
 - Long-billed, 160, 162, 163, 165
- Cyanocitta cristata*, 33, 111
 - stelleri*, 69, 111

- Cyanoliseus patagonus*, 184
Cyclorrhynchus psittacula, 63
Cygnus buccinator, 50
 columbianus, 50
 cygnus, 50, 117, 125
Cynanthus latirostris, 132
Cypseloides niger, 65, 137
 storeri, 137
- Delichon urbica*, 68
Dendragapus obscurus, 55
Dendrocopos major, 66
Dendroica caerulescens, 34, 41
 castanea, 35
 cerulea, 35
 chrysoparia, 34
 coronata, 75, 105
 discolor, 34, 41, 75
 dominica, 34, 134
 fusca, 34, 41
 kirtlandi, 32, 34, 40
 magnolia, 34, 75
 petechia, 75
 palmarum, 34, 40, 41, 76
 pensylvanica, 34, 41
 pinus, 34, 134
 striata, 35, 41, 76
 townsendi, 75, 105
 tigrina, 34, 75
 virens, 34, 75
- Dickcissel, 35
Diomedea albatrus, 48
 cauta, 117
 immutabilis, 48
 nigripes, 48, 126
- Dipper, American, 70
Dolichonyx oryzivorus, 36, 40, 79
Dotterel, 57
Dove, Mourning, 64, 104, 106
 Oriental Turtle, 64
 Rock, 47
 Ruddy Ground, 132, 138
 White-winged, 64, 104
- Dovekie, 63
Dowitcher, Long-billed, 60, 160, 162, 164, 165
 Short-billed, 60, 160, 161, 162, 164, 166
- Doyle, Terry J., The Timberline Sparrow, *Spizella (breweri) taeniata*, in Alaska, with notes on breeding habitat and vocalizations, 1-12
- Duck, American Black, 51
 Harlequin, 52
 Ring-necked, 51-52
 Ruddy, 53
 Spot-billed, 51
- Tufted, 52, 136
Wood, 51
Dumetella carolinensis, 33, 134, 138
Dunlin, 60, 160, 161, 162, 164, 166
- Eagle, Bald, 53
 Golden, 54
 Steller's Sea, 53
 White-tailed, 53
- Egret, Cattle, 49
 Chinese, 49
 Great, 49, 100
 Reddish, 124
 Snowy, 47, 100
- Egretta eulophotes*, 49
 rufescens, 124
 thula, 47, 100
 tricolor, 124
- Eider, Common, 52
 King, 52, 127
 Spectacled, 52
 Steller's, 52
- Emberiza aureola*, 79
 leucocephalus, 79
 pallasi, 79
 pusilla, 79
 rustica, 79
 schoeniclus, 79
 variabilis, 79
- Empidonax alnorum*, 33, 40, 41, 67, 138
difficilis, 67, 97, 104
flaviventris, 33, 67, 137
hammondi, 67
minimus, 33, 41, 67
oberholseri, 67, 178
traillii, 67, 111, 142-157
virescens, 33
wrightii, 33
- Eos bornea*, 184
Eremophila alpestris, 2, 68
Euphagus carolinus, 36, 80
 cianocephalus, 80
Eurynorhynchus pygmeus, 60
Evenson, Joseph R., see Buchanan, J. B.
- Falcipennis canadensis*, 55
Falco columbarius, 54
 peregrinus, 54, 104, 106
 rusticolus, 55, 136
 sparverius, 54, 104, 106, 206
 subbuteo, 54
 tinnunculus, 54
- Falcon, Peregrine, 54, 104, 106
Ficedula mugimaki, 47
 narcissina, 71
 parva, 71

- Fieldfare, 73
 Finch, Cassin's, 81
 Common Rose, 81
 Gray-crowned Rosy, 80
 House, 81, 106
 Purple, 81
 Flicker, Northern, 67
 Flycatcher, Acadian, 33
 Alder, 33, 40, 41, 67, 138
 Asian Brown, 71
 Dusky, 67, 178
 Dusky-capped, 133
 Gray, 33
 Gray Silky, 138–139
 Gray-spotted, 71
 Great Crested, 33, 67
 Hammond's, 67
 Least, 33, 41, 67
 Mugimaki, 47
 Narcissus, 71
 Olive-sided, 67
 Pacific-slope, 67
 Red-breasted, 71
 Scissor-tailed, 33, 133
 Siberian, 71
 Western, 67, 97, 104
 Willow, 67, 111, 142–157
 Yellow-bellied, 33, 67, 137
Forpus sp., 203, 204
Fratercula cirrhata, 64
 _{corniculata}, 64
Fregata magnificens, 49, 100
 Frigatebird, Magnificent, 49, 100
Fringilla montifringilla, 80
Fulica americana, 56
 _{atra}, 56
 Fulmar, Northern, 48
Fulmarus glacialis, 48

 Gadwall, 51
Gallinago gallinago, 60, 162, 164, 165
 _{stenura}, 60
 Garganey, 51
 Garrett, Kimball L., Population status
 and distribution of naturalized
 parrots in southern California,
 181–195, and Karen T. Mabb,
 Charles T. Collins, and Lisa M.
 Kares, Food items of naturalized
 parrots in southern California,
 196–201
Gavia adamsii, 48, 122
 _{arctica}, 47
 _{immer}, 48, 97
 _{pacifica}, 48, 97
 _{stellata}, 47
Geothlypis trichas, 76, 105

 Geupel, Geoffrey R., see Yanega, G. M.
 Gibson, Daniel D., and Brina Kessel,
 Inventory of the species and
 subspecies of Alaska birds, 45–95
Glaeola maldivarum, 57
Glaucidium gnoma, 65
 Godwit, Bar-tailed, 59, 128
 Black-tailed, 59
 Hudsonian, 59
 Marbled, 59, 160, 162, 163, 165
 Goldeneye, Barrow's, 52
 Common, 52
 Golden-Plover, American, 57
 Pacific, 57
 Goldfinch, American, 82
 Lesser, 106
 Goose, Barnacle, 47
 Bean, 50
 Canada, 50–51
 Emperor, 50, 125
 Greater White-fronted, 50
 Lesser White-fronted, 50
 Ross', 50
 Snow, 50
 Goshawk, 53, 113–114
 Grackle, Common, 36, 40, 80, 135
 Great-tailed, 106
 Grasshopper-Warbler, Middendorff's, 70
 Grebe, Eared, 98
 Horned, 48
 Pied-billed, 48
 Red-throated, 48
 Western, 48, 98
 Greenfinch, Oriental, 82
 Greenshank, Common, 58
 Grosbeak, Black-headed, 76
 Blue, 76, 179
 Evening, 82
 Pine, 80–81
 Rose-breasted, 35, 47
 Ground-Dove, Ruddy, 132, 138
 Grouse, Blue, 55
 Ruffed, 56
 Sharp-tailed, 56
 Spruce, 55
Grus canadensis, 56–57
 _{grus}, 57
 Guillemot, Black, 63
 Pigeon, 63
Guiraca caerulea, 76, 179
 Gull, Black-headed, 61, 137
 Black-tailed, 21–22, 61
 Bonaparte's, 21, 61, 103
 California, 20, 23, 61, 103
 Franklin's, 20–21, 61
 Glaucous, 27, 62
 Glaucous-winged, 20, 24, 25, 27, 62

- Great Black-backed, 62
Heermann's, 21, 61, 97, 102–103, 106
 Herring, 24, 61
 Iceland, 61
 Ivory, 62, 118
 Lesser Black-backed, 62, 131
 Little, 131
 Mew, 22, 61
 Ring-billed, 20, 22–23, 61, 103
 Ross', 62
 Sabine's, 62
 Slaty-backed, 24–25, 26, 62, 118
 Swallow-tailed, 118
 Thayer's, 24, 61
 Western, 20, 25–27, 62
 Yellow-footed, 103, 106
 Gyrfalcon, 55, 136
- Haematopus bachmani*, 57
palliatus, 100
Haliaeetus albicilla, 53
leucocephalus, 53
pelagicus, 53
 Hampton, Steve, Rare migrants in California: The determinants of their frequency, 30–42
 Harrier, Northern, 53
 Hawfinch, 82
 Hawk, Common Black, 136
 Cooper's, 113
 Red-tailed, 53–54, 103
 Rough-legged, 54
 Sharp-shinned, 53
 Swainson's, 53
 Zone-tailed, 127, 136
 Hawk-Owl, Northern, 64–65
 Heinl, Steven C., New information on gulls in southeastern Alaska, 91–29
Helminthorus vermivorus, 35, 134, 138
 Heron, Black-crowned Night, 49–50, 100
 Chinese Pond, 49
 Great Blue, 49, 100
 Green, 49, 100
 Tricolored, 124
 Yellow-crowned Night, 124–125
Heteroscelus brevipes, 58
incanus, 58, 100, 102
Himantopus himantopus, 57
Hirundapus caudacutus, 65
Hirundo fulva, 178
 pyrrhonota, 68
 rustica, 68, 104–105
Histrionicus histrionicus, 52
 Hobby, Eurasian, 54
 Hoopoe, 66
 Howell, Steve N. G., and Peter Pyle, Twentieth report of the California
- Bird Records Committee: 1994 records, 117–141
 Hummingbird, Anna's, 13–18, 66, 104, 130
 Black-chinned, 17, 130
 Broad-billed, 132
 Calliope, 47
 Costa's, 66, 104, 130
 Ruby-throated, 66, 117, 129, 130, 133
 Rufous, 13–18, 66, 104
Hylocichla mustelina, 33
- Icteria virens*, 47
Icterus pustulatus, 106
 spurius, 36
Ictinia mississippiensis, 127, 136
Ixbrychus sinensis, 49
Ixoreus naevius, 73
- Jaeger, Long-tailed, 60
 Parasitic, 60
 Pomarine, 60, 102
 Jay, Blue, 33, 111
 Gray, 68
 Steller's, 69, 111
 Junco, Dark-eyed, 78–79
Junco hyemalis, 78–79
Jynx torquilla, 66
- Kares, Lisa M., see Garrett, K. L.; see Collins, C. T.
 Kessel, Brina, see Gibson, D. D.
 Kestrel, American, 54, 104, 106, 206
 Eurasian, 54
 Kiff, Lloyd F., and Dennis R. Paulson, Northern Goshawk breeding records from San Diego County, California, 113–114
 Killdeer, 57, 115, 161, 162
 Kingbird, Cassin's, 111, 178
 Eastern, 32, 33, 39, 68, 110, 111
 Gray, 33
 Tropical, 67, 104
 Western, 67, 111
 Kingfisher, Belted, 66, 104
 Kinglet, Golden-crowned, 71
 Ruby-crowned, 71
 Kite, Mississippi, 127, 136
 Kittiwake, Black-legged, 62
 Red-legged, 62, 118
 Knot, Great, 59
 Red, 59, 160, 162, 165
- Lagopus lagopus*, 55–56
leucurus, 56
mutus, 56

- LaHaye, William S., Four young fledged by a pair of California Spotted Owls, 108–109
Lanius cristatus, 74
excubitor, 74
ludovicianus, 105
 Lark, Horned, 2, 68
 Sky, 68
Larus argentatus, 24, 61
californicus, 20, 23, 61, 103
canus, 22, 61
crassirostris, 21–22, 61
fuscus, 62, 131
delawarensis, 20, 22–23, 61, 103
glaucescens, 20, 24, 25, 27, 62
glaucopterus, 61
heermanni, 21, 61, 97, 102–103, 106
hyperboreus, 27, 62
livens, 103, 106
marinus, 62
minutus, 131
occidentalis, 20, 25–27, 62
philadelphicus, 21, 61, 103
pipixcan, 20–21, 61
ridibundus, 61, 137
schistisagus, 24–25, 26, 62, 118
thayeri, 24, 61
 Lester, Gary, see Tuttle, D. C.
Leucosticte tephrocotis, 80
 Leukering, Tony, and Jim Bradley,
 Some observations of birds on the central Mexican plateau, 177–180
Limicola falcinellus, 60
Limnodromus griseus, 60, 160, 161,
 162, 164, 166
scolopaceus, 60, 160, 162, 164,
 165
Limnothlypis swainsonii, 35
Limosa fedoa, 59, 160, 162, 163,
 165
haemastica, 59
lapponica, 59, 128
limosa, 59
Locustella lanceolata, 70, 118
ochotensis, 70
 Loon, Arctic, 47
 Common, 48, 97
 Pacific, 48, 97
 Red-throated, 47
 Yellow-billed, 48, 122
 Longspur, Chestnut-collared, 36, 41
 Lapland, 79
 McCown's, 36
 Smith's, 2, 36, 79
Lophodytes cucullatus, 52
 Lory, Red, 184
 Lovebird, Masked, 184
 Peach-faced, 184
Loxia curvirostra, 81
 leucoptera, 81
Luscinia calliope, 71–72
 cyane, 72
 svecica, 72, 138
Lymnocryptes minimus, 60
 Mabb, Karen T., Roosting behavior of naturalized parrots in the San Gabriel Valley, California, 202–208;
 Nesting behavior of *Amazona* parrots and Rose-ringed Parakeets in the San Gabriel Valley, California, 209–217; see also Garrett, K. L.
 Macaw, Blue-and-yellow, 184
 Military, 184
 Red-and-green, 184
 Scarlet, 184
 Magpie, Black-billed, 69, 111
 Mallard, 51
 Martin, Common House, 68
 Purple, 68, 104–105
 Meadowlark, Eastern, 36
 Western, 80
Megaceryle alcyon, 66, 104
Melanerpes aurifrons, 177
 erythrocephalus, 33
Melanitta fusca, 52
 nigra, 52
 perspicillata, 52
Melopsittacus undulatus, 183, 184, 185
Melospiza georgiana, 36, 40, 41, 78
 lincolni, 78, 106
 melodia, 78
 Merganser, Common, 52
 Hooded, 52
 Red-breasted, 52
Mergellus albellus, 52
Mergus merganser, 52
 serrator, 52
 Merlin, 54
Mimus polyglottos, 73, 105
Mniotilla varia, 35, 41, 76
 Mockingbird, Northern, 73, 105
Molothrus ater, 80, 106, 111, 143,
 149–150, 152, 153–154, 225
Motacilla alba, 73
 cinerea, 73
 flava, 73
 lugens, 73, 131, 134
 Murre, Common, 63
 Thick-billed, 63, 132
 Murrelet, Ancient, 63
 Craveri's, 97, 103, 106

- Kittlitz's, 63
 Marbled, 63
Muscicapa dauurica, 71
 griseistica, 71
 sibirica, 71
Myadestes townsendi, 2, 72
Myiarchus crinitus, 33, 67
 tuberculifer, 133
Myiopsitta monachus, 184, 192

Nandayus nenday, 186, 187, 190,
 192, 198–199, 200, 202, 203,
 204
 Needletail, White-throated, 65
 Nighthawk, Common, 65
 Lesser, 65, 104
 Night-Heron, Black-crowned, 49–50, 100
 Yellow-crowned, 124–125
 Nightjar, Buff-collared, 118
 Jungle, 65
Nucifraga columbiana, 69
Numenius americanus, 160, 162,
 163, 165
 borealis, 58
 madagascariensis, 59
 minutus, 58, 117, 128
 phaeopus, 58, 160, 162, 163, 165
 tahitiensis, 59
 Nutcracker, Clark's, 69
 Nuthatch, Red-breasted, 69
Nyctea scandiaca, 64
Nycticorax nycticorax, 49–50, 100
 violaceus, 124–125
Nymphicus hollandicus, 184, 185,
 203, 204

Oceanodroma furcata, 48
 leucorhoa, 48, 121
 melania, 98
 microsoma, 98
Oenanthe oenanthe, 72, 133
 Oldsquaw, 52
Oporornis agilis, 35, 135
 formosus, 35, 135, 138
 philadelphia, 35, 76, 117, 132,
 135
 tolmiei, 76, 132
 Oriole, Orchard, 36
 Streak-backed, 106
 Osprey, 53, 104
Otus kennicottii, 64
 sunia, 64
 Ovenbird, 35, 40, 76
 Owl, Barred, 65
 Boreal, 65
 Burrowing, 104

 Great Gray, 65
 Great Horned, 64, 104
 Long-eared, 65
 Northern Hawk, 64–65
 Northern Pygmy, 65
 Northern Saw-whet, 65
 Oriental Scops, 64
 Short-eared, 65
 Snowy, 64
 Spotted, 108–109
 Western Screech, 64
Oxyura jamaicensis, 53
 Oystercatcher, American, 100
 Black, 57

Pachyramphus aglaiae, 118
Pagophila eburnea, 62, 118
Pandion haliaetus, 53, 104
 Parakeet, Black-hooded, 186, 187,
 190, 192, 198–199, 200, 202,
 203, 204
 Blue-crowned, 185, 186, 191, 192,
 193, 197, 198–199, 200, 203, 204
 Canary-winged, 183, 186, 188,
 191, 192, 193, 196, 209
 Gray-cheeked, 184, 192
 Mitred, 186, 187, 190, 191, 192,
 197, 198–199, 200, 203, 204,
 218–222
 Monk, 184, 192
 Moustached, 184
 Orange-fronted, 182, 192
 Red-breasted, 184
 Red-masked, 186, 187, 191, 192,
 197, 198–199, 200, 203, 204
 Rose-ringed, 185, 186, 192, 198–
 199, 200, 202, 204, 207, 209–217
 White-winged, 188
 Yellow-chevroned, 183, 186, 188, 191,
 192, 196, 197, 198–199, 200
 Parrot, Blue-fronted, 184, 192, 203,
 204, 213
 Burrowing, 184
 Gray, 184, 203, 204
 Lilac-crowned, 186, 189, 190, 191,
 192, 198–199, 200, 202–208,
 209–217
 Niam-niam, 184
 Orange-winged, 184, 192
 Red-crowned, 186, 188–189, 191,
 192, 193, 196, 197, 198–199,
 200, 202–208, 209–217
 Red-lored, 184, 192, 202, 203,
 204, 213
 Red-spectacled, 184
 White-fronted, 184, 203, 204, 205

- Yellow-crowned, 189, 192
 Yellow-headed, 186, 189–190, 191,
 192, 193, 197, 198–199, 200,
 202, 203, 204, 209, 215
 Yellow-naped, 189, 192
 Parrotlet sp., 203, 204
 Parula, Northern, 34
Parula americana, 34
Parus atricapillus, 69
 cinctus, 69
 gambeli, 69
 hudsonicus, 69
 rufescens, 69
Passer domesticus, 82, 106
Passerculus sandwichensis, 2, 77, 105
Passerella iliaca, 77–78
Passerina amoena, 225–227
 ciris, 35, 135, 139
 cyanæa, 35, 76, 225–227
 Paulson, Dennis R., see Kiff, L. F.
Pelecanus erythrorhynchos, 48
 occidentalis, 100, 106
 Pelican, American White, 48
 Brown, 100, 106
Perisoreus canadensis, 68
 Petrel, Bulwer's, 117–118
 Cook's, 48
 Dark-rumped, 117, 122–123, 126
 Mottled, 48
 Murphy's, 123, 136
 Parkinson's, 117
 Solander's, 136
 Petterson, Jim R., see Sogge, M. K.
 Pewee, Eastern Wood, 33, 40, 117, 133
 Greater, 137
 Western Wood, 67, 110–112
Phaethon aethereus, 98, 106
 rubricauda, 123–124
Phalacrocorax auritus, 49, 100
 kenyoni, 49
 pelagicus, 49
 penicillatus, 49, 97, 100, 106
 urile, 49
Phalaenoptilus nuttallii, 47
 Phalarope, Red, 60
 Red-necked, 60, 102
 Wilson's, 60
Phalaropus fulicaria, 60
 lobatus, 60, 102
 tricolor, 60
Pheucticus ludovicianus, 35, 47
 melanocephalus, 76
Philomachus pugnax, 60
 Phoebe, Black, 104
 Eastern, 33, 67, 111
 Say's, 2, 67, 97, 104
Phoebetria palpebrata, 117, 122,
 125, 126
Phylloscopus borealis, 71, 118
 fuscatus, 71
 sibilatrix, 71
Pica pica, 69, 111
Picoides arcticus, 67
 pubescens, 66
 tridactylus, 66
 villosum, 66
 Pigeon, Band-tailed, 64
Pinicola enucleator, 80–81
 Pintail, Northern, 51
Pipilo maculatus, 76–77
 Pipit, American, 2, 74, 105
 Olive-backed, 74
 Pechora, 74
 Red-throated, 74, 138
 Sprague's, 34, 138
 Tree, 74
Piranga ludoviciana, 76
 olivacea, 35, 76, 135, 138
Platycercus elegans, 184
 eximius, 184
Plectrophenax hyperboreus, 79
 nivalis, 79
 Plover, American Golden, 57
 Black-bellied, 57, 160, 161, 162
 Common Ringed, 57, 118
 Little Ringed, 57
 Mongolian, 57
 Pacific Golden, 57
 Semipalmated, 57, 161, 162
 Snowy, 57, 115, 174–176
 Wilson's, 137
Pluvialis dominica, 57
 fulva, 57
 squatarola, 57, 160, 161, 162
 Pochard, Common 51
Podiceps auritus, 48
 griseogenus, 48
 nigricollis, 98
Podilymbus podiceps, 48
Poicephalus crassus, 184
Polysticta stelleri, 52
 Pond-Heron, Chinese, 49
 Poorwill, Common, 47
Porzana carolina, 56
 Pratincole, Oriental, 57
Procellaria parkinsoni, 117
Progne subis, 68, 104–105
Protonotaria citrea, 35
Prunella montanella, 73
Psittacula alexandri, 184, 192
 krameri, 185, 186, 198–199, 200,
 202, 204, 207, 209–217

- Psittacus erithacus*, 184, 203, 204
Ptarmigan, Rock, 56
 White-tailed, 56
 Willow, 55–56
Pterodroma cookii, 48
 inexpectata, 48
 phaeopygia, 117, 122–123, 126
 solandri, 136
 ultima, 123, 136
Ptilogonyx cinereus, 138
Ptychoramphus aleuticus, 63
Puffin, Horned, 64
 Tufted, 64
Puffinus bulleri, 47
 carneipes, 47
 creatopus, 47
 gravis, 117, 123
 griseus, 48, 98
 opisthomelas, 98
 pacificus, 136
 puffinus, 47, 123, 136
 tenuirostris, 48
Pyrrhula pyrrhula, 82
Pygmy-Owl, Northern, 65
Pyle, Peter, see Yanega, G. M.; see
 Howell, S. N. G.

Quiscalus mexicanus, 106
 quiscula, 36, 40, 80, 135

Rail, Virginia, 56
Rallus limicola, 56
Raven, Common, 69, 105, 106, 111
Recurvirostra americana, 57
Redhead, 51
Redpoll, Common, 81
 Hoary, 81–82
Redshank, Spotted, 58
Redstart, American, 35, 41, 76
Regulus calendula, 71
 satrapa, 71
Rhodostethia rosea, 62
Riparia riparia, 68
Rissa brevirostris, 62, 118
 tridactyla, 62
Robin, American, 73
 Siberian Blue, 72
Rosefinch, Common, 81
Rosella, Crimson, 184
 Eastern, 184
Rosy-Finch, Gray-crowned, 80
Rowe, Sean P., and Daniel S. Cooper,
 Confirmed nesting of an Indigo
 with a Lazuli Bunting in Kern
 County, California, 225–227

Rubythroat, Siberian, 71–72
Ruff, 60

Salpinctes obsoletus, 105, 106, 223–224
Sanderling, 59, 159, 162, 164, 166
Sandpiper, Baird's, 59
 Broad-billed, 60
 Buff-breasted, 60
 Common, 58
 Curlew, 60, 127, 131
 Green, 58
 Least, 59, 160, 162, 164, 165
 Marsh, 58
 Pectoral, 59
 Purple, 59
 Rock, 59–60
 Semipalmated, 59
 Sharp-tailed, 59
 Solitary, 58
 Spoonbill, 60
 Spotted, 58, 100, 102, 162–163
 Stilt, 60
 Terek, 58
 Upland, 2, 58, 128
 Western, 59, 160, 161, 162, 164, 166
 White-rumped, 59, 137
 Wood, 58
Sapsucker, Red-breasted, 66
 Red-naped, 33, 41
 Yellow-bellied, 33, 41, 66
Saxicola torquatus, 72
Sayornis phoebe, 33, 67, 111
 nigricans, 104
 saya, 2, 67, 97, 104
Scaup, Greater, 52
 Lesser, 52
Scops-Owl, Oriental, 64
Scoter, Black, 52
 Surf, 52
 White-winged, 52
Screech-Owl, Western, 64
Sea-Eagle, Steller's, 53
Seiurus aurocapillus, 35, 40, 76
 motacilla, 35, 107, 135
 noveboracensis, 35, 40, 76
Selasphorus rufus, 13–18, 66, 104
Setopaga ruticilla, 35, 41, 76
Shearwater, Black-vented, 98
 Buller's, 47
 Flesh-footed, 47
 Greater, 117, 123
 Manx, 47, 123, 136
 Pink-footed, 47
 Short-tailed, 48
 Sooty, 48, 98
 Wedge-tailed, 136

- Shoveler, Northern, 51
 Shrike, Brown, 74
 Loggerhead, 105
 Northern, 74
Sialia currucoides, 72
 sialis, 33
 Silky-Flycatcher, Silky, 138
 Siskin, Eurasian, 82
 Pine, 82
Sitta canadensis, 69
 Skua, South Polar, 61
 Smew, 52
 Snipe, Common, 60, 162, 164, 165
 Jack, 60
 Pin-tailed, 60
 Sogge, Mark K., Timothy J. Tibbitts,
 and Jim R. Pettersson, Status and
 breeding ecology of the Southwest-
 ern Willow Flycatcher in the Grand
 Canyon, 142–157
 Solitaire, Townsend's, 2, 72
Somateria fischeri, 52
 mollissima, 52
 spectabilis, 52, 127
 Sora, 56
 Sparrow, American Tree, 2, 77
 Baird's, 36, 179
 Black-chinned, 106
 Black-throated, 36, 105, 106
 Brewer's, 1–12, 35, 39, 77, 105,
 179
 Henslow's, 36
 Chipping, 77
 Clay-colored, 6, 35, 40, 77, 105, 179
 Field, 35, 117, 135
 Fox, 77–78
 Golden-crowned, 78
 Grasshopper, 179
 Harris', 78
 House, 82, 106
 Lark, 77, 105
 LeConte's, 36, 135
 Lincoln's, 78, 106
 Field, 35
 Savannah, 2, 77, 105
 Sharp-tailed, 36
 Song, 78
 Swamp, 36, 40, 41, 78
 Timberline, 1–12, 77
 White-crowned, 2, 78, 106
 White-throated, 40, 78
Speotyto cunicularia, 104
Sphyrapicus nuchalis, 33, 41
 ruber, 66
 varius, 33, 41, 66
- Spiza americana*, 35
Spizella arborea, 2, 77
 atrogularis, 106
 breweri, 1–12, 35, 39, 77, 105,
 179
 pallida, 6, 35, 40, 77, 105, 179
 passerina, 77
 pusilla, 35, 117, 135
 Spoonbill, Roseate, 117, 125
 Starling, European, 74, 178, 212
 Stein, Richard, see Tuttle, D. C.
Stelgidopteryx serripennis, 68, 178
Stellula calliope, 47
Sturnorarius longicaudus, 60
 parasiticus, 60
 pomarinus, 60, 102
Sterna aleutica, 63
 caspia, 62
 elegans, 103, 169–173
 forsteri, 62, 131
 fuscata, 117, 128
 hirundo, 62
 maxima, 103
 paradisea, 63
 sandvicensis, 169–173
 Stilt, Black-winged, 57
 Stint, Little, 59, 128, 137
 Long-toed, 59
 Red-necked, 59, 117, 128, 131
 Temminck's, 59
 Stonechat, 72
 Storm-Petrel, Black, 98
 Fork-tailed, 48
 Leach's, 48, 121
 Least, 98
Streptopelia orientalis, 64
Strix nebulosa, 65
 occidentalis, 108–109
 varia, 65
Sturnella magna, 36
 neglecta, 80
Sturnus vulgaris, 74, 178, 212
Sula dactylatra, 98, 99, 124
 leucogaster, 100, 102, 106, 124
 nebouxii, 100, 101, 106
 sula, 124
 Surfbird, 59, 102
Surnia ulula, 64–65
 Swallow, Bank, 68
 Barn, 68, 104–105
 Cave, 178
 Cliff, 68
 Northern Rough-winged, 68, 178
 Tree, 68, 178
 Violet-green, 68, 104–105

- Swan, Tundra, 50
 Trumpeter, 50
 Whooper, 50, 117, 125
 Swift, Black, 65, 137
 Chimney, 65
 Common, 65
 Fork-tailed, 65–66
 Vaux's, 65
 White-fronted, 137
 White-throated, 104
Synthliboramphus antiquus, 63
 craveri, 97, 103, 106
- Tachycineta bicolor*, 68, 178
 thalassina, 68, 104–105
- Tanager, Scarlet, 35, 76, 135, 138
 Western, 76
- Tarsiger cyanurus*, 72
- Tattler, Gray-tailed, 58
 Wandering, 58, 100, 102
- Teal, Baikal, 51
 Blue-winged, 51
 Cinnamon, 51
 Falcated, 51
 Green-winged, 51
- Tern, Aleutian, 63
 Arctic, 63
 Black, 63
 Caspian, 62
 Common, 62
 Elegant, 103, 169–173
 Forster's, 62
 Royal, 103
 Sandwich, 169–173
 Sooty, 117, 128, 131
 White-winged, 63, 118
- Tershy, Bernie R., and Dawn Breezes,
 The birds of San Pedro Martir Island,
 Gulf of California, Mexico, 96–107
- Thrasher, Brown, 33, 73
 Curve-billed, 97, 105
- Thrush, Dusky, 73
 Eyebrowed, 73
 Gray-cheeked, 33, 40, 72, 133–134
 Hermit, 72, 105
 Swainson's, 72
 Varied, 73
 Wood, 33
- Tibbitts, Timothy J., see Sogge, M. K.
- Tit, Siberian, 69
- Towhee, Spotted, 76–77
- Toxostoma curvirostre*, 97, 105
 rufum, 33, 73
- Tringa erythropus*, 58
 flavipes, 58, 160, 162
- glareola*, 58
 melanoleuca, 58, 160, 161–162
 nebularia, 58
 ochropus, 58
 solitaria, 58
 stagnatilis, 58
- Troglodytes troglodytes*, 70
- Tropicbird, Red-billed, 98, 106
 Red-tailed, 123–124
- Tryngites subruficollis*, 60
- Turdus migratorius*, 73
 naumanni, 73
 obscurus, 73
 pilaris, 73
- Turnstone, Black, 59, 102, 162, 163, 165
 Ruddy, 59, 162, 163
- Turtle-Dove, Oriental, 64
- Tuttle, Donald C., Richard Stein, and
 Gary Lester, Snowy Plover nesting
 on Eel River gravel bars, Humboldt
 County, 174–176
- Tympanuchus phasianellus*, 56
- Tyrannus dominicensis*, 33
 forficatus, 33, 133
 melancholicus, 67, 104
 tyrannus, 32, 33, 39, 68, 110, 111
 verticalis, 67, 111
 vociferans, 111, 178
- Upupa epops*, 66
- Uria aalge*, 63
 lomvia, 63, 132
- Veery, 33, 40, 41, 47, 73, 133
- Vermivora celata*, 2, 75, 105
 chrysoptera, 34, 134
 peregrina, 34, 41, 75
 pinus, 34, 134
 virginiae, 34, 39
- Vireo, Black-capped, 34
 Gray, 178–179
 Philadelphia, 34, 75, 134, 138
 Red-eyed, 34, 40, 75
 Solitary, 75, 111
 Warbling, 75
 White-eyed, 34, 134
 Yellow-green, 134
 Yellow-throated, 34, 134, 138
- Vireo atricapillus*, 34
 flavifrons, 34, 134, 138
 flavoviridis, 134
 gilvus, 75
 griseus, 34, 134
 solitarius, 75, 111

- olivaceus*, 34, 40, 75
philadelphicus, 34, 75, 134, 138
vicinior, 178–179
 Vulture, Black, 118
 Turkey, 52
- Wagtail, Black-backed, 73, 131, 134
 Gray, 73
 White, 73
 Yellow, 73
- Walsh, John J., and Carl E. Bock,
 Likely occurrence of overlapping
 broods in the Rock Wren, 223–
 224.
- Warbler, Arctic, 71, 118
 Bay-breasted, 35
 Black-and-white, 35, 41, 76
 Blackburnian, 34, 41
 Blackpoll, 35, 41, 76
 Black-throated Blue, 34, 41
 Black-throated Green, 34, 75
 Blue-winged, 34, 134
 Canada, 35, 40, 76
 Cape May, 34, 75
 Cerulean, 35
 Chestnut-sided, 34, 41
 Connecticut, 35, 135
 Dusky, 71
 Golden-cheeked, 34
 Golden-winged, 34, 134
 Hooded, 35
 Kentucky, 35, 135, 138
 Kirtland's, 32, 34, 40
 Lanceolated, 70, 118
 MacGillivray's, 76, 132
 Magnolia, 34, 75
 Middendorff's Grasshopper, 70
 Mourning, 35, 76, 117, 132, 135
 Orange-crowned, 2, 75, 105
 Palm, 34, 40, 41, 76
 Pine, 34, 134
 Prairie, 34, 41, 75
 Prothonotary, 35
 Swainson's, 35
 Tennessee, 34, 41, 75
 Townsend's, 75, 105
 Virginia's, 34, 39
 Wilson's, 2, 76, 105, 179
 Wood, 71
- Worm-eating, 35, 134, 138
 Yellow, 75
 Yellow-rumped, 75, 105
 Yellow-throated, 34, 134
- Waterthrush, Louisiana, 35, 117, 135
 Northern, 35, 40, 76
- Waxwing, Bohemian, 74
 Cedar, 74
- Wheatear, Northern, 72, 133
- Whimbrel, 58, 160, 162, 163, 165
- Whip-poor-will, 65
- Wigeon, American, 51
 Eurasian, 51
- Willet, 47, 162, 165
- Wilsonia canadensis*, 35, 40, 76
 citrina, 35
 pusilla, 2, 76, 105, 179
- Woodpecker, Black-backed, 67
 Downy, 66
 Golden-fronted, 177
 Great Spotted, 66
 Hairy, 66
 Red-headed, 33
 Three-toed, 66
- Wood-Pewee, Eastern, 33, 40, 117, 133
 Western, 67, 110–112
- Wren, Rock, 105, 106, 223–224
 Sedge, 33
 Winter, 70
- Wryneck, Eurasian, 66
- Xanthocephalus xanthocephalus*, 80
- Xema sabini*, 62
- Xenus cinereus*, 58
- Yanega, Gregor M., Peter Pyle, and
 Geoffrey R. Geupel, The timing
 and reliability of bill corrugations
 for ageing hummingbirds, 13–18
- Yellowlegs, Greater, 58, 160, 161–162
 Lesser, 58, 160, 162
- Yellowthroat, Common, 76, 105
- Zenaida asiatica*, 64, 104
 macroura, 64, 104, 106
- Zonotrichia albicollis*, 40, 78
 atricapilla, 78
 leucophrys, 2, 78, 106
 querula, 78