

WESTERN BIRDS, INDEX, VOLUME 37, 2006

Compiled by Philip Unitt

- Accipiter cooperii*, 220
 striatus, 12, 220
- Actitis macularius*, 4, 5, 12, 34
- Aechmophorus occidentalis*, 34
- Aeronauta saxatalis*, 29, 35,
 149–155
- Aethia cristatella*, 139–148, 197,
 199, 210
 psittacula, 95, 139, 196, 199, 202,
 210
 pusilla, 139
 pygmaea, 139, 144, 239
- Aimophila cassini*, 83, 84
- Aix sponsa*, 228, 230, 233, 234
- Alauda arvensis*, 98
- Albatross, Black-browed, 241, 244
 Black-footed, 34, 196, 197, 199,
 200, 201, 202, 204, 211, 238,
 241–248
- Gray-headed, 241, 244
- Laysan, 24, 34, 196, 197, 199,
 200, 201, 202, 204, 211, 238,
 241, 242, 244, 245, 246, 247
- Light-mantled, 240
- Short-tailed, 34, 197, 201, 204,
 238
- Shy, 86
- Wandering, 244
- Ammodramus caudacutus*, 240
 nelsoni, 83–84, 98, 240
- Anas acuta*, 34
 clypeata, 34, 196, 202, 203
 crecca, 12, 201, 202, 203, 239
 cyanoptera, 34
 dizzi, 238
 discors, 34
 platyrhynchos, 34, 196, 201, 237,
 238, 239
 querquedula, 85
 rubripes, 237
 wyvilliana, 237
- Anhinga, 65, 70
- Anhinga anhinga, 65, 70
- Anous stolidus*, 171
- Anser albifrons*, 34
- Anthus cervinus*, 82
 rubescens, 36, 240
 spraguei, 82, 90
- Aramus guarauna*, 183
- Archilochus colubris*, 65, 79
- Ardea alba*, 239
 herodias, 34, 180, 182
- Arenaria interpres*, 34
 melanocephala, 34
- Athene cunicularia*, 25, 35
- Auklet, Cassin's, 35, 196, 197, 199,
 201, 202, 210
 Crested, 139–148, 197, 199, 210
 Least, 139
- Parakeet, 95, 139, 196, 199, 202,
 210
- Rhinoceros, 35, 196, 201, 202,
 210
- Whiskered, 139, 144, 239
- Avery, Julian D., and Gregory S. Keller,
First record of the Eastern Screech-Owl
in New Mexico, 53–54
- Avocet, American, 1, 3, 4, 5, 6
- Aythya affinis*, 34
 collaris, 23, 24, 34
 fuligula, 96, 99, 100
 marila, 196, 202, 203
- Barry, Jessie H., see Howell, S. N. G.
- Bartramia longicauda*, 99, 100
- Blackbird, Brewer's, 36
 Yellow-headed, 23, 28, 36
- Black-Hawk, Common, 65, 71, 74
- Bluebird, Mountain, 35
- Bombycilla cedrorum*, 26, 36, 221
 garrulus, 12
- Bonasa umbellus*, 12
- Bonier, Frances, see Martin, P. R.
- Booby, Blue-footed, 238
 Brown, 70, 87, 238
 Masked, 34, 70
- Brachyramphus brevirostris*, 196, 197,
 199, 201, 202, 208, 209, 211
 marmoratus, 196, 197, 199, 201,
 202, 208, 209, 239
 perdix, 74–75, 239
- Brant, 34, 201, 202
- Branta bernicla*, 34, 201, 202
 canadensis, 48–50, 200, 202, 238
 hutchinsi, 200, 202
 leucopsis, 238
 sandvicensis, 65, 91
- Bubo scandiacus*, 95
 virginianus, 36
- Bubulcus ibis*, 24, 34

INDEX

- Bucephala albeola*, 12, 233, 234
 clangula, 196, 203
Bufflehead, 12, 233, 234
Bunting, Indigo, 100
 Lazuli, 221
 Paited, 85, 91
 Snow, 66, 84, 99
Buteo albicaudatus, 183
 albonotatus, 71, 97
 jamaicensis, 12, 29, 34, 165
 lagopus, 240
 swainsoni, 180, 182
Buteogallus anthracinus, 65, 71, 74
- Calcarius pictus*, 90–91
Calidris alba, 5, 34
 alpina, 4, 5
 bairdii, 4
 canutus, 238
 ferruginea, 72
 fuscicollis, 88
 mauri, 1, 3, 4, 5, 6, 34
 melanotos, 4, 5
 minuta, 88
 minutilla, 1, 3, 4, 5, 6
 ptilocnemis, 239
 pusilla, 4, 6
 ruficollis, 88
Calonectris diomedea, 87, 238
 leucomelas, 70, 73, 87
Calypte anna, 25, 35
Caracara, Crested, 65, 71, 88, 240
 Guadalupe, 29, 34
 Southern, 240
Caracara cheriway, 65, 71, 88, 240
 lutosa, 29, 34
 plancus, 240
Cardellina rubrifrons, 90
Cardinalis sinuatus, 37–44, 84–85
Carduelis flammea, 12, 85, 91
 pinus, 12, 221
Carlisle, Jay D., Charles H. Trost,
 Sarah L. Stock, and Gregory S.
 Kaltenecker, Autumn landbird com-
 munities in the Boise Foothills and
 Owyhee Mountains of southwest-
 ern Idaho, 215–227
Carpodacus cassinii, 222
 mexicanus, 29, 36
Catbird, Gray, 35
Catharus fuscescens, 77, 81
 guttatus, 35, 221
 minimus, 8, 12, 23, 26, 35
 ustulatus, 12, 35, 220
Catoptrophorus semipalmatus, 4, 5,
 6, 34
Centrocercus minimus, 240
 urophasianus, 240
Cephus columba, 199, 202, 209
Cerorhinca monocerata, 35, 196,
 201, 202, 210
Certhia americana, 220, 224
Ceryle alcyon, 35
Chaetura vauxi, 35
Chadwick, Lark, see Greaves, J.
Charadrius alexandrinus, 126–138
 semipalmatus, 4, 5, 6
 melodus, 97
 voicerus, 3, 4, 5, 6, 34
Chen caerulescens, 238
 canagica, 94–95, 99, 100
 rossii, 100, 238
Chickadee, Black-capped, 12, 220
 Boreal, 12
 Mountain, 220
Cistothorus palustris, 76
 platensis, 76, 81
Clangula hyemalis, 197, 202, 203
Cogswell, Howard L., In memoriam,
 123–124
Colaptes auratus, 25, 29, 35
Cole, Luke W., Kristie N. Nelson, and
 John C. Sterling, The 30th report of
 the California Bird Records Com-
 mittee: 2004 records, 65–105
Colibri thalassinus, 66
Columba livia, 35
Colwell, Mark A., see Mathis, R. L.
Condor, California, 183
Contopus cooperi, 12
 pertinax, 97
 sordidulus, 220
Cooper, Daniel S., Shorebirds use of
 the lower Los Angeles River chan-
 nel: A novel wetland habitat, 1–7
Cormorant, Brandt's, 34
Double-crested, 36, 196, 197, 199,
 202, 206
Pelagic, 34, 196, 197, 199, 201,
 202, 206
Red-faced, 196, 201, 202, 206
Corvus brachyrhynchos, 55–57
 corax, 12, 150, 151–152, 153,
 239
Coturnicops noveboracensis, 98–99
Cowbird, Brown-headed, 23, 28, 36

INDEX

- Crane, Sandhill, 183
 Creeper, Brown, 220, 224
 Crossbill, Red, 29, 36, 222
 White-winged, 12
 Crow, American, 55–57
 Curlew, Bristle-thighed, 179
 Eurasian, 164
 Far Eastern, 164
 Long-billed, 23, 25, 34, 156–168
Cyanocitta cristata, 81
 stelleri, 107, 220
Cygnus buccinator, 69, 91
Cynanthus latirostris, 66, 79
Cypseloides niger, 240
- Day, Robert H., Seabirds in the northern Gulf of Alaska and adjacent waters, 190–214
Dendroica cerulea, 82, 100
 coronata, 12, 36, 221, 222
 dominica, 66, 77, 82, 99
 graciae, 78, 82, 90, 98
 magnolia, 23, 27, 36
 palmarum, 36
 petechia, 12, 23, 26, 36, 221
 pinus, 82, 100
 striata, 221, 222
 townsendi, 36, 219, 221
Diomedea exulans, 244
 Dove, Mourning, 25, 35
 Oriental Turtle, 65
 White-tipped, 183
 White-winged, 35
 Dowitcher, Long-billed, 1, 3, 6
 Short-billed, 3, 4, 34
 Duck, American Black, 237
 Harlequin, 196, 197, 199, 203
 Hawaiian, 237
 Long-tailed, 197, 202, 203
 Mexican, 238
 Ring-necked, 23, 24, 34
 Tufted, 96, 100
 Wood, 228, 230, 233, 234
Dumetella carolinensis, 35
 Dunlin, 4, 5
- Eagle, Bald, 239
 White-tailed, 239
 Edwards, Ann E., see Rohwer, S.
 Egret, Cattle, 24, 34
 Great, 239
 Reddish, 96, 99
- Egretta rufescens*, 96, 99
 tricolor, 70, 87
 Eider, Common, 65, 66, 69, 85, 202, 203
 King, 69
 Ellis, David H., Swift-hunting behavior of the Peregrine Falcon in Arizona, 149–155
Empidonax alnorum, 8, 12, 20
 difficilis, 220
 flaviventris, 8–22, 79–80
 hammondi, 12, 20, 21, 220
 minimus, 35
 oberholseri, 220
 occidentalis, 220
 traillii, 220
 Erickson, Richard A., see Quintana-B., L.
Eudocimus albus, 87, 240
Eugenes fulgens, 65, 70
Euphagus cyanocephalus, 36
- Falcipennis canadensis*, 12
Falco eleonorae, 149
 mexicanus, 36, 149, 154
 peregrinus, 12, 34, 149–155, 165, 166
 rufigularis, 149
 rusticolus, 88, 149
 sparverius, 24, 34
 subbuteo, 149
 Falcon, Bat, 149
 Eleonora's, 149
 Peregrine, 12, 34, 149–155, 165, 166
 Prairie, 36, 149, 154
 Finch, Black Rosy, 85
 Cassin's, 222
 House, 29, 36
 Flicker, Northern, 25, 29, 35
 Floyd, Ted, Catherine Waters, and Jay Withgott, 31st annual WFO conference, Boulder, Colorado: Retrospective, 186–187
 Flycatcher, Alder, 8, 12, 20
 Ash-throated, 23, 25, 35, 89
 Dusky, 220
 Dusky-capped, 89, 100
 Great Crested, 89
 Hammond's, 12, 20, 21, 220
 Least, 35
 Olive-sided, 12
 Streaked, 76
 Sulphur-bellied, 76, 80

INDEX

- Western, 220
- Willow, 220
- Yellow-bellied, 8–22, 79–80
- Fratercula cirrhata*, 197, 197, 199, 201, 202, 208, 210, 211
- corniculata*, 196, 197, 202, 210, 211
- Fregata magnificens*, 34
- Frigatebird, Magnificent, 34
- Fulmar, Northern, 24, 34, 190, 196, 197, 199, 200, 201, 202, 204, 210, 211
- Fulmarus glacialis*, 24, 34, 190, 196, 197, 199, 200, 201, 202, 204, 210, 211
- Gallinago delicata*, 5, 34
- Garganey, 85
- Gavia adamsii*, 69, 86, 100, 100, 201, 202, 204, 212
- arctica*, 85–86
- immer*, 196, 197, 204, 240
- pacifica*, 34, 196, 199, 201, 202, 204
- stellata*, 197, 202, 204
- Geothlypis trichas*, 25, 36
- Gibson, Daniel D., see Martin, P. R.
- Glaucidium gnoma*, 220
- Godwit, Bar-tailed, 72, 75, 88, 238
 - Hudsonian, 72, 75
 - Marbled, 6, 75
- Goldeneye, Common, 196, 203
- Golden-Plover, American, 71
 - Pacific, 34
- Goose, Barnacle, 238
 - Cackling, 200, 202
 - Canada, 48–50, 200, 202, 238
 - Greater White-fronted, 238
 - Emperor, 94–95, 99, 100
 - Greater White-fronted, 34
 - Hawaiian, 65, 91
 - Ross's, 100, 238
 - Snow, 238
- Grackle, Common, 85, 91
- Greaves, Jim, Lark Chadwick, and Joseph Morlan, Apparent eastern Bell's Vireo in San Francisco, 119–122
- Grebe, Eared, 34
 - Pied-billed, 34
 - Western, 34
- Greenshank, 88
- Grosbeak, Black-headed, 36, 221
 - Pine, 12
- Rose-breasted, 36, 100
- Grouse, Greater Sage, 240
- Gunnison Sage, 240
- Ruffed, 12
- Spruce, 12
- Grus canadensis*, 183
- Guillemot, Pigeon, 199, 202, 209
- Gull, Black-headed, 72, 97, 199, 207, 212
 - Bonaparte's, 23, 25, 35, 196, 202, 207
- California, 35
- Franklin's, 23, 25, 35
- Glaucous, 196, 201, 202, 207
- Glaucous-winged, 35, 196, 197, 199, 201, 202, 207, 208, 211
- Heermann's, 35
- Herring, 12, 35, 89, 196, 197, 199, 201, 202, 207
- Iceland, 237, 239
- Laughing, 35, 46
- Lesser Black-backed, 72, 88–89
- Little, 72, 97
- Mew, 196, 197, 199, 201, 202, 207, 239
- Ring-billed, 35
- Sabine's, 35, 202, 207–208, 212
- Slaty-backed, 66, 89
- Thayer's, 35, 197, 207, 237
- Western, 35
- Gymnogyps californianus*, 183
- Gyrfalcon, 88, 149
- Haematopus bachmani*, 72, 88
 - ostrolegus*, 165
 - palliatus*, 66, 71–72, 88
- Haliaeetus albicilla*, 239
 - leucocephalus*, 239
- Hawk, Common Black, 65, 71, 74
 - Cooper's, 220
 - Harris's, 71, 91
 - Red-tailed, 12, 29, 34, 165
 - Rough-legged, 240
 - Sharp-shinned, 12, 220
 - Swainson's, 180, 182
 - White-tailed, 183
 - Zone-tailed, 71, 97
- Heinl, Steven C., see Piston, A. W.
- Helmintheros vermivorus*, 83, 98, 99
- Heron, Black-crowned Night, 238
 - Great Blue, 34, 180, 182
 - Tricolored, 70, 87
 - Yellow-crowned Night, 87, 96–97, 238

INDEX

- Heteroscelus incanus*, 34
Himantopus mexicanus, 1, 3, 4, 5, 6
Hirundo rustica, 35, 61–63
Histrionicus histrionicus, 196, 197, 199, 203
Hobby, Eurasian, 149
Howell, Steve N. G., Book reviews:
 Hawks from Every Angle; Raptors of the World, 58–60, National Geographic Society Complete Birds of North America, 116–118, The Shorebird Guide; Shorebirds of North America, Europe, and Asia, 175–178; Birds of the World: Recommended English Names, 239–240; and Jessie H. Barry, and James E. Pike, Featured photo: Delayed preformative molt in the Barn Swallow, 61–63; Featured photo: Primary molt in the Black-footed Albatross, 241–244
Hummingbird, Anna's, 25, 35
 Blue-throated, 240
 Broad-billed, 66, 79
 Calliope, 220
 Magnificent, 65, 79
 Ruby-throated, 65, 79
 Rufous, 220
Ibis, Glossy, 70, 74, 87
 White, 87, 240
 White-faced, 70
Icterus cucullatus, 36
 parisorum, 36
 spurius, 23, 28–29, 100
Ictinia mississippiensis, 88
Ixoreus naevius, 12, 35
Jaeger, Long-tailed, 34, 202, 207, 240
 Parasitic, 34, 196, 202, 207, 240
 Pomarine, 34, 196, 201, 202, 206–207, 240
Jay, Blue, 81
 Gray, 12
 Steller's, 107, 220
Junco, Dark-eyed, 12, 27, 29, 36, 221
 Guadalupe, 27, 29, 36
 Oregon, 29, 36
Junco hyemalis, 12, 27, 29, 36, 221
Kaltenecker, Gregory S., see Carlisle, J. D.
Keller, Gregory S., see Avery, J. D.
Kestrel, American, 24, 34
Killdeer, 3, 4, 5, 6, 34
Kingbird, Thick-billed, 97–98
Kingfisher, Belted, 35
Kinglet, Golden-crowned, 220, 224
 Ruby-crowned, 12, 23, 29, 30, 35, 220
Kite, Mississippi, 88
Kittiwake, Black-legged, 35, 190, 196, 197, 199, 201, 202, 208, 210, 211
 Red-legged, 65, 72
Knot, Red, 238
Kreitinger, Kim, see Pandolfino, E. R.
Kwolek, Jeremy, see Pandolfino, E. R.
Lagopus lagopus, 12
Lamponnis clemenciae, 240
Lanius ludovicianus, 35
Lark, Sky, 98
Larus argentatus, 12, 35, 89
 atricilla, 35, 46
 californicus, 35
 canus, 196, 197, 199, 201, 202, 207, 239
 delawarensis, 35
 fuscus, 72, 88–89
 glaucus, 35
 glaucoides, 237, 239
 heermanni, 35
 minutus, 72, 97
 occidentalis, 35
 philadelphicus, 23, 25, 35
 pipixcan, 23, 25, 35
 ridibundus, 72, 97
 schistisagus, 66, 89
 thayeri, 35, 237
Laterallus jamaicensis, 239
Leeman, Linda W., see Mathis, R. L.
Leeman, Thomas S., see Mathis, R. L.
Leptotila verreauxi, 183
Leucosticte atrata, 85
Limnodromus griseus, 3, 4, 34
 scolopaceus, 1, 3, 6
Limosa fedoa, 6, 75
 haemastica, 72, 75
 lapponica, 72, 75, 88, 238
Limpkin, 183
Longspur, Smith's, 90–91
Loon, Arctic, 85–86
 Common, 196, 197, 204, 240
 Pacific, 34, 196, 199, 201, 202, 204
 Red-throated, 197, 202, 204
 Yellow-billed, 69, 86, 100, 201, 202, 204, 212

INDEX

- Lophodytes cucullatus*, 228–236
Loxia curvirostra, 29, 36, 222
 leucoptera, 12
Luther, John S., and Phil E. Gordon, In memoriam: Howard L. Cogswell, 1915–2006, 123–124
- Mallard, 34, 196, 201, 237, 238, 239
Martin, Paul R., Frances Bonier, and Daniel D. Gibson, First nest of the Yellow-bellied Flycatcher for Alaska, with notes on breeding biology, 8–22
Mathis, Ryan L., Mark A. Colwell, Linda W. Leeman, and Thomas S. Leeman, Long-billed Curlew distributions in intertidal habitats: Scale-dependent patterns, 156–168
McCaskie, Guy, see Radamaker, K.
Meadowlark, Western, 28, 36
Megascops asio, 53–54
 kennicottii, 53
Melanitta fusca, 196, 197, 199, 201, 203
 nigra, 197, 201, 203
 perspicillata, 196, 199, 203
Mellink, E., and Mónica Riojas-López, Nesting of Forster's Tern in a tropical coastal lagoon, Cuyutlán, Colima, Mexico, 45–47
Melospiza lincolnii, 12, 36, 221
Merganser, Common, 197, 203, 233
 Hooded, 228–236
 Red-breasted, 34
Mergus merganser, 197, 203, 233
 sepressor, 34
Mimus polyglottos, 26, 35
Mniotilla varia, 36
Mockingbird, Northern, 26, 35
Molothrus ater, 23, 28, 36
Morlan, Joseph, see Greaves, J.
Motacilla alba, 65, 66
Munton, Thomas E., see Steger, G. N.
Murre, Common, 190, 196, 197, 199, 201, 202, 208, 209, 210, 211
 Thick-billed, 74, 197, 199, 201, 202, 209
Murrelet, Ancient, 196, 202, 209
 Craveri's, 238
 Kittlitz's, 196, 197, 199, 201, 202, 208, 209, 211
 Long-billed, 74–75, 239
 Marbled, 196, 197, 199, 201, 202, 208, 209, 239
Xantus's, 25, 35, 238
Myadestes townsendi, 12, 35, 220
Myiarchus cinerascens, 23, 25, 35, 89
 crinitus, 89
 tuberculifer, 89, 100
Myioborus pictus, 240
Myiodynastes luteiventris, 76, 80
 maculatus, 76
- Nelson, Kristie N., see Cole, L. W.
Night-Heron, Black-crowned, 238
Yellow-crowned, 87, 96–97, 238
Noddy, Brown, 171
Nucifraga columbiana, 35
Numenius americanus, 23, 25, 34, 156–168
 arquata, 164
 madagascariensis, 164
 tahitiensis, 179
Nutcracker, Clark's, 35
Nuthatch, Red-breasted, 29, 35, 220, 224
Nyctanassa violacea, 87, 96–97
Nycticorax nycticorax, 238
- Oceanodroma furcata, 190, 197, 199, 200, 201, 202, 205–206, 210
 homochroa, 36
 hornbyi, 66
 leucorhoa, 24, 34, 202, 206
 macrodactyla, 24, 34
 melania, 36
 tethys, 34
Oporornis agilis, 83
 philadelphica, 83, 90
 tolmiei, 221
Oreoscoptes montanus, 36
Oriole, Hooded, 36
 Orchard, 23, 28–29, 36, 100
 Scott's, 36
Osprey, 34, 183
Ovenbird, 36
Owl, Barn, 35
 Barred, 97, 106–109, 237
 Burrowing, 25, 35
 Eastern Screech, 53–54
 Great Horned, 36
 Northern Pygmy, 220
 Snowy, 95
 Spotted, 106, 107, 108, 237
 Western Screech, 53
Oystercatcher, American, 66, 71–72, 88
 Black, 72, 88
 Eurasian, 165

INDEX

- Page, Gary W., see Ruhlen, T. D.
Pandion haliaetus, 34, 183
Pandolfino, Edward R., Jeremy Kwolek,
and Kim Kreitinger, Expansion of
the breeding range of the Hooded
Merganser within California,
228–236
Parabuteo unicinctus, 71, 91
Passer domesticus, 36
Passerella iliaca, 12, 36, 221
Passerina amoena, 221
 ciris, 85, 91
 cyanea, 100
Patten, Michael A., Dispersal and va-
grancy in the Pyrrhuloxia, 37–44
Pelecanus erythrorhynchos, 87
 occidentalis, 34
Pelican, American White, 87
 Brown, 34
Perisoreus canadensis, 12
Petrel, Ashy Storm, 36
 Bermuda, 240
 Black Storm, 36
 Cook's, 34
 Dark-rumped, 70, 86
 Fork-tailed Storm, 190, 197, 199,
 200, 201, 202, 205–206, 210
 Galapagos, 70, 86
 Gray, 240
 Guadalupe Storm, 24, 29, 34
 Hawaiian, 70, 86
 Leach's Storm, 24, 34, 202, 206
 Mottled, 69, 196, 201, 204–205
 Parkinson's, 65, 66, 86–87, 240
 Ringed Storm, 66
 Solander's, 66
 Stejneger's, 86
 Wedge-rumped Storm, 34
Petrochelidon pyrrhonota, 240
Pewee, Greater, 97
 Western Wood, 220
Phaethon aethereus, 34
 rubricauda, 34
Phainopepla, 36
Phainopepla nitens, 36
Phalacrocorax auritus, 36, 196, 197,
 199, 202, 206
 pelagicus, 34, 196, 197, 199, 201,
 202, 206
 penicillatus, 34
 urile, 196, 201, 202, 206
Phalaenoptilus nuttallii, 183
Phalarope, Red, 4, 34, 196, 197, 200,
 202, 206, 211
Red-necked, 4, 5, 202, 206, 212
Wilson's, 4, 6
Phalaropus fulicarius, 4, 34, 196,
 197, 200, 202, 206, 211
 lobatus, 4, 5, 202, 206, 212
 tricolor, 4, 6
Pheucticus ludovicianus, 36, 100
 melanocephalus, 36, 221
Phoebastria albatrus, 34, 197, 201,
 204, 238
 immutabilis, 24, 196, 197, 199,
 200, 201, 202, 204, 211, 238,
 241, 242, 244, 245, 246, 247
 nigripes, 34, 196, 197, 199, 200,
 201, 202, 204, 211, 238,
 241–248
Phoebe, Say's, 25, 35
Phoebetria palpebrata, 240
Phylloscopus fuscatus, 81
Picoides pubescens, 220
Pigeon, Rock, 35
Pike, James E., see Howell, S. N. G.
Pinicola enucleator, 12
Pintail, Northern, 34
Pipilo chlorurus, 219, 221, 223
 maculatus, 29, 36, 221
Pipit, American, 36, 240
 Red-throated, 82
 Sprague's, 82, 90
Piranga bidentata, 65, 90
 ludoviciana, 221
 olivacea, 66, 78, 83, 90
 rubra, 36, 83
Piston, Andrew W., and Steven C.
 Heinl, Confirmed breeding of the
 Greater Yellowlegs, in southern
 southeast Alaska, 110–113
Platalea ajaja, 70–71
Plectrophenax nivalis, 66, 84, 99
Plegadis chihi, 70
 falcinellus, 70, 74, 87
Plover, American Golden, 71
 Black-bellied, 3, 4, 5, 6, 164, 240
 Pacific Golden, 34
Piping, 97
Semipalmated, 4, 5, 6
Snowy, 126–138
Pluvialis dominica, 71
 fulva, 34
 squatarola, 3, 4, 5, 6, 164, 240
Podiceps nigricollis, 34
Podilymbus podiceps, 34
Poecile atricapillus, 12, 220
 gambeli, 220
 hudsonica, 12
Pooecetes gramineus, 36

INDEX

- Poorwill, Common, 183
Procellaria cinerea, 240
 parkinsoni, 65, 66, 86–87, 240
Protonotaria citrea, 99, 100
Ptarmigan, Willow, 12
Pterodroma cahow, 240
 cockii, 34
 inexpectata, 69, 196, 201,
 204–205
 longirostris, 86
 phaeopygia, 70, 86
 sandwichensis, 70, 86
 solandri, 66
Ptychoramphus aleuticus, 35, 196,
 197, 199, 201, 202, 210
Puffin, Horned, 196, 197, 202, 210,
 211
 Tufted, 196, 197, 199, 201, 202,
 208, 210, 211
Puffinus assimilis, 196, 205, 212
 bulleri, 196, 205, 212
 carneipes, 51–52
 creatopus, 36, 51
 gravis, 65, 70, 73, 87, 238, 240
 griseus, 34, 52, 190, 196, 197,
 200, 201, 202, 205, 210, 211
 lherminieri, 205
 opisthomelas, 34
 puffinus, 70
 tenuirostris, 196, 197, 199, 200,
 201, 202, 205
Pygmy-Owl, Northern, 220
Pyle, Peter, *Staffelmauser* and other
 adaptive strategies for wing molt
 in larger birds, 179–185; Book
 review: *Handbook of Avian Hybrids*
 of the World, 237–239
Pyrrhuloxia, 37–44, 84–85

Quintana-Barrios, Lorenzo, Gorgonio
 Ruiz-Campos, Philip Unitt, and
 Richard A. Erickson, Update on
 the birds of Isla Guadalupe, Baja
 California, 23–36
Quiscalus quiscula, 85, 91

Radamaker, Kurt, and Guy McCaskie,
 First verifiable record of the Flesh-
 footed Shearwater for Mexico,
 51–52
Rail, Black, 239
 Yellow, 98–99
Rauzon, Mark J., Occurrence of the
 Bridled and Gray-backed Terns in
 American Samoa, 169–174

Raven, Common, 12, 150, 151–152,
 153, 239
Recurvirostra americana, 1, 3, 4, 5, 6
Redpoll, Common, 12, 86, 91
Redstart, Painted, 240
Regulus calendula, 12, 23, 29, 30,
 35, 220
 satrapa, 220, 224
Riparia riparia, 12, 240
Rissa brevirostris, 65, 72
 tridactyla, 35, 190, 196, 197, 199,
 201, 202, 208, 210, 211
Robin, American, 12, 35, 220
 Rufous-backed, 81
Rohwer, Sievert, and Ann E. Edwards,
 Reply to Howell on primary molt in
 albatrosses, 245–248
Rosenberg, Gary H., Book review: *Ari-
 zona Breeding Bird Atlas*, 114–116
Rosy-Finch, Black, 85
Ruhlen, Tamiko D., Gary W. Page,
 and Lynne E. Stenzel, Effects of a
 changing environment on nesting
 Snowy Plovers at Owens Lake,
 California, 126–138
Ruiz-Campos, Gorgonio, see Quintana-
 B., L.
Rynchops niger, 46

Sage-Grouse, Greater, 240
 Gunnison, 240
Salpinctes obsoletus, 26, 35
Sanderling, 5, 34
Sandpiper, Baird's, 4
 Buff-breasted, 72
 Curlew, 72
 Least, 1, 3, 4, 5, 6
 Pectoral, 4, 5
 Rock, 239
 Semipalmated, 4, 6
 Solitary, 4, 12
 Spotted, 4, 5, 12, 34
 Upland, 99, 100
 Western, 1, 3, 4, 5, 6, 34
 White-rumped, 88
Sapsucker, Red-naped, 220
Saxicola torquatus, 65, 81
Sayornis saya, 25, 35
Scaup, Greater, 196, 202, 203
 Lesser, 34
Scoter, Black, 197, 201, 203
 Surf, 196, 199, 203
 White-winged, 196, 197, 199, 201,
 203
Screech-Owl, Eastern, 53–54

INDEX

- Western, 53
Sealy, Spencer G., A historical perspective on the citrus-like scent of the Crested Auklet, 139–148
Seiurus aurocapilla, 36
 motacilla, 83
 noveboracensis, 12
Selasphorus rufus, 220
Shearwater, Audubon's, 205
 Black-vented, 34
 Buller's, 196, 205, 212
 Cory's, 87, 238
 Flesh-footed, 51–52
 Greater, 65, 70, 73, 87, 238, 240
 Little, 196, 205, 212
 Manx, 70, 87
 Pink-footed, 36, 51
 Short-tailed, 196, 197, 199, 200, 201, 202, 205
 Sooty, 34, 51, 190, 196, 197, 200, 201, 202, 205, 210, 211
 Streaked, 70, 73, 87
Shoveler, Northern, 34, 196, 202, 203
Shrike, Loggerhead, 35
Shuford, W. David, Back issues of *Western Birds* now online!, 122
Sialia currucoides, 35
Siskin, Pine, 12, 221
Sitta canadensis, 29, 35, 220, 224
Skimmer, Black, 46
Snipe, Wilson's, 5, 34
Solitaire, Townsend's, 12, 35, 220
Somateria mollissima, 65, 66, 69, 85, 202, 203
 spectabilis, 69
Sparrow, Brewer's, 221
 Cassin's, 83, 84
 Chipping, 27, 36, 221
 Fox, 12, 36, 221
 Golden-crowned, 36, 221
 House, 36
 Lincoln's, 12, 36, 221
 Nelson's Sharp-tailed, 83, 84, 98, 240
Saltmarsh Sharp-tailed, 240
Savannah, 221
Vesper, 36, 221
White-crowned, 8, 12, 27, 221
White-throated, 36
Sphyrapicus nuchalis, 220
Spizella breweri, 221
 passerina, 27, 36, 221
Spoonbill, Roseate, 70–71
Starling, European, 26, 36, 240
Steger, George N., Lori R. Werner,
- and Thomas E. Munton, First documented record of the Barred Owl in the southern Sierra Nevada, 106–109
Stelgidopteryx serripennis, 35
Stellula calliope, 220
Stenzel, Lynne E., see Ruhlen, T. D.
Stercorarius longicaudus, 34, 202, 207, 240
 parasiticus, 34, 196, 202, 207, 240
 pomarinus, 34, 196, 201, 202, 206–207, 240
Sterling, John C., see Cole, L. W.
Sterna albifrons, 238
 aleutica, 212
 anaethetus, 169–174
 antillarum, 238
 caspia, 46
 dougallii, 46
 forsteri, 45–47
 fuscata, 171
 hirundo, 46
 lunata, 169–174
 maxima, 35, 46
 nilotica, 46
 paradisaea, 35, 202, 208, 212
Stilt, Black-necked, 1, 3, 4, 5, 6
Stint, Little, 88
 Red-necked, 88
Stock, Sarah L., see Carlisle, J. D.
Stonechat, 65, 81
Storm-Petrel, Ashy, 36
 Black, 36
 Fork-tailed, 190, 197, 199, 200, 201, 202, 205–206, 210
Guadalupe, 24, 29, 34
Leach's, 24, 34, 202, 206
Ringed, 66
Wedge-rumped, 34
Streptopelia orientalis, 65, 75, 79
Strix occidentalis, 106, 107, 108, 237
 varia, 97, 106–109, 237
Sturnella neglecta, 28, 36
Sturnus vulgaris, 26, 36, 240
Sula dactylatra, 34, 70
 leucogaster, 70, 87, 238
 nebouxii, 238
Swallow, Bank, 12, 240
Barn, 35, 61–63
Cliff, 240
Northern Rough-winged, 35
Tree, 12, 23, 26, 35
Violet-green, 12

INDEX

- Swan, Trumpeter, 69, 91
 Swift, Black, 240
 Vaux's, 35
 White-throated, 29, 35, 149–155
Synthliboramphus antiquus, 196,
 202, 209
 craveri, 238
 hypoleucus, 25, 35, 238
- Tachycineta bicolor*, 12, 23, 26, 35
 thalassina, 12
 Tanager, Flame-colored, 65, 90
 Scarlet, 66, 78, 83, 90
 Summer, 36, 83
 Western, 221
- Tattler, Wandering, 34
- Taylor, Daniel M., American Crows
 move into southern Idaho towns,
 55–57
- Teal, Blue-winged, 34
 Cinnamon, 34
 Green-winged, 12, 201, 202, 203,
 239
- Tern, Aleutian, 212
 Arctic, 35, 202, 208, 212
 Bridled, 169–174
 Caspian, 46
 Common, 46
 Forster's, 45–47
 Gray-backed, 169–174
 Gull-billed, 46
 Least, 238
 Little, 238
 Roseate, 46
 Royal, 35, 46
 Sooty, 171
- Thalassarche cauta*, 86
 chrysostoma, 241, 244
 melanophris, 241, 244
- Thrasher, Curve-billed, 81–82
 Sage, 36
- Thrush, Gray-cheeked, 8, 12, 23, 26,
 35
 Hermit, 35, 221
 Swainson's, 12, 35, 220
 Varied, 12, 35
- Thryomanes bewickii*, 29, 35
- Toxostoma curvirostre*, 81–82
- Towhee, Green-tailed, 219, 221, 223
 Spotted, 29, 36, 221
- Tringa flavipes*, 4, 5, 6
 melanoleuca, 4, 5, 6, 110–113
 nebularia, 88
 solitaria, 4, 12
- Troglodytes aedon*, 220
 troglodytes, 220
- Tropicbird, Red-billed, 34
 Red-tailed, 34
- Trost, Charles H., see Carlisle, J. D.
- Tryngites subruficollis*, 72
- Turdus migratorius*, 12, 35, 220
 rufopalliatus, 81
- Turnstone, Black, 34
 Ruddy, 34
- Turtle-Dove, Oriental, 65, 75, 79
- Tyrannus crassirostris*, 97–98
- Tyto alba*, 35
- Unitt, Philip, see Quintana-B., L.
- Uria aalge*, 190, 196, 197, 199, 201,
 202, 208, 209, 210, 211
 lomvia, 74, 197, 199, 201, 202,
 209
- Veery, 77, 81
- Vermivora celata*, 12, 221
 chrysoptera, 237
 pinus, 237
 ruficapilla, 219, 221
- Violet-ear, Green, 66
- Vireo, Bell's, 119–122
 Blue-headed, 66, 89
 Cassin's, 220
 Philadelphia, 100
 Warbling, 23, 25, 35, 100, 220
 White-eyed, 66
 Yellow-green, 80–81, 90, 99
 Yellow-throated, 66
- Vireo bellii*, 119–122
 cassinii, 220
 flavifrons, 66
 flavoviridis, 80–81, 90, 99
 gilvus, 23, 25, 35, 100, 220
 griseus, 66
 philadelphicus, 100
 solitarius, 66, 89
- Wagtail, Black-backed, 65, 66
 White, 65, 66
- Warbler, Black-and-white, 36
 Blackpoll, 221, 222
 Blue-winged, 237
 Cerulean, 82, 100
 Connecticut, 83
 Dusky, 81
 Golden-winged, 237
 Grace's, 78, 82, 90, 98
 MacGillivray's, 221

INDEX

- Magnolia, 23, 27, 36
Mourning, 83, 90
Nashville, 219, 221
Orange-crowned, 12, 221
Palm, 36
Pine, 82, 100
Prothonotary, 99, 100
Red-faced, 90
Townsend's, 36, 219, 221
Wilson's, 12, 27, 36, 221
Worm-eating, 83, 98, 99
Yellow, 12, 23, 26, 36, 221
Yellow-rumped, 12, 36, 221, 222
Yellow-throated, 66, 77, 82, 99
Waters, Catherine, see Floyd, T.
Waterthrush, Louisiana, 83
 Northern, 12
Waxwing, Bohemian, 12
 Cedar, 26, 36, 221
Werner, Lori R., see Steger, G. N.
Willet, 4, 5, 6, 34
Wilsonia pusilla, 12, 27, 36, 221
Withgott, Jay, see Floyd, T.
- Woodpecker, Downy, 220
Wood-Pewee, Western, 200
Wren, Bewick's, 29, 35
 House, 220
 Marsh, 76
 Rock, 25, 35
 Sedge, 76, 81
 Winter, 220
- Xanthocephalus xanthocephalus*, 23, 28, 36
Xema sabini, 35, 202, 207–208, 212
- Yellowlegs, Greater, 4, 5, 6, 110–113
Lesser, 4, 5, 6
Yellowthroat, Common, 25, 36
- Zenaida asiatica*, 35
 macroura, 25, 35
Zonotrichia albicollis, 36
 atricapilla, 36, 221
 leucophrys, 8, 12, 27, 36, 221