

- Amateur Sportsman, Vol. XXXI, Nos. 6, 7, 8.
 American Ornithology, Vol. IV, Nos. 9, 10, 11, 12.
 Bird-Lore, Vol. VI, Nos. 5, 6.
 Boys and Girls, Vol. II, No. 4; Vol. III, Nos. 1, 2, 3.
 Bulletin of the Michigan Ornithological Club, Vol. V, No. 3.
 Bulletin 153, Ohio Agricultural Experiment Station.
 Bulletin 3, Ohio Department of Agriculture.
 By The Wayside, Vol VII, No. 4.
 Condor, The, Vol. VI, Nos. 5, and 6.
 Maine Sportsman, Vol. XII, Nos. 134, 135.
 Monthly Bulletin, The, Vol. II, Nos. 6, 7.
 Naturaliste Canadien, Le, Vol. XXXI, Nos. 9, 10, 11.
 Ohio Naturalist, The, Vol. V, No. 1.
 Oologist, The, Vol. XXI, No. 10.
 Ornithologische Monatschrift, Vol. XXIX, Nos. 9, 10.
 Plant World, The, Vol. VII, Nos. 9, 10, 11.
 On a Collection of Birds and Mammals from Mount Sanhedrin,
 California. By Witmer Stone. From Proceedings of The Academy of
 Nat. Sci. of Philadelphia, July, 1904.

 ERRATA.

- Page 13, line 8, for "autumn" read "summer."
 Page 19, line 32, " "1904" read "1903."
 Page 33, line 10, " "holballi" read "holballii."
 Page 33, line 20, " "Synthliborhamphus" read "Synthlibor-
 amphus."
 Page 36, line 23, " "ocrgonus" read "oregonus."
 Page 36, line 27, " "itaca" read "iliaca."
 Page 94, line 31, " "permiting" read "permitting."
 Page 95, lines 16, 17, 18, for "occurence" read "occurrence.;"

 INDEX.

- Acanthis linaria*, 36.
Accipiter atricapillus, 83.
 cooperi, 6, 35, 98.
 velox, 35, 98.
Actitis macularia, 6.
Æchmophorus occidentalis, 33, 104.
Aix sponsa, 6, 34.
Agelaius phoeniceus, 7, 98.
 caurinus, 35.
Ammodramus sandwichensis alaudinus, 36, 105.
Ampelis cedrorum, 7, 36, 99.
Anas boschas, 34, 82.
 obscura, 82.
 rubripes, 112.

- obscura + boschas, 22.
Anser albifrons gambeli, 34.
Anthus pensilvanicus, 104.
Antrostomus vociferus, 6, 98.
Ardea herodias, 6, 34, 97.
 fannini, 105.
 virescens, 34.
Asio accipitrinus, 35.
Astragalinus tristis, 7, 98.
 salacamans, 36.
 Auklet, *Rhinoceros*, 33.
Aythya affinis, 34, 104.
 americana, 34.
 marila, 34, 104.
 vallisneria, 34.
 Bittern American, 6, 19, 34, 48, 75, 78, 97, 106.
 Least, 21, 48, 75, 78, 93.
 Blackbird, Brewer, 35.
 Northwest Red-winged, 35.
 Red-winged, 7, 17, 21, 41, 49, 51, 56, 79, 98, 106.
 Bluebird, 9, 18, 20, 24, 42, 50, 58, 59, 80, 99, 100, 107.
 Western, 37, 105.
 Bob-white, 16, 17, 18, 19, 20, 34, 39, 40, 48, 58, 59, 78, 94, 106.
 Bobolink, 41, 49, 58, 59, 79, 92, 107.
Bonasa umbellus, 6.
 sabini, 105.
 togata, 35.
Botaurus lentiginosus, 6, 34, 97.
Brachyramphus marmoratus, 104.
Branta canadensis occidentalis, 34, 97.
Bubo virginianus saturatus, 35.
 Bufflehead, 17, 34, 82.
 Bunting, Indigo, 7, 41, 49, 59, 79, 99, 105, 106.
 Lark, 92.
 Bush-Tit, 37.
Buteo borealis, 6, 98, 107.
 calurus, 35.
 lineatus, 6, 98.
Butorides virescens, 6.
Calcarius pictus, 85.
 Canvas-back, 34.
 Cardinal, 17, 18, 19, 20, 41, 45, 49, 79.
Carpodacus purpureus, 7.
 californicus, 35, 104.
 mexicanus frontalis, 24.
 Catbird, 8, 21, 43, 45, 50, 59, 80, 99, 105, 106.

- Ceophloeus pileatus abieticola*, 6, 35, 104.
Cephus columba, 33.
Certhia familiaris americana, 8, 99.
 occidentalis, 104.
Ceryle alcyon, 6, 35, 83, 98, 104.
Chaetura pelagica, 6, 98.
Charitonetta albeola, 34, 82.
Chat. Yellow-breasted, 42, 50, 59, 80.
Chen hyperborea nivalis, 21, 34.
Chewink, 105, 107.
Chickadee, 8, 16, 17, 18, 19, 20, 24, 42, 50, 56, 59, 80, 99, 107.
 Hudsonian, 99.
 Oregon, 37, 103, 105.
Chordeiles virginianus, 6, 98.
 henryi, 35.
Cistothorus palustris paludicola, 37.
Clangula clangula americana, 34.
Coccythraustes vespertinus montanus, 36.
Coccyzus americanus, 6.
 erythrophthalmus, 6.
Colaptes auratus luteus, 6, 98.
 cafer saturator, 35.
Colinus virginianus, 34.
Columba fasciata, 35.
Colymbus auritus, 33, 102, 104, 112.
 holbællii, 33, 66, 57, 101, 104.
 nigricollis californicus, 33.
 occidentalis, 101.
Compsothlypis americana usneæ, 8.
Contopus virens, 7, 98.
Conurus carolinensis, 112.
Coot, American, 21, 22, 34, 69, 75.
Cormorant, Brandt, 34.
 Double-crested, 74.
 Pelagic, 34.
Corvus americanus, 35.
 brachyrhynchus, 98.
 caurinus, 35, 104.
Cowbird, 7, 32, 41, 49, 79, 98, 105, 106, 107.
Crane, Sandhill, 75.
Creepers, Brown, 8, 17, 18, 19, 20, 42, 59, 99.
 California, 104.
Crow, American, 16, 17, 18, 19, 20, 24, 41, 49, 51, 59, 79, 98,
 99, 106.
 Fish, 20.
 Northwest, 35, 104.
Cuckoo, Black-billed, 6, 40, 48, 56, 59.
 Yellow-billed, 6, 40, 48, 56, 59, 78, 107.
Curlew, Long-billed, 34.
Cyanocitta cristata, 7, 98.
 stelleri, 35, 105.

- Cyanospiza cyanea*, 7, 99.
Dendroica aestiva, 8, 36.
 auduboni, 36, 104.
 blackburniae, 8, 99.
 cærulescens, 8.
 dominica albilora, 112.
 coronata, 8, 36, 99.
 maculosa, 8, 99.
 nigrescens, 36.
 pennsylvanica, 8.
 rara, 3.
 striata, 8.
 vigorsii, 8, 99.
 virens, 8, 99.
 Dickcissel, 41, 49, 52, 53, 54, 58, 59, 79, 105, 106.
 Dove, Mourning, 18, 19, 24, 39, 40, 48, 51, 59, 78, 107.
Dryobates pubescens medianus, 6, 98.
 gairdneri, 35, 105.
 villosus, 6, 98.
 harrisii, 35, 104.
 Duck, Black, 82, 101.
 Lesser Scaup, 34, 48, 101, 104.
 Harlequin, 24.
 Red-legged Black, 17, 112.
 Ruddy, 105.
 Scaup, 17, 34, 101, 104.
 Wood, 6, 34, 78.
 Eagle, Bald, 6, 40, 48.
 Golden, 19.
 Eider, King, 112.
Empidonax flaviventris, 98.
 minimus, 7, 98.
Ereunetes occidentalis, 34.
Erismatura jamaicensis, 105.
Falco sparverius, 6, 98.
 deserticola, 35.
 Falcon, Peregrine, 22.
 Finch, California Purple, 35, 104.
 House, 27.
 Purple, 7, 20, 41, 49, 59, 79.
 Flicker, Northern, 6, 17, 18, 19, 24, 40, 48, 59, 78, 98, 106.
 Northwestern, 35.
 Flycatcher, Alder, 41, 49.
 Crested, 6, 24, 41, 49, 79.
 Green-crested, 41, 49, 79.
 Least, 7, 41, 49, 59, 79, 98.
 Olive-sided, 7.

- Yellow-bellied, 41, 46, 57, 59, 98.
Fulica americana, 34.
 Gadwall, 22, 74.
Galeoscoptes carolinensis, 8, 99.
Gallinago delicata, 34.
 Gallinule, Florida, 21, 59, 75, 93.
Gavia imber, 6, 33, 105.
 lumme, 33.
 pacifica, 33.
Geothlypis tolmiei, 36.
 trichas brachydactyla, 8, 99.
Glaucidium gnoma californicum, 103, 105.
 Gnatcatcher, Blue-gray, 42, 50, 80.
 Goatsucker, 11.
 Golden-eye, American, 17, 34.
 Goldfinch, American, 7, 16, 17, 18, 19, 20, 24, 41, 49, 59, 79, 82, 98, 106.
 European, 17.
 Willow, 36.
 Goose, Canada, 20, 34.
 Lesser Snow, 34.
 White-cheeked, 34.
 White-fronted, 22, 34.
 Goshawk, 83.
 Grackle, Bronzed, 7, 16, 24, 41, 49, 59, 79, 107.
 Purple, 41.
 Grebe, Eared, 33.
 Holbøll, 33, 66, 67, 101, 104.
 Horned, 102, 104, 112.
 Pied-billed, 33, 40, 48, 93.
 Western, 33, 101, 104.
 Grosbeak, Blue, 112.
 Canadian Pine, 17, 83.
 Evening, 20.
 Rose-breasted, 7, 41, 49, 59, 79.
 Western Evening, 36.
 Grouse, Oregon Ruffed, 35, 105.
 Ruffed, 6, 16, 18, 40, 44, 78.
 Guillemot, Pigeon, 33.
Guiraca caerulea, 112.
 Gull, Black-backed, 17, 82.
 Bonaparte, 21, 34, 48, 93, 102, 104.
 California, 102, 105.
 Glaucus-winged, 104.
 Herring, 17, 18, 19, 33, 40, 48, 78, 82, 93, 104.
 Laughing, 78.
 Ring-billed, 33, 102, 105.
 Short-billed, 33.
 Western, 33, 104.

- Haliaeetus leucocephalus*, 6.
Harelda hyemalis, 34.
 Hawk, American Rough-legged, 48, 81.
 American Sparrow, 6, 17, 18, 19, 20, 39, 40, 48, 78, 81, 92, 98, 107.
 Broad-winged, 40, 44, 48, 78.
 Cooper, 6, 20, 35, 40, 47, 48, 81, 98.
 Desert Sparrow, 35.
 Florida Red-shouldered, 17.
 Marsh, 39, 40, 48, 78, 107.
 Pigeon, 107.
 Red-shouldered, 6, 40, 48, 78, 81, 98.
 Red-tailed, 6, 16, 17, 18, 19, 20, 40, 48, 78, 98, 107, 108.
 Sharp-shinned, 19, 35, 40, 48, 78, 81, 98.
 Sparrow, 10.
 Western Red-tailed, 35.
Helminthophila alata lutescens, 36.
 lawrencei, 84, 85.
 leucobronchialis, 109.
 peregrina, 99.
 pinus, 84, 85.
 rubricapilla, 8, 99.
Helodramas solitarius, 6.
 Heron, Black-crowned Night, 6, 13, 75, 34, 78, 107.
 Great Blue, 6, 34, 40, 52, 75, 78, 97, 107.
 Green, 6, 34, 40, 48, 78.
 Northwest Coast, 105.
Hirundo erythrogaster, 7, 99.
Histrionicus histrionicus, 34.
 Hummingbird, Allen, 35.
 Ruby-throated, 6, 40, 49, 59, 78, 98.
 Rufous, 35.
Hydrochelidon nigra surinamensis, 93.
Hylocichla guttata pallasii, 8, 100.
 fuscescens, 8, 99.
 mustelina, 99.
 swainsonii, 100.
 ustulata, 37.
Icterus galbula, 7.
Iridoprocne bicolor, 7.
Ixoreus naevius, 37.
 Jaeger, Parasitic, 102, 112.
 Jay, Blue, 7, 16, 17, 18, 19, 20, 41, 49, 51, 59, 79, 81, 98, 105.
 Gray, 35.
 Steller, 35, 105.
Junco hyemalis, 7, 46, 98.
 oregonus, 36, 104.
Junco, Oregon, 36, 104.

- Slate-colored, 7, 16, 17, 18, 19, 20, 24, 41, 49, 98, 99.
 Killdeer, 40, 48, 78, 93.
 Kingbird, 6, 22, 40, 49, 59, 79, 81, 98, 106.
 Kingfisher, Belted, 6, 18, 35, 40, 48, 78, 83, 92, 98, 104.
 Kinglet, Golden-crowned, 6, 16, 17, 18, 19, 20, 24, 42, 59, 99.
 Ruby-crowned, 8, 24, 42, 50, 59, 103, 105.
 Western Golden-crowned, 37, 103, 104.
Lanius borealis, 99.
 Lark, Horned, 10, 17, 18, 19, 20, 58.
 Prairie Horned, 18, 20, 24, 41, 49, 59, 107.
 Crested, 9.
 Tufted, 9.
 Wood, 9, 12.
Larus argentatus, 33, 82, 104.
 brachyrhynchus, 33.
 californicus, 102, 105.
 delawarensis, 33, 102, 105.
 glaucescens, 33, 104.
 marinus, 82.
 occidentalis, 33, 104.
 philadelphia, 34, 102, 104.
 Loon, 6, 33, 78, 105.
 Pacific, 33.
 Red-throated, 33.
Lophodytes cucullatus, 82.
 Longspur, Smith, 85.
Lophortyx californicus, 35.
 Mallard, 34, 40, 48, 74, 78, 82.
 Martin, Purple, 7, 41, 49, 51, 59, 76, 79, 107.
 Western, 36.
 Mavis, 11.
 Meadowlark, 17, 19, 20, 24, 41, 49, 51, 58, 59, 79, 98, 107.
 Western, 35, 79, 104.
Megascops asio kennicottii, 35.
Melanerpes torquatus, 35.
Melospiza cinerea melodia, 7, 98.
 morphna, 36, 104.
 georgiana, 7.
Marcea penelope, 112.
 Merganser serrator, 34, 105.
 Merganser,
 American Hooded, 34, 82.
 Red-breasted, 34, 48, 105.
Merula migratoria, 8,
 propinqua, 37, 104.
Mniotilta varia, 8, 99.
 Mockingbird, 59, 80.

- Molothrus ater*, 7, 98.
Murrelet, Ancient, 33.
 Marbled, 104.
Myiarchus crinitus, 6.
Nighthawk, 6, 24, 40, 44, 48, 59, 78, 98, 106, 107.
 Western, 35.
Nightingale, 11, 12.
Nettion carolinensis, 34, 83.
Numenius longirostris, 34.
Nuthatch, Red-breasted, 8, 16, 18, 20, 37, 42, 50, 56, 59, 99.
 White-breasted, 8, 16, 17, 18, 19, 20, 24, 39, 42, 50, 59, 80, 99.
Nuttalornis borealis, 7.
Nycticorax nycticorax naevius, 6, 15, 34.
Oidemia deglandi, 34, 104.
 perspicillata, 34, 104.
Olbiorchilus hiemalis pacificus, 37, 103, 104.
Old-squaw, 34.
Oriole, Baltimore, 7, 24, 41, 49, 79, 107.
 Orchard, 39, 41, 49, 59, 79.
Osprey, American, 35, 40, 48, 81.
Oven-bird, 8, 24, 42, 50, 59, 80, 99.
Owl, American Long-eared, 19.
 Barn, 107.
 California Pygmy, 103, 105.
 Barred, 17, 18, 19, 40, 44, 48.
 Dusky Horned, 35.
 Great Horned, 18, 27, 28, 40, 48.
 Horned, 11.
 Kennicott Screech, 35.
 Screech, 13, 19, 24, 40, 45, 48, 59, 78, 107.
 Short-eared, 35.
 Snowy, 18, 22.
Pandion haliaetus carolinensis, 35.
Paroquet, Carolina, 112.
Parus atricapillus, 8, 99, 103.
 occidentalis, 37, 103, 105.
 hudsonius, 99.
Partridge, California, 35.
Passer domesticus, 9, 36, 100, 101, 104.
Passerculus sandwichensis savanna, 7.
Passerella iliaca unalaschensis, 35.
Perisoreus obscurus griseus, 35.
Petrochelidon lunifrons, 7, 99.
Pewee, Wood, 7, 24, 41, 49, 56, 59, 79, 98, 106.
Phalacrocorax pelagicus, 34.
 pencillatus, 34.

- Phasianus torquatus*, 35, 104.
 Pheasant, Ring-necked, 35, 104.
 Mongolian, 104.
Phoebe, 6, 27, 41, 49, 79, 98.
 Say, 27.
 Pigeon, Band-tailed, 35.
 Passenger, 111.
Pinicola enucleator leucura, 83.
 • *Pipilo erythrophthalmus*, 7.
 maculatus oregonus, 36, 103, 104.
 Pipit, American, 42, 50, 82, 104.
Piranga erythromelas, 7.
 Indovicianus, 36.
 Plover, Semi-palmated, 107.
Podilymbus podiceps, 33.
Poecetes gramineus, 7, 98.
Progne subis, 7.
 hesperia, 36.
Psaltriparus minimus, 37.
Quiscalus quiscula aeneus, 7.
 Rail, King, 48, 93.
 Virginia, 40, 48.
 Red-head, 22, 34.
 Redpoll, 16, 36, 59.
 Red-wing, Northwest, 35.
 Redstart, American, 8, 42, 50, 52, 59, 75, 80, 99.
Regulus calendula, 8, 105.
 satrapa, 8, 99.
 olivaceus, 37, 103, 104.
Riparia riparia, 7, 36.
 Robin, American, 9, 18, 24, 42, 50, 51, 56, 58, 59, 80, 99, 107.
 English, 11.
 Western, 37, 104.
Salpinctes obsoletus, 36.
 Sanderling, 93.
 Sandpiper, Baird, 40.
 Bartramian, 48, 78, 106.
 Least, 40, 48.
 Pectoral, 40.
 Semipalmated, 21.
 Solitary, 6, 40, 48.
 Red-backed, 40.
 Spotted, 6, 40, 48, 75, 78, 93.
 Western, 34.
 Sapsucker, Yellow-bellied, 6, 20, 48, 59, 74, 100.
Sayornis phoebe, 6, 98.
 saya, 27.
Scolecophagus cyanocephalus, 35.
Selasphorus alleni, 35.

- rufus, 85.
- Scoter, Surf, 34, 104.
White-winged, 22, 34, 78, 104.
- Seiurus aurocapillus, 8, 99.
noveboracensis, 8.
- Setophaga ruticilla, 8, 99.
- Shoveller, 34, 93.
- Shrike, Loggerhead, 20, 58.
Migrant, 41, 49, 79, 107.
Northern, 17, 19, 99.
- Sialia sialis, 9, 100.
Mexicana occidentalis, 37, 105.
- Siskin, Pine, 86, 105.
- Sitta canadensis, 8, 37, 99.
carolinensis, 8, 99.
- Skylark, 9, 10, 11, 12.
- Snipe, Wilson, 22, 34, 40, 48.
- Snowflake, 17, 59.
- Somateria spectabilis, 112.
- Sora, 40, 48, 108.
- Sparrow, Chipping, 7, 41, 49, 58, 59, 79, 98, 99, 105.
English, 9, 24, 36, 59, 100, 101, 104, 109.
Field, 7, 24, 41, 45, 49, 59, 79, 98, 107.
Fox, 59.
Gambel, 36.
Grasshopper, 41, 49, 52, 79, 106.
Golden-crowned, 36.
Henslow, 41.
Lark, 41, 79.
Leconte, 24.
Lincoln, 49.
Nuttall, 36, 105.
Rusty Song, 36, 104.
Sandwich, 105.
Song, 7, 16, 17, 18, 19, 20, 41, 49, 59, 79, 98, 99, 105, 106.
Swamp, 7, 17, 41, 49, 79.
Townsend, 36.
Tree, 16, 17, 18, 19, 20, 41, 59,
Vesper, 7, 19, 41, 49, 52, 59, 79, 98, 106.
Western Savanna, 36.
White-crowned, 41, 49, 59, 98.
White-throated, 7, 17, 18, 20, 24, 41, 49, 59.
- Spatula clypeata, 34.
- Sphyrapicus varius, 6.
- Spinus pinus, 36, 105.
- Spiza americana, 52.

- Spizella pusilla*, 8, 98.
 socialis, 7, 98.
 arizonæ, 36.
 Starling, 17, 79.
Stercorarius parasiticus, 102, 112,
Sterna dougalli, 92.
 hirundo, 102.
 paradisæa, 34, 102.
Sturnella magna, 98.
 neglecta, 35, 104.
 Swallow, Bank, 7, 36, 39, 41, 49, 51, 82.
 Barn, 6, 24, 41, 49, 79, 82, 83, 99, 106.
 Cliff, 7, 39, 41, 49, 52, 79, 82, 99.
 Northern Violet-green, 36.
 Rough-winged, 41, 49, 79, 82, 107.
 Tree, 7, 41, 49, 76, 79, 82.
 Swan, Trumpeter, 22.
 Swift, Chimney, 6, 24, 27, 40, 49, 58, 59, 78, 82, 98, 106.
Synthliboramphus antiquus, 33.
Tachycineta thalassina lepida, 36.
 Tanager, Louisiana, 36.
 Scarlet, 7, 39, 41, 49, 59, 79, 100, 107.
 Teal, Blue-winged, 74, 75, 76.
 Green-winged, 34, 83.
 Tern, Arctic, 34, 102.
 Black, 21, 48, 92, 93.
 Common, 48, 78, 92, 93, 102.
 Roseate, 78, 92.
 Thrasher, Brown, 8, 24, 42, 50, 51, 59, 80, 99, 105, 106.
 Thrush, Gray cheeked, 42, 50, 52, 56, 59.
 Hermit, 8, 16, 17, 20, 42, 46, 50, 56, 100.
 Olive-backed, 42, 50, 52, 56, 59, 100.
 Russet-backed, 37.
 Wilson, 8, 42, 50, 56, 59, 80, 99.
 Varied, 37.
 Wood, 27, 42, 50, 51, 59, 80, 99.
Thryomanes bewickii calophonus, 37, 103, 104.
Thryorchilus browni, 28.
 Titmouse, Tufted, 17, 18, 19, 20, 42, 50, 80.
 Towhee, 7, 24, 41, 49, 59, 79, 105, 107.
 Oregon, 36, 103, 104.
Toxostoma rufum, 8, 99.
Trochilus colubris, 6, 98.
Troglodytes aedon, 8.
 parkmanii, 37.
 Turnstone, 21, 93.
Tyrannus tyrannus, 6, 98.

- Vireo flavifrons*, 89. 99.
 gilvus, 7.
 noveboracensis, 32, 99.
 olivaceus, 7. 99.
 solitarius, 8. 99.
- Vireo*, Bell, 41, 59, 79.
 Blue-headed, 7, 41, 49, 79. 99.
 Philadelphia, 59.
 Red-eyed, 7, 41, 49, 59, 79. 99. 107.
 Warbling, 7, 24, 41, 49, 59, 79. 100.
 White-eyed, 32, 41, 59. 99.
 Yellow-throated, 8, 39, 41, 49, 59, 79. 99.
- Vulture, Turkey, 20, 40, 48, 78.
- Warbler, Audubon, 36. 104.
 Bay-breasted, 42, 50, 59.
 Black and White, 8, 41, 49, 59, 79, 99. 110.
 Blackburnian, 8, 42, 50, 56, 59. 99.
 Black-poll, 8, 42, 50, 59.
 Black-throated Blue, 8, 42, 50, 56, 59.
 Black-throated Gray, 36.
 Black-throated Green, 8, 24, 39, 42, 50, 59, 80. 99. 100.
 Blue-winged, 41, 49, 57, 75, 84, 85. 109.
 Brewster, 57, 109. 110.
 Canadian, 8, 42, 50, 99.
 Cape May, 50, 59.
 Cerulean, 3, 42, 50.
 Chestnut-sided, 8, 24, 39, 42, 50, 52, 56, 59, 75, 89.
 Connecticut, 42, 50.
 Golden-winged, 24, 41, 49, 62, 80, 85.
 Hooded, 42, 46, 50, 57, 80.
 Kentucky, 80.
 Kirtland, 42, 45, 50, 57, 63, 64.
 Lawrence, 84.
 Lutescent, 36.
 Macgillivray, 36.
 Magnolia, 8, 42, 50, 59, 50. 99.
 Mourning, 42, 50.
 Myrtle, 8, 17, 18, 24, 36, 42, 50, 59. 99.
 Nashville, 8, 31, 49, 52. 99.
 Northern Parula, 8, 42, 50, 80. 100.
 Orange-crowned, 41, 49.
 Palm, 42, 50, 59.
 Pine, 8, 42. 99.
 Prairie, 42, 46, 50, 80.
 Prothonotary, 41, 46, 49, 57, 64, 75.
 Sycamore, 112.
 Tennessee, 42, 49, 52. 99.
 Wilson, 42, 50, 59.

- Worm-eating, 80.
 Yellow, 4, 8, 24, 36, 42, 50, 51, 57, 58, 59, 75, 80, 106.
- Water-Thrush, 8, 42, 50, 59.
 Louisiana, 42, 50, 80.
- Waxwing, Cedar, 7, 20, 36, 41, 49, 79, 99.
- Whippoorwill, 6, 23, 40, 45, 48, 59, 78, 98.
- Widgeon, 112.
- Wilsonia canadensis, 8, 99.
- Woodcock, American, 40, 48, 78.
- Woodpecker, Downy, 6, 16, 17, 18, 19, 20, 24, 40, 48, 59, 78, 107.
 Gairdner, 35, 105.
 Hairy, 6, 16, 17, 18, 19, 20, 24, 39, 40, 48, 59, 78, 107.
 Harris, 35, 104.
 Lewis, 35.
 Northern Pileated, 6, 18, 35, 104.
 Red-bellied, 18, 19, 20, 24, 40, 48.
 Red-headed, 18, 20, 24, 40, 48, 59, 78, 106.
- Wren, Bewick, 20, 24, 59.
 Carolina, 17, 18, 19, 20, 42, 44.
 House, 8, 24, 39, 42, 50, 51, 59, 76, 80.
 Long-billed Marsh, 13, 15, 21, 42, 50, 75, 80.
 Northwest Bewick, 37, 103, 104.
 Pacific House, 37.
 Short-billed Marsh, 50, 57.
 Rock, 36.
 Western Winter, 37, 103, 104.
 Tule, 37.
 Winter, 16, 17, 20, 42, 50, 59.
- Yellowhammer, 9.
- Yellow-legs, 40, 48, 107.
 Greater, 40, 84.
- Yellow-throat, Northern, 8, 42, 50, 57, 59, 80, 99, 108.
- Zamelodia ludoviciana, 7.
- Zonotrichia albicollis, 7, 98.
 coronata, 36.
 leucophrys, 98.
 gambeli, 36, 105.
 nuttalli, 36.

 INDEX OF AUTHORS.

- Abbott, Clinton G., New year bird census, 18, July Fourth Censo-horizon, 77.
- Arrick, E. J., New year bird census, 19.
- Adams, Reviews of his 'Post-glacial Origin of Migration of the Life of the Northeastern United States,' 'Southeastern United States as a Center of Geographical Distribution of Fauna and Flora,' 29; "The migration Route of Kirtland Warbler."
- Antes, Frank T., July Fourth censo-horizon, 77.
- Attwater, H. P., Review of his 'Boll Weevils and Birds', 28.
- Baird, Robert L., A door-yard list of birds. 23, July Fourth censo-horizon, 77.