

INDEX FOR VOLUME XXXIX, 1927

- Allert, Oscar P., The Orchard Oriole in Clayton County, Iowa, 107
Bailey, Harold H., Data concerning the breeding range of certain marsh birds, 175-176
Benedict, Mrs. Howard Smith, The Baltimore Oriole wintering in Ohio, 107
———Birds enjoy bathing during the winter months, 171-172
Bryens, Oscar M., Notes on the varying abundance of the Evening Grosbeak in Michigan, 40-41
———Some notes on mutilated birds, 109
———Notes on an injured Vesper Sparrow in captivity, 238-239
Burleigh, Thos. D., Three interesting breeding records for 1925 from the Piedmont region of northeastern Georgia, 15-19
———Notes from LaAnna, Pike County, Pennsylvania, 159-168
Cahn, Alvin R., Summer birds in the vicinity of Plum Lake, Vilas County, Wisconsin, 23-34.
Campbell, Louis W., A few of the less known summer residents near Toledo, Ohio, 172-173
Carroll, J. J., Down Bird Island way, 195-207
Christofferson, K., Munuskong State Park, 242-243
Dales, Mrs. Marie, Some returns from bird banding, 113-115
Darling, A. B., The Lark Bunting in Iowa, 170
Eddy, Samuel, Notes on the occurrence of shore birds and water fowl on a new artificial lake, 223-228
Eifrig, C. W. G., Some notes on Pileated Woodpeckers, 174-175
Everett, Edward A., How did the bird find its way back?, 245-246
Everett, Constance and E. A., The fun of banding Chimney Swifts, 111-112
F., W. G., Auxiliary gun barrels for collecting bird specimens, 219-222
Fargo, Wm. G., A Lesser Scaup Duck resembling the Ring-necked Duck, 36
Gloyd, Howard K., A second record for the Red Phalarope in Kansas, 107
Good, H. G. and T. R. Adkins, Notes on the wintering habits of the White-throated Sparrow (*Zonotrichia albicollis*), 75-78
Green, Wyman R., The Golden Eagle nesting in Wood's County, Oklahoma, 172
Gromme, Owen J., An unusual flight of Snow Geese in the Lake Winnebago area, 38-39
Harris, Lucien, An unusual nest of the White-breasted Nuthatch, 41-42
Hoffman, E. C., On the nesting of the Bluejay, 108
Hoffman, Paul, Home life of the Black Tern in Wisconsin, 78-80
Huey, Laurence M., Where do birds spend the night?, 215-217
Huff, N. L., Some banding results in Minnesota, 244-245
Johnson, Charles Eugene, Notes on some less common birds of Douglas County, Kansas, 156-158
Jones, Lynds, Highway mortality and speed of flight, 8-10
Jung, Clarence S., Additional notes on birds of Vilas County, Wisconsin, 173-174
Kempton, Russell Marshall, Notes on the home life of the Turkey Vulture, 142-145
Lang, George, Marauding Crows and Magpies, 243
Lee, Mrs. Arthur, Watching the House Wrens, 233-234
Lewis, John B., A brief study of the Canadian life zone birds in Highland County, Virginia, 228-230
———Observations on the House Wren in Virginia, 232-233
Lewis, Walter E., Franklin's Gull in northwestern Oklahoma, 109-110
Lincoln, Frederick C., The military use of the homing pigeon, 67-74

- Linsdale, Jean and E. Raymond Hall, Notes on the birds of Douglas County, Kansas, 91-105
- Lloyd, C. K., Nesting of the Florida Red-winged Blackbird, 170
- Lyon, W. I., Bird banding in 1927 on Lakes Michigan and Huron, 178-184
- Mounts, Mrs. Beryl T., The Purple Gallinule carries its young, 37-38
—Birds excited by a snake, 108-109
—Some observations made in Florida and enroute to Iowa, 235
- Naumann, E. D., Notes on the rails, 217-219
- Neff, Johnson A., Mourning Dove facts, 243-244
- Nice, Mrs. Margaret Morse, The evening bath of a flock of Scissor-tailed Flycatchers, 107-108
—Further notes on the singing of the Magnolia Warbler, 236-237
- Peabody, P. B., On the Alder Flycatcher (*Empidonax trailli alnorum*), 20-23
- Pellett, Frank C., Bald Eagles along the Mississippi River, 36
- Perkins, Samuel Elliott, III, A late record of the Mockingbird at Chicago, 36
—On the nidification of the Acadian Flycatcher again, 38
- Reed, Bessie Price, Some observations in a Green Heron colony, 81-85
- Reed, Ward, A note on a habit of the Tufted Titmouse, 107
- Roberts, George, Trapping experiences with Rose-breasted Grosbeaks, 244
- Rosen, W. M., Warbler records for 1925 from central Iowa, 43
- Rowan, William, Banding Franklin's Gulls in Alberta, 44-49
- Schmidt, Mrs. C. G., A House Wren drives away a pair of Cardinals, 232
- Shirling, A. E., Tabulating the feeding of nestlings, 13-15
- Skinner, M. P., Richardson's Grouse in the Yellowstone Park, 208-214
- Spiker, Chas. J., Feathered victims of the automobile, 11-12
—A visitation of the Snow Bunting in Iowa, 36
- Stevens, O. A., Harris's Sparrow, 244
- Stevenson, James, Some Ohio bird notes, 37
- Sutton, George Miksch, A Loon strangled by its food, 39
—Flocking, mating, and nest-building habits of the Prairie Horned Lark, 131-141
—Loon banded in Pennsylvania killed in Ontario, 170-171
—Ruffed Grouse captured by a Screech Owl, 171
—An Albino hawk, 177
- Swanson, Gustav, The re-use of nesting material by the Migrant Shrike, 235-236
- Taber, William Brewster, Jr., The mentality of the Crow, 5-8
- Thomas, Edward S., Tern banding on Lake Erie, 184-186
—A method for trapping and banding Starlings, 240-241
- Turrell, Loring W., The flight-song of the Woodcock, 42
- Wallace, Charles R., Ground nesting habits of the Mourning Dove and Towhee, 37
—Bird groups during migration, 110
—The Great Blue Heron in Tuscarawas County, Ohio, 170
—Marsh birds in Delaware County, Ohio, 237-238
- Wallace, T. Ross, A House Wren despoils a Purple Martin nest, 232
- Weeks, Leroy Titus, Notes on the fall migration of 1926, 37
—The autobiography of Leroy Titus Weeks, 87-91
- Weigle, Eliza Dana, Notes on the habits of the House Wren, 234-235
- Widmann, Otto, The autobiography of Otto Widmann, 146-155
- Williams, H. V., Two bird records from Grafton, North Dakota, 36
- Wing, Leonard W., George S., Harold, and Maurice, Some new records from Jackson County, Michigan, 40-41

- Accipiter cooperi, 27, 96, 160
 Accipiter velox, 27, 96, 160
 Actitis macularia, 26, 96, 228
 Aegialitis semipalmata, 228
 Agelaius phoeniceus arctolegus, 30
 p. fortis, 98
 p. phoeniceus, 98
 Aix sponsa, 25, 226
 Ammodramus savannarum australis, 17,
 99
 Anas platyrhynchos, 25, 93, 225
 rubripes, 226
 Anser albifrons gambeli, 227
 Antrostomus carolinensis, 157
 Antrostomus vociferus, 29, 97
 Anthus rubescens, 104
 Archibuteo lagopus sancti-johannis, 96
 Archilochus colubris, 29, 97, 161
 Ardea herodias, 25, 94
 Asio flammeus, 97
 Asio wilsonianus, 97
 Astragalinus tristis, 30, 99
 Asyndesmus lewisi, 36
 Avocet, 207
 Baeolophus bicolor, 105, 107
 Baldpate, 94, 226
 Bartramia longicauda, 95, 228
 Belted Kingfisher, 28, 97, 160
 Bittern, American, 25, 94
 Least, 94
 Blackbird, Red-winged, 30, 98
 Rusty, 99
 Yellow-headed, 98
 Black Skimmer, 197, 207
 Bluebird, 35, 105
 Blue-gray Gnatcatcher, 105, 235
 Blue Jay, 30, 98, 108
 Bobolink, 98
 Bombycilla cedrorum, 33, 101, 229
 Bonassa umbellus umbellus, 27
 Botaurus lentiginosus, 25, 94
 Branta c. canadensis, 94, 227
 Bronzed Grackle, 30, 99
 Brown Creeper, 34, 104, 167
 Brown Thrasher, 33, 104, 108
 Bubo virginianus, 28, 97
 Bufflehead, 156, 227
 Bunting, Indigo, 31
 Buteo borealis borealis, 27, 96
 b. calurus, 96
 b. harlani, 96
 b. swainsoni, 96
 lineatus, 157, 160
 p. platypterus, 197, 207
 Butorides virescens, 81-85, 94.
 Calcarius lapponicus, 99
 Calidris leucophaea arenaria, 227
 Canachites canadensis canace, 27
 Canada Jay, 30
 Canada Spruce Partridge, 27
 Canvas-back, 94, 226
 Cardinal, 101, 108, 232
 Cardinalis cardinalis, 101
 Carpodacus purpureus, 30, 99
 Catbird, 33, 108, 233
 Cathartes aura septentrionalis, 27, 96
 Centurus carolinus, 97
 Certhneis sparveria, 28, 96
 Certhia familiaris americana, 34, 104,
 167
 Ceryle alcyon, 28, 97, 160
 Chaetura pelagica, 29, 37, 97
 Charadrius semipalmatus, 96
 Charitonetta albeola, 156, 227
 Chaulelasmus streperus, 94
 Chen caerulescens, 156
 Chen hyperboreus, 38, 157
 h. nivalis, 38
 Chewink, 31
 Chickadee, Black-capped, 34, 37, 105
 Carolina, 37
 Labrador, 167
 Long-tailed, 105
 Chimney Swift, 29, 37, 97, 111-112
 Chlidonias nigra surinamensis, 25,
 78-80, 93, 225
 Chondestes grammacus, 39, 100
 Chordeiles virginianus, 29, 97, 161
 Chuck-will's-widow, 157
 Circus hudsonius, 27, 96
 Cistothorus stellaris, 104
 Coccyzus americanus, 97
 Coccyzus erythrophthalmus, 28, 158
 Colaptes auratus luteus, 29, 97, 161
 Colaptes cafer collaris, 97
 Colinus v. virginianus, 96
 Colymbus auritus, 24
 Compsothlypis americana pusilla, 102
 Conservation, 61-64
 Coot, 26, 95, 227
 Cormorant, Double-crested, 93, 225
 Mexican, 195
 Corvus brachyrhynchos, 30, 98
 corax principalis, 30, 229
 Cowbird, 30, 98
 Crane, Sandhill, 157
 Crossbill, 99
 Crow, 5-8, 30, 98
 Cuckoo, Black-billed, 28, 158
 Yellow-billed, 97
 Curlew, Long-billed, 96
 Cyanocitta cristata, 30, 98, 108
 Dafila acuta tzitzioha, 94, 226
 Dendroica aestiva, 32, 102
 caerulescens, 32, 164
 c. cairnsi, 230
 castanea, 165
 coronata, 33, 102
 fusca, 103, 165
 magnolia, 103, 164, 230
 palmarum, 103

- pensylvanica, 33, 103, 230
striata, 103, 165
- Dendroica tigrina*, 102
vigorsi, 33
virens, 33, 103, 165, 230
- Dickcissel*, 18, 101
- Dolichonyx oryzivorus*, 98
- Dowitcher*, Long-billed, 95
- Duck*, Harlequin, 227
 Lesser Scaup, 36, 94, 226
 Mottled, 207
 Ring-necked, 36, 227
 Ruddy, 227
 Scaup, 226
 Wood, 226
- Dumetella carolinensis*, 33, 114, 166
- Dryobates pubescens medianus*, 28, 97
- Dryobates villosus*, 28, 97, 161
- Eagle*, Bald, 27, 36
 Egret, Reddish, 200, 206, 207
 Snowy, 207
- Empidonax flaviventris*, 162
- Empidonax minimus*, 29, 98, 162
- Empidonax traillii alnorum*, 20-23, 98
- Empidonax virescens*, 98
- English Sparrow, 30
- Ereunetes pusillus*, 95
- Erismatura jamaicensis*, 227
- Euphagus carolinus*, 99
- Flicker, Northern, 29, 97, 161
 Red-shafted, 97
- Flycatcher*, Acadian, 38, 98
 Alder, 20-23, 98
 Crested, 29, 98
 Least, 29, 98, 162
 Olive-sided, 98, 237
 Scissor-tailed, 107
 Yellow-bellied, 162
- Fulica americana*, 26, 95, 227
- Gadwall, 94
- Gallinago delicata*, 26, 95, 227
- Gavia immer*, 24, 39, 224
- Georgia, birds of, 15-19
- Geothlypis trichas*, 33, 103, 166
- Godwit, Hudsonian, 95
- Goldfinch, 30, 99
- Goose, Blue, 156
 Canada, 94, 227
 Lesser Snow, 157
 Snow, 38
 White-fronted, 227
- Gackle*, Bronzed, 30, 99
 Great-tailed, 204, 207
- Grebe*, Horned, 24
 Pied-billed, 24, 93, 224
- Grosbeak*, Evening, 40
 Rose-breasted, 31, 101
- Grouse*, Dusky, 208
- Grouse, Gray, Ruffed, 212
 Richardson's, 208-214
 Ruffed, 27
- Grus mexicana*, 157
- Gull*, Bonaparte's, 225
 Franklin's, 44-49, 93, 109
 Herring, 25, 225
 Laughing, 195, 206
 Ring-billed, 93, 225
- Haliaeetus* *l. leucocephalus*, 27, 36
- Hawk*, Broad-winged, 157, 160
 Cooper's, 27, 96, 160
 Harlan's, 96
 Marsh, 27, 96
 Red-shouldered, 157, 160
 Red-tailed, 27, 96
 Rough-legged, 96
 Sharp-skinned, 27, 96, 160
 Sparrow, 28, 96
 Swainson's, 96
- Hedymeles ludovicianus*, 31, 101
- Helodromus s. solitarius*, 160
- Heron*, Black-crowned Night, 94, 207
 Great Blue, 25, 94
 Green, 81-85, 94
 Little Blue, 207
 Louisiana, 200, 206
 Ward's, 195, 200, 202, 206
 Yellow-crowned Night, 94
- Hesperiphona vespertina*, 40
- Hirundo erythrogaster*, 32, 101, 163
- Histrionicus histrionicus*, 227
- Homing Pigeon*, 67-74
- Hummingbird*, Ruby-throated, 29, 97, 161
- Hylocichla a. aliciae*, 105
 fuscescens, 34
 f. salicicola, 158
 guttata pallasi, 34, 105, 230
 mustelina, 105, 168
 ustulata swainsoni, 34, 105, 168
- Ibis, White-faced Glossy, 157
- Icteria v. virens*, 103
- Icterus galbula*, 99, 107, 162
- Icterus spurius*, 99, 107
- Indigo Bunting, 31, 101, 163
- Ionornis martinicus*, 37
- Iridoprocne bicolor*, 32, 101
- Ixobrychus exilis*, 94
- Jaeger*, Parasitic, 36
- Junco hyemalis*, 31, 100
- Junco h. carolinensis*, 228
- Junc*?, Slate-colored, 31
 Carolina, 228
- Killdeer, 27, 96
- Kingbird*, 29, 98, 161
 Arkansas, 98
- Kingfisher*, Belted, 28, 97, 160

- Kinglet, Golden-crowned, 34, 105
 Ruby-crowned, 105
 Kittiwake, 224
 Lanius borealis, 101
 ludovicianus excubitorides, 101
 ludovicianus migrans, 32, 102
 Lanivireo flavifrons, 40, 102
 s. solitarius, 102, 163
 Lark, Prairie Horned, 30, 98, 131-141
 Larus argentatus, 25, 225
 delawarensis, 93, 225
 franklini, 93, 109
 philadelphicus, 225
 Limnodromus griseus scolopaceus, 95
 Limosa haemastica, 95
 Longspur, Lapland, 99
 Lophodytes cucullatus, 93, 225
 Loxia curvirostra minor, 99
 Mallard, 25, 93, 225
 Mareca americana, 94, 226
 penelope, 39
 Marila americana, 25, 39, 225
 affinis, 94, 226
 collaris, 227
 marila, 226
 valisineria, 94, 226
 Maryland Yellow-throat, 33, 43, 103
 Meadowlark, 30, 99
 Western, 99
 Melanerpes erythrocephalus, 29, 97
 Melospiza georgiana, 31, 101
 lincolni, 100
 melodia, 31, 100, 163
 m. juddi, 100
 Merganser, American, 93, 225
 Hooded, 93, 225
 Red-breasted, 25, 39, 225
 Mergus americanus, 93, 225
 serrator, 25, 39, 225
 Micropalama himantopus, 157
 Mimus polyglottos, 36, 104
 Mniotilla varia, 32, 102, 164
 Mockingbird, 36, 104, 108
 Molothrus ater, 30, 98
 Mourning Dove, 37, 96
 Muscivora forficata, 100
 Myiarchus crinitus, 29, 98
 Myiochanes virens, 29, 98, 162
 Nannus hiemalis, 33, 104, 167
 Nettion carolinense, 94, 226
 Nighthawk, 29, 97, 161
 Numenius americanus, 96
 Nuthatch, Red-breasted, 34, 104
 White-breasted, 34, 41, 104
 Nuttallornis borealis, 98
 Nycticorax nycticorax naevius, 94
 Nyctanassa violacea, 94
 Oporornis formosus, 103
 philadelphicus, 103, 166
 Oriole, Baltimore, 99, 107, 162
 Orchard, 99, 107
 Osprey, 28, 96
 Otocoris alpestris praticola, 30, 98, 131-141
 Otus asio, 28, 97
 Oven-bird, 33, 43, 103, 165
 Owl, Barn, 97
 Barred, 28, 97
 Great Gray, 28
 Great Horned, 97
 Long-eared, 97
 Screech, 28, 97
 Short-eared, 97
 Oxyechus vociferus, 27, 96, 228
 Pandion haliaetus carolinensis, 28, 96
 Partridge, Canada spruce, 27
 Passer domesticus, 30, 99
 Passerculus sandwichensis alaudinus, 99
 sandwichensis savanna, 99
 Passerella iliaca, 101
 Passerherbulus lecontei, 100
 Passerina cyanea, 31, 101, 163
 Pelecanus erythrorhynchos, 156
 Pelican, Brown, 195, 200, 207
 White, 156, 204, 207
 Penthestes a. atricapillus, 34, 105
 a. septentrionalis, 105
 carolinensis, 37
 hudsonicus nigra, 167
 Perisoreus canadensis, 30
 Petrochelidon lunifrons, 101, 163
 Pewee, 29, 98, 162
 Phalaenoptilus nuttalli, 158
 Phalacrocorax auritus, 93, 225
 Phalarope, Red, 107
 Wilson's, 95
 Phalaropus fulicarius, 107
 Philohela minor, 42
 Phloeotomus pileatus abieticola, 29, 161
 Phoebe, 29, 98, 162
 Black, 216
 Say's, 216
 Pine Siskin, 30, 99, 162
 Pintail, 94, 226
 Pipilo erythrophthalmus, 31, 101
 Pipit, 104
 Piranga erythromelas, 31, 101, 163
 r. rubra, 101
 Pisobia fuscicollis, 95
 maculata, 95, 227
 minutilla, 26, 95, 227
 Planesticus migratorius, 34, 105, 168
 Plectrophenax nivalis, 36
 Plegadis guaranna, 157
 Plover, Black-bellied, 228
 Golden, 96, 228
 Semipalmated, 96, 228
 Upland, 95, 228

- Pluvialis d. dominica, 96, 228
Podilymbus podiceps, 24, 93, 224
Polioptila c. caerulea, 105
Pooecetes gramineus, 31, 99, 109
Poor-will, 158
Porzana carolina, 26, 95
Prairie Chicken, 27, 96
Proceedings, 49-60
Progne subis, 31, 101
Protonotaria citrea, 37
Purple Finch, 30, 99
Purple Gallinule, 37
Purple Martin, 31, 101, 232
Querquedula discors, 25, 94, 226
Quiscalus quiscale aeneus, 30, 99

Rail, Black, 217, 219
 Carolina, 218
 King, 94, 215
 Virginia, 26, 95, 218
Rallus elegans, 94
 virginianus, 26, 95
Raven, 30, 228
Redhead, 25, 226
Redstart, 33, 43, 104
Redwing, Thick-billed, 98
Regulus c. calendula, 105, 168
 s. satrapa, 34, 105
Riparia riparia, 32, 101
Rissa tridactyla, 224
Robin, 34, 105, 168
Rubicola minor, 95, 227
Ruby-throated Hummingbird, 29, 97,
 161, 235

Sanderling, 227
Sandpiper, Least, 26, 95, 227
 Pectoral, 95, 227
 Semipalmated, 95
 Solitary, 26, 95, 160, 228
 Spotted, 26, 96, 228
 Stilt, 157
 White-rumped, 95
Sapsucker, Yellow-bellied, 28, 97, 161,
 229
Sayornis phoebe, 29, 98, 162
Say's Phoebe, 216
Scarlet Tanager, 31, 101
Seiurus aurocapillus, 33, 103, 165
 motacilla, 166
 n. notabilis, 103
 n. noveboracensis, 103, 165
Setophaga ruticilla, 33, 104
Shoveller, 94, 226
Shrike, Migrant, 32, 102
 Northern, 101
 White-rumped, 101
Sialia sialis, 34, 105
Sitta canadensis, 34, 104, 167
 carolinensis, 34, 104

Snipe, Wilson's, 95, 227
Snow Bunting, 36
Sora, 26, 95
Sparrow, Chipping, 31, 100, 162
 Clay-colored, 100
 Dakota Song, 100
 English, 30, 99
 Field, 100
 Fox, 101
 Gambel's, 100
 Grasshopper, 17, 99
 Harris's, 40, 100
 Lark, 39, 100
 Leconte's, 100
 Lincoln's, 100
 Savannah, 99
 Song, 31, 100, 163
 Swamp, 31, 101
 Tree, 100
 Vesper, 31, 99, 109, 238
 Western Field, 100
 Western Savannah, 99
 Western Tree, 100
 White-crowned, 31, 100
 White-throated, 31, 75-78, 100
Spatula clypeata, 94, 226
Sphyrapicus varius, 28, 97, 161, 229
Spinus pinus, 30, 99, 162
Spiza americana, 18, 101
Spizella monticola, 100
 m. ochracea, 100
 pallida, 100
 passerina, 31, 100, 162
 p. arenacea, 100
 p. pusilla, 100

Squatarola s. cynosurae, 228
Starling, 16, 162
Steganopus tricolor, 95
Stelgidopteryx serripennis, 32, 101
Stercorarius parasiticus, 36
Sterna antillarum, 225
 forsteri, 225
 hirundo, 25, 225
Strix varia, 28, 97
Sturnella magna, 30, 99
 neglecta, 99
Sturnus vulgaris, 16, 162
Swallow, Bank, 32, 101
 Barn, 32, 101, 163
 Cliff, 101, 163
 Rough-winged, 32, 101
 Tree, 32, 101

Tanager, Scarlet, 31, 101, 163
 Summer, 101
Teal, Blue-winged, 25, 94, 226
 Green-winged, 94, 226
Telmatoctes palustris, 33
 p. iliacus, 104

- Tern, Black, 25, 78-80
 Cabot's, 204, 206
 Caspian, 195, 202, 206
 Common, 25, 225
 Forster's, 225
 Least, 195, 225
 Royal, 195, 202
- Thrush, Gray-cheeked, 105
 Hermit, 34, 105, 229
 Olive-backed, 34, 105, 229
 Willow, 158
 Wilson's, 34
 Wood, 105, 108, 168
- Thryomanes b. bewickii, 158
- Thryothorus l. ludovicianus, 104
- Totalis flavipes, 95, 228
 melanoleucus, 95, 227
- Towhee, 31, 37, 101
- Toxostoma rufum, 33, 104
- Tringa solitaria, 26, 95, 228
- Troglodytes aedon, 33, 166
 a. parkmani, 104
- Tufted Titmouse, 105, 107
- Turkey Vulture, 27, 96, 142-145
- Tympanuchus americanus, 27, 96
- Tyrannus tyrannus, 29, 98, 161
 verticalis, 98
- Tyto alba pratincola, 97
- Upland Plover, 95
- Verdin, 215
- Vermivora cellata, 102
 chrysoptera, 102, 229
 perigrina, 32, 102
 ruficapilla, 40, 102, 164
- Vireo, Bell's, 102
 Blue-headed, 102, 163
 Red-eyed, 32, 102
 Warbling, 32, 102
 White-eyed, 102
 Yellow-throated, 40, 102
- Vireo b. bellii, 102
- Vireo g. griseus, 102
- Vireosylva gilva gilva, 32, 102
 olivacea, 32, 102
- Vulture, Black, 207
 Turkey, 27, 96, 142-145
- Warbler, Bay-breasted, 165
 Blackburnian, 43, 103, 165
 Black-poll, 33, 43, 103, 165
 Black-throated Blue, 32, 164
 Black-throated Green, 33, 43, 103,
 165, 229
 Black and White, 32, 43, 102, 164
 Blue-winged, 43
 Cairns's, 229
 Canada, 166
 Cape May, 43, 102
 Chestnut-sided, 33, 103, 229
 Golden-winged, 102, 229
- Hooded, 108
 Magnolia, 43, 103, 164, 229, 236
 Mourning, 103, 166
 Myrtle, 33, 43, 102
 Nashville, 40, 43, 102, 164
 Northern Parula, 102
 Orange-crowned, 102
 Palm, 43, 103
 Parula, 43
 Pileolated, 104
 Pine, 33
 Prothonotary, 37
 Tennessee, 32, 43, 102
 Wilson's, 103, 166
 Yellow, 32, 43, 102
- Water-Thrush, 103, 165
 Grinnell's, 103
 Louisiana, 43, 166
- Waxwing, Cedar, 32, 101, 229
- Weeks, Leroy Titus, autobiography, 87-
 90
 obituary, 115
- Western Redtail, 96
- Whip-poor-will, 29, 97
- Widgeon, European, 39
- Widmann, Otto, autobiography, 146-155
- Wilsonia canadensis, 166
 p. pileolata, 104
 p. pusilla, 103, 166
- Wilson's Snipe, 26, 95, 227
- Wisconsin, birds of, 23-34
- Wood Duck, 25
- Woodcock, 42, 95, 227
- Woodpecker, Downy, 28, 97
 Hairy, 28, 97, 161
 Lewis's, 36
 Northern Pileated, 29, 161
 Red-bellied, 97
 Red-headed, 29, 97
- Wood Pewee, 29, 98, 162
- Wren, Bewick's, 158
 Cactus, 215
 Carolina, 104, 108
 House Wren, 33, 166, 232, 233, 234
 Long-billed Marsh, 33
 Prairie Marsh, 104
 Short-billed Marsh, 104
 Western House, 104
 Winter, 33, 104, 167
- Xanthocephalus xanthocephalus, 98
- Yellow-breasted Chat, 103
- Yellow-legs, 95, 228
 Greater, 95, 227
- Yellow-throat, Maryland, 103
- Zenaidura macroura carolinensis, 96
- Zonotrichia albicollis, 31, 75-78, 100
 leucophrys, 31, 100
 l. gambeli, 100
 querula, 40, 100