

INDEX FOR VOLUME XLIV, 1932**Compiled by R. D. Hissong**

- Bailey, Alfred M., A Starling roost in the Chicago area, 40
Bailey, Harold H., Some corrections and additions to the new A. O. U. Check-List, 186-188
Black, J. D., A winter Robin roost in Arkansas, 13-19
—The record of the Starling in Kansas, 235
—The Bohemian Waxwing in Arkansas, 240
Blincoe, Benjamin J., Wilson's Snipe feeding in open water, 233
Breitenbach, E. L., Woodcocks and Wood Ducks in Washington County, Iowa, 181
Brooks, Maurice, Nesting of Prairie Warbler two years in identical location, 233
Burns, Frank L., Charles W. and Titian R. Peale and the ornithological section of the old Philadelphia museum, 23-35
Byrens, Oscar M., A Snow Bunting banded in Michigan shot in Greenland, 38
Campbell, Louis W., A large flock of Bank Swallows near Toledo, Ohio, 118
Cook, Mrs. Horace P., Some brief bird notes from Indiana, 39
—The Blue-gray Gnatcatcher in Indiana, 45
—An early arrival of the Bobolink in Indiana, 115
—A late date for the Chimney Swift in Indiana, 180
Dumont, Philip A., Notes from Central Iowa, 170-177
—American Egret in Lake County, Indiana, 236
—Some Iowa birds in a Des Moines collection, 236-237
Eastwood, Sidney K., Notes on the feeding of the Least Bittern, 42
—American Egret in Butler County, Pennsylvania, 240
Edwards, Helen M., A Cardinal's odd way of catching ants, 235
Errington, Paul L., Great Horned Owls dying in the wild from diseases, 180
—An encounter between a Cooper's Hawk and a Horned Owl, 189
—Studies on the behavior of the Great Horned Owl, 212-220
Felton, W. R., A large fall migration of the White Pelican, 41
Fleetwood, Raymond J., American Egret in Elkhart County, Indiana, 240
Ford, Edward R., Re-use of nest material, 189
Ganier, A. F., Nesting of the Bald Eagle, 3-9
Grange, Wallace B., A large flock of Wood Ibises in Harrison County, Iowa, 43
Guthrie, J. E., Snakes versus birds; birds versus snakes, 88-113
Hagar, Mrs. Jack, Double and triple nests of the Red-winged Blackbird, 184
Henderson, Grant, Unusual nesting site of Chimney Swifts, 45
—The chipmunk as an enemy of birds, 184
Hicks, Lawrence E., The Snowy Owl invasion of Ohio in 1930-31, 221-226
Johnson, R. G., A New York Ring-necked Pheasant census, 183
Kalmbach, E. R., Winter Starling roosts of Washington, 65-75
Kalter, Louis B., Florida Gallinule eats goldfish, 38
—Influence of an Osprey on Bronzed Grackles and Pied-billed Grebes, 42
Kendeigh, S. Charles, A study of Merriam's temperature laws, 129-143
Larrabee, A. P., The Barn Owl nesting in southeastern South Dakota, 38
Leopold, Aldo, A flight of Franklin's Gulls in northwestern Iowa, 116
Lewis, John B., Further comment on the nesting of the Blue-gray Gnatcatcher, 115
Lillie, Frank R., The physiology of feather pattern, 193-211.
Lloyd, C. K., The Blue-Gray Gnatcatcher moves its nest, 185
Lundquist, Arthur, The Cormorants of South Dakota, 227-230
Main, John S., The influence of temperature on migration, 10-12

- Mayfield, George R., The Red-cockaded Woodpecker in Grundy County, Tennessee, 44
 —Philadelphia Vireo near Nashville, Tennessee, 116
 McGuire, N. M., A Red-bellied Woodpecker robs a Sapsucker, 39
 Membership roll, 190-192
 Morse, Margarette E., Red Crossbills at Viroqua, Wisconsin, 38
 Murray, J. J., An experiment with nesting Purple Grackles, 182
 Nauman, E. D., The Red-headed Woodpecker as a mouser, 44
 Ornithological Literature, 119-128, 241-248
 Over, William H. and Craig S. Thoms, Additional bird records for South Dakota, 47-49
 Pellett, Frank C., White-breasted Nuthatches occupy a nest box, 43
 Roads, Katie M., Some notes on birds for 1930, 42
 —Ground-nesting birds, 116
 —The nesting behavior of a pair of mockingbirds, 188
 Roberts, F. L. R., Two Iowa duck records, 180
 Shelford, Victor E., Life zones, modern ecology, and the failure of temperature summing, 144-157
 Shirling, A. E., Cedar Waxwings feeding on ash flower stamens, 183
 Smith, George A., A Spotted Sandpiper incubates five eggs, 38
 Stephens, T. C., Brunnich's Murre in Iowa, 239
 Stevens, O. A., Bank Swallows killed by automobiles, 39
 Swenk, Myron H., The Swallow-tailed Kite in Pottawattamie County, Iowa, 182
 Taber, William B., Curvature of wing and soaring flight, 19-22
 —Curvature of wing and flapping flight, 75-78
 Taylor, Mrs. H. J., Snow and Goss, the pioneers in Kansas Ornithology, 158-169
 Thoms, Craig S., Additional bird records for South Dakota, 47-49
 Tomkins, Ivan R., Some observations on the Eastern Willet at nesting time, 46
 —Worthington's Marsh Wren in the vicinity of Savannah, Georgia, 40
 Van Tyne, Josselyn, The Orange-crowned Warbler at Ann Arbor, Michigan, 234
 Watterson, William H., The 1931 fall migration at Cleveland's public square, 117
 Wetmore, Alexander, The former occurrence of the Mississippi Kite in Ohio, 118
 Wood, Harold B., The Great Blue Heron flops on its prey, 185
 Wood, Merrill, New birds for State College, Pennsylvania, 238-239
 Wood, Norman A., Harlan's Hawk, 78-87.
 Youngworth, William, Notes on the nesting of the Bronzed Grackle and Say's Phoebe, 41
 —Recent bird notes from southern South Dakota, 43
 —Recent changes in South Dakota bird life, 181
 —The Yellow-throated Vireo in South Dakota, 233
 —Another hybrid between the Indigo and Lazuli Buntings, 239

-
- | | |
|-------------------------------------|-----------------------------------|
| Acridotheres gingianus, 90 | Aphelocoma californica, 104 |
| Actitis macularia, 38, 186 | coeruleascens, 187 |
| Agelaius, 187 | Aquila chrysaëtos, 103 |
| phoeniceus, 106 | Ardea caerulea, 101 |
| Albatross, 98, 101 | egretta, 101 |
| Ammodramus savannarum australis, 29 | herodias, 98, 101, 185 |
| Ammospiza caudacuta nelsoni, 177 | rufa, 101 |
| macgillivraii, 188 | tricolor ruficollis, 101 |
| maritima shannoni, 187 | virescens, 101, 105 |
| Ampelis cedrorum, 183 | Arenaria interpres morinella, 172 |
| Anas boschas, 101 | Asio flammeus, 28 |
| Anhinga anhinga, 26, 27, 101 | wilsonianus, 28 |

- Astur atricapillus, 28, 236
Bartramia longicauda, 173
Balldate, 239
Bataleur, 103
Bishop bird, Black-bellied, 106
Bittern, 100
 American, 89, 98, 101, 186
 Least, 42, 238
Blackbird, 108
 Brewer's, 126
 Crow, 107
 Red-winged, 10, 11, 74, 92, 106,
 107, 108, 126, 184, 187
 Bluebird, 10, 12, 39, 43, 161
Bobolink, 93, 108, 115
Bob-white, 92, 106, 118, 225
Bombbycilla cedrorum, 29, 176
 garrula pallidiceps, 240
Bonasa umbellus, 237
Botaurus lentiginosus, 98, 101, 186
Branta canadensis hutchinsi, 236
Brunnich's Murre, 239
Bubo virginianus occidentalis, 237
 v. virginianus, 212-220, 237
Bucorax cafer, 98, 104
Bunting, snow, 38, 39, 188
 Indigo x Lazuli, 239
Buteo albicaudatus sennetti, 103
 borealis borealis, 102
 borealis calurus, 103
 b. harlani, 78-87, 237
 b. krideri, 103
 lagopus s.-johannis, 237
 lineatus, 103
 l. extimus, 186
 platypterus, 172
 regalis, 172
 swainsoni, 103, 186
 vulgaris, 91, 102, 105
Butorides virescens, 185
Buzzard, 91, 98, 99, 102, 105
 Turkey, 102
Campephilus principalis, 28
Camptorhynchus labradorius, 27
Canvasback, 27, 171, 238
Capella gallinago delicata, 233
Cardinal, 42, 55, 106, 184, 235
 Gray-tailed, 90
Cardinalis cardinalis, see Richmondena
Casmerodius albus egretta, 47, 236
Cassadix mexicanus major, 29
Cat, 18-19
Cathartes aura, 102
Catoptrophorus semipalmatus inornatus,
 47
 s. semipalmatus, 46
Certhia familiaris americana, 30
Chaetura pelagica, 45, 180
Charadrius hiaticula, 28
 melodia, 28
 semipalmatus, 28
Chat, Yellow-breasted, 39, 57
Chaulelasmus streperus, 171
Chauta cristata, 101
Chen caerulescens, 236
 hyperborea, 236
Chewink, 108
Chickadee, 43, 89
 Black-capped, 187
Chicken, Domestic, 97, 102, 106, 107
 Greater Prairie, 237
 Prairie, 106, 118
Chlidonias nigra surinamensis, 173
Chondestes grammacus, 43
Chordeiles minor, 42
Circaetus gallicus, 103
Circus hudsonius, 186
Coccyzus americanus, 28, 174
 erythrophthalmus, 28, 174, 187
Colinus virginianus, 106
Columba leucocephala, 186
 squamosa, 186
Colymbus auritus, 170, 236
 griseogena holboelli, 170
 nigricollis californicus, 236
Compsothlypis americana pusilla, 48
Conuropsis carolinensis, 28
Coot, American, 11
Coracias, 104
Coragyps atratus, 28
Cormorant, 8
 Double-crested, 4, 56, 181, 227-230
 236
 Florida, 101
Corvulture albicollis, 104
Corvus brachyrhynchos, 104
 corax principalis, 29
 scapulatus, 104
Coturnicops noveboracensis, 237
Cowbird, 97, 104, 108, 110, 187
Crane, Sandhill, 98, 102
 Whooping, 26, 28, 102
Crocethia alba, 173
Crossbill, Bendire's, 49
 Red, 38
Crow, 74, 99, 100, 104, 118, 218
 Carriion, 28
 Pied, 104
Cuckoo, Black-billed, 28, 174, 187
 Carolina, 28
 Yellow-billed, 53, 174
Curlew, American, 28
 European, 28
Cyanocitta woodhouseii, 107
Dacelo gigas, 98, 104

- Dafila acuta tzitzioha, 171
 Dendrocygna fulva, 180
 Dendroica caerulea, 29, 49
 caerulescens, 48
 discolor, 233
 discolor collinsi, 187
 magnolia, 29
 pinus, 49
 trigrina, 48
 virens, 49
 Dolichonyx oryzivorus, 115
 Dove, Blue-headed Quail, 186
 Eastern Mourning, 115
 Ground, 124
 Mourning, 55
 Ringed Turtle, 186
 Droma novae-hollandiae, 102
 Dryobates borealis, 44
 Duck, 8, 101, 180, 181, 227
 Argentine Black-headed, 124
 Black, 11, 126
 European Ruddy, 124
 Fulvous Tree, 180
 Harlequin, 26
 Labrador, 26
 Lesser Scaup, 118, 172, 238
 Pied, 27
 Ring-necked, 118, 238
 Ruddy, 26, 171, 172
 Wood, 118, 182, 238
 Dumetella carolinensis, 42, 187
 Eagle, 88, 98
 Bald, 3-9, 30, 51, 103
 Golden, 53, 103
 Harrier, 97, 103
 Jean le blanc, 103
 Serpent, 97, 103
 Ectopistes migratorius, 28
 Egret, 56
 American, 47, 101, 236, 240
 Reddish, 101
 Snowy, 57, 101
 Eider, American, 26
 Elanoides forficatus, 28, 102, 182, 236
 Elanus melanopterus, 102
 Empidonax virescens, 28, 48, 175
 Emu, 102
 Enemies of Birds, 88-113, 184
 Ereunetes mauri, 47
 pusillus, 173
 Erismatura jamaicensis rubida, 27, 171
 Eurostomus, 104
 Falco mexicanus, 237
 peregrinus anatum, 172
 p. pealei, 35
 sparverius paulus, 186
 s. sparverius, 103, 186
 Falcon, Black-winged, 102
 Prairie, 237
 Swallow-tailed, 28
 Finch, Gray-crowned Rosy, 49
 Hepburn's Rosy, 49
 House, 107
 Fish Crow, 238
 Flamingo, 26, 27
 Flicker, 43, 94, 107, 118, 128, 219
 Flight, 19-22, 75-78
 Florida caerulea, 47
 Flycatcher, Acadian, 48, 175
 Alder, 175
 Arizona Crested, 90
 Crested, 43, 189
 Least, 175
 Mexican Crested, 90
 Northern Crested, 89, 175
 Olive-colored, 28
 Olive-sided, 175
 White-eyed, 29
 Yellow-bellied, 175
 Fregata magnificens, 186
 Frigate-bird, 98, 101
 Gadwall, 171, 172
 Gallinago delicata, 28
 Gallinula chloropus cachinnans, 38
 Gallinule, Florida, 38, 124
 Purple, 26
 Gallus gallus, 102
 Geococcyx californianus, 90
 Gnatcatcher, Blue-gray, 45, 48, 54, 115,
 185, 189, 238
 Godwit, Marbled, 181
 Golden-eye, 11
 Goose, Blue, 56, 236
 Greater Snow, 47
 Hutchins's, 236
 Lesser Snow, 236
 Goshawk, Eastern, 236
 Grackle, 41, 118
 Boat-tailed, 29, 74, 238
 Bronzed, 10, 12, 41, 42, 115
 Purple, 182
 Gracula barita, 29
 Grebe, American Eared, 236
 Eared, 181
 Holboell's, 170, 181
 Horned, 170, 236
 Pied-billed, 42
 Western, 181
 Grosbeak, Eastern Blue, 90
 Eastern Evening, 238
 Canadian Pine, 238
 Rocky Mountain, 43
 Rose-breasted, 42, 117, 174
 Western Blue, 43, 90
 Grouse, 219
 Eastern Ruffed, 237
 Pinnated, 28
 Ruffed, 118
 Grus americana, 28, 102
 canadensis tabida, 98
 mexicana, 102

- Guara alba, 47, 101
 rubra, 27
 Guinea Fowl, 107
 Guiraca c. caerulea, 90
 c. interfusca, 43, 90
 Gull, Bonaparte's, 47, 173, 237
 Franklin's, 116, 186, 237
 Herring, 11, 117, 237
 Ring-billed, 181, 227, 237
 Haematopus ostralegus, 28
 palliatus, 28
 Halcyon, 98, 104
 Haliaeetus leucocephalus, 3, 103
 Harrier, Jardine's, 103
 Hawk, 88, 89, 97, 98, 103, 107, 126
 Black-cap, 28
 Broad-winged, 124, 172
 Cooper's, 189
 Duck, 118, 172
 Ferruginous Rough-leg, 172
 Harlan's, 78-87, 237
 Harrier, 103
 Insular Red-shouldered, 186
 Krider's, 103
 Little Sparrow, 186
 Marsh, 100, 102, 186
 Red-shouldered, 99, 103, 189
 Red-tailed, 18, 79, 100, 102, 218
 Rough-legged, 237, 238
 Sharp-shinned, 102
 Sparrow, 43, 99, 103, 117
 Swainson's, 103, 124, 186
 Western Red-tailed, 80, 83, 103
 White-tailed, 103
 Hedymeles ludovicianus, 42
 melanocephalus papago, 43
 Helotarsus ecaudatus, 103
 Heron, 56, 89, 97, 100
 Black-crowned Night, 47, 101, 238
 Great Blue, 4, 98, 101, 185
 Green, 101, 105, 185
 Little Blue, 47, 101
 Louisiana, 101
 Yellow-crowned Night, 102
 Hornbill, Ground, 98, 104
 Hummingbird, Broad-tailed, 48
 Ruby-throated, 45, 115, 189
 Hylocichla, 30
 fuscescens saliciculus, 176
 guttata faxoni, 42
 ustulata swainsoni, 42
 Ibis, 88, 101
 Egyptian, 101
 Glossy, 101, 127
 Scarlet, 26, 27
 White, 47, 101
 White-faced Glossy, 127
 Wood, 43, 56, 101
 Icterus galbula, 187
 spurius, 29
 Ictinia mississippiensis, 118
 Ixobrychus exilis, 42
 Jacana, Mexican, 186
 spinosa gymnostoma, 186
 Jay, Blue, 44, 106, 239
 California, 104
 Florida, 187
 Florida Blue, 106
 Woodhouse, 107
 Killdeer, 10, 12
 Kingbird, 26
 Eastern, 175
 Kingfisher, 88, 98
 Belted Bush, 104
 Kinglet, Golden-crowned, 117
 Ruby-crowned, 117
 Kite, 97, 102
 Mississippi, 102, 118
 Swallow-tailed, 26, 102, 118, 182, 236
 Lanius borealis, 29, 104
 ludovicianus excubitorides, 29, 104
 l. ludovicianus, 104
 l. migrans, 105
 Lark, Hoyt's Horned, 48
 Prairie Horned, 128
 Larus argentatus smithsonianus, 237
 delawarensis, 237
 philadelphicus, 173, 237
 pipixcan, 116, 186, 237
 Laughing Jackass, 98, 104
 Leucosticte tephrocotis littoralis, 49
 t. tephrocotis, 49
 Lophodytes cucullatus, 171, 236
 Loxia curvirostra bendirei, 49
 c. pusilla, 29, 38
 rostra forficato, 29
 Magpie, 104
 Mallard, 11, 97, 101, 112, 118, 171, 172, 180
 Man-o-war-bird, 186
 Martin, Purple, 41, 43
 Meadowlark, 10, 12, 89, 106, 219
 Western, 93
 Melanerpes erythrocephalus, 44
 Melanitta deglandi, 47
 Meleagris, 102
 gallopavo silvestris, 28
 Melospiza georgiana, 49
 melodia, 29, 116
 Merganser, 11, 236
 American, 171, 172, 238
 Hooded, 171, 172, 236
 Mergus merganser americanus, 171, 236
 Migration, 10-12, 117
 Mimus polyglottos, 176, 188
 Mockingbird, 55, 128, 170, 176, 188, 238
 Molothrus ater ater, 104, 187
 Muscicapa subviridis, 28
 Mycteria americana, 43, 101

- Myiarchus c. cinerascens, 90
 crinitus boreus, 48, 89
 c. crinitus, 90
 tyrannulus magister, 90
 t. nelsoni, 90
- Myiochanes virens, 28
- Mynah, Bank, 90
- Nighthawk, 42
- Numenius americanus, 28
 arquata, 28
- Nuthatch, Rocky Mountain, 48
 White-breasted, 43
- Nuttallornis mesoleucus, 175
- Nyctanassa violaceus, 102
- Nyctea nyctea, 221-226, 237
- Nycticorax nycticorax naevius, 101
- Nyroca valisineria, 27, 171
- Oidemia americana, 27
- Old-squaw, 26, 239
- Oporornis agilis, 49
 formosus, 187
 philadelphia, 177
- Oriole, 91
 Baltimore, 29, 187
- Oriolus spurius, 29
- Osprey, 42, 237
- Otocoris alpestris hoyti, 48
 a. praticola, 124
- Otus asio asio, 104
- Ouzel, Water, 128
- Oven-bird, 26, 43
- Owl, 28, 96, 98, 104, 112, 126
 Barn, 38, 238
 Barred, 18, 118, 180, 212, 217
 Burrowing, 104
 Great Horned, 18, 107, 180, 189,
 212-220, 237
 Long-eared, 28, 238
 Montana Horned, 237
 Screech, 43, 104, 180, 216
 Snowy, 221-226, 237
 Western Burrowing, 174
- Oyster-catcher, 28
 European, 26
 Pied, 28
- Pandion haliaetus carolinensis, 42, 237
- Paroquet, Carolina, 28
- Partridge, Hungarian, 225
- Passer domesticus, 29, 90, 140
- Passerculus sandwichensis savanna, 177
- Passerina cyanea x P. amoena, 239
- Pelecanus erythrorhynchos, 27, 236
- Pelican, 56
 Brown, 56
 White, 41, 236
- Pelidna alpina sakhalina, 173
- Penthestes atricapillus, 187
 carolinensis, 187
- Petrochelidon albifrons, 175
 lunifrons, 43
- Pewee, Wood, 175, 189
- Phalacrocorax auritus, 227-230, 236
 auritus floridanus, 101
- Phalarope, Red, 48
- Phalaropus fulicarius, 48
- Pheasant, Ring-necked, 183, 225, 238
- Phoebe, 46
 Eastern, 175, 187
 Say's, 41
- Phoenicopterus ruber, 27
- Pica pica hudsonia, 104
- Pigeon, 108
 Passenger, 28, 118, 127
 Scaled, 186
 White-crowned, 186
- Pintail, 11, 171, 172, 180
- Pipilo erythrophthalmus, 43, 116
 maculatus arcticus, 43
- Piranga erythromelas, 29
 rubra, 29
- Pisobia bairdi, 173
 fuscicollis, 47, 173
 melanotos, 173
 minutilla, 173
- Planesticus migratorius, 105 (See
 Turdus)
- Plectrophenax nivalis, 188
- Plegadis autumnalis, 101
- Plover, Ringed, 28
 Upland, 173, 181
- Podilymbus podiceps, 42
- Polioptila caerulea, 45, 48, 115, 185
- Polyboroides, 103
- Protonotaria citrea, 48
- Ptarmigan, 221
- Pyromelana nigriventris, 106
- Quail, 94, 105, 106, 107, 108
- Quiscalus, 118
 quiscula aeneus, 41, 42
- Quisculus quiscula, 182
- Rail, 108
 Virginia, 102
 Yellow, 237
- Rallus virginianus, 102
- Raven, 26, 98, 118
 White-necked, 104
- Red-head, 27
- Redstart, 117
- Richmondena cardinalis canicauda, 90,
 106, 235
 c. cardinalis, 42, 184
- Ringhals, 104
- Riparia riparia, 118
- Road-runner, 90, 98, 104

- Robin, 10, 12, 13-19, 39, 40, 44, 54, 97, 99, 105, 107, 108, 115, 161, 176
 Brown-backed Indian, 90
 Black-backed Indian, 90
- Rollers, 104
- Rynchops nigra, 55
- Salpinctes obsoletus, 43
- Sanderling, 173
- Sandpiper, Baird's, 173
 Eastern Solitary, 173
 Least, 173
 Pectoral, 173, 233
 Red-backed, 173
 Semipalmated, 173
 Spotted, 38, 186
 Western, 47
 White-rumped, 47, 173
- Sapsucker, Yellow-bellied, 39, 117
- Sayornis phoebe, 46, 187
 sayus, 41
- Scoter, 27
 American, 27
 White-winged, 47
- Screamer, Crested, 101
- Secretary Bird, 99, 103
- Seiurus aurocapillus, 43
 noveboracensis notabilis, 177
 motacilla, 30
- Selasphorus platycercus, 48
- Serpentarius reptilivorus, 99
 secretarius, 99, 103
- Shoveller, 172
- Shrike, 26, 97, 98, 105
 Loggerhead, 104
 Migrant, 105
 Northern, 104, 238
 White-rumped, 104
- Siskin, Pine, 32, 187
- Sitta carolinensis nelsoni, 48
- Skimmer, Black, 55
- Smew, 26
- Snake, 88-113, 128
- Snake-bird, 101, 104, 160
- Snake-crane, 101
- Snipe, English, 28
 Wilson's, 233
- Solitaire, Townsend's, 108
- Sparrow, Chipping, 29, 55, 108
 Clay-colored, 181
 Eastern Lark, 239
 Eastern Savannah, 177
 Eastern Song, 116
 English, 41, 74, 90, 94, 107, 108, 140, 161, 162, 212, 220
 European Tree, 53
 Field, 105
 Lark, 43
 Lincoln's, 239
 Nelson's, 177, 181
- Russet-capped, 29
- Savannah, 117
- Shannon's Seaside, 187
- Song, 10, 11, 89, 117
- Spotted-breasted, 29
- Swamp, 49
- Tree, 117
- White-crowned, 117
- White-throated, 117
- Yellow-winged, 29
- Speotyto cunicularia, 104
 cunicularia hypogaea, 104, 174
- Sphyrapicus varius, 39
- Spinus pinus, 30, 187
- Spizella arborea, 29
- Starling, 40, 65-75, 115, 118, 119, 176, 235
- Sterna antillarum, 27, 173
- Stork, 88, 101
- Streptopelia risoria, 186
- Sturnus vulgaris, 40, 176, 235
- Swallow, Bank, 39, 118
 Barn, 107, 118
 Cliff, 43, 239
 Northern Cliff, 175
 Tree, 118
- Swan, Whistling, 167, 168
- Swift, Chimney, 45, 74, 180
- Tanager, Red, 29
- Teal, Blue-wing, 118, 171, 172
- Telmatodytes palustris griseus, 40
 p. palustris, 30
- Tern, Black, 119, 173
 Common, 107, 119, 181, 227
 Least, 173
 Noddy, 56
 Sooty, 56
- Thamnobia cambaiensis, 90
 fulicata, 90
- Thrasher, Brown, 55, 94, 115, 187
- Thrush, Gray-cheeked, 30
 Hermit, 30, 42
 Olive-backed, 30, 42
 Willow, 176
 Wilson's, 30
 Wood, 30, 55
- Thryothorus ludovicianus, 48, 90
- Titmouse, Black-crested, 90
- Totanus flavipes, 173
- Towhee, Arctic, 43
 Eastern, 43
 Red-eyed, 116
- Toxostoma rufum, 115, 187
- Tringa solitaria, 173
- Troglodytes aedon, 30, 132, 140, 175
 a. parkmani, 175
- Turdus migratorius achrusterus, 13, 17
 m. migratorius, 13, 17
 m. propinquus, 17

- Turkey, 102, 118
 Wild, 99
- Turnstone, Ruddy, 172
- Tympanuchus americanus*, 106
 cupido americanus, 237
 c. cupido, 28
- Tyto alba pratincola*, 28, 38
- Uria l. lomvia*, 239
- Vermivora celata*, 176, 234
 peregrina, 177
- Vireo*, Blue-headed, 48
 flavifrons, 29, 48, 233
 griseus maynardi, 187
- Key West, 187
- Mountain, 117
 Philadelphia, 116, 238
 philadelphicus, 117
- Red-eyed, 39, 116
 solitarius, 48
- White-eyed, 116, 238
 Yellow-throated, 48, 117, 233
- Vultur atratus*, 28
- Vulture, 102
- Warbler, Black and white, 26
 Black and yellow, 29
- Blackburnian, 57
- Black-throated Blue, 48
- Black-throated Green, 49
- Blackpoll, 117
 Blue and White, 29
- Canada, 26, 49
- Cape May, 48
- Cerulean, 49
- Collins's, 187
- Connecticut, 49
- Florida Prairie, 187
- Golden-winged, 57
- Hooded, 26, 123
 Kentucky, 187, 238
- Louisiana, 30
- Magnolia, 117
- Mourning, 177
- Myrtle, 29
- Northern Parula, 48
- Northern Pine, 49
- Orange-crowned, 177, 234
- Pine, 55
- Prairie, 233
- Prothonotary, 48, 109
- Rufous, 90
- Swainson's, 57
- Tennessee, 177
- Western Palm, 238
- Yellow, 108
- Water thrush, 26
 Grinnell's, 177
- Water Turkey, 101, 161
- Waxwing, Cedar, 170, 176, 183
 Bohemian, 240
- Whip-poor-will, 117
- Willet, Eastern, 46
 Western, 47, 181
- Wilsonia canadensis*, 49
 pusilla, 30
- Wooocdck, 181
- Woodpecker, Downy, 43
 Hairy, 44, 45
- Ivory-billed, 28
- Pileated, 118, 123
- Red-bellied, 39, 239
- Red cockaded, 44
- Red-headed, 39, 43, 44
- Wren, 92, 106, 108
 Carolina, 48, 90
- House, 43, 136, 140, 175
- Longbilled Marsh, 40
- Marsh, 108
 Prairie Marsh, 181
- Rock, 43
 Short-billed Marsh, 181
- Worthington's Marsh, 40
- Yellow-legs, 47
 Lesser, 173
- Yellow-throat, Northern, 117
 Maryland, 57
- Zenaidura macroura carolinensis*, 115