

INDEX TO VOLUME 70, 1958

This index includes, in addition to names of species and authors, references to the following topics: behavior, conservation, food habits, fossils, growth, hybrids, measurements, migration, molts and plumages, nesting, parasitism, populations, predation, taxonomy, voice, and weights. Also included are references of biological significance to mammals, reptiles and amphibians. Names of new forms described in this volume are printed in **boldface** type.

- Accipiter cooperii*, 281
 gentilis, 90
 striatus suttoni, 248
Acrocephalus, 47
 palustris, 48
Actitis macularia, 116, 281
Aechmolphus mexicanus, 291
Aegolius acadicus, 188-191
Agelaius p. phoeniceus, 127
 p. phoeniceus × *mearnsi*, 127
 p. sonoriensis, 323
Aimophila aestivalis, 118
 rufescens, 254
 quinqstriata, 255
Aix sponsa, 20, 184-187, 198
Alda arvensis, 46, 53
Amazilia amabilis, 7
 edward, 7
 tzacatl, 6
 verticalis ellioti, 250
Amazona amazonica, 257
Ammodramus savannarum, 118
Ammospiza caudacuta, 284
 c. altera, 284, 285
 c. nelsoni, 284, 285
 maritima, 118
Amphibian
 Eleuthrodactylus sp., 229
 Rana catesbiana, 43
Anas, 197
 acuta, 26, 198
 cyanoptera, 186
 discors, 20
 platyrhynchos, 21, 198, 237, 240
 rubripes, 198
 sp., 197
 strepera, 198
Anhinga anhinga, 116
Ani, 273
Antochaera, 49
Anser albifrons, 197
 Anthus pratensis, 54
 trivialis, 54
Antiurus maculicaudatus, 291
Aphelocoma, 307
 coerulescens, 148, 324
 c. californica, 324
 c. immanis, 324
 c. superciliosa, 324
Aquila chrysaetos canadensis, 248
Archilochus colubris, 381
Ardea cinerea, 361
 Armagast, Robert M., see Daniel, Joseph C., Jr. and———
 Armagast, Julia W., see Daniel, Joseph C., Jr. and———
Asio flammeus, 91, 198
 otus, 198
 Atkeson, Thomas Z., see Martin, Leo M. and———
 Avocet, American, 196
Aythya, 197
 affinis, 191, 198
 americana, 35
 collaris, 26, 198
 marila, 191, 198
 valisineria, 184
Basileuterus fulvicauda, 234
 Becard, Rose-throated, 250
 Behavior, 7-11, 20-39, 52, 57-67, 70-86, 90, 92, 95, 107-113, 188-191, 199, 201, 215-217, 222, 280, 281, 347-357, 375, 378
 Bellrose, Frank C., The orientation of displaced waterfowl in migration, 20-40
 Berger, Daniel D., Marsh Hawk takes prey from Short-eared Owl, 90
 Berger, Daniel D. and Helmut C. Mueller, Supernumerary rectrices in some raptors, 90
 Bleitz, Don, Attraction of birds to salt licks placed for mammals, 92
 Blackbird, Brewer, 146
 Red-winged, 118, 126, 323
 Blair, Albert P., see Blair, W. Frank and———
 Blair, W. Frank, Albert P. Blair, Pierce Brodtkorb, Fred R. Cagle, and George A. Moore, Vertebrates of the United States, reviewed, 101
 Bluebird, Eastern, 117, 252
 Mexican, 252
 Bobolink, 53, 54
Bombycilla cedrorum, 194
 Brackbill, Hervey, Nesting behavior of the Wood Thrush, 70-89
Branta canadensis, 197
 c. canadensis, 172, 174
 c. interior, 168-183
 c. moffitti, 175
 Brodtkorb, Pierce, Fossil Birds from Idaho, 237-242; see Blair, W. Frank and———
Bubo virginianus, 145-150

- Bubulcus ibis*, 93, 361
Bucephala albeola, 238
 clangula americana, 187
 ossivallis, 238
 sp., 238
Bunting, Indigo, 118, 287, 378
 Lazuli, 91
 Painted, 118
 Snow, 216
Butcher-bird, Pied, 42
Buteo jamaicensis, 116
 lagopus, 382
 platypterus, 116, 273
Butorides virescens, 116, 280
Bycanistes subcylindricus, 113
Cagle, Fred R., see Blair, W. Frank
 and—
Calidris canutus, 197
Campephilus principalis, 380
Caprimulgus europaeus, 291
 ridgwayi, 250, 291
 vociferus, 45
 v. *arizonae*, 250
 v. *oaxacae*, 249-250
Campylorhynchus brunneicapillus, 48, 96
 gularis, 251
Cardellina rubrifrons, 253
Cardinal, 48, 118, 121, 124, 125, 126, 323
Carpodacus cassinii, 91, 92
 mexicanus, 55
 purpureus, 53
Catbird, 117, 120, 286
Catharus, 152, 314
 aurantiirrostris aenopennis, 252
 a. clarus, 252
 guttatus auduboni, 252
Casmerodius albus, 281
Cassidix mexicanus, 95, 292
Castoro, Paul L. and A. M. Guhl, Pairing
 behavior of pigeons related to aggressive-
 ness and territory, 57-69
Catoptrophorus semipalmatus, 116
Centurus carolinus carolinus, 107, 116, 125
 c. *perplexus*, 125
 c. *zebra*, 125
 uropygialis sulfuriventer, 250
Charadrius *vociferus*, 116
 wilsonia, 116
Chaetura pelagica, 97, 116, 192
Chaffinch, 52, 54
Chat, Yellow-breasted, 118, 232, 286
Chen caerulescens, 197
 hyperborea, 197
 pressa, 240
 rossi, 197
 sp., 197
Chickadee, Black-capped, 120, 332
 Carolina, 117, 120, 121, 122, 125, 126, 332
 Mountain, 91
Chicken, Domestic, 45, 57, 376
Chlidonias niger, 116
Chordeiles minor, 116
Ciconia ciconia, 20
 maltha, 241
Circus cyaneus, 90, 382
Clangula hyemalis, 198
Coccyzus americanus, 116
 erythrophthalmus, 130
Cochran, William W. and Richard R. Gra-
ber, Attraction of nocturnal migrants by
 lights on a television tower, 378-380
Coereba flaveola aterrima, 258
 f. *colombiana*, 257
 f. *luteola*, 257-279
 f. *mexicana*, 257
 f. *portoricensis*, 257, 261, 266
Colaptes auratus, 48, 195, 349
Colibri cyanotis, 6
 delphinae, 6
 sp., 19
Colinus virginianus, 116
 v. *graysoni*, 248
Columba flavirostris, 95
 leucocephala, 93
 livia, 20, 36, 57-69
Columbigallina minuta, 262
 passerina, 95, 116, 249
Conservation, 293, 298-300, 385-393
Contopus sordidulus, 91
 virens, 45, 117, 130
Coot, American, 116, 248, 280
Cowbird, Brown-headed, 80, 85, 86-87, 91,
 118, 131, 220, 223-226, 286
 Red-eyed, 254
Corvus brachyrhynchos, 21, 107, 117, 130,
 151, 152-155, 180
 b. *brachyrhynchos*, 151, 153
 b. *hesperis*, 151, 153
 b. *pascuus*, 153
 caurinus, 151
 corax, 164
 corone cornix, 21
 cryptoleucus, 251
 imparatus, 151, 153, 157
 ossifragus, 117, 151, 153, 156
 sinaloae, 163, 166
Cracticus nigrogularis, 42
Cronan, John M., Sex ratios of wintering
 scaups in Long Island Sound, 191
Cruickshank, Allan D., photograph by, opp.
 307
Crossbill, Red, 91, 92, 254
Crotophaga ani, 273
Crow, Common, 21, 107, 117, 120, 121, 122,
 130, 151, 152, 154, 155, 157, 161-166, 180
 Fish, 117, 122, 151, 152, 156-158, 160-166
 Hooded, 21
 Mexican, 151
 Northwestern, 151, 152, 161, 164, 165
 Sinaloa, 159, 160-164, 165
 Tamaulipas, 156-166
Cuckoo, Black-billed, 130
 Yellow-billed, 116

- Cyanocitta cristata*, 48, 96, 107, 117, 130, 347, 381
stelleri, 288
Cyanocorax yncas, 292
Cygnus buccinator, 237
columbianus, 237
hibbardi, 238, 239, 240
paleocygnus, 237
paloregonus, 237
Cypseloides niger borealis, 250
n. costaricensis, 250
Dactylortyx thoracicus, 372-377
 Daniel, Joseph C., Jr., Robert M. Armagast and Julia W. Armagast, New records of the Nashville Warbler in Colorado, 199
 Davis, L. Irby, Acoustic evidence of relationship in North American crows, 151-167
Dendrocopos borealis, 116
major, 357
pubescens, 116, 323, 349
p. medianus, 127
p. pubescens, 127
villosus, 116, 349
Dendroica, 312
audubonii, 91
a. nigrifrons, 253
cerulea, 118
coronata, 379
discolor, 118, 287
dominica, 118
graciae, 253
kirtlandii, 195
nigrescens, 91, 382
n. halsei, 253
occidentalis, 253
pensylvanica, 118
petechia, 91
pinus, 118
 Dickcissel, 378
 Dilger, William C., painting by, opp. 211
Dolichonyx oryzivorus, 55
 Dove, Common Ground, 249
Ground, 95, 116
Inca, 95
Mourning, 95, 116, 146
Ring, 57
White-winged, 95
 Drinkwater, Howard, Black-crowned Night Heron using bill motion to lure prey, 201
Dryocopus pileatus, 192, 349
 Duck, Black, 198
Canvasback, 184, 185
Gadwall, 198
Goldeneye, 187
Greater Scaup, 191-192, 198
Lesser Scaup, 191-192, 198
Mallard, 20-23, 31-32, 37, 38, 198, 237
Merganser, Hooded, 198
Oldsquaw, 198
Pintail, 26, 35, 198
Redhead, 35, 192
Ring-necked, 26, 198
Shoveller, 198
Wood, 20-23, 32-38, 184-187, 198
Dumetella carolinensis, 117, 286
Eagle, Golden, 248
 Eaton, Stephen W., A life history study of the Louisiana Waterthrush, 211-236
 Eckelberry, Don R., painting by, facing p. 5
 Egret, American, 281
Cattle, 93-94, 361-366
Great, 361-366
Little, 361-366
Plumed, 361-366
Snowy, 93-94, 116
Egretta alba, 361
garzetta, 361
intermedia, 361
Elaenia flavogaster, 264
Elaenia, Yellow-bellied, 264
Emberiza, 326
Empidonax difficilis bateli, 251
fulvifrons rubicundus, 251
hammondii, 251
mexicanus, 291
minimus, 45, 251
virescens, 117, 130, 144
wrightii, 251
Eremophila alpestris, 91
Ereunetes pusillus, 116, 288
Erethacus rubecula, 52, 79, 357
Erolia minutilla, 116
Euphagus cyanocephalus, 146
Falco columbarius, 273
peregrinus pelegrinoides, 90
sparverius, 90, 116
 Falcon, Peregrine, 90
 Finch, Cassin, 91, 92
House, 53
Purple, 53
 Flicker, 48, 349
Yellow-shafted, 195
Florida caerulea, 93, 116
c. caerulea, 248
Florisuga mellivora, 7
 Flycatcher, Acadian, 117, 130-144
Black-tailed, 261
Crested, 116
Dusky, 251
Gray, 251
Hammond's, 251
Kiskadee, 95
Least, 45, 251
Nutting's, 251
Scissor-tailed, 95
Social, 251
Western, 251
 Food habits, 96, 111, 145-150, 194, 228-230, 274-278, 376, 381, 382
 Ford, Norman L., Black-throated Gray Warbler in Michigan, 382
 Fossils, 197, 237

- Fringilla coelebs*, 54
Fulica americana, 116, 280
 a. americana, 248
Galbula ruficauda, 257
Gallinula chloropus, 116, 240
Gallinule, Common, 116
 Purple, 116
Gallus gallus, 45, 57, 376
Geococcyx californianus, 186
Geothlypis trichas, 118, 232
Gnatcatcher, Blue-gray, 91, 117
Goldfinch, American, 53, 118
Goose, Blue, 197
 Canada, 168-183, 197
 Ross', 197
 Snow, 197
 White-fronted, 197
Goshawk, European, 90
Graber, Richard R., see Cochran, William W. and—
Grackle, Boat-tailed, 95
 Common, 118, 125
 Lesser Antillean, 262, 273
Gracula religiosa, 42
Granatellus venustus, 51
Grassquit, Blue-black, 254
Grebe, Pied-billed, 116
Greenway, James C., Jr., Extinct and Vanishing Birds of the World, reviewed, 293
Griscom, Ludlow, Alexander Sprunt, Jr. and others, The Warblers of America, reviewed, 99
Grosbeak, Black-headed, 91
 Blue, 118, 323
Gross, Alfred O., Life history of the Bananaquit of Tobago Island, 257-279
Growth, 226-227, 270-271
Grus americana, 241
Guhl, A. M., see Castoro, Paul L. and—
Guiraca caerulea, 118, 323
Gull, Herring, 180
 Ring-billed, 177
Hailman, Jack P., Notes on pre-copulatory display in the Starling, 199-201
Hall, Fred T., Proceedings of the Thirtieth Annual Meeting, 295-304
Hamilton, Terrell H., Adaptive variation in the genus *Vireo*, 307-346
Hartshorne, Charles, Some biological principles applicable to song-behavior, 41-56
Hawk, Broad-winged, 116, 273
 Cooper's, 281
 Marsh, 90, 382
 Pigeon, 273
 Red-tailed, 116
 Rough-legged, 382
 Sharp-shinned, 248
Heliomaster constantii, 250
Helmitheros vermivorus, 117
Heron, Black-crowned Night, 201, 361-364, 368
 Green, 116, 280
 Grey, 361-364
 Little Blue, 93-94, 116, 248
 Louisiana, 116
 Yellow-crowned Night, 116
Hirundo rustica, 117
Hofslund, P. B., Chimney Swift nesting in abandoned Pileated Woodpecker hole, 192
Holoquiscalus lugubris, 262
Howard, Walter E., Food intake and pellet formation of a Horned Owl, 145-150
Hummingbird, Adorable Coquette, 7
 Band-tailed Barb-throat, 7
 Brown Violet-ear, 6
 Constant Star-throat, 250
 Cuvier's, 7, 8
 Elicia's Golden-tail, 7, 8
 Emerald, 262
 Green Thorn-tail, 7
 Jacobin, 7, 16
 Lesser Violet-ear, 6
 Longuemare's Hermit, 7, 8, 10
 Long-tailed Hermit, 15
 Lovely, 7
 Rieffer's, 6, 7, 8, 10, 17
 Ruby-throated, 381
 Snow-cap, 7
 Snowy-breasted, 7
 Violet-crowned, 250
 Violet-headed, 5-19
 White-eared, 10
 Wood-Nymph, 7
Hybrids, 341
Hydranassa tricolor, 116
Hylocharis eliciae, 7
 leucotis, 10
Hylocichla, 327
 fuscescens, 53, 378
 guttata, 91
 mustelina, 70, 117, 130
Ibis, White-faced Glossy, 248
Icteria virens, 118, 232
Icterus c. cucullatus, 254
 parisorum, 254
 pustulatus, 254
 wagleri castaneopectus, 254
Ivor, H. Roy, Steller's Jay anting with tobacco smoke, 288
Ixoreus naevius, 53, 252
Jacamar, Rufous-tailed, 257
Jay, Blue, 48, 96, 107, 108, 112, 117, 123, 124, 125, 130, 132, 347, 381
 Brown, 161
 Scrub, 148
 Steller's, 288
Johnston, David W., see Norris, Robert A. and—; review by, 207
Jorgensen, Harriet I., *Nomina Avium Europaeorum*, reviewed, 394
Junco, 307, 331
 hyemalis, 379
Junco, Slate-colored, 379, 380

- Kestrel, American, 90, 116
 Kilham, Lawrence, Sealed-in winter stores of Red-headed Woodpeckers, 107-113; Territorial behavior of wintering Red-headed Woodpeckers, 347-358
 Killdeer, 116
 Kingbird, Eastern, 116
 Kinglet, Golden-crowned, 380
 Kirby, Robert P., American Avocet in Michigan, 196; Rough-legged Hawk takes prey from Marsh Hawk, 382
 Klais guimeti, 5-18
 Klopman, Robert B., The nesting of the Canada Goose at Dog Lake, Manitoba, 168-183
 Knorr, Owen A., Nesting of the Chimney Swift in Colorado, 97
 Knot, 197
 Lamore, Donald H., Blue Jay feeding on dead fledgling House Sparrow, 96; Production of pellets by a Blue Jay, 381
 Lanius collurio, 96
 ludovicianus, 95, 117, 323, 324
 nubicus, 96
 Lanyon, Wesley E., The Comparative Biology of the Meadowlarks (*Sturnella*) in Wisconsin, reviewed, 207; The motivation of sun-bathing in birds, 280
 Larus argentatus, 180
 delawarensis, 177
 Lark, Horned, 91
 Wood, 42, 53
 LeFebvre, Eugene A. and Joyce Heckenlaible LeFebvre, Notes on the ecology of *Dactylortyx thoracicus*, 372-377
 Lepidocolaptes l. leucogaster, 250
 Leucophoyx thula, 93, 116
 Limnothlypis swainsonii, 51, 117
 Lophodytes cucullatus, 198
 Lophornis adorabilis, 7
 Lovell, Harvey B., Baiting of fish by a Green Heron, 280-281
 Loxia, 92
 curvirostra, 91, 92
 c. stricklandi, 254
 Lullula arborea, 42
 Luscinia, 54
 megarhyncha, 42
 Lyrebirds, 44
 Mammals
 Canis latrans, 171
 Marmosa sp., 274
 Mephitis mephitis, 180
 Ochotona princeps, 356
 Sciurus carolinensis, 186
 Tamiasciurus hudsonicus, 185, 356
 Tamias striatus, 186
 Vulpes fulva, 171
 Mareca, 197
 Martin, Leo M., and Thomas Z. Atkeson, Escape diving by a Spotted Sandpiper, 281
 Martin, Purple, 117
 Mayfield, Harold, Nesting of the Black-backed Three-toed Woodpecker in Michigan, 195-196
 McCandless, James B., A Field Guide to the Birds of Puerto Rico, reviewed, 394
 McClure, H. Elliott, Dispersal of Egrets on the Kanto Plain, Japan, 359-371
 McKinley, Daniel, Early record for the Ivory-billed Woodpecker in Kentucky, 380
 Meadowlark, Eastern, 42, 44, 53, 54, 118
 Western, 53, 280
 Meanley, Brooke and Ann Gilkeson Meanley, Nesting habitat of the Black-bellied Tree Duck in Texas, 94-95
 Measurements, 317, 318, 319, 324, 325
 Melanerpes erythrocephalus, 107
 formicivorus bairdi, 113
 Melanotis coerulescens effuticus, 251
 Meleagris gallapavo, 248
 Melospiza georgiana, 379
 melodia, 79, 195, 215, 287
 m. goldmani, 323
 Menura sp., 44
 Micrathene w. idoneus, 249
 w. whitneyi, 249
 Microchera albo-coronata, 7
 Migration, 20-40, 214-215, 232, 315-316, 378
 Mimus gilvus, 260
 polyglottos, 43, 117, 194, 357
 Mniotilta varia, 117
 Mockingbird, 43, 47, 48, 52, 117, 121, 123, 194, 357
 Blue, 251
 Molothrus ater, 118, 131, 191, 220, 286
 Molts and plumages, 90, 213, 231-232
 Momotus bahamensis, 257
 Moore, George A., see Blair, W. Frank and—
 Morgan, Walter, White pheasants among Ring-necked Pheasants in South Dakota, 281-284
 Motmot, Swainson, 257
 Mueller, Helmut C., see Berger, Daniel D. and—
 Mumford, Russell E. and Dale A. Zimmerman, Recent observations on the Sharp-tailed Sparrow in Michigan, 284-286
 Mumford, Russell E. and Richard L. Zusi, Notes on movements, territory and habitat of wintering Saw-whet Owls, 188-191
 Murray, J. J., Ruby-throated Hummingbird captured by a praying mantis, 381
 Muscivora forficata, 95
 Myadestes townsendi, 53
 t. calophonus, 252
 unicolor, 43
 Myiarchus crinitus, 116
 nuttingi inquietus, 251
 Myiobius atricaudus, 261

- Myiochanes, 292
Myiozetetes similis primulus, 251
Mynah, Talking, 42
Nesting, 11-18, 70-87, 93, 94, 97, 130-140,
169-182, 192, 193, 195, 220-228, 258-271
Newman, Donald L., A nesting of the
Acadian flycatcher, 130-144
Nickell, Walter P., Brown-headed Cowbird
fledged in nest of Catbird, 286-287
Nighthawk, Common, 116
Nightingale, 42
Nolan, Val, Jr., Singing by female Indigo
Bunting and Rufous-sided Towhee, 287-
288
Norris, Robert A. and David W. Johnston,
Weights and weight variations in
summer birds from Georgia and South Caro-
lina, 114-129
Norris, Robert A., review by, 205; see
Williamson, Francis S. L. and———
Nucifraga caryocatactes, 357
Nutcracker, Thick-billed, 357
Nuthatch, British, 113
Brown-headed, 117, 120, 121, 122, 123
Pigmy, 251
Red-breasted, 91
White-breasted, 91, 117, 323
Nyctanassa violacea, 116
Nycticorax nycticorax, 201, 361
Oporornis formosus, 118
tolmiei, 91, 253
t. intermedia, 253
Oreoscoptes montanus, 91
Oriole, Hooded, 254
Scott's, 254
Streak-backed, 254
Wagler's, 254
Oropendola, 273
Ostinops decumanus, 273
Otus asio sortilegus, 249
a. suttoni, 249
Ovenbird, 49, 51, 118, 217, 233, 234, 235
Owl, Barn, 249
Common Screech, 249
Elf, 249
Horned, 145-150
Long-eared, 198
Saw-whet, 188-191
Short-eared, 90, 198
Parasitism, 86, 230, 232
Parkes, Kenneth C., review by, 101; Let-
ter to the Editor, 291-292
Parrot, Amazon, 257
Parula americana, 118
Parus, 307, 308, 312, 313, 322, 331, 332
ater, 312
atricapillus, 42, 120, 332
bicolor, 48, 107, 117, 130, 347
caeruleus, 312
carolinensis, 48, 117, 332
c. carolinensis, 125
c. impiger, 125
gambeli, 91
lugubris, 312
major, 312, 326
montanus, 312
palustris, 312
Passer domesticus, 96
Passerella iliaca, 195, 380
Passerina amoena, 91
ciris, 118
cyanea, 118, 287, 378
Pelecanus erythrorhynchos, 177, 197
halieus, 240
Pelican, White, 177, 180, 197
Pewee, Eastern Wood, 45, 47, 53, 117, 126,
127, 130, 143
Western Wood, 91
Phaeochroa cuvierii, 7
Phaethornis longuemareus, 7, 17
superciliosus, 15
Phalaenoptilus nuttallii centralis, 249
Phalacrocorax auritus, 237, 240
idahensis, 240, 241
macr., 237, 239, 240
wetmorei, 237
Phasianus colchicus, 186, 281
Pheasant, Ring-necked, 186, 281
Pheucticus melanocephalus, 91
Philohela minor, 380
Phoebe, Say, 91
Physiology, 90-91, 326-327
Picoides arcticus, 195
Pigeon, Common, 20, 36, 57-69
Red-billed, 95
White-crowned, 93
Pipilo erythrophthalmus, 48, 118, 287, 292
e. erythrophthalmus, 125
e. canaster, 125, 127
e. rileyi, 125, 127
fuscus, 147
Pipit, Meadow, 54
Tree, 54
Pipromorpha oleaginea, 17
Piranga ludoviciana, 91
olivacea, 130
rubra, 118, 323
r. cooperi, 323
r. rubra, 323
Pitangus sulphuratus, 95
Platyparis aglaiae richmondi, 250
Plectrophenax nivalis, 216
Plegadis falcinellus, 248
Pliodytes, 237
Plover, Thick-billed, 116
Podicipedidae, 237
Podilymbus, 237
podiceps, 116
Poecile, 312
Polioptila caerulea, 91, 117
Pooecetes gramineus, 54, 91
Poor-will, 249
Popelairia conversii, 7
Populations, 355, 361-370, 374

- Porphyryla martinica*, 116
Porzana, 240
 auffenbergi, 239
 carolina, 239
 guti, 239
 lacustris, 239, 240
 Preston, F. W., House Wren attempts incubation in two nests simultaneously, 193-194
Progne subis, 117
Protonotaria citrea, 117
Psilorhinus morio, 161
Ptilogonys cinereus otofuscus, 252
Pyrrhuloxia sinuata, 95
 s. sinuata, 254
 Quail, Bobwhite, 116, 120, 248
 Singing, 372-377
Quiscalus quiscula, 118
Rallus, 240
 prenticei, 240
 Rand, A. L., Patterns in the use of left and right limbs in vertebrates, 92-93
 Raven, American, 164, 165, 166
Recurvirostra americana, 196
 Redstart, American, 45, 118, 253
Regulus satrapa, 380
 Reptiles
 Spilotes pullatus, 16
Rhynchops nigra, 116
 Richardson, Frank, review by, 293
 Richdale, L. E., A Population Study of Penguins, reviewed, 205
Richmondia cardinalis, 48, 118, 323
 c. cardinalis, 125
 c. floridana, 125
Ridgwayia pinicola, 251
Riparia riparia, 117
 Roadrunner, 186
 Robin, 120, 130, 286
 American, 75, 83, 252
 British, 52, 54, 79, 357
 Sandpiper, Least, 116
 Semipalmated, 116, 288
 Solitary, 116, 249
 Spotted, 116, 281
 Sapsucker, Yellow-bellied, 111, 349, 357
Saucerottia tobaci, 262
Sayornis saya, 91
Scardafella inca, 95
 Schmid, Frederick C., Cedar Waxwings and Fox Sparrows feed upon multiflora rose, 194-195
 Scott, Thomas G., The Ornithologist's Responsibility to the Future, 385-393
 Seaman, G. A., Nesting of the Cattle Egret in the Virgin Islands, 93-94
Seiurus aurocapillus, 49, 118, 213, 218
 motacilla, 118, 211-236
 novboracensis, 118, 213, 218, 224, 232, 253
Setophaga ruticilla, 45, 118
 r. tricolora, 253
 Shrike, Loggerhead, 95, 117, 323
Sialia sialis, 117
 s. fulva, 252
 mexicanus, 252
 Silky Flycatcher, Gray, 252
 Siskin, Pine, 92
Sitta canadensis, 91
 carolinensis, 91, 117, 323
 europaea affinis, 113
 pusilla, 117
 pygmaea chihuahuae, 251
 Skimmer, Black, 115, 116
 Skutch, Alexander F., Life History of the Violet-headed Hummingbird, 5-19
 Skylark, 46, 53
 Solitaire, Slate-colored, 43
 Townsend's, 53, 252
 Sparrow, Brewer's, 91
 Chipping, 118
 Field, 79, 118, 123
 Five-striped, 255
 Fox, 195, 380
 Grasshopper, 118
 House, 96
 Pine-woods, 118
 Rusty, 254
 Seaside, 118
 Sharp-tailed, 284
 Song, 79, 195, 215, 287, 288, 323
 Swamp, 42, 379
 Vesper, 54, 91
 White-crowned, 79
 White-throated, 42, 48, 53, 353
 Worthen's, 255
Spatula, 197
 clypeata, 198
Sphyrapicus varius, 111, 349
Spinus pinus, 92
 tristis, 53, 118
Spiza americana, 378
Spizella breweri, 91
 passerina, 118
 pusilla, 79, 118
 wortheni browni, 255
 Sprunt, Alexander, Jr., see Griscom, Ludlow and—
 Starling, 21, 199-201, 280, 349, 350
 Common, 117, 122
Stelgidopteryx ruficollis, 117
Sterna albifrons, 116
 Stettenheim, Peter, Bird fossils from the late Pleistocene of Kansas, 197-199
 Stewart, Paul A., Locomotion of Wood Ducks, 184-187
 Street, Phillips B., reviews by, 99, 394
Streptopelia risoria, 57
Sturnella magna, 44, 118
 neglecta, 280
Sturnus vulgaris, 117, 199, 280, 349
 Swallow, Bank, 117
 Barn, 117

- Rough-winged, 117
Violet-green, 251
Swift, Black, 250
Chimney, 97, 116, 192
Tachycineta thalassina, 251
Tanager, Blue, 262
Scarlet, 130
Summer, 118, 323
Western, 91
Tangavius aeneus assimilis, 254
Taxonomy, 125-127, 151-166, 248-255, 291-292, 310-311
Teal, Blue-winged, 20, 31, 36, 38
Cinnamon, 186
Telmatodytes palustris, 117
Tern, Least, 116
Black, 116
Thalurania colombica, 7
Thompson, Max, Record of the Knot in Texas, 197; Semipalmated Sandpiper from Tamaulipas, 288
Thrasher, Brown, 48, 117
Curve-billed, 95
LeConte's, 48
Sage, 91
Thraupis episcopus, 262
Thrush, Aztec, 251
Blackbird, 54
Hermit, 53, 91, 252
Orange-billed Nightingale, 252
Varied, 53, 54, 252
Wood, 42, 44, 53, 70-89, 117, 130
Thryomanes bewickii, 91
Thryothorus ludovicianus, 42, 117
Tit, Marsh, 312
Somber, 312
Willow, 312
Titmouse, Tufted, 107, 108, 112, 117, 123, 130, 347, 356
Towhee, Brown, 147
Rufous-sided, 118, 121, 122, 123, 124, 126, 128, 287
Toxostoma curvirostre, 95
lecontei, 48
rufum, 48, 117
Threnetes ruckeri, 7
Tringa solitaria, 116
s. solitaria, 249
Troglodytes aedon, 53, 76, 120, 193
troglodytes, 41
Trogon collaris, 257
Trogon, Red-bellied, 257
Turdus merula, 46, 54
migratorius, 75, 120, 130, 252
Turkey, Wild, 248
Tyrannus tyrannus, 116
Tyto alba pratincola, 249
Veery, 53, 54, 378
Vermivora celata orestera, 253
chrysoptera, 117
pinus, 117
ruficapilla, 199
superciliosa palliata, 253
virginiae, 91, 253
Vireo altiloquus, 311
a. altiloquus, 325
a. barbadensis, 325
a. barbatulus, 325
atricapillus, 311, 315, 316, 328, 329, 336
bairdi, 310, 317, 336
bellii, 311, 313, 314, 317, 337
b. medius, 252
caribaeus, 310
carmioli, 310, 317, 328, 337
crassirostris, 310, 317
flavifrons, 117, 307, 311, 313, 315, 316, 328, 329, 336, 338-342
flavoviridis, 311, 320, 325
gilvus, 91, 311-337
g. gilvus, 324
g. brewsteri, 324
g. cleonorae, 324
g. swainsonii, 324
g. victoriae, 316, 324, 333, 334, 337
griseus, 117, 292, 310-339
g. approximans, 317
g. bermudianus, 317
g. griseus, 317
g. maynardi, 317
g. micrus, 317
g. noveboracensis, 317
g. semiflavus, 317
g. tortugae, 317
gundlachii, 310, 317
huttoni, 45, 311-337
h. carolinae, 319
h. cognatus, 319
h. huttoni, 319
h. mexicanus, 319
h. stephensi, 319
h. vulcani, 319
hypochryseus, 311, 328, 336
latimeri, 311, 317
magister, 311, 325
modestus, 310, 317
nanus, 311, 312, 338
nelsoni, 311
olivaceus, 47, 117, 130, 311-338
o. hypoleucus, 320
o. olivaceus, 325
o. solimoensis, 325
osburni, 311, 312, 338
pallens, 310, 317, 321, 337
philadelphicus, 311, 314, 316, 328, 329
propinquus, 341
semiflavus, 292, 317
solitarius, 307-342
s. alticola, 309, 318, 330, 336, 337, 338, 339, 341
s. cassinii, 318, 336, 337
s. lucasanus, 316, 318, 333, 336, 337
s. montanus, 318, 333, 336, 337, 339
s. notius, 318
s. pinicolus, 318, 336, 338

- s. plumbeus, 318, 336
s. repetens, 318, 337
vicinior, 311, 313, 314, 315
- Vireo, Bell's, 252
Hutton's, 45
Peten, 292
Red-eyed, 47, 117, 130, 143
Warbling, 91
White-eyed, 120, 121, 123, 292
Yellow-throated, 117
- Vireosylva, 311
- Voice, 7, 41-55, 133, 143, 151-167, 216, 218, 271, 272, 374
- Volatinia jacarina, 254
- Warbler, Audubon's, 91, 253
Black-and-white, 117
Black-throated Gray, 91, 253, 382
Blue-winged, 117
Buff-rumped, 234
Canada, 45
Cerulean, 118, 124
Chestnut-sided, 118
Golden-winged, 117
Grace's, 253
Hermit, 253
Hooded, 118, 124
Kentucky, 118, 124
Kirtland's, 195
MacGillivray's, 253
Marsh, 48
Myrtle, 379
Nashville, 199
Orange-crowned, 253
Parula, 118
Pine, 118
Prairie, 118, 287
Prothonotary, 117
Red-faced, 253
Spot-breasted, 253
Swainson's, 117
Tolmie, 91
Virginia's, 91, 253
Worm-eating, 117
Yellow, 91
Yellow-throated, 118, 121, 123
- Waterthrush, Louisiana, 118, 211-236
Northern, 118, 119, 213, 217, 232, 253
- Wattlebirds, Australian, 49
- Waxwing, Cedar, 194
- Weights, 114-129, 231, 285
- Webster, J. Dan, Further ornithological notes from Zacatecas, Mexico, 243-256
- Wetmore, Alexander, review by, 394
- Whip-poor-will, 45, 249, 250
Ridgway, 250
Willet, 116
- Williams, Frances M., Interspecific defense of roost site by Loggerhead Shrike, 95-96
- Williamson, Francis S. L. and Robert A. Norris, Data on relative heart size of the Warbling Vireo and other passerines from high altitudes, 90-91
- Wilson Ornithological Society
Conservation Section, 385-393
Josselyn Van Tyne Memorial Library, 204, 290, 383
Letter to the Editor, 290
Membership Roll, 395-423
New Life Member, 202, 208
Ornithological News, 98, 203, 289, 383
Proceedings of the Annual Meeting, 295-304
- Wilsonia canadensis, 45
citrina, 118
- Wisconsin, 22
- Woodcock, 380
- Woodhewer, White-striped, 250
- Woodpecker, California, 113
Downy, 116, 126, 323, 349, 352, 355-357
Gila, 250
Greater Spotted, 357
Hairy, 116, 120, 122, 349
Ivory-billed, 380
Pileated, 192, 349
Red-bellied, 107, 116, 120, 121, 122, 123, 125, 126, 349, 350, 353, 356, 357
Red-cockaded, 116
Red-headed, 107-113; 347-358
Three-toed, 195
- Wren, Bewick's, 91
Cactus, 48, 96
Carolina, 42, 47, 48, 117
House, 53, 76, 120, 193
Long-billed Marsh, 117
Spotted Cactus, 251
Winter, 41
- Yellowthroat, Common, 118, 232
- Zenaida asiatica, 95
- Zenaidura macroura, 95, 116, 146
- Zimmerman, Dale A., see Mumford, Russell E. and———
- Zonotrichia albicollis, 353
leucophrys, 79
- Zosterops, 307, 320, 326, 332
- Zusi, Richard L., see Mumford, Russell E. and———