

INDEX TO VOLUME 79, 1967

BY MILDRED STEWART AND TANYA HALL

This index includes, in addition to names of genera, species, and authors, references to the following topics: anatomy, banding, behavior, distribution, ecology, flight, food habits, habitat, incubation, measurements, migration, molts and plumages, mortality, nesting parasitism, pesticides, physiology, populations, predation, taxonomy, voice, weather, and weights.

- Accipiter bicolor*, 172, 181
 cooperii, 38
 gentilis, 449
 striatus, 50, 397
Actitis macularia, 276, 314
Aegithina lafresnayei, 152
 viridissima, 152
Aethopyga mystacalis, 153
 siparaja, 153
Agelaius icterocephalus, 277
 phoeniceus, 41, 118, 192, 195, 283, 383
 tricolor, 195
Aimophila rufescens, 174
 ruficeps, 348–349
Aix sponsa, 38, 137, 238, 339, 377
Alcippe poiocephala, 152
Amadon, Dean, Birds around the world: A geographical look at evolution and birds, reviewed, 123
Amaurolimnas concolor, 174, 182
Amazilia candida, 173, 178
 cyanocephala, 174, 175, 183
 tzacatl, 173
 yucatanensis, 174
Amazona, 276, 281
 autumnalis, 173, 182
 ochrocephala, 182
Amblycercus holosericeus, 173, 178
Ames, Peter L., Overlapping nestings by a pair of Barn Owls, 451–452
Ammodramus savannarum, 42
Ammospiza caudacuta, 42
 maritima, 42
Amphispiza bilineata, 23
Anabacerthia variegaticeps, 172
Anas acuta, 38, 221, 239
 carolinensis, 339
 cyanoptera, 341
 discors, 221
 platyrhynchos, 38, 221, 239, 339, 375, 450
 rubripes, 38, 238, 239
 strepera, 221
Anatomy, 119, 120, 322, 340, 343–344, 345–346, 453–455
Andrle, Robert F., Birds of the Sierra de Tuxtla in Veracruz, Mexico, 163–187
Anhima cornuta, 275
Anhinga anhinga, 174
Ant-Tanager, Red-crowned, 185
Anthracothorax prevostii, 173
Anthreptes rhodolaema, 153
 singalensis, 153
Anthus spinoletta, 40, 208
Antpitta, Scaled, 177
Antshrike, Great, 183
Apus apus, 437
Aquila chrysaetos, 38, 446
Ara ararauna, 276
Araçari, Curl-crested, 322, 324
Arachnothera affinis, 153
 chrysogenys, 153
 longirostris, 153
 robusta, 153
Aramides cajanea, 174, 275
Aramus guarauna, 174
Aratinga astec, 173, 178
Arbib, Robert S., Jr., Olin Sewall Pettigill, Jr., and Sally Hoyt Spofford, Enjoying birds around New York City; An aid to recognizing, watching, finding and attracting birds in New York City, the Upstate Counties of Westchester, Putnam, Dutchess, Rockland and Orange, and Nearby Points in New Jersey and Connecticut, reviewed by Geoffrey Carleton, 355
Archilochus colubris, 375
Ardea herodias, 456

- Arremonops rufivirgata*, 23, 174
Arundinicola leucocephala, 277
Asio flammeus, 39
Atlapetes brunneinucha, 173, 184
 b. apertus, 179
Atticora fasciata, 277
Attila, Bright-rumped, 170
Attila spadiceus, 170, 173
Aulacorhynchus prasinus, 172
Automolus ochrolaemus, 172
Avocet, American, 221
Aythya affinis, 38, 341
 americana, 221
 valisineria, 38, 239
Azurecrown, Red-billed, 175, 183
Babbler, Black-necked Tree, 145
 Chestnut-backed Scimitar, 137, 149, 152
 Common Nun, 137, 138, 139, 140, 141, 142, 143, 144, 146, 147, 152
 Ferruginous, 145
 Greater Red-headed Tree, 145, 152
 Lesser Red-headed Tree, 139, 145, 152
 Plain, 145, 152
 Red-rumped Tree, 145, 152
 Striped Tit, 137, 152
 White-bellied Crested, 137, 139, 146, 152
Bagg, Aaron M., The President's Page, 121, 247, 350, 459
Bailey, Alfred M. and Robert J. Niedrach, The Birds of Colorado, reviewed, 352-353
Baird, James, Some courtship displays of the Golden-winged Warbler, 301-306
Bananaquit, 293, 294, 295, 296, 297, 298
Banding, 343, 397-415
Barbet, Brown, 144, 152
 Gaudy, 152
 Gold-whiskered, 152
 Little, 152
 Yellow-crowned, 152
Basileuterus belli, 173
 culicivorus, 173, 184
 rufifrons, 173
Bee-eater, Blue-throated, 145, 152
 Red-bearded, 152
Behavior, 7, 22-26, 28-35, 68-70, 78, 89-109, 110-113, 115-116, 116-117, 117-118, 118, 119, 131-154, 188-199, 236-237, 246, 279-281, 290-300, 301-306, 328-334, 344-345, 346-347, 348, 421-431, 441-448, 455
Berger, Andrew J., Josselyn Van Tyne's Common Nighthawk nesting return, 343
Berger, Daniel D., see Mueller, Helmut C. and ————
Bittern, American, 382, 385
 Least, 181
Blackbird, 432, 436
 Red-winged, 41, 118, 192, 283-289, 383, 385
 Rusty, 41
 Tricolored, 195
 Yellow-headed, 117-118, 195, 287
Bluebird, Eastern, 271, 346, 375
 Fairy, 137, 138, 139, 140, 141, 142, 143, 144, 146, 152
Blus, Lawrence J., Goshawk predation on Sharp-tailed Grouse in the Nebraska sandhills, 449
Blythipicus rubiginosus, 152
Board, Veryl V., see Goddard, Stephen V. and ————
Bobwhite, 264, 267, 271
Bolborhynchus lineola, 172, 182
Bolen, Eric G. and Billy J. Forsyth, Foods of the Black-bellied Tree Duck in South Texas, 43-49
Bombycilla cedrorum, 40, 103, 322, 383
Bonasa umbellus, 382
Boonsong, Lekakul, Birds commonly found as wave attendants in the high canopy, Verditer Flycatcher, Green Iora, Greater Green Leafbird and Scarlet Minivet, Painting by, facing page 131
Botaurus lentiginosus, 382
Bowman, Robert I., review by, 356
Boyajian, Ned R., see Collins, Henry Hill, Jr. and ————
Brambling, 107
Brander, Robert B., Movements of female Ruffed Grouse during the mating season, 28-36
Brant, 242
Branta bernicla, 242
 canadensis, 38, 242, 244
Breckenridge, W. J., review by, 127-128

- Brewer, Richard, Bird populations of bogs, 371-396
- Broadbill, Banded, 145, 152
- Black-and-red, 152
- Green, 145
- Brockway, Barbara F., The influence of vocal behavior on the performer's testicular activity in Budgerigars (*Melopsittacus undulatus*), 328-334
- Brooks, Maurice, The Appalachians, reviewed, 123-124
- Brooks, William S., Food and feeding habits of autumn migrant shorebirds at a small midwestern pond, 307-315
- Brotogeris versicolorus*, 276, 280
- Brush, Alan H., Additional observations on the structure of unusual feather tips, 322-327
- Brush-Finch, Chestnut-capped, 184
- Bruun, Bertel, see Robbins, Chandler S. and ———
- Bubo virginianus*, 39, 159
- Bubulcus ibis*, 174, 181, 236, 245
- Bucephala albeola*, 38
- Budgerigar, 328-334
- Bufflehead, 38
- Bulbul, Ashy, 152
- Black-and-white, 152
- Black-crested Yellow, 152
- Black-headed, 152
- Crested Brown, 145
- Crested Olive, 152
- Finsch's, 152
- Grey-bellied, 152
- Hairy-backed, 139, 152
- Lesser Brown, 152
- Red-eyed Brown, 139, 145, 152
- Scaly-breasted, 137, 145, 146, 152
- Scrub, 145, 152
- Streaked, 139, 152
- Stripe-throated, 152
- White-eyed Brown, 145, 152
- White-throated, 139, 145, 152
- Bunting, Crested, 24
- Indigo, 41, 102, 264, 267, 270
- Lark, 24
- Painted, 347
- Rustic, 24
- Snow, 23
- Busarellus nigricollis*, 275
- Buteo albonotatus*, 174, 181
- brachyurus*, 174, 181
- jamaicensis*, 38, 54
- lagopus*, 54
- lineatus*, 38
- magnirostris*, 173, 275
- nitidus*, 173
- platypterus*, 38, 54, 405
- Buteogallus anthracinus*, 174, 175
- urubitinga*, 275
- Butorides striatus*, 275
- virescens*, 174, 180, 245
- Cacicus cela*, 277, 280
- Cacique, Yellow-billed, 178
- Calamospiza melanocorys*, 24
- Caldwell, Larry D., Attack behavior of a Loggerhead Shrike, 116-117
- Calorhamphus fuliginosus*, 152
- Calyptomena viridis*, 145
- Campephilus principalis*, 159
- Camptostoma imberbe*, 174
- Campylopterus curvipennis*, 170, 173
- c. excellens*, 179
- hemileucurus*, 172
- Campylorhynchus*, 196
- zonatus*, 173
- Canary, 104, 106, 107
- Canvasback, 38, 220, 239
- Capella gallinago*, 39, 307
- Capito, 281
- Caprimulgus carolinensis*, 342, 452
- vociferus*, 375
- Cardinal, 41, 264, 271, 294, 298, 299, 375, 377, 379, 383, 393
- Carduelis carduelis*, 91
- Carleton, Geoffrey, review by, 355
- Carlquist, Sherwin, Island Life: a natural history of the islands of the world, reviewed by Robert I. Bowman, 356
- Carpodacus mexicanus*, 94
- purpureus*, 41, 384
- Carter, William A., Ecology of the nesting birds of the McCurtain Game Preserve, Oklahoma, 259-272
- Caryothraustes poliogaster*, 173
- Casmerodius albus*, 174, 236, 245, 275, 278
- Cassidix major*, 195
- mexicanus*, 173, 195

- Catbird, 39, 103, 294, 298, 299, 375, 376,
377, 379, 380, 383, 451
- Cathartes aura*, 174, 275
- melambrotus*, 275
- Catharus mexicanus*, 172
- Catoptrophorus semipalmatus*, 340
- Celeus castaneus*, 172
- Centurus aurifrons*, 75, 173
- pucherani*, 173
- Certhia familiaris*, 382
- Ceryle torquata*, 175, 276, 278
- Chaetura vauxi*, 174, 175
- Chaffinch, 53, 57, 94, 104, 105, 106, 107
- Chalcites maculatus*, 152
- xanthorhynchus*, 152
- Chamaethlypis poliocephala*, 173
- Chapman, Frank L., see Ogden, John C.
and ———
- Chappell, Janet S. and Robert W. Ficken,
Feeding reactions of Myrtle Warblers
toward wax-moth larvae dyed various
colors, 119
- Charadrius collaris*, 175, 275
- semipalmatus*, 314
- vociferus*, 39, 314, 450
- wilsonia*, 175
- Chat, Yellow-breasted, 40, 118, 264
- Chelidoptera tenebrosa*, 276
- Chen hyperborea*, 38
- Chickadee, Black-capped, 200–207, 374,
375, 377, 378, 380, 382, 392, 393
- Boreal, 204, 205
- Carolina, 264, 267, 270, 319–321
- Chestnut-sided, 200–207
- Oregon, 200
- Chloris chloris*, 104, 436
- Chloroceryle aenea*, 175
- amazona*, 175, 276, 278
- americana*, 175, 276, 278
- Chlorophonia, Blue-crowned, 178
- Chlorophonia cyanea*, 277
- occipitalis*, 173, 178
- Chloropsis cochinchinensis*, 152
- cyanopogon*, 152
- sonnerati*, 152
- Chlorospingus ophthalmicus*, 173
- o. wetmorei*, 179
- Chlorostilbon canivetii*, 173
- Chondrohierax uncinatus*, 172, 181
- Chordeiles acutipennis*, 174
- minor*, 343
- Chrysocolaptes validus*, 152
- Chuck-will's widow, 264, 270, 276, 342,
452–453, 458
- Chura, Nicholas J. and Paul A. Stewart,
Care, food consumption, and behavior
of Bald Eagles used in DDT tests,
441–448
- Ciccaba virgata*, 172
- Ciconia ciconia*, 54, 316, 317
- maltha*, 316–318
- Circus cyaneus*, 38, 54, 222, 382
- Cissopis levariana*, 277, 281
- Cistothorus platensis*, 39
- Clangula hyemalis*, 239
- Claravis pretiosa*, 173
- Clement, Roland C., Annual report of
Conservation Committee, 461–462
- Coccothraustes coccothraustes*, 105
- Coccyzus americanus*, 174, 183
- minor*, 173, 183
- Cochlearius cochlearius*, 174
- Coereba flaveola*, 173, 277, 280, 293, 294
- Colaptes auratus*, 5, 7, 8, 10, 13, 14, 15, 16,
17, 18, 19, 20, 78, 382
- a. cafer*, 5, 7, 13, 14, 16, 17, 19
- a. chrysocaulosus*, 5, 10, 11, 13, 14, 15,
18, 19, 20
- a. chrysoides*, 5, 11, 13, 14, 17, 18, 19, 20
- a. mexicanoides*, 5, 7, 9, 10, 11, 12, 13, 14,
15, 16, 17, 18, 19, 20
- a. pinicolus*, 5, 9, 18
- cafer*, 78
- c. mexicanoides*, 236
- (*Nesoceleus*) *fernandiniae*, 5
- Colibri thalassinus*, 172, 183, 236
- Colinus virginianus*, 174
- Collins, Henry Hill, Jr. and Ned R. Boya-
jian, Familiar garden birds of Amer-
ica, reviewed, 127–128
- Colonia colonus*, 277
- Columba flavirostris*, 173
- nigrirostris*, 172
- speciosa*, 172, 182
- Columbigallina minuta*, 173
- passerina*, 174, 182
- talpacoti*, 173, 276

- Contopus cinereus*, 173
virens, 382
- Conuropsis carolinensis*, 158
- Coot, American, 39, 221, 341
- Copsychus malabaricus*, 153
- Coquette, Black-crested, 183
- Coracina fimbriata*, 152
- Coragyps atratus*, 174, 175, 275
- Cormorant, Olivaceous, 180
- Corrections, 350, 458
- Corvus brachyrhynchos*, 113, 114, 382
corax, 157, 160
corone, 113
monedula, 113
ossifragus, 161
- Cotinga, Lovely, 183
- Cotinga*, 277
amabilis, 173, 183
cayana, 281
maynana, 281
- Coutlee, Ellen L., Agonistic behavior in the American Goldfinch, 89–109
- Cowbird, Bronzed, 175
Brown-headed, 41, 118, 371, 373, 374, 375, 377, 383, 385, 435
- Cracraft, Joel, Comparative foraging behavior of *Myiozetetes similis* and *Myiozetetes granadensis* in Costa Rica, 115–116
- Crake, Uniform, 182
- Crane, Sandhill, 157
Whooping, 155, 157
- Crax rubra*, 172
- Creeper, Brown, 382, 385, 392
- Criniger bres*, 152
finschi, 152
phaeocephalus, 152
- Crocethia alba*, 314
- Crotophaga ani*, 276
major, 276
sulcirostris, 173
- Crow, Common, 113–114, 264, 267, 270, 271, 382
Fish, 161
- Crypturellus boucardi*, 172
cinnamomeus, 174
soui, 172
- Cuckoo, Emerald, 152
Mangrove, 183
- Scaled, 322, 324
Violet, 152
Yellow-billed, 183, 264
- Culicicapa ceylonensis*, 152
- Curllew, Long-billed, 158, 340–341
- Cyanerpes cyaneus*, 173, 178, 184
- Cyanocitta cristata*, 39, 346, 382
- Cyanocompsa cyanoides*, 173
parellina, 174
- Cyanocorax violaceus*, 277, 281
yncas, 172
- Cyanolyca*, 455
- Cyclarhis gujanensis*, 173
- Cyrtonyx ocellatus*, 236
- Dacnis, Scarlet-thighed, 119
- Dacnis cayana*, 277, 280, 281
lineata, 277, 281
venusta, 119
- Daptrius americanus*, 275
ater, 275
- Dendrocincla anabatina*, 172
- Dendrocolaptes certhia*, 172
- Dendrocopos pubescens*, 39, 382
scalaris, 75, 174
villosus, 382
- Dendrocygna autumnalis*, 43, 174
- Dendroica caerulescens*, 40
castanea, 40, 65, 385
coronata, 65, 119, 383
discolor, 303
fusca, 64, 383
magnolia, 65, 303, 383
pensylvanica, 40, 71, 190, 383
petechia, 67, 103, 190, 383
pinus, 40
striata, 40
tigrina, 65, 118, 385, 458
virens, 40, 64, 190, 383
- Dennis, John V., Damage by Golden-fronted and Ladder-backed woodpeckers to fence posts and utility poles in South Texas, 75–88
- de Vlaming, Victor L., Regurgitation by Killdeer as a possible means of dispersal for seeds and aquatic organisms, 449–450
- Diamond, Jared M. and John W. Terborgh, Observations on bird distribution and feeding assemblages along the Rio

- Callaria, Department of Loreto, Peru, 273-282
- Dicaeum agile*, 153
 concolor, 153
 cruentatum, 145
 trigonostigma, 153
- Dicrurus annectans*, 152
 paradiseus, 152
- Distribution, 6, 118, 155-161, 163-186, 236, 241, 242, 245, 273-282, 340, 347, 348, 371-396
- Dives dives*, 173
- Donacobius atricapillus*, 277
- Dove, Common Ground, 182
 Mourning, 39, 244, 271, 375, 382, 450, 451
- Dowitcher, 221
 Short-billed, 314
- Drongo, Crow-billed, 139, 152
 Large Racquet-tailed, 137, 138, 139, 140, 141, 142, 145, 146, 152
- Drongo-Cuckoo, 152
- Dryocopus lineatus*, 174
 pileatus, 78, 382, 452
- Duck, Black, 38, 220, 238, 239
 Black-bellied Tree, 43-49
 Ring-necked, 220
 Ruddy, 220
 Wood, 38, 237-239, 264, 268, 269, 339, 377
- Dumetella carolinensis*, 39, 103, 294, 383, 451
- Dunlin, 307, 314
- Dusi, Julian L., Migration in the Little Blue Heron, 223-235
- Eagle, Bald, 155, 441-448
 Golden, 38, 446
- Ecology, 7, 131-154, 163-187, 188-199, 200-207, 208-218, 259-272, 273-279, 371-396
- Edeburn, Ralph M., Abnormal tongue in a Robin, 120
- Edwards, Ernest P., review by, 123-124
- Egret, Cattle, 181, 236, 245
 Common, 236-237, 245
 Snowy, 181, 236-237, 245
- Egretta thula*, 236
- Einarsen, Arthur S., The Black Brant: Sea Goose of the Pacific Coast, reviewed, 126-127
- Elainia flavogaster*, 173
 obscura, 344
- Elanoides forficatus*, 155, 275
- Elanus leucurus*, 174
- Emberiza citrinella*, 436
 rustica, 24
- Emerald, White-bellied, 178
- Empidonax brewsteri*, 374
 flavescens, 172
 f. imperturbatus, 179
 flaviventris, 382
 minimus, 39, 382
 traillii, 382
 virescens, 39, 380
- Eremophila alpestris*, 208
 a. praticola, 210, 212
- Ereunetes mauri*, 314
 pusillus, 221, 307
- Erithacus rubecula*, 432
- Erolia alpina*, 307
 bairdii, 314
 melanotos, 221, 307
 minutilla, 39, 307
- Eubucco richardsoni*, 276
- Eucometis penicillata*, 173
- Eudocimus albus*, 174
- Euphagus carolinus*, 41
- Euphonia, Blue-headed, 184
 Scrub, 178
 Yellow-throated, 178, 184-185
- Euphonia affinis*, 173, 178
 gouldi, 173
 lauta, 173, 178, 185
 musica, 173, 184
- Eurylaimus javanicus*, 152
 ochromalus, 152
- Eurypyga helias*, 275
- Euscarthmornis granadensis*, 344
- Euxenura maguari*, 316, 317
- Evans, Raymond N., Nest site movements of a Poor-will, 453
- Falco albigularis*, 173
 femorialis, 174
 rufigularis, 275
 sparverius, 38
- Feduccia, J. Alan, The amphirhinal condition in the Passeriformes, 453-455;

- Ciconia maltha* and *Grus americana*
from the Upper Pliocene of Idaho,
316-321
- Ferguson, Denzel E., A possible case of
egg transport by a Chuck-will's-widow,
452-453
- Ficken, Millicent S. and Robert W. Ficken,
Age-specific differences in the breed-
ing behavior and ecology of the Amer-
ican Redstart, 188-199
- Ficken, Robert W., see Chappell, Janet S.
and ———; Ficken, Millicent S.
and ———; Myton, Becky A. and
—————
- Finch, House, 94, 102, 105
Purple, 41, 384, 385, 392
- Fisher, James, The Shell bird book, re-
viewed, 468-469
- Flicker, 5-21
Yellow-shafted, 270, 374, 375, 377, 382
- Flight, 238-239, 405-406, 423-428
- Flight speed, 238-239
- Florida caerulea*, 174, 223, 245
- Flowerpecker, Crimson-breasted, 145, 153
Orange-bellied, 139, 153
Plain, 153
Scarlet-backed, 145
Thick-billed, 153
Yellow-throated, 153
- Flycatcher, Acadian, 39, 264, 267, 380
Ash-throated, 86
Black-naped Blue, 137, 152
Brown, 153
Brown-crested, 183
Chestnut-winged, 153
Gray-capped, 115
Great Crested, 264, 267, 270, 377, 382
Grey-headed, 137, 139, 142, 152
Least, 39, 382
Olive-sided, 382, 385, 389
Paradise, 137, 138, 139, 140, 141, 145,
146, 148, 152
Scissor-tailed, 236
Sepia-capped, 183
Siberian, 153
Social, 115
Spotted Fantail, 137, 138, 139, 142, 143,
144, 146, 152
Tickell's Blue, 152
- Trail's, 374, 375, 382, 385, 392
Verditer, 137, 139, 142, 146, 152
Yellow-bellied, 382, 385
- Flycatcher-shrike, Bar-winged, 137, 139,
140, 141, 142, 143, 144, 146, 152
Black-winged, 139, 152
- Flyeater, 137, 138, 139, 142, 143, 144, 153
- Food habits, 43-49, 115-116, 119, 200-206,
214, 307-315, 319-321, 339-340, 341,
441-448, 455-456
- Forest-Falcon, Barred, 181
- Formicarius analis*, 172
- Forsyth, Billy J., see Bolen, Eric G. and
—————
- Forsythe, Dennis M., Egg teeth and hatch-
ing methods of the Long-billed Curlew,
340-341
- Fossils, 316-318
- Fregata magnificens*, 174, 175
- French, William L., A Sage Thrasher in
Massachusetts, 241
- Frigatebird, Magnificent, 175
- Fringilla coelebs*, 94
montijringilla, 107
- Frohling, Robert C., Bonaparte's Gull
feeding on walnut meat, 341
- Fulica americana*, 39, 221, 341
- Fulk, George W., The gaping response of
nestling Bank Swallows, 344-345
- Furnarius leucopus*, 277
- Gadwall, 220, 221
- Galbalcyrhynchus leucotis*, 276, 280
- Galbula cyanescens*, 276
ruficauda, 173, 183
- Gallinule, Purple, 182
- Gannet, 38
- Garrulax*, 455
- Gaunt, Abbot S. and Sandra L., Cavity
"excavation" by Cliff Swallows, 110-
113
- Gaunt, Sandra L., see Gaunt, Abbot S.
and ———
- Gavia adamsii*, 416
arctica, 416
immer, 38, 416, 418
stellata, 418
- Geothlypis trichas*, 103, 342, 383
- Geotrygon lawrencii*, 172, 177, 182
l. carrikeri, 179

- montana*, 172
Gerygone fusca, 153
Glaucidium brasilianum, 173
Gnatcatcher, Blue-gray, 264, 267, 270
Goddard, Stephen V. and Veryl V. Board,
Reproductive success of Red-winged
Blackbirds in North Central Okla-
homa, 283-289
Godfrey, W. Earl, The Birds of Canada,
reviewed, 463-466
Goldcrest, 200
Goldfinch, American, 41, 89-109, 348, 375,
384, 385
Eastern, 380
European, 91, 104, 105, 106, 107
Lawrence's, 105, 106, 107
Lesser, 104, 106, 107
Goose, Canada, 38, 242, 244
Lesser Snow, 38
Gould, John, Birds of Europe, reviewed,
255-256
Grackle, Boat-tailed, 350
Common, 41, 287, 377, 383, 455
Grallaria guatemalensis, 172, 177
Grant, C. Val, Breeding behavior of an
uniquely marked Starling, 243-244
Graybird, Hook-billed, 144, 152
Lesser, 137, 152
Grebe, Eared, 221, 341
Horned, 38
Least, 180
Pied-billed, 180, 221, 325
Red-necked, 221
Greenfinch, 104, 105, 107, 436
Grosbeak, Rose-breasted, 41, 384, 385
Grouse, Ruffed, 28-36, 377, 382
Sharp-tailed, 449
Grus americana, 155, 157, 316-318
canadensis, 157, 316, 317
Gull, Bonaparte's, 221
California, 341
Franklin's, 221
Herring, 39, 421-431
Ring-billed, 39, 221, 341
Western, 242-243
Gymnostinops montezuma, 173, 178
Habia gutturalis, 174
rubica, 173, 185
Habitat, 65-66, 77, 163-180, 188-189, 200-
206, 208-210, 371-396
Haliaeetus leucocephalus, 441
Hall, George A., review by, 467-468
Hanson, Harold C., The Giant Canada
Goose, reviewed, 125-126
Harpactes duvauceli, 152
Harpagus bidentatus, 173, 181
Harrison, C. J. O., The double-scratch as
a taxonomic character in the Holarctic
Emberizinae, 22-27
Harrison, Thomas P., review by, 255
Harting, James Edmund, The Birds of
Shakespeare. Including of Men and
Birds: Prolegomena to the birds of
Shakespeare by Grundy Steiner, re-
viewed, 255
Haverschmidt, F., review by, 466-467
Hawfinch, 105
Hawk, Bicolored, 181
Broad-winged, 38, 54, 267, 405
Cooper's, 38
Marsh, 38, 54, 221, 222, 375, 382
Red-shouldered, 38, 264, 269
Red-tailed, 38, 54
Rough-legged, 54
Sharp-shinned, 50, 56-61, 397-415
Short-tailed, 181
Sparrow, 367
White, 181
Zone-tailed, 181
Hawk-Eagle, Black, 181
Heliomaster longirostris, 174
Heliornis fulica, 175
Helmitheros vermivorus, 40
Hemicircus concretus, 152
Hemipus hirundinaceus, 152
picatus, 152
Henicorhina leucostica, 172
Heron, Black-crowned Night, 221
Great Blue, 456
Green, 180-181, 245
Little Blue, 222-235, 245
Herpetotheres cachinnans, 173
Himantopus mexicanus, 341
Hirundo rustica, 382
Hofslund, Pershing B., Proceedings of the
forty-eighth annual meeting, 358-368

- Holcomb, Larry C., Goldfinch accept young after long and short incubation, 348;
Mourning Dove egg in nests of Catbird and Robin, 450-451
- Honeycreeper, Red-legged, 178, 184
- Howard, Deborah V., Variation in the breeding season and clutch-size of the Robin in the northeastern United States and the Maritime Provinces of Canada, 432-440
- Hubbard, John P., Notes on some Chiapas birds, 236
- Hummingbird, Amethyst-throated, 183
Ruby-throated, 264, 267, 375
- Hydranassa tricolor*, 174
- Hylocichla fuscescens*, 40, 383
guttata, 40, 383
mustelina, 39, 383
ustulata, 383
- Hylomanes momotula*, 172
- Hylophilus decurtatus*, 173
ochraceiceps, 172
- Hypomorhnus urubitinga*, 174, 175
- Hypothymis azurea*, 153
- Hypsipetes charlottae*, 152
criniger, 152
flavus, 152
viridescens, 152
- Icteria virens*, 40, 118
- Icterus chrysater*, 174
cucullatus, 173, 184
galbula, 41, 196
gularis, 174
icterus, 277, 280
mesomelas, 173
prothemelas, 173
spurius, 41, 193, 196
wagleri, 173, 184
- Ictinia mississippiensis*, 38
- Incubation, 212, 348, 434, 435
- Iora, Great, 152
Green, 137, 139, 140, 141, 142, 143, 144, 145, 146, 152
- Irena puella*, 152
- Iridoprocne albilinea*, 175
bicolor, 382
- Ixobrychus exilis*, 174, 181
- Jabiru mycteria*, 275, 316, 317
- Jacamar, Rufous-tailed, 183
- Jacana jacana*, 275
spinosa, 175
- Jay, Blue, 39, 264, 267, 270, 271, 346, 376, 377, 380, 382, 393
Crested Malay, 145
- Johnson, A. W., The birds of Chile and adjacent regions of Argentina, Bolivia and Peru. Volume I, reviewed, 124-125
- Junco, Oregon, 106
Slate-colored, 42, 384, 385
- Junco hyemalis*, 42, 384
oreganus, 106
- Keith, Stuart, review by, 251-254
- Kenyon, Karl W., review by, 126-127
- Kepler, Cameron B., review by, 469-471
- Kestrel, American, 38
- Killdeer, 39, 221, 314, 450
- Kingbird, Eastern, 382
- Kingfisher, Belted, 236-237, 264
- Kinglet, Golden-crowned, 40, 383, 385
Ruby-crowned, 40
- Kite, Double-toothed, 181
Hook-billed, 181
Mississippi, 38
Swallow-tailed, 155
- Klopfer, Peter H., Behavioral stereotypy in birds, 290-300
- Kress, Stephen W., A Robin nests in winter, 245-246
- Laboratory Equipment, 335-338
- Lack, David, Population studies of birds, reviewed, 469-471
- Lampornis amethystinus*, 172, 183
- Lanio aurantius*, 173
- Lanius cristatus*, 152
excubitor, 117
ludovicianus, 40, 116
- Lansdowne, James Fenwick, Birds of the Northern Forest, reviewed, 249-251
- Lark, Horned, 208-218
Prairie Horned, 210
- Larus argentatus*, 39, 421
californicus, 341
delawarensis, 39, 341
occidentalis, 242
- Laterallus ruber*, 174, 182
- Laybourne, Roxie C., see Short, Lester L., Jr. and -----

- Leafbird, Greater Green, 137, 138, 139, 142, 143, 144, 145, 146, 152
Lesser Green, 137, 138, 139, 142, 143, 144, 145, 146, 152
Yellow-headed Green, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 152
- Legatus leucophaeus*, 173
Lepidocolaptes affinis, 172
lachrymiger, 344
souleyetii, 170, 172
Lepidogrammus cumingi, 322
Leptopogon amaurocephalus, 172, 183
Leptotila plumbeiceps, 172
verreauxi, 172
Leucophox thula, 174, 181, 245
Leucopternis albicollis, 172, 181
Limnodromus, 221
griseus, 314
Lokemoen, John T., Flight speed of the Wood Duck, 238-239
Lonchura striata, 153
Longcore, Jerry R., Unusual behavior of the Yellow-headed Blackbird, 117-118
Longspur, Lapland, 23
Loon, Arctic, 416
Common, 38, 416, 417, 418, 419
Red-throated, 418
Yellow-billed, 416
Lophodytes cucullatus, 38
Loriculus galgulus, 152
Loxia curvirostra, 196, 344
leucoptera, 196
MacInnes, Charles D., review by, 125-126
Macronus gularis, 152
Magpie, Black-crested, 145
Malacopteron affine, 152
cinereum, 152
magnum, 152
Malcoha, Chestnut-breasted, 137, 139, 140, 141, 145, 146, 152
Lesser Green-billed, 145, 152
Raffles, 139, 145, 152
Red-billed, 152
Rufous-bellied, 145, 152
Mallard, 38, 220, 221, 222, 239, 339, 375, 450
Manuwal, David A., Observations on a localized duck sickness in the Delta Marsh; summer, 1964, 219-222
Mareca americana, 38, 221
Martin, Elden W., An improved cage design for experimentation with passeriform birds, 335-338
Martin, Purple, 196
Martinez, Aida, see McNeil, Raymond and _____
Mayfield, Harold, review by, 123
McClure, H. Elliott, The composition of mixed species flocks in lowland and sub-montane forests of Malaya, 131-154
McMillen, Wheeler, Bugs or People? reviewed, 256
McNeil, Raymond and Aida Martinez, Retarded or arrested cranial development in *Myiornis ecaudatus*, 343-344
Meadowlark, Eastern, 41, 376
Western, 41
Measurements, 8-10, 345-346
Megaceryle alcyon, 236-237
Megalaima australis, 152
chrysopogon, 152
henrici, 152
mystacophanes, 152
Megarhynchus pitangua, 116, 173
Meiglyptes tristis, 152
Melanerpes cruentatus, 276, 280
erythrocephalus, 39
formicivorus, 174, 175
Melanochlora sultanea, 153
Meleagris gallopavo, 239
Melophus lathamii, 24
Melopsittacus undulatus, 328-333
Melospiza georgiana, 22, 103, 384
melodia, 22, 42, 192, 384, 437
Merganser, Hooded, 38
Merops viridis, 152
Mesembrinibis cayennensis, 275
Meyerriecks, Andrew J. and David W. Nellis, Egrets serving as "beaters" for Belted Kingfishers, 236-237
Micrastur ruficollis, 172, 181
semitorquatus, 172, 182
Micropalama himantopus, 307
Migration, 50-63, 223-235, 236, 307-315, 397-415
Milvago chimachima, 275
Mimus polyglottos, 174, 183, 246

- Minivet, Ashy, 139, 145, 152
 Fiery, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 152
 Scarlet, 137, 138, 139, 140, 141, 142, 143, 144, 146, 152
Mionectes striaticollis, 344
Mniotilta varia, 40, 383
 Mockingbird, Common, 183, 246
Molothrus ater, 41, 118, 383, 435
bonariensis, 344
 Molts and plumages, 11-19, 113-114, 189, 214-215, 239-240, 322-327, 339, 416-420, 442, 456-458
Momotus momota, 172, 276
Monasa nigrifrons, 276
 Montgomery, Robert A., Observation of Brant in southern Illinois, 242
 Morse, Douglass H., The contexts of songs in Black-throated Green and Blackburnian warblers, 64-74
 Mortality, 219-222, 447
Morus bassanus, 38
 Mueller, Helmut C. and Daniel D. Berger, Wind drift, leading lines, and diurnal migration, 50-63; Fall migration of Sharp-shinned Hawks, 397-415
Mulleripicus pulverulentus, 152
 Munia, Sharp-tailed, 153
Muscicapa latirostris, 153
sibirica, 153
thalassina, 152
tickelliae, 153
Muscivora forficata, 236
tyrannus, 174
Myadestes ralloides, 344
unicolor, 172, 177
Mycteria americana, 174, 275
Myiarchus cinerascens, 86
crinitus, 382
tuberculifer, 173
tyrannulus, 173, 183
Myiobius sulphureipygius, 172
miniatus, 173, 177
m. molochinus, 179
Myiodynastes luteiventris, 173
maculatus, 173
Myiopagis viridicata, 173, 344
Myiornis ecaudatus, 343, 344
Myiozetetes granadensis, 115, 116
similis, 115, 116, 173
Myospiza aurifrons, 277
 Myton, Becky A. and Robert W. Ficken, Seed-size preference in chickadees and titmice in relation to ambient temperature, 319-321
Nectarina hypogrammica, 153
 Nellis, David W., see Meyerriecks, Andrew J. and ———
(Nesocelus) fernandinae, 5
 Nesting, 110-113, 211-216, 245-246, 259-272, 283-289, 340, 341, 348, 432-440, 451-452, 453
 Nethersole-Thompson, Desmond, The Snow Bunting, reviewed, 353-354
 Nice, Margaret M., review by, 353-354
 Niedrach, Robert J., see Bailey, Alfred M. and ———
 Nighthawk, Common, 343
Numenius americanus, 158, 340-341
Nuttallornis borealis, 382
 Nuthatch, Brown-headed, 39, 267, 268, 269, 270, 271
 Red-breasted, 382, 386, 389, 392
 Velvet-fronted, 137, 139, 142, 143, 144, 146, 153
 White-breasted, 264, 267, 270, 377, 382, 385
Nyctanassa violacea, 174
Nyctea scandiaca, 158
Nyctibeus griseus, 173
Nycticorax nycticorax, 174
Nyctidromus albicollis, 173, 276
Nyctiornis amictus, 152
Ochthornis littoralis, 277
Odontophorus guttatus, 172
 Ogden, John C. and Frank L. Chapman, Extralimital breeding of Painted Buntings in Florida, 347
 Oldsquaw, 239
 Olrog, Claes Chr., review by, 124-125
Oncostoma cinereigulare, 172
Onychorhynchus mexicanus, 172
Oporornis formosus, 40
Oreoscoptes montanus, 241
 Oriole, Baltimore, 41, 196
 Black-headed, 137, 138, 139, 140, 141, 146, 152

- Hooded, 184
Orchard, 41, 193, 196, 271
Wagler's, 184
Oriolus xanthonotus, 152
Ornithion semiflavum, 172
Oropendola, Chestnut-headed, 184
Montezuma, 178
Ortalis guttata, 275, 280, 281
vetula, 173
Orthotomus atrogularis, 153
Otus asio, 39
choliba, 276
guatemalae, 172
Ovenbird, 40, 264, 267, 268, 270, 305, 377,
378, 379, 380, 383, 385, 386, 387, 393
Owl, Barn, 39, 451-452
Barred, 39, 264, 377
Great Horned, 39, 159
Screech, 39, 267, 270
Short-eared, 39
Snowy, 158, 159
Spectacled, 183
Striped, 183
Owre, Oscar T., Predation by the Chuck-
will's-widow upon migrating warblers,
342
Pachyramphus major, 173
Packard, Gary C., Seasonal variation in
bill length of House Sparrows, 345-346
Paphosia helenae, 173, 183
Parakeet, Barred, 182
Blue-crowned Hanging, 152
Carolina, 158
Olive-throated, 178
Parasitism, 341, 435, 450-451
Parkes, Kenneth C., Prealternate molt in
the Summer Tanager, 456-458
Parmalee, Paul W., Additional noteworthy
records of birds from archaeological
sites, 155-162
Paroaria gularis, 277
Parrot, Brown-headed, 182
Parula americana, 68, 303, 383
pitiayumi, 173, 184
Parus, 200, 204
atricapillus, 200, 382
atricristatus, 174
bicolor, 39, 118, 319, 346
carolinensis, 319
hudsonicus, 204
montanus, 200
prehudsonicus, 205
rufescens, 200
Passer, 455
domesticus, 41, 86, 118, 170, 345, 347
Passerculus sandwichensis, 41, 117
Passerella iliaca, 22, 42
Passerina ciris, 347
cyanea, 41, 102
Pedioecetes phasianellus, 449
Pelecanus erythrorhynchus, 221
occidentalis, 174, 175
Pelican, Brown, 175
White, 221
Penelope purpurascens, 172
Pericocotus divaricatus, 152
flammeus, 152
igneus, 152
Pesticides, 441-448
Petrochelidon pyrrhonota, 110
Pettingill, Olin Sewall, Jr., review by,
255-256, 352-353, 468-469; see Arbib,
Robert S. Jr., and ———
Peucedramus taeniatus, 236
Pewee, Eastern Wood, 264, 267, 270, 377,
382, 385, 393
Phaenicophaeus chlorophaeus, 152
curvirostris, 152
diardi, 152
javanicus, 152
sumatranus, 152
Phaethornis longuemareus, 172
superciliosus, 172
Phaetusa simplex, 276, 278
Phainopepla, 192
Phainopepla nitens, 192
Phalacrocorax olivaceus, 174, 180, 278
Phalaenoptilus nuttallii, 453
Phalarope, Wilson's, 221, 307, 314
Phasianus colchicus, 341
Pheasant, Ring-necked, 341
Pheucticus ludovicianus, 41, 384
Philentoma pyrrhoptera, 153
Phillips, Richard S., Buff-breasted Sand-
piper in northwestern Ohio, 340
Philohela minor, 340
Philydor lichtensteini, 455
rufus, 455

- Phloeocastes guatemalensis*, 170, 172, 236
melanoleucos, 276, 281
- Phlogothraupis sanguinolenta*, 174
- Phoebe, Eastern, 382, 385
- Phylloscopus borealis*, 153
- Physiology, 242–243, 328–333
- Piaya cayana*, 173, 276, 280
- Piculus rubiginosus*, 170, 173
- Picus mentalis*, 152
miniaceus, 152
puniceus, 152
- Pigeon, Lesser Thick-billed Green, 152
- Passenger, 157
- Scaled, 182
- Pigmy-tyrant, Short-tailed, 343
- Ptilerodius pileatus*, 275
- Pintail, 38, 220, 221, 222, 239
- Pionopsitta haematotis*, 172, 182
- Pipilo erythrophthalmus*, 41, 384
juscus carolae, 238
- Pipit, Water, 40, 208
- Pipra mentalis*, 172
- Pipromorpha oleaginea*, 172
- Piranga leucoptera*, 173, 236
olivacea, 41, 383, 456
rubra, 456
r. cooperi, 457
r. rubra, 457, 458
- Pitangus sulphuratus*, 116, 173, 277
- Platylophus galericulatus*, 145
- Platypsaris aglaiae*, 173
- Platyrinchus mystaceus*, 172
- Platysmurus leucopterus*, 145
- Plectrophenax nivalis*, 23
- Plover, American Golden, 314
 Black-bellied, 39, 314
 Semipalmated, 221, 314
- Pluvialis dominica*, 314
- Podiceps auritus*, 38
caspicus, 341
dominicus, 174, 180
- Podilymbus podiceps*, 174, 180, 325
- Polioptila caerulea*, 174
- Polyborus cheriway*, 174
- Pomatorhinus montanus*, 152
- Pooecetes gramineus*, 42
- Poor-will, 453
- Populations, 66, 77–78, 259–272, 371–396
- Porphyryla martinica*, 175, 182
- Porzana carolina*, 382
- Prairie Chicken, Greater, 449
- Predation, 116, 236–237, 342, 449
- Prescott, Kenneth W., Unusual activities of a House Sparrow and a Blue Jay at a Tufted Titmouse nest, 346–347
- President's Science Advisory Committee—Environmental Pollution Panel, Restoring the quality of our environment, reviewed, 357
- Prinia rufescens*, 153
- Prionochilus maculatus*, 153
percussus, 153
- Progne chalybea*, 174
subis, 196
- Psarocolius*, 277, 280
- Psilorhinus morio*, 173
- Psomocolax oryzivorus*, 173
- Pteroglossus beauharnaesii*, 322, 323, 324
castanotis, 276, 281
inscriptus, 276, 281
torquatus, 173
- Pulsatrix perspicillata*, 172, 183
- Pycnonotus atriceps*, 152
brunneus, 152
cyaniventris, 152
dispar, 152
erythrophthalmos, 152
eutilotus, 145
finlaysoni, 152
melanoleucos, 152
simplex, 152
squamatus, 152
- Pygiptila stellaris*, 277
- Pyrocephalus rubinus*, 174, 277
- Quail, Ocellated, 236
- Quail-Dove, Purplish-backed, 177, 182
- Quelea quelea*, 344
- Quiscalus quiscula*, 41, 287, 383, 455
- Rail, Red, 182
 Virginia, 382
- Rallus aquaticus*, 324
elegans, 323, 324
indicus, 323, 324
limicola, 382
longirostris, 323, 324
- Ramphastos sulfuratus*, 173
tucanus, 276, 280, 281
- Ramphocaenus rufiventris*, 173

- Ramphocelus carbo*, 277, 281
dimidiatus, 293
- Rand, A. L., A Common Grackle learning to soak bread, 455-456
- Raven, Common, 157, 160
- Redhead, 220, 221
- Redstart, American, 103, 188-199, 264
Painted, 246
Slate-throated, 177
- Regulus calendula*, 40
regulus, 200
satrapa, 40, 383
- Rhinopteryx clamator*, 174, 183
- Rhipidura perlata*, 152
- Rhynchocyclus brevirostris*, 172
- Richmondia cardinalis*, 41, 174, 294, 383
- Riparia riparia*, 110, 344
- Roadrunner, 269
- Robbins, Chandler S., Bertel Bruun and Herbert Zim, Birds of North America. Illustrated by Arthur Singer, reviewed, 251-254
- Robin, 39, 119-120, 245-246, 375, 376, 383, 432-439, 450
Black, 184
Clay-colored, 178
European, 432, 436, 437
White-throated, 178, 184
- Rogers, John P., Flightless Green-winged Teal in southeast Missouri, 339
- Rostrhamus sociabilis*, 174
- Sabrewing, Wedge-tailed, 170
- Saltator atriceps*, 174
coerulescens, 174, 277
maximus, 174
- Sanderling, 314
- Sandpiper, Baird's, 314
Buff-breasted, 314, 340
Least, 39, 221, 307, 310, 314
Pectoral, 221, 307, 310, 314, 315
Semipalmated, 221, 307, 313, 314, 315
Solitary, 314
Spotted, 221, 314
Stilt, 221, 307, 308, 310, 314
Western, 314
- Sapsucker, Yellow-bellied, 39, 382, 386
- Sarcoramphus papa*, 174, 375
- Sayornis nigricans*, 175
phoebe, 382
- Scardafella inca*, 174
- Scaup, Lesser, 38, 220, 341
- Schreiber, Ralph W., Roosting behavior of the Herring Gull in central Maine, 421-431
- Seedeater, White-collared, 175
- Seiurus aurocapillus*, 40, 305, 383
noveboracensis, 383
- Serinus*, 104
- Setophaga picta*, 246
ruticilla, 103, 188
- Shama, Common, 153
- Short, Lester L., Jr., Variation in Central American flickers, 5-21
- Short, Lester L., Jr. and Roxie C. Laybourne, An instance of "white wing-barring" in the Common Crow, 113-114
- Shoveler, 220, 222, 314
- Shrike, Brown, 152
Loggerhead, 40, 116-117
Northern, 117
- Sialia sialis*, 346, 375
- Siskin, 105
Black-capped, 236
- Sitta canadensis*, 382
carolinensis, 382
frontalis, 153
pusilla, 39
- Sittasomus griseicapillus*, 172
- Skinner, Robert W., see Stewart, Paul A. and ———
- Skutch, Alexander F., Cape May Warbler in Costa Rica, 118-119
- Smaragdolanus pulchellus*, 172
- Smith, Susan M., An ecological study of winter flocks of Black-capped and Chestnut-backed Chickadees, 200-207
- Snipe, Common, 39, 307, 313, 314, 315
- Snyder, Dorothy E., The Birds of Guyana (formerly British Guiana): A Check list of 720 species with brief descriptions, voice and distribution, reviewed, 466-467
- Solitaire, Slate-colored, 177
- Sora, 382
- Sparrow, Black-throated, 23
Chipping, 103, 270, 271, 294
Field, 374, 375, 376, 393

- Fox, 22, 42
 Grasshopper, 42
 House, 41, 86, 118, 170, 271, 345-346
 Olive, 23
 Rufous-crowned, 348-349
 Rufous-naped, 22
 Savannah, 41, 117
 Seaside, 42
 Sharp-tailed, 42
 Song, 22, 42, 192, 373, 375, 376, 377, 378, 379, 380, 384, 385, 386, 393, 437
 Swamp, 22, 103, 384, 385
 Tree, 22, 335
 Vesper, 42
 White-crowned, 42, 243-244
 White-throated, 23, 42, 384, 386, 392
Spatula clypeata, 221, 341
Sphyrapicus varius, 39, 382
 Spiderhunter, Grey-breasted, 153
 Lesser Yellow-eared, 139, 153
 Little, 139, 145, 153
 Long-billed, 153
Spinus atriceps, 236
 lawrencei, 105
 psaltria, 104, 174
 pinus, 105
 tristis, 41, 89, 348, 384
Spizaetus tyrannus, 172, 181
Spizella arborea, 22, 335
 passerina, 103, 294
 pusilla, 375
 Spofford, Sally Hoyt, Tongue deformity in immature Robin, 119-120; see Arbib, Robert S., Jr. and ———
Sporophila castaneiventris, 278, 280
 torqueola, 174, 175
Squatarola squatarola, 39, 314
Stachyris maculata, 152
 nigricollis, 145
 Starling, 40, 55, 243-244, 271
 Stefferud, Alfred, editor, Birds in our lives, reviewed, 467-468
Steganopus tricolor, 307
 Steiner, Grundy, see Harting, James Edmund and ———
Stelgidopteryx ruficollis, 174, 277
 Stereotypy, 290-300
Sterna superciliaris, 276, 278
 Stewart, Paul A., Wood Duck ducklings captured by bullfrogs, 237-238; Disgorging of food by Wood Ducks, 339-340; see Chura, Nicholas J. and ———
 Stewart, Paul A. and Robert W. Skinner, Weights of birds from Alabama and North Carolina, 37-42
 Stilt, Black-necked, 341
 Stork, European, 54
Streptoprocne zonaris, 174, 175
Strix varia, 39, 377
Sturnella magna, 41, 174
 neglecta, 41
Sturnus vulgaris, 40, 55, 243
 Sunbird, Purple-naped, 145, 153
 Ruby-cheeked, 153
 Rufous-throated, 153
 Scarlet, 153
 Yellow-backed, 153
Surniculus lugubris, 152
 Sutton, George Miksch, review by, 249-251; 463-466
 Swallow, Bank, 110-113, 344-345
 Barn, 382
 Cliff, 110-113
 Tree, 375, 382, 392
 Swift, 437
 Chimney, 264, 267, 270
 Vaux's, 175
 White-collared, 175
Synallaxis albescens, 344
 erythrorhax, 173
Tachycineta albiventer, 277
 Tailorbird, Black-necked, 153
 Tanager, Blue, 293, 298
 Crimson-backed, 293
 Scarlet, 41, 270, 377, 383, 385, 387, 393, 456
 Summer, 270, 456-458
 Yellow-winged, 178
 White-winged, 236
Tanagra laniirostris, 277
 xanthogaster, 344
Tangara chilensis, 277, 280, 281
Tangavius aeneus, 173, 175
Tapera naevia, 173
Taraba major, 173, 183
 Taxonomy, 5-21, 22-27

- Teal, Blue-winged, 220, 221, 222
 Cinnamon, 341
 Green-winged, 220, 339
Telmatodytes palustris, 39
Tephrodornis gularis, 152
Terborgh, John W., see Diamond, Jared
 M. and ————
Tern, Black, 221
 Forster's, 221
 Royal, 39
Terpsiphone paradisi, 152
Thalasseus maximus, 39
Thamnophilus doliatus, 173
Thompson, Daniel Q., review by, 256, 357
Thrasher, Brown, 39, 375, 383
 Sage, 241
Thraupis abbas, 174, 178
 cana, 293
 virens, 174
Thrush, Hermit, 40, 383, 385
 Mistle, 432
 Song, 432, 436
 Swainson's, 383, 385
 Wood, 39, 264, 267, 270, 377, 383
Thryomanes bewickii, 86
Thryothorus coraya, 277
 maculipectus, 173
Tiaris olivacea, 174
Tigrisoma, 275
Tinamus major, 172
Tit, Sultan, 139, 153
 Willow, 200
Titmouse, Tufted, 39, 118, 264, 267, 270,
 319-321, 346, 377
Tityra, 277, 280
 inquisitor, 173
 semifasciata, 173
Tolmomyias sulphurescens, 172
Tomer, John S., Cattle Egret nesting in
 northeastern Oklahoma, 245
Tomlinson, Jack T., Sedatives interfere
 with walking more than flying, 242-
 243
Totanus flavipes, 221, 307
 melanoleucus, 307
Towhee, Brown, 238
 Green-tailed, 23
 Rufous-sided, 41, 374, 375, 376, 377, 384,
 385, 393
Toxostoma rufum, 39, 383
Treron curvirostra, 152
Trichastoma bicolor, 145
Tringa flavipes, 275
 solitaria, 276, 314
Troglodytes aedon, 382
 musculus, 173, 183
 troglodytes, 383
Trogon, Red-rumped, 139, 145, 152
Trogon citreolus, 174
 collaris, 172, 276, 280, 281
 massena, 172
 violaceus, 172
 viridis, 276, 280, 281
Tryngites subruficollis, 314, 340
Turdus assimilis, 172, 178, 184
 ericetorum, 432
 grayi, 173, 178
 infuscatus, 172, 184
 merula, 432
 migratorius, 39, 119, 120, 245, 383, 450
 viscivorus, 432
Turkey, 155, 157, 159, 239-240, 264, 269
Tympanuchus cupido, 449
Tyrannus melancholicus, 116, 173, 277
 tyrannus, 382
Tyto alba, 39, 174, 451
Uropsila leucogastra, 174
Van Tyne, Josselyn, 343
Veery, 40, 375, 377, 380, 383, 386
Veniliornis fumigatus, 173
Verbeek, Nicholaas A. M., Breeding biology
 and ecology of the Horned Lark in
 Alpine tundra, 208-218
Vermeer, Kees, Foreign eggs in nests of
 California Gulls, 341
Vermivora celata, 40
 chrysoptera, 40, 190, 301
 peregrina, 383
 pinus, 40, 190, 301
 ruficapilla, 40, 303, 383
Violetear, Green, 183, 236
Vireo, Red-eyed, 40, 264, 267, 270, 377,
 383, 385
 Solitary, 40, 385
 Yellow-throated, 377
 White-eyed, 264, 267, 299
Vireo flavifrons, 377
 griseus, 294

- olivaceus*, 40, 173, 383
solitarius, 40, 385
 Voice, 64-74, 210-211, 214, 328-333
Volatina jacarina, 174
 Vulture, Black, 175
 Turkey, 264, 267, 270
 Wallace, Gary O., An aggressive display
 by a Tufted Titmouse, 118
 Warbler, Arctic Leaf, 138, 139, 140, 141,
 142, 143, 144, 145, 146, 151, 153
 Bay-breasted, 40, 65, 385
 Black-and-white, 40, 264, 267, 270, 383,
 386
 Black-throated Blue, 40, 386
 Black-throated Green, 40, 64-74, 377,
 383, 386, 392
 Blackburnian, 64-74, 383
 Blackpoll, 40
 Blue-winged, 40, 301
 Brewster's, 40, 305
 Canada, 41, 383, 392
 Cape May, 65, 118-119, 342, 385, 458
 Cerulean, 264, 268, 269
 Chestnut-sided, 40, 71, 72, 383
 Golden-crowned, 184
 Golden-winged, 301-315
 Hooded, 41, 264
 Kentucky, 40, 264, 267
 Magnolia, 65, 72, 73, 303, 383, 385
 Myrtle, 65, 68, 70, 72, 73, 119, 383, 385
 Nashville, 40, 303, 374, 375, 383, 389, 392
 Olive, 236
 Orange-crowned, 40
 Parula, 68, 70, 71, 264, 267, 270, 303,
 383, 386
 Pine, 40, 267, 270
 Prairie, 270, 303
 Prothonotary, 264, 268, 269
 Swainson's, 264, 268, 269
 Tennessee, 383
 Tropical Parula, 184
 Worm-eating, 40, 264, 268, 269
 Yellow, 67, 71, 72, 103, 374, 375, 383, 385
 Yellow-throated, 270
 Waterthrush, Louisiana, 264, 267, 268
 Northern, 383
 Wauer, Roland H., New status for the
 Rufous-crowned Sparrow in Utah, 348-
 349
 Waxwing, Cedar, 40, 103, 322, 375, 383
 Weather, 50-63, 397-414, 430
 Weights, 37-42, 446, 447
 Whip-poor-will, 375
 White-eye, Oriental, 153
 Wible, Mary, Wing and tail flashing of
 Painted Redstart, 246
 Widgeon, American, 38, 220, 221
 Willet, 340
 Williams, Lovett E., Jr., Erythrism in the
 wild Turkey, 239-240
 Wilson Ornithological Society, Annual
 report of the Conservation Committee,
 461-462
 Josselyn Van Tyne Memorial Library
 Gifts, 199
 Membership, 36, 88, 154, 218, 306, 327,
 420, 440
 Ornithological News, 122, 248, 351, 460
 President's Page, 121, 247, 350, 459
 Proceedings of the Annual Meeting,
 358-368
Wilsonia canadensis, 41, 383
 citrina, 41
 Woodcock, 55
 American, 340
 Woodcreeper, Ivory-billed, 184
 Woodpecker, Acorn, 175
 Banded Red, 145, 152
 Checker-throated, 152
 Crimson-winged, 139, 152
 Downy, 39, 264, 267, 270, 377, 382, 385
 Flint-billed, 236
 Fulvous-rumped, 152
 Golden-fronted, 75-88
 Golden-olive, 170
 Great Slaty, 152
 Grey-and-buff, 139, 145, 152
 Hairy, 264, 267, 270, 377, 382, 385
 Ivory-billed, 159, 160
 Ladder-backed, 75-88
 Maroon, 152
 Orange-backed, 145, 152
 Pale-billed, 170
 Pileated, 78, 264, 267, 382, 452
 Red-bellied, 264, 267, 270
 Red-cockaded, 267, 268, 269, 270, 271
 Red-headed, 39, 270
 Streak-headed, 170

- Woolfenden, Glen E., Selection for a delayed simultaneous wing molt in loons (Gaviidae), 416-420
- Wren, Bewick's, 86
Carolina, 264, 267, 270
House, 382
Long-billed Marsh, 39
Short-billed Marsh, 39
Southern House, 183
Winter, 383, 385, 392
- Wren-Warbler, Lesser Brown, 153
- Xanthocephalus xanthocephalus*, 117, 195, 287
- Xenops minutus*, 172
- Xiphorhynchus*, 277, 455
erythropygius, 454
flavigaster, 172, 184
- Yellowhammer, 436
- Yellowlegs, Greater, 221, 307, 314
Lesser, 221, 307, 308, 310, 313, 314
- Yellowthroat, 103, 342, 374, 375, 376, 377, 380, 383, 385, 386, 393
- Yuhina zantholeuca*, 152
- Zarhynchus wagleri*, 173, 184
- Zenaida asiatica*, 174
- Zenaidura macroura*, 39, 244, 382, 450
- Zim, Herbert S., see Robbins, Chandler S. and ————
- Zonotrichia albicollis*, 23, 42, 384
capensis, 22
leucophrys, 42, 242
- Zosterops palpebrosa*, 153

This issue of *The Wilson Bulletin* was published on 29 December 1967