

## INDEX TO VOLUME 86, 1974

BY DAVID M. NILES

This index includes in addition to the names of genera, species, and authors, references to the following topics: abnormalities, aggression, anatomy, banding, behavior, brood size, care of young, clutch size, communication, conservation, courtship, density, display, distribution, ecology, eggs, food and food habits, growth and development, habitat, hatching, incubation, locomotion, measurements, metabolism, migration, molts and plumages, morphology, mortality, nest building, nest sites, nesting, nesting failure, nesting success, nests, parasitism, pesticides, physiology, populations, predation, roosting, taxonomy, territory, voice and vocalizations, weather, and weights. Also included are references of biological significance to reptiles and mammals. Forms described as new in this volume are given in **boldface**.

- Acanthidops bairdi, 62  
Acanthis flammea, 35  
Accipitridae, 251  
    fossil, 251-254  
Acryllium, 249  
Actitis macularia, 227, 287  
Activity, periodicity, 69, 73  
Aegolius acadicus, 173  
Aegypinnae, 251  
    fossil, 251-254  
Aepyornithidae, 198  
Agelaius phoeniceus, 84, 177, 286, 450, 478  
    tricolor, 457  
Agriocharis, 116, 118-119  
Aircraft-bird collisions, 461-462  
Aix sponsa, 70  
Altitude of flight, 461-462  
Ameiva, 341  
Anas acuta, 462  
    americana, 463  
    clypeata, 462  
    crecca carolinensis, 463  
    discors, 463  
    fulvigula fulvigula, 68  
    platyrhynchos, 462  
    smithii, 462  
    strepera, 463  
Anderson, Bertin W., and Raymond J.  
    Dougherty, Characteristics and reproductive biology of grosbeaks (*Pheucticus*) in the hybrid zone in South Dakota, 1-11  
Anderson, Michael G., American Coots feeding in association with Canvasbacks, 462-463  
Anhima cornuta, 43  
Ani, Smooth-billed, 180  
Anisognathus igniventris, 99  
Annual cycle, 419-427  
Anseranas semipalmata, 48  
Anserinae, 48  
Ant, army and avian followers, 479-481  
Antbird, Bicolored, 480  
    Immaculate, 480  
    Spotted, 60  
Antshrike, Unicolored, 480-481  
Aracari, Cassin's, 60  
Ardea cinerea, 165, 280  
    herodias, 75, 165, 280  
Aristelliger, 341  
Arremonops chloronotus, 294  
    rufivirgatus, 293-294  
    r. crassirostris, 295  
    r. chiapensis, 295  
    **r. rhyptothorax**, 293-295  
    r. verticalis, 293  
Artibeus jamaicensis, 340  
Asio flammeus, 337  
    otus, 386  
Assortative mating, 8-9, 235  
Asyndesmus lewisi, 32  
Auriparus flaviceps, 104  
Aytha affinis, 463  
    americana, 462  
    valisineria, 462

- Bananaquit, 377
- Banding, 51, 65, 122, 144, 174, 257, 279, 286, 357, 375, 466
- Bangsia edwardsi, 480
- Banks, Richard C., Clapper Rail in Tamaulipas, Mexico, 76-77; and Roy E. Tomlinson, Taxonomic status of certain Clapper Rails of southwestern United States and northwestern Mexico, 325-335
- Basileuterus luteoviridis, 99, 322
- Batt, Bruce D. J., see Caldwell, Patrick J.
- Beasley, Larry E., and Steven W. Carothers, Unusual feeding habits in two species of blackbirds, 478-479
- Becard, White-winged, 216
- Behavior, 44-49, 70 (see also, display)  
agonistic, 35-38, 134, 149, 286-287, 369-371, 407-409, 410, 414-415, 417, 466-468  
attack, 149, 369-371, 407-409  
begging, 466-468  
brooding, 138, 151  
copulatory, 23, 412  
courtship, 38-39, 73, 166, 215-216, 222, 411-416  
defecation, 136, 140-141  
dodging, 35-38, 407-408  
feeding and foraging, 70-71, 83, 85-86, 168, 280-282, 292, 296-298, 377, 462, 463, 469-470, 472-481  
hatching, 77-78, 150  
incubating, 138, 145-147, 450-458  
innate, 37, 472-473  
juvenile, 37-41, 85, 466-468  
leaf-scratching, 296-298  
learned, 30, 40, 180, 473  
nestling, 54, 141, 154  
play, 35-41  
precopulatory, 286-287, 410, 412  
reproductive, 23-33  
searching, 411  
sunbathing, 78-79
- Berger, Andrew J., Hawaiian birdlife, reviewed, 94-95; review by, 489-491
- Blackbird, 84-85  
Brewer's, 478-479
- Red-winged, 84-85, 177-179, 286, 450-458, 478-479
- Rusty, 291-293
- Tricolored, 457
- Blake, Emmet R., and Peter Hocking, Two new species of tanager from Peru, 321-324
- Bluebird, Eastern, 83, 105  
Mountain, 83-84
- Boag, D. A., review by, 187-189
- Bobwhite, see Quail
- Bock, Walter J., review by, 183
- Bolen, Eric G., see Rylander, M. Kent and
- 
- Bombycilla cedrorum, 399, 477
- Bonasa umbellus, 131, 398
- Boreortalis, 118-119  
laesslei, 118-119
- Brachypteriidae, 198
- Branta canadensis, 68
- Breeding, age of first, 279-280
- Breeding season, 16-20, 60-61, 68, 70, 74, 218, 420-422  
success, 282-284, 288-289, 408
- Brooding, 19, 55, 59, 68
- Brood parasitism, see nest
- Bubo virginianus, 299, 367, 386
- Bubulcus ibis, 166
- Buden, Donald W., Prey remains of Barn Owls in the southern Bahama Islands, 336-343
- Bunting, 15  
Indigo, 56, 400, 404  
Rosita's, 15
- Bush-tanager, 61  
Dotted, 61
- Buteo jamaicensis, 367, 384  
lineatus, 384  
platypterus, 398  
swainsoni, 167-168, 284
- Buteogallus anthracinus, 299
- Buthraupis, 324  
**aureodorsalis**, 323-324  
bangsia, 324  
exima, 323-324  
montana, 324  
wetmorei, 324
- Butorides virescens, 165
- Cacicus cela, 217, 290  
**uropygialis**, 61
- Cacique, Yellow-rumped, 217, 290

- Cactospiza pallida*, 39  
*Calcarius lapponicus*, 291  
 Caldwell, Patrick J., and Bruce D. J. Batt,  
     Snow Goose soaring with White Pelicans, 67-68  
*Calidris alpina*, 287  
     **bairdii**, 287  
     **fuscicollis**, 287  
     **maritima**, 227-287  
     **mauri**, 287  
     **melanotus**, 287  
     **temmincki**, 287  
*Call*, 221-228  
     alarm, 180  
     begging, 466-467  
     in response to tape recordings, 200-205,  
     206-213  
     interspecific response, 211  
*Calliphlox evelynae*, 377  
*Calonectris diomedea*, 19  
 Campbell, Bruce, The Oxford book of birds,  
     pocket edition, reviewed, 91-94  
 Campbell, Wayne, Rusty Blackbirds prey on  
     sparrows, 291-293  
*Campephilus melanoleucus*, 32  
*Campstostoma obsoletum*, 216  
*Campylorhynchus brunneicapillus*, 371  
     **yucatanicus**, 294  
*Canary*, 276  
*Canvasback*, 462-463  
*Cardinal*, 56, 106, 125, 127-129, 149, 399  
*Cardinalis cardinalis*, 56, 106, 125, 149, 399  
 Carothers, Steven W., N. Joseph Sharber,  
     and Gene F. Foster, Scaly-leg (*Knemidokoptiasis*) in a population of Evening  
     Grosbeaks, 121-124; see Beasley, Larry  
     E., and ———  
*Carpodacus cassini*, 121  
     **mexicanus**, 371  
*Casmerodus albus*, 70, 165, 280  
*Cassidix mexicanus*, 370  
 Casto, Stanley D., Molt schedule of House  
     Sparrows in northwestern Texas, 176-  
     177; Entry and exit of syringophilid  
     mites (Acarina: Syringophilidae) from  
     the lumen of the quill, 272-278  
*Catamenia homochroa*, 99  
*Catbird*, 300  
     Gray, 398, 401, 404  
     Catharacta skua, 16  
     Cathartes umbrosus, 251  
     Cathartidae, 251  
     *Catharus fuscescens*, 399  
         **guttatus**, 148  
         **minimus**, 149, 477  
     Catoptrophorus semipalmatus, 286  
 Cayouette, Raymond, and Jean-Luc Grondin, Les Oiseaux du Quebec, reviewed, 96  
 Censusing, with recorded calls, 200-205,  
     206-213  
*Centurus aurifrons*, 79-81  
     **carolinus**, 37, 39, 79-81  
     **striatus**, 79-81  
*Certhia familiaris*, 398  
*Certhiidae*, 472  
*Chachalaca, Plain*, 200-205  
*Chamaea fasciata*, 104  
 Chandler, Roderick, see Sykes, Paul W., Jr.,  
     and ———  
*Charadriidae*, 114  
*Charadriiformes*, fossil, 114  
*Charadioidea*, 114, 116  
     fossil, 114  
*Charadrius dubius*, 228  
     **montanus**, 221, 226  
     **vociferus**, 228  
     **wilsonia**, 338  
*Chat, Yellow-breasted*, 12, 106, 399, 404  
*Chauna*, 48  
     **chavaria**, 43  
     **torquata**, 43-44, 47  
*Chen caerulescens*, 67  
*Chickadee*, 36-37  
     Black-capped, 35, 125, 127-129, 299-300,  
     344-355, 466-471  
     Carolina, 344-355, 398, 468  
*Chicken*, 375, 341  
*Chionis alba*, 16  
*Chloris chloris*, 25  
*Chlorophanes spiza*, 61  
*Chlorospingus punctulatus*, 61  
     **zeledoni**, 61  
*Chlorothraupis carmioli*, 61  
*Chlorura chlorura*, 107  
*Chordeiles minor*, 60  
*Chrysolophus pictus*, 249  
*Chrysothlypis chrysomelas chrysomelas*, 61

- Ciconiiformes, 251  
Cinclidae, 104  
Cinnycerthia peruviana, 322  
Circus cyaneus, 384  
Clark, George A., Jr., Foot-scute differences among certain North American oscines, 104-109  
Clark, William H., Keith I. Giezentanner, and James L. Hainline, First record of Sabine's Gull in Nevada, 169-170  
Clark, William S., Occurrence of Swainson's Hawk substantiated in New Jersey, 284-285  
Clarkson, Ewan, In the Shadow of the Falcon, reviewed, 496-497  
Clement, Roland C., American Birds, reviewed, 495-496  
Clench, Mary H., review by, 186  
Clutch size, 6-7, 218, 423  
Coccyzus, 338  
Coereba, 104  
  flaveola, 338, 377  
Coerebidae, 104  
Colaptes, 232  
  auratus, 37, 398  
  a. auratus, 235  
  a. cafer, 235  
Colinus, 293  
  nigrogularis, 293-294  
  virginianus, 228  
Collections, 71-72  
Colonia colonus leuconotus, 60  
Columba livia, 141, 256  
Columbidae, 338  
Columbina passerina, 338, 377  
Commensalism, 462-463  
Competition, interspecific, 29, 75, 99, 384, 391-394, 435-448, 461, 474-477  
  intraspécific, 32  
Condor, California, 71-72  
Conirostrum, 104  
Conner, Richard N., see Lucid, Vincent J., and —  
Conopias parva, 291  
Conservation, 197-199, 374-382, 384, 425-426, 465  
Contopus cinereus, 180  
  virens, 398  
Cooper, William T., and Keith Hindwood, A Portfolio of Australian Birds, reviewed, 306  
Coot, American, 462-463  
  European, 462  
Copulation, 23-33, 73, 412, 417  
Cormorant, Double-crested, 65, 430  
  Olivaceous, 65, 483  
Corthylio, 105  
Corvus brachyrhynchos, 174, 479  
  corax, 82, 367  
  corone, 175  
  cryptoleucus, 174  
  frugilegus, 175  
Coua delalandei, 198  
Couinae, 198  
Cowbird, 8  
  Brown-headed, 51-57, 144, 275, 291, 370, 374, 399, 405, 478  
Cracidae, 116, 118, 200  
  fossil, 118-119  
Cracraft, Joel, review by, 484-485  
Crane, Sandhill, 285-286  
Creeper, 472  
  Brown, 398  
Crossbill, 472  
Crossoptilon, 112  
  auritum, 111  
Crotaphaga ani, 179-180  
Crow, Carrion, 175  
  Common, 174, 479  
Cuculidae, 179  
Cyanerpes, 104  
  lucidis, 61  
Cyanocitta cristata, 125, 149, 398  
Cygnus columbianus, 462  
Daption capensis, 16, 19  
Darden, Tom, Common Grackles preying on fish, 85-86  
Daugherty, Raymond J., see Anderson, Bertram W., and —  
DDT and DDT residues, 156, 428-432  
Delichon urbica, 445  
Dendrocolaptidae, 179  
Dendrocopos, 407  
  borealis, 37  
  major, 23, 26, 28, 415  
  minor, 25, 28, 415  
  nuttalli, 26, 407  
  pubescens, 23-33, 35-41, 125, 407-417

- scalaris, 26, 299, 407
- vilosus, 23, 25–26, 30–32, 35–41, 398, 408, 411, 414–416
- Dendrocygna*, 237
  - arcuata, 237–244
  - autumnalis, 237–244
  - bicolor, 237–244
  - eytoni, 237–244
- Dendroica*, 106, 477
  - caeruleocephala, 399
  - coronata, 14
  - discolor, 377
  - dominica, 474
  - fusca, 399
  - kirtlandii, 374
  - palmarum, 377
  - pensylvanica, 399
  - petechia, 56, 377
  - pinus, 14, 474
- Density, Breeding bird, North Carolina, 398–400
  - Winter bird, New Jersey, 125–130
- Dermoglyphus elongatus*, 276
- Development, incubation patch, 455
  - juvenile plumage, 153
  - nestling, 152–153, 424–425
- Dexheimer, Marilyn, and William E. Southern, Breeding success relative to nest location and density in Ring-billed Gull colonies, 288–290
- Diamond, Jared M., Avifauna of the Eastern Highlands of New Guinea, Publ. Nuttall Ornithol. Club 12, reviewed, 183–186
- Dickcissel, 477
- Dieldrin, 428–431
- Diglossa lafresnayii*, 99
- Dimorphism, sexual, 32–33
- Dinsmore, James J., and Ralph W. Schreiber, Breeding and annual cycle of Laughing Gulls in Tampa Bay, Florida, 419–427
- Diomedea*, 19
- Disease, 121
- Dispersal, 235
  - post fledging, 466–468
- Displacement activity, 410
- Display, 60
  - Bill-waving, 414–415
  - Flight, 411–412, 415
  - Injury-feigning, 224, 227
  - Snap, 165–167
  - Stretch, 165–167
  - Terrestrial wing, 286–287
  - Threat, 38, 49, 407–409, 413–415, 465, 466
  - Wing-waving, 215–216
- Distribution, 1–5, 58–62, 65, 77, 83, 97–102, 168, 169, 171, 173, 231–234, 284, 285, 293–295, 298–300, 321–324, 327–329, 344–356, 360, 374–376, 464–465, 466
- Dixon, Keith L., review by, 88–91
- Domestic fowl (see Chicken)
- Dominance, interspecific, 476
  - sexual, 416–417, 477
- Doricha eliza*, 294
- Dotterel, 228
- Dove, Common Ground, 377
  - Inca, 141
  - Mourning, 140
  - Ring, 136–141, 431
  - Rock, 141
  - Zenaida, 377
- Drepanididae*, 471
- Drumming, 27, 131–132, 134, 409–411, 414
- Dryocopus pileatus*, 32, 37, 398, 415, 465
- Duck, 48, 462
  - Black-bellied Whistling, 241
  - Fulvous Whistling, 242
  - Mottled, 68–70
  - Plumed Whistling, 242
  - Tee, see Whistling
  - Wandering Whistling, 242
  - Whistling, 237, 244
  - Wood, 70
- Duetting, 44, 207, 409–410
- Dumatella carolinensis*, 300, 398
- Dunstan, Thomas C., Feeding activities of Ospreys in Minnesota, 74–76
- Eagle, Bald, 75
- Eaton, Stephen W., review by, 95–96
- Eckelberry, Don R., review by, 306
- Ecoethology, 23
- Ecological segregation, 357–373
- Ecomorphology, 237–244
- Edelstam, Carl (ed.), *The Visible Migration of Birds at Ottenby, Sweden*, reviewed, 305–306

- Egg color, 47  
    laying, timing, 144-145, 218  
    neglect, 16-20  
    size, 423  
    turning, 147
- Eggshell, removal, 136-141  
    thickness, 156-164, 428-430
- Egret, Cattle, 166  
    Great, 70-71, 165-167, 280  
    Snowy, 70-71, 280
- Egretta thula, 70, 280
- Eider, Common, 461
- Emberizinae, 106-107
- Empidonax virescens, 56
- Eocene, Upper, 246
- Erithacus rubecula, 256
- Erolia, see Calidris
- Eucometis, 480
- Eudocimus albus, 156
- Eudromias morinellus, 228
- Euphagus carolinus, 291  
    cyanocephalus, 478
- Euphonia, 180  
    violacea, 179-180
- Eupoda, see Charadrius
- Falco peregrinus, 377  
    sparverius, 74, 285, 384
- Falcon, Mirandolle's Forest, 58  
    Peregrine, 377
- Falconiformes, 251  
    fossil, 251-254
- Farner, Donald S., and James R. King, editors, Avian Biology, Vol. I, reviewed, 88-91; Vol. II, reviewed, 183
- Farrand, John, Jr., see Olson, Storrs L., and
- Feather development, 272-274  
    mite, 272-277  
    structure, 272-277
- Feduccia, Alan, Another Old World vulture from the New World, 251-255; Evolutionary Trends in the Neotropical Ovenbirds and Woodhewers, Ornithological Monographs 13, reviewed, 487-489
- Feeding, 59, 73, 74-76, 285, 291-293, 296-298, 462-463, 478, 479  
    aerial, 70-71, 280-282  
    courtship, 73-74  
    crepuscular, 73
- fishing, 74-76  
nestling, 51-54, 150-151, 218  
    rate, 51-54, 151, 462-463
- Felis catus*, 384-395
- Ficken, Millicent S., and Robert W. Ficken, Is the Golden-winged Warbler a social mimic of the Black-capped Chickadee?, 468-471
- Ficken, Robert W., see Ficken, Millicent S. and —
- Fields, Robert, see Kermott, Henry — and Alan Trout
- Fields, Robert C., Alan K. Trout, and Darold T. Walls, Recent breeding of the Sandhill Crane in North Dakota, 285-286
- Finch, 99  
    Bengalese, 431, 456  
    Cassin's, 121  
    Green, 25  
    House, 371  
    Peg-billed, 62  
    Slaty, 61  
    Woodpecker, 39
- Fitter, Richard, The Birds of Britain and Europe with North Africa and the Middle East, reviewed, 91-94
- Fledging, 55, 69-70, 74, 151-152, 421-422, 466-468  
    timing, 19, 152, 154
- Flicker, 38-39, 232, 235  
    Common, 37, 398
- Flight, 44, 47-48, 67-68, 75, 285
- Flocking, interspecific, 68, 71  
    intraspecific, 61
- Florida caerulea, 280
- Flower-piercer, 99
- Flycatcher, 99, 180  
    Acadian, 56  
    Ash-throated, 370, 372  
    Gray-crowned, 215, 219  
    Great-crested, 398  
    Olive-sided, 61  
    Olive-striped, 61  
    Piratic, 219, 291  
    Scissor-tailed, 370  
    Vermilion, 370-372  
    White-ringed, 291
- Yellow-breasted, 215-219

- Yellow-margined, 215  
 Yellow-olive, 215  
 Food, 52, 58–59, 72–76, 83, 85–86, 167–168,  
   170–173, 218, 281, 285, 286, 291–293,  
   336–343, 364, 377, 478–479  
   storage, 39  
 Foot scutellation, 104–109  
 Forbes-Watson, A. D., see Keith, G. Stuart,  
   \_\_\_\_\_, and D. A. Turner  
 Formicariidae, 179  
 Formicarius analis, 179  
 Foster, Gene F., see Carothers, Steven W.,  
   N. Joseph Sharber, and \_\_\_\_\_  
 Foster, Mercedes S., and Ned K. Johnson,  
   Notes on birds of Costa Rica, 58–63  
 Fratercula arctica, 67  
 Friedmann, Herbert, review by, 193–194  
 Fulica americana, 462  
   atra, 462  
 Furnariid, 99  
 Gadwall, 463  
 Gait, see locomotion  
 Galliformes, 114, 116, 118, 246  
   fossil, 110–120, 246–250  
 Gallinago imperialis, 98  
 Gallinula mortierii, 248  
 Gallus, 341  
   gallus, 341  
 Gauthreaux, Sidney A., Jr., review by, 305–  
   306  
 Geococcyx californianus, 73, 291  
 Geomagnetism, 256–270  
 George, William G., Domestic cats as pred-  
   tors and factors in winter shortages of  
   raptor prey, 384–396  
 Geothlypis trichas, 14, 399  
 Giezentanner, Keith I., see Clark, William  
   H., \_\_\_\_\_, and James L. Hainline  
 Gill, Frank B., Intra-island Variation in the  
   Mascarene White-eye Zosterops bor-  
   bonica, Ornithol. Monographs 12, re-  
   viewed, 485–487  
 Gill, Frank B., F. J. Stokes, and C. C.  
   Stokes, Observations on the Horned  
   Screamer, 43–50  
 Glahn, James F., Study of breeding rails  
   with recorded calls in north-central  
   Colorado, 206–214  
 Gnatcatcher, Blue-gray, 377  
 Godfrey, W. Earl, review by, 189–190  
 Goldfinch, American, 400, 404, 457  
 Goose, 462  
   Blue, 68  
   Canada, 68  
   Magpie, 48–49  
   Snow, 67–68  
 Grackle, Common, 85–86, 291, 457, 477–478  
   Great-tailed, 370  
 Granatellus, 106  
 Grant, Peter R., review by, 485–487  
 Grassquit, Black-faced, 377  
 Graul, Walter D., Vocalizations of the  
   Mountain Plover, 221–229  
 Grebe, 462  
   Least, 462  
   Little, 462  
 Griffon, Ruppell's, 461  
 Grosbeak, 1–10, 230–236  
   Black-headed, 1, 230–231, 234  
   Evening, 121–124  
   Pine, 35–36  
   Rose-breasted, 1, 230–231, 234, 400  
 Grouse, Black, 134  
   Ruffed, 131–135, 398  
 Grubb, Thomas C., Jr., see Shields, William  
   M., and \_\_\_\_\_; see Shields, William  
   M., \_\_\_\_\_, and Anthony Telis; A  
   shift in nesting habitat by a population  
   of Common Eiders, 461  
 Grus, canadensis, 285  
 Guineafowl, 246  
 Guiraca caerulea, 15  
 Gull, 65, 67  
   Black-headed, 139–140, 288  
   California, 170  
   Glaucous, 168  
   Glaucous-winged, 168–169  
   Herring, 168, 461  
   Iceland, 169  
   Laughing, 140, 419–427  
   Mew, 291–293  
   Ring-billed, 70, 170, 256–270, 288–289,  
    457  
   Sabine's, 169–170  
   Thayer's, 168–169  
 Gymnogyps californianus, 71  
 Gymnopithys bicolor, 480  
 Gypaetus barbatus, 462

- Gyps rueppellii, 461-462  
*Habia*, 480  
    *rubica*, 179  
Habitat differentiation, 7-8, 361-362  
*Haematopus palliatus*, 140, 419  
Hailman, Jack P., A stochastic model of leaf-scratching bouts in two emberizine species, 296-298  
Hainline, James L., see Clark, William H., Keith I. Giezentanner, and —  
*Haliaeetus leucocephalus*, 75  
*Halobaena caerulea*, 19  
*Harpagus bidentatus fasciatus*, 58  
Hatching, 68, 77-78, 228  
    asynchronous, 174-176, 456  
    success, 288-289, 423-424, 432  
Haverschmidt, F., Notes on the life history of the Yellow-breasted Flycatcher in Surinam, 215-220  
*Hawk*, 40  
    Black, 299  
    Broad-winged, 398  
    Harris', 72-74  
    Marsh, 384, 386, 391  
    Red-shouldered, 384  
    Red-tailed, 367, 384, 386, 391  
    Savannah, 73  
    Swainson's, 167-168, 284  
Heath, Robert G., see Klaas, Erwin E., Harry M. Ohlendorf, and —  
Hellack, Jenna J., see Schnell, Gary D., John S. Weske, and —  
*Hemispingus*, 323  
    *atropileus*, 99-100, 102, 323  
    *a. atropileus*, 100, 102  
    *a. auricularis*, 100-102  
    *a. calophrys*, 100, 322  
    *a. chlorigaster*, 100, 102  
    *a. intermedius*, 100, 102  
    *calophrys*, 97, 100-102  
    *goeringi*, 321-322  
    *melanotis*, 322  
    *parodii*, 97-102, 323  
    *rufosuperciliaris*, 321-323  
    *superciliaris*, 99  
    *verticalis*, 322  
    *xanthophthalmus*, 99  
*Hemispingus*, Parodi's (see Tanager)  
Rufous-browed, 321  
Heron, Black-crowned Night, 65, 156-161, 298  
Gray, 280  
Great Blue, 75, 280  
Little Blue, 280-282  
Louisiana, 280  
Yellow-crowned Night, 280  
*Hesperiphona vespertina*, 121  
Hester, F. Eugene, and Jack Dermid, The World of the Wood Duck, reviewed, 186-187  
*Heterospizias meridionalis*, 73  
Hickey, Joseph J., Survival Studies of Banded Birds, Special Scientific Report —Wildlife 15, Fish and Wildlife Service, reviewed, 186  
Hilty, Steven L., Notes on birds at swarms of army ants in the highlands of Colombia, 479-481  
Hinde, Robert A., review by, 493  
*Hirundo rustica*, 445, 477  
Hocking, Peter, see Blake, Emmet R., and —  
Holcomb, Larry C., The question of possible surplus females in breeding Red-winged Blackbirds, 177-179; Incubation constancy in the Red-winged Blackbird, 450-460  
Holleback, Mary, Behavioral interactions and the dispersal of the family in Black-capped Chickadees, 466-468  
Holt, Jane P., Bird populations in the hemlock sere on the Highlands Plateau, North Carolina, 1946 to 1972, 397-406  
Hornbill, 40  
Hosking, Eric, with Frank Lane, An Eye for a Bird: the Autobiography of a Bird Photographer, reviewed, 493-495  
Hovering, 23, 70  
Howe, Marshall A., Observations on the terrestrial wing displays of breeding Willets, 286-288  
Hubbard, John P., see Schmitt, Gregory, and —  
Hummingbird, 56, 78, 99, 180  
    Streamertail, 78-79  
Hundertmark, Charles A., First record of Olivaceous Cormorants nesting in New Mexico, 65; Breeding range extensions

- of certain birds in New Mexico, 298-300
- Hybrid, index, 2-3, 230-231
  - viability, 6-7, 235
  - zone, 1, 4, 9, 230, 234
- Hybridization, 1-11, 230-236, 295
- Hydranassa tricolor*, 280
- Hydroprogne caspia*, 419
- Hyla*, 341-342
- Hylocichla mustelina*, 144, 398
- Hylophilus aurantiiifrons*, 179
- Hylophylax naevioides capnitis*, 60
- Hyoid, 79-82
- Hypositta, 198
- Ibis milne-edwardsi, 110
- Ibis, Madagascar Crested, 197
  - White, 156-161
  - White-faced, 298
- Icteria, 14-15
  - virens, 12-13, 106, 399
  - v. auricollis, 13
  - v. virens, 13
- Icteridae, 106
- Icterus, 232
  - galbula, 235
  - g. bullockii, 235
  - g. galbula, 235
  - icterus croconotus, 290
  - i. icterus, 290
  - spurius, 371
- Ictinia mississippiensis, 372
- Incubation, 17-19, 28, 47, 55, 150, 218, 424, 450
  - constancy, 450-458
  - patch, 455
  - temperature, 457
- Injuries, 65-67
- Introgession, 4
- Iridoprocne bicolor, 140, 299, 447
- Iridosornis reinhardti, 99
- Jacanidae, 114
  - fossil, 114
- Jackson, Jerome A., and James Tate, Jr., An analysis of nest box use by Purple Martins, House Sparrows, and Starlings in eastern North America, 435-449
- "jamuco," 44
- Jay, 291
  - Blue, 125, 127, 129, 149, 398
- Jehl, Joseph R., Jr., A specimen of *Larus glaucescens* from Hudson Bay, 168-169
- Joanen, Ted, see Williams, Lovett E., Jr., and \_\_\_\_\_
- Junngard, Paul A., Grouse and Quails of North America, review, 190-193
- Johnson, Ned K., see Foster, Mercedes S. and \_\_\_\_\_
- Johnson, Terry W., A study of Mottled Duck broods in the Merritt Island National Wildlife Refuge, 68-70
- Junco hyemalis, 296, 400
- Junco, Dark-eyed, 296-298, 400
- Keith, Stuart, reviews by, 91-94
- Keith, G. Stuart, A. O. Forbes-Watson, and D. A. Turner, The Madagascar Crested Ibis, a threatened species in an endemic and endangered avifauna, 197-199
- Kermott, Henry, Robert Fields, and Alan Trout, Mountain Bluebirds nesting in North Dakota, 83-84
- Kestrel, American, 74, 384, 386, 391
- Kilham, Lawrence, Copulatory behavior of Downy Woodpeckers, 23-34; Play in Hairy, Downy, and other Woodpeckers, 35-42; Early breeding season behavior of Downy Woodpeckers, 407-418
- Killdeer, 228
- Kingbird, 357-372
  - Cassin's, 357
  - Eastern, 360, 466
  - Gray, 377
  - Tropical, 180
  - Western, 357
- Kinglet, Golden-crowned, 105, 399, 403, 405
  - Ruby-crowned, 105
- Kiskadee, Great, 61
- Kite, Double-toothed, 58
  - Everglade, 282-284
  - Mississippi, 372
- Kittiwake, Black-legged, 288
- Klaas, Erwin E., Harry M. Ohlendorf, and Robert G. Heath, Avian eggshell thickness: variability and sampling, 156-164
- Knemidokoptes, 121-123
- Knemidokoptiasis, 121
- Knopf, Fred L., and Joseph C. Street, Insecticide residues in White Pelican eggs from Utah, 428-434

- Kroodsma, Roger L., Hybridization in gros-beaks (*Pheucticus*) in North Dakota, 230-236
- Lampribis, 197
- Lampropeltis doliata, 54
- Lanius, 14-15  
  *ludovicianus*, 156, 372, 386
- Laporte, Pierre, Common Grackle kills a Barn Swallow, 477-478
- Larus argentatus, 65, 168, 461  
  *atricilla*, 140, 419  
  *californicus*, 170  
  *canus*, 291  
  *delawarensis*, 70, 170, 256, 288, 457  
  *dominicanus*, 16  
  *glaucescens*, 168-169  
  *glaucooides*, 169  
  *hyperboreus*, 168  
  *marinus*, 65  
  *ridibundus*, 139, 288  
  *thayeri*, 168-169
- Lasiurus, 339-340
- Laybourne, Roxie C., Collision between a vulture and an aircraft at an altitude of 37,000 feet, 461-462
- Learning, see Behavior, learned
- Leck, Charles F., Sunbathing in the Streamtail Hummingbird, 78-79
- Legatus leucophaeus, 219, 291
- Leptosomatidae, 198
- Lewis, James C., The World of the Wild Turkey, reviewed, 95-96
- Limosa limosa, 287
- Locomotion, 237-244
- Lonchura striata, 431-456
- Longspur, Lapland, 291-293
- Lophotibis, 197  
  *cristata*, 197
- Loxia, 472
- Loxops, 471  
  *coccinea caeruleirostris*, 472  
  *maculata bairdi*, 472  
  *parva*, 472  
  *vivens stejnegeri*, 472
- Lucid, Vincent J., and Richard N. Conner, A communal Common Raven roost in Virginia, 82-83
- Lumsden, Harry G., review by, 190-193
- Luther, Dorothy Hobson, Observations at a Carolina Wren nest from which Brown-headed Cowbirds fledged, 51-57
- Lyrurus tetrix, 134
- Macronectes giganteus, 16
- Madagascar, status of the avifauna, 197-199
- Magnetic fields, 256-270
- Mallard, 462-463
- Mammalian occurrence, abundance and status as prey of hawks, 386, 391
- Manacus manacus, 179-180
- Manakin, 180
- Margarops fuscatus, 338, 340
- Marion, Ken R., see Sexton, Owen J., and \_\_\_\_\_
- Marion, Wayne R., Status of the Plain Chachalaca in South Texas, 200-205
- Martin, House, 445  
  Purple, 435-448
- Maslowski, Karl H., review by, 493-495
- McCrimmon, Donald A., Jr., Stretch and snap displays in the Great Egret, 165-167
- McNeil, Raymond, review by, 96
- Meadowlark, 354
- Megapodiidae, 116, 246
- Megarhynchus pitangua, 179-180
- Melanerpes erythrocephalus, 79-81  
  *formicivorus*, 39  
  *portoricensis*, 79-81
- Meleagridae, 116-117, 248-249  
  fossil, 114-120
- Meleagris, 116, 118-119
- Melospiza melodia, 56, 107, 400  
  *m. sanaka*, 107
- Meng, Heinz, review by, 496-497
- Mesitornithidae, 198
- Metallura tyrianthina, 99
- Micrastur mirandollei extimus, 58
- Microbates cinereiventris, 480
- Microclimate and bird distribution, 128-129
- Microsorex hoyi, 83
- Migration, departure, 84-85  
  orientation, 256
- Mills, G. Scott, American Kestrel preys on least weasel, 74
- Mimicry, social, 471  
  vocal, 179-180, 291, 354
- Mimidae, 104, 106, 338

- Mimus gundlachi, 340, 377  
 polyglottos, 156
- Miocene, Lower, 114–120  
 Upper, 110–111
- Mionectes olivaceous olivaceous, 61
- Miophasianus, 111  
 altus, 110–112  
 maximus, 111  
 medius, 111
- Mishaga, Richard, Notes on asynchronous hatching and nestling mortality in White-necked Ravens, 174–176
- Mite, 121–123  
 feather, 271–277
- Miniotila varia, 377, 399
- Mock, Douglas W., Aerial hunting by Little Blue Herons, 280–282
- Mockingbird, 156–161, 340  
 Bahama, 377
- Molothrus ater, 51, 144, 275, 291, 370, 374, 399, 478
- Molt, 12–15, 58, 60, 235, 272, 420–422  
 First prebasic (postjuvenile), 12–15, 176  
 Prealternate (prenuptial), 235  
 Prebasic (postnuptial), 12, 176–177, 425–426
- Postnatal, 59  
 Suspension, 177
- Montevecchi, William A., Eggshell removal and nest sanitation in Ring Doves, 136–143
- Morphology, aberrant, 79–82  
 feather, 272–277  
 functional, 239  
 tongue, 79–82
- Morse, Douglass H., Foraging of Pine Warblers allopatric and sympatric to Yellow-throated Warblers, 474–477
- Mortality, 425  
 brood-nesting, 51, 53, 56–57, 69–70, 175  
 egg, 68, 432
- Mountain-tanager, Golden-backed, 323–324
- Muscicapidae, 106
- Muscivora forficata, 370–371
- Mustela rixosa, 74
- Mutualism, see symbiosis
- Myiarchus cinerascens, 370  
 crinitus, 398
- Mycteria americana, 44, 110
- Myiopsitta monachus, 171–172
- Myrmeciza exsul, 480  
 immaculata, 480  
 laemosticta, 480
- Nasal gland, 74
- Neodrepanis hypoxantha, 198
- Neogyps errans, 251–252
- Neophron, 254  
 percnopterus, 254
- Neophrontops americanus, 251–254  
 dakotensis, 252–253  
**slaughteri**, 251–254  
 vallecitoensis, 252–253  
 vetustus, 252–253
- Neotoma albigenula, 73  
 micropus, 73
- Nest, artificial site, 282–284  
 attentiveness, 144–148, 150  
 building, 47, 217–218, 416  
 failure, 51, 65, 283–284, 288–289  
 parasitism, 8, 51–57, 144, 290–291  
 sanitation, 54, 136–141, 151, 218  
 site, 8, 16, 44, 51, 56, 59, 65, 67, 74, 84, 144, 209–210, 216–217, 282, 284, 288–289, 290, 298–300, 361–364, 411, 422–423, 435–448, 461  
 temperature, 16–20
- Newton, Ian, Finches, reviewed, 493
- Nisbet, I. C. T., Unusual prey of Common Terns: swim-bladders of large fish, 170–171
- Nolan, Val, Jr., Notes on parental behavior and development of the young in the Wood Thrush, 144–155
- Numenius phaeopus, 77
- Numerical taxonomy, 238–239, 243–244
- Numida, 249  
 meleagris, 249
- Numididae, 116, 248–249  
 fossil, 246–250
- Nuthatch, 37, 472  
 Red-breasted, 38, 398  
 White-breasted, 23, 28, 36–37, 125, 127–129, 398
- Nuttallornis borealis, 61
- Nyctanassa violacea, 280
- Nyctibius griseus costaricensis, 59
- Nycticorax nycticorax, 65, 156, 298
- Nyctidromus albicollis intercedens, 60

- Oceanites oceanicus, 16-20  
*Oceanodroma leucorhoa*, 19, 65  
*Ochthoeca frontalis*, 99  
Ohlendorf, Harry M., see Klaas, Erwin E.,  
\_\_\_\_\_, and Robert G. Heath; Competitive relationships among Kingbirds (*Tyrannus*) in Trans-Pecos Texas, 357-373  
Olson, Storrs L., *Tantalus milneedwardsii* Shufeldt—a synonym of the Miocene pheasant *Miophasianus altus* (Milne-Edwards), 110-113; *Telecrex* restudied: a small Eocene guineafowl, 246-250; Evolution of the Rails of the South Atlantic Islands (Aves: *Rallidae*), Smithsonian Contr. Zool. 152, reviewed, 484-485; and John Farrand, Jr., *Rhegmatornis* restudied: a tiny Miocene turkey, 114-120  
O'Neill, John P., Color plate by, facing p. 97; facing p. 321  
Orientation, 256-270  
Oriole, 232, 235  
    Orchard, 371  
Ornithion brunneicapillum, 61  
    semiflavum, 61  
Ortalis vetula, 119  
    v. *mccalli*, 200  
Osprey, 74-76, 377  
Osteology, 110-120  
*Otus asio*, 386  
Ovenbird, 105, 399  
Owl, Barn, 58, 336-342  
    Barred, 386  
    Burrowing, 337  
    Great Horned, 299, 367, 386  
    Long-eared, 386  
    Saw-whet, 173-174  
    Screech, 386  
    Striped, 58  
    Unspotted Saw-whet, 59  
Oystercatcher, 140  
    American, 419  
Pache, Peter H., Notes on prey and reproductive biology of Harris' Hawk in southeastern New Mexico, 72-74  
*Pachyramphus polychoterus*, 216  
*Pagodroma nivea*, 19  
Pair bond, 23, 27, 29, 31, 73-74, 148-150, 408-414, 417  
Pairing, 5-6, 8  
*Palaeoborus*, 254  
    *howardae*, 252  
    *rosatus*, 252  
    *umbrosus*, 251-252  
*Palaeocryptonyx grivensis*, 111  
*Palaeohierax*, 254  
Palaeontology, 110-120, 246-254  
*Palaeoperdix edwardsi*, 111  
*Pandion haliaetus*, 74, 377  
*Parabuteo unicinctus*, 72  
Parakeet, Monk, 171-173  
Parapavo, 116, 119  
Parasite, 121-124, 272-277, 445  
Paridae, 104  
Parkes, Kenneth C., Variation in the Olive Sparrow in the Yucatan Peninsula, 293-295; review by, 495-496  
Parrot, Maroon-fronted, 465  
    Thick-billed, 464  
Parula, 106  
    *americana*, 399  
Parulidae, 12, 14, 105-106, 338  
Parus, 104, 471-472  
    *atricapillus*, 35, 125, 299, 344, 466, 468  
    *bicolor*, 125, 398  
    *carolinensis*, 344, 398, 468  
*Passer domesticus*, 121, 149, 176, 272, 370, 435, 477  
*Passerella iliaca*, 107  
*Passerina*, 15  
    *cyanaea*, 56, 400  
    *rositae*, 15  
Pauraque, 60  
*Pavo*, 112, 116  
Payne, Robert B., Behavior, Mimetic Songs and Song Dialects, and Relationships of the Parasitic Indigobirds (*Vidua*) of Africa, Ornithol. Monographs 11, reviewed, 193-194  
PCB, 428  
Pearson, David L., Use of abandoned cacique nests by nesting Troupials (*Icterus icterus*): precursor to parasitism?, 290-291  
Pefaur, Jaime E., Egg-neglect in the Wilson's Storm Petrel, 16-22

- Pelecanus erythrorhynchos, 67, 428  
*occidentalis*, 279, 430
- Pelican, 68  
*Brown*, 279–280, 430, 432, 483  
*White*, 67, 428–432
- Penelope nigra, 119  
*superciliosus*, 118
- Penguin, Adelie, 288
- Peromyscus, 73
- Petrochelidon pyrrhonota, 445
- Peucedramus taeniatus, 106
- Pewee, Eastern Wood, 398
- Phaethornis guy, 179–180
- Phalacrocorax atriceps, 16  
*auritus*, 65, 431  
*olivaceus*, 65
- Phalarope, Wilson's, 462
- Phasianidae, 116, 248  
*fossil*, 111
- Phasianus, 19  
*altus*, 111–112  
*colchicus*, 458
- Phasidus niger, 247–249
- Pheasant, Ring-necked, 457
- Phœcticus, 1, 230  
*ludovicianus*, 1–10, 230–236, 400  
*melanocephalus*, 1–10, 230–236
- Philepittidae, 198
- Phillips, Allan R., The first prebasic molt of the Yellow-breasted Chat, 12–15
- Phoebe, Eastern, 398  
*Say's*, 370
- Phrynosoma cornutum, 73
- Picidae, 40
- Picoides, 407  
*arcticus*, 32
- Pigeon, 256
- Pinicola enucleator, 35
- Pinkowski Benedict C. Predation on a shrew by an Eastern Bluebird, 83
- Pintail, 462–463
- Pipilio, 354  
*aberti*, 106  
*erythropthalmus*, 107, 400  
*fuscus*, 106
- Pipridae, 179
- Pipromorpha oleaginea, 216
- Piranga olivacea, 399
- Pitangus sulphuratus, 179–180  
*s. guatimalensis*, 61
- Plegadis chihi, 298–299
- Pliocene, Upper, 119, 251
- Pioperdix depereti, 111  
*grivensis*, 111  
*joleaudi*, 111
- Plover, European Golden, 228  
*Little Ringed*, 228  
*Mountain*, 221–228
- Pluvialis apricaria, 228
- Podascys, see Charadrius
- Podiceps, 462  
*dominicus*, 462  
*ruficollis*, 462
- Polioptila albilonoris, 294  
*caerulea*, 377
- Polygyny, 177
- Poole, R. W., see Rathcke, B. J., and \_\_\_\_\_
- Population, estimated total size, 200–205, 374
- Population regulation, 177–179
- Porzana carolina, 206, 338, 340
- Posture, 240–241
- Potoo, Common, 59
- Prairie Chicken, Greater, 135  
*Lesser*, 135
- Preening, 147
- Proagriocharis kimbballensis, 119
- Proalector gilliardi, 111  
*miocaenus*, 111
- Procyon lotor, 55
- Progne subis, 435
- Psaltriparus, 104
- Pseudotantalus, 110
- Psittacidae, 179
- Pterodroma phaeopygia, 19
- Puffin, Common, 67
- Puffinus, 19  
*Iherminieri*, 19  
*puffinus*, 20
- Pursuit flight, 28
- Pygoscelis adeliae, 16, 288  
*antarctica*, 16  
*papua*, 16
- Pyrocephalus rubinus, 370
- Pyrrhuloxia, 106
- Pyrrhuloxia sinuata, 106

- Quail, 73  
  Black-throated Bobwhite, 293  
  Bobwhite, 228
- Quiscalus quiscula*, 85, 291, 457, 477
- Radabaugh, Bruce E., Kirtland's Warbler  
  and its Bahama wintering grounds,  
  374-383
- Radio telemetry, 75
- Raikow, Robert J., Species-specific foraging  
  behavior in some Hawaiian honeycreepers  
  (*Loxops*), 471-474
- Rail, 206, 246  
  Clapper, 76-77, 156-161, 206, 325  
  King, 206  
  Sora, 206-213  
  Virginia, 206-213
- Rallidae, 246, 249
- Rallinae, 246
- Rallus elegans*, 206, 325, 327  
  *e. tenuirostris*, 327, 332  
  *limicola*, 206  
  *longirostris*, 76, 156, 206, 325, 327  
  *l. beldingi*, 326  
  *l. levipes*, 325-326, 330  
  *l. nayaritensis*, 325-334  
  *l. obsoletus*, 326-327  
  *l. pallidus*, 326  
  *l. rhizophorae*, 325, 327-334  
  *l. saturatus*, 77, 326  
  *l. yumanensis*, 325-334
- Ramphocelus carbo, 179-180
- Range, Peter G., see Simpson, Marcus B.,  
  Jr., and ———
- Rathcke, B. J., and R. W. Poole, Red Squirrel  
  attacks a Pileated Woodpecker,  
  465-466
- Ratio, age, 70  
  sex, 70
- Rattus, 339
- Raven, 40  
  Common, 82-83, 367  
  White-necked, 174-176
- Redpoll, 35
- Redhead, 462-463
- Regulus calendula*, 105  
  *satrapa*, 105, 399
- Releaser, supernormal, 68
- Rhegminornis, 114-120  
  calobates, 114-115
- Rhegminornithidae, 114
- Rhegminornithinae, 114
- Rhinoptynx clamator* *clamator*, 58
- Rhodinicichla rosea*, 106
- Rhynchositta*, 465  
  *pachyrhyncha*, 464  
  *terri*, 464
- Richards, Lawrence P., and Walter J. Bock,  
  Functional Anatomy and Adaptive Evolution  
  of the Feeding Apparatus in the  
  Hawaiian Honeycreeper Genus *Loxops*  
  (*Drepanidae*), *Ornithol. Monographs*  
  15, reviewed, 489-491
- Richardson, Frank, review by, 94-95
- Rissa tridactyla*, 288
- Roadrunner, 73, 291
- Robin, 149  
  American, 398, 477  
  European, 256
- Rodgers, James A., Aerial feeding by Snowy  
  and Great Egrets in Louisiana waters,  
  70-71
- Rook, 175
- Roosting, nocturnal, 82-84  
  winter, 82-85
- Rostrhamus sociabilis plumbeus*, 282
- Rue, Leonard Lee, III, The World of the  
  Ruffed Grouse, reviewed, 187-189
- Ruiz, Robert C., see Simpson, Marcus B.,  
  Jr. and ———
- Rylander, M. Kent, and Eric G. Bolen,  
  Analysis and comparison of gaits in  
  whistling ducks (*Dendrocygna*), 237-  
  245
- Salt secretion, 74
- Salt, W. Ray, Alberta Vireos and Wood  
  Warblers, Publ. 3, Prov. Museum and  
  Archives of Alberta, reviewed, 189-190
- Samuel, David E., Ruffed Grouse vocaliza-  
  tions at the drumming log, 131-135
- Sandpiper, 286-287  
  Purple, 227  
  Spotted, 227
- Sandström, George, Color plate by, facing  
  p. 1
- Sapsucker, Yellow-bellied, 29, 37-39, 411
- Sauer, E. G. Franz, review by, 491-492

- Sayornis phoebe, 398  
 saya, 370, 372
- Scaly-leg, 121-124
- Scaphiopus bombifrons, 167
- Scardafella inca, 141
- Scaup, Lesser, 463
- Schizoeaca fuliginosa, 99
- Schmitt, Gregory, and John P. Hubbard, Eastern Kingbird in Paraguay, 466
- Schnell, Gary D., John S. Weske, and Jenna J. Hellack, Recent observations of Thick-billed Parrots in Jalisco, 464-465
- Schodde, Richard, review by, 183-186
- Schreiber, Ralph W., see Dinsmore, James J., and ———
- Sciurus niger, 54
- Scolopacidae, 114
- Screamer, 43  
 Crested, 43, 47  
 Horned, 43-49
- Scytalopus femoralis, 480
- Seiurus aurocapillus, 105, 399
- Selenidera spectabilis, 60
- Semispecies, 10
- Sexton, Owen J., and Ken R. Marion, Probable predation by Swainson's Hawks on swimming spadefoot toads, 167-168
- Sharber, N. Joseph, see Carothers, Steven W., ———, and Gene F. Foster
- Shelduck, 49
- Shields, William M., and Thomas C. Grubb, Jr., Winter bird densities on north and south slopes, 125-130; ———, Thomas C. Grubb, Jr., and Anthony Telis, Use of native plants by Monk Parakeets in New Jersey, 172-173
- Shoveler, Cape, 462  
 Northern, 462
- Shrike, 14  
 Loggerhead, 156-161, 372, 386
- Sialia currucooides, 83  
 sialis, 83, 105
- Sibley, Charles G., A Comparative Study of the Egg-white Proteins of Passerine Birds, Bull. 32, Peabody Mus. Nat. Hist.; ———, and Jon E. Ahlquist, A Comparative Study of the Egg-white Proteins of Non-passerine birds, Bull.
- 39, Peabody Mus. Nat. Hist., both reviewed, 304-305
- Sigmodon hispidus, 73
- Signal, preflight, 48
- Simpson, Marcus B., Jr., and Robert C. Ruiz, Monk Parakeets breeding in Buncombe County, North Carolina, 171-172; ——— and Peter G. Range, Evidence of the breeding of Saw-whet Owls in western North Carolina, 173-174
- Siskin, Pine, 477
- Sitta, 472  
 canadensis, 38, 398  
 carolinensis, 23, 28, 36, 125, 398
- Size, body, 27
- Skimmer, Black, 419
- Skull pneumatization, 14
- Snow, Barbara K., Vocal mimicry in the Violaceous Euphonia, Euphonia violacea, 179-180
- Somateria mollissima dresseri, 461
- Song, Chickadee, Black-capped and Carolina, 344-355  
 Context, 353-354  
 Convergence in narrow sympatry, 349-354  
 Interspecific response, 348-349
- Sorex cinereus, 83
- Southern, William E., The effects of superimposed magnetic fields on gull orientation, 256-271; American Kestrel transports Norway rat, 285; see Dexheimer, Marilyn, and ———
- Sparrow, Chipping, 400, 404  
 Field, 400, 404  
 Fox, 107  
 House, 121, 149, 176-177, 272-277, 370, 435-448, 477  
 Olive, 293  
 Song, 37, 56, 107, 400, 404  
 Tree, 291-293  
 White-crowned, 291-293  
 White-throated, 149, 296-298
- Speotyto cunicularia, 337
- Spermophilus, 73
- Sphyrapicus varius, 29, 37, 411
- Spindalis, 340  
 zena, 338, 340, 377

- Spinus pinus, 477  
  

Spiza americana, 477

Spizella arborea, 291  
    
  

Spodiornis rusticus barrilesensis, 61

Starling, 414, 435–448

Steffen, David E., see Stickley, Allen R., and —

Steganopus tricolor, 462

Sterna albifrons, 419  
    
    
    
  

Stewart, Paul A., review by, 186–187

Stickley, Allen R., and David E. Steffen,  
  Unusual crepuscular blackbird movements, 84–85

Stokes, C. C., see Gill, Frank B., F. J.  
  Stokes, and —

Stokes, F. J., see Gill, Frank B., —, and C. C. Stokes

Storer, Robert W., review by, 304–305

Stork, 110  
  fossil, 110  
  Wood, 44

Storm Petrel  
  Leach's, 65–67  
  Wilson's, 16

Street, Joseph C., see Knopf, Fred L., and —

Streptopelia risoria, 136, 431

Stride, see locomotion

Strix varia, 386

Sturnella, 106, 354  
  magna, 106  
  neglecta, 106

Sturnus vulgaris, 414, 435

Succession, ecological in bird populations, 397

Sunbathing, 78–79

Supplanting, 32, 407, 476–477, 480

Surplus, non-breeding, 177–179

Swallow, 477  
  Barn, 445, 477  
  Cliff, 445  
  Tree, 140, 299, 447

Swan, 48  
  Whistling, 462

Sykes, Paul W., Jr., and Roderick Chandler,  
  Use of artificial nest structures by Everglade Kites, 282–284

Sylvilagus auduboni, 73  
  floridanus, 54

Symbiosis among bird species, 471  
  wasps and birds, 216–217, 290

Syringophiloides minor, 272

Syringophilus bipectinatus, 275–276

Tachyphonus rufus, 179

Tamias striatus, 54

Tamiasciurus hudsonicus, 465

Tanager, 99, 321, 340  
  Black-and-yellow, 61  
  Emerald, 480  
  Moss-backed, 480–481  
  Parodi's, 97  
  Rufous-throated, 480  
  Scarlet, 399  
  Silver-heated, 180  
  Silver-throated, 480–481  
  Stripe-headed, 377

Tangara, 481  
  florida, 61, 480  
  gyrola, 179  
  icterocephala, 480  
  rufigula, 480

Tantalus loculator, 110  
  milneedwardsii, 110–112

Tapaculo, Rufous-vented, 480

Tate, James, Jr., see Jackson, Jerome A., and —

Taxonomic assessment, 9–10, 14–15, 49, 100–102, 104–120, 246–250, 293–295, 321–334

Teal, Blue-winged, 463  
  Green-winged, 463

Telecricinae, 246

Telecrex, 246–250  
  grangeri, 246–247, 249

Telis, Anthony, see Shields, William M., Thomas C. Grubb, Jr., and —

Temperature, environmental, 128–129

Terborgh, John W., see Weske, John S., and —

Tern, Arctic, 170

Caspian, 419

- Common, 170–121  
 Forster's, 70  
 Least, 419  
 Royal, 70  
 Territoriality, 408  
     classifications, 408  
     female, 177–179  
     interspecific, 354, 370–371  
 Tetraonidae, 116, 248  
     fossil, 119  
*Thalasseus maximus*, 70  
*Thamnophilus unicolor*, 480  
 Thrasher, 104, 340  
     Brown, 398  
 Thraupidae, 106, 179  
 Thrush, 180  
     Gray-cheeked, 149, 477  
     Hermit, 148, 151  
     Olive-backed, 151  
     Swainson's (see Olive-backed)  
     Wood, 144–155, 398  
 Thrush-tanager, Rose-breasted, 106  
*Thryothorus felix*, 105  
     ludovicianus, 51, 398  
     sinaloa, 105  
     spadix, 480  
 Tiaris bicolor, 377  
 Timaliidae, 104  
 Titmouse, 472  
     Tufted, 125, 127, 129, 398  
 Tolmomyias, 215  
     assimilis, 215  
     flaviventris, 179, 215–219  
     poliocephalus, 215, 219  
     sulphurescens, 215  
 Tomlinson, Roy E., see Banks, Richard C.,  
     and ———  
 Tongue, 79–82  
 Touit batavica, 179  
 Towhee, 354  
     Abert's, 106  
     Brown, 106  
     Green-tailed, 107  
     Rufous-sided, 107, 400, 403  
 Toxostoma, 104  
     rufum, 398  
 Trachea, 48  
 Tremaine, Mary M., A possible "assist" to a  
     hatching chick by an adult Whimbrel,  
     77–78  
*Tringa solitaria*, 287  
     totanus, 287  
 Triumph ceremony, 49  
 Trochilidae, 179  
*Trochilus polytmus*, 78  
*Troglodytes aedon*, 54, 149, 456  
     musculus, 179  
 Troglodytidae, 104, 179  
 Troupial, 290–291  
 Trout, Alan, see Kermott, Henry, Robert  
     Fields, and ———  
 Trout, Alan K., see Fields, Robert C.,  
     —, and Darold T. Walls  
*Tryngites subruficollis*, 287  
 Turdidae, 104, 106, 179  
*Turdus fumigatus*, 179–180  
     migratorius, 149, 398, 477  
     nudigenis, 179–180  
 Turner, D. A., see Keith, G. Stuart, A. D.  
     Forbes-Watson, and ———  
*Tympanuchus cupido*, 135  
     pallidicinctus, 135  
 Tyrrannidae, 179  
 Tyrranulet, Southern Beardless, 216  
     Yellow-bellied, 61  
*Tyrannus crassirostris*, 360  
     dominicensis, 338, 377  
     melancholicus, 180, 360  
     tyrannus, 360, 466  
     verticalis, 357–372  
     vociferans, 357–372  
 Tyrant, Long-tailed, 60  
*Tyto alba*, 336  
     a. guatemalae, 58  
     soumagnei, 198  
 Vangidae, 198  
 Variability, eggshell thickness, 156–159  
 Veery, 399  
 Verdin, 104  
 Vermivora, 106  
     chrysoptera, 399, 468  
 Viability, 6–7, 56–57  
 Vireo, 338, 340  
     crassirostris, 340, 377  
     griseus, 56, 399  
     magister, 340

## INDEX TO VOLUME 86

- olivaceus, 56, 399  
solitarius, 399
- Vireo, 340, 472  
Red-eyed, 56, 399  
Solitary, 399  
Thick-billed, 377  
White-eyed, 56, 399, 404
- Vireonidae, 179
- Vocalization, 27, 44–49, 59, 131–135, 179–180, 206–213, 221–228, 281, 344–355  
(see also Call, and Song)
- convergence in, 469–471  
interspecific response, 469  
prehatching, 225, 228
- Vulture, 461  
Bearded, 462  
New World, 251  
Old World, 251
- Walking, see locomotion
- Wallace, Robert A., Aberrations in the tongue structure of some melanerpine woodpeckers, 79–82
- Walls, Darold T., see Fields, Robert C., Alan K. Trout, and —
- Warbler, 14, 99  
Black and White, 377, 399  
Blackburnian, 399, 404  
Black-throated Blue, 399  
Black-throated Green, 405  
Canada, 399  
Chestnut-sided, 399, 401, 404, 469–471  
Golden-winged, 399, 404, 468–471  
Hooded, 399  
Kirtland's, 374–382  
Magnolia, 405  
Northern Parula, 399  
Olive, 106  
Palm, 377  
Pine, 14, 474  
Prairie, 377  
Yellow, 56, 377  
Yellow-rumped, 14  
Yellow-throated, 474
- Ward, Dorcas A., see Ward, Rodman and —
- Ward, Rodman, and Dorcas A. Ward, Songs in contiguous populations of Black-capped and Carolina Chickadees in Pennsylvania, 344–356
- Wasps, 216–217
- Waxwing, Cedar, 399, 477
- Weske, John S., and John W. Terborgh, *Hemispingus parodii*, a new species of tanager from Peru, 97–103; see Schnell, Gary D., —, and Jenna J. Hellack
- Whimbrel, 77
- White-eye, 472
- Wigeon, American, 463
- Wilbur, Sanford R., California Condor specimens in collections, 71–72
- Willet, 286–287
- Williams, Lovett E., Jr., and Ted Joanan, Age of first nesting in the Brown Pelican, 279–280
- Willis, Edwin O., review by, 487–489
- Wilsonia, 106  
canadensis, 399  
citrina, 399
- Woodpecker, 35–41, 472  
Acorn, 39  
Black-backed, 32  
Crimson-crested, 32  
Downy, 23–33, 35–41, 125, 127–129, 407–417  
Golden-fronted, 79  
Greater Spotted, 23, 26, 415  
Hairy, 23, 25, 32, 35–41, 398, 408, 410, 413, 415–416  
Hispaniolan, 79  
Ladder-backed, 26, 299, 407  
Lesser Spotted, 25, 415  
Lewis', 32  
Nuttall's, 26, 407  
Pileated, 32, 37–39, 398, 415, 465  
Puerto Rican, 79, 82  
Red-bellied, 37–39, 79  
Red-cockaded, 37  
Red-headed, 79
- Woodstar, Bahama, 377
- Wren, 294  
Bar-vented, 105  
Cactus, 371  
Carolina, 51–57, 398  
Happy, 105  
House, 54, 149, 456  
Sooty-headed, 480
- Wrentit, 104
- Xema sabini, 170

- Xenopirostris damii, 199  
polleni, 199
- Xiphorhynchus guttatus, 179
- Yellowthroat, Common (see Northern)  
Northern, 14, 399, 404
- Zenaida aurita, 394, 377  
macroura, 140
- Zink, Gerhardt, Der Zug Eurasischer Singvögel. Ein Atlas der Wiederfunde be ringter Vögel, Part 1, reviewed, 491–492
- Zonotrichia albicollis, 149, 296  
leucophrys, 291
- Zosterops, 472

This issue of *The Wilson Bulletin* was published on 31 December 1974.