

INDEX TO VOLUME 91, 1979

BY NANCY J. FLOOD, GARY R. BORTOLOTTI AND PETER THOMPSON

This index includes references to genera, species, authors and key words or terms. In addition to avian species, references are made to the scientific names of all vertebrates mentioned within the volume. Common names are as they appeared in the volume. Reference is made to books reviewed, reviewers and announcements as they appeared in the volume.

- Accipiter cooperii*, 104
 gentilis, 104
 striatus, 104
Actitis macularia, 624
Adelomyia melanogenys, 185
Aethia cristatella, 413, 416, 417
 pusilla, 413, 417
Afton, Alan D., Time budget of breeding
 Northern Shovelers, 42-49
age determination
 Molothrus ater, 464
Agelaius phoeniceus, 78, 83, 85, 91, 94,
 118, 121, 122, 143-145, 426-433, 434-
 440, 464, 566, 567
 tricolor, 434, 437, 438
Aglaiocephalus kingi, 185
Ainley, David G., see Bekoff, Marc, ——
 and Anne Bekoff
Alcids, 298
Alopex lagopus, 414, 611
Alsop, F. J., Mantids selected as prey by
 Blue Grosbeaks, 131-132
Amazilia amabilis, 320
Ammodramus savannarum, 592-598
Ammodramus hexapterus, 415
Anas acuta, 46
 clypeata, 42-49, 367-370
 cyanoptera, 367
 discors, 367-370
 platalea, 368
 platyrhynchos, 267, 280, 282, 283
 rufipes, 280
Anderson, T. R., Experimental synchronization of sparrow reproduction, 317-319
Anisognathus lacrymosus, 147
Ankney, C. Davison, see Ryder, John P.
 and ——
Anolis sp., 9
Anser albifrons, 267, 628-629
 anser, 266
 caeruleoescens caeruleoescens, 615, 628
Anthropoides paradisea, 384-399
 virgo, 384-399
Antilocapra americana, 75
Aphelocoma nana, 199
 viridicyana, 198
Aquila rapax, 463
Aracari, Chestnut-eared, see *Pteroglossus castanotis*
 Collared, see *P. torquatus*
Ardea cinerea, 630
 herodias, 630-631
Arenaria interpres, 133-135, 628
Asio flammeus, 202, 208, 565, 567
 otus, 50-61, 72-77, 567
Atkins, R. J., see Smith, J. P. and ——
Atlapetes, 147
Auklet, Cassin's, see *Ptychoramphus aleuticus*
 Crested, see *Aethia cristatella*
 Least, see *Aethia pusilla*
 Parakeet, see *Cyclorrhynchus psittacula*
Auriparus flaviceps, 123
Avery, Michael L., Impacts of transmission lines on birds in flight, reviewed, 158
Avery, Michael L., Paul F. Springer and Nancy S. Dailey, Avian mortality at man-made structures: an annotated bibliography, reviewed, 159
Avocet, American, see *Recurvirostra americana*
awards and grants
 Aaron M. Bagg Student Membership Awards, 347, 478
 Eastern Bird Banding Association Research Grants, 287
 Edwards Prize, 489

- Louis Agassiz Fuertes Award, 383, 489
 Margaret Morse Nice Award, 383, 489
 Paul A. Stewart Award, 478, 489
 Josselyn Van Tyne Award, 347
 Alexander Wetmore Award, 347
 Alexander Wilson Prize, 489
- Aythya americana*, 323, 599
 valisineria, 279–287, 323, 599
- Bankwitz, Kenneth G. and William L. Thompson, Song characteristics of the Yellow Warbler, 533–550
- Baptista, Luis F., see Wells, Shirley and —
- Barbets, Crested, see *Trachyphonus vaillantii*
- Basileuterus luteoviridis*, 147
- Batzli, George D., see Williams, Joseph B. and —
- behavior
- breeding
 - Buteo lineatus*, 104–117
 - Celeus undatus*, 338
 - Coccyzus americanus*, 154–155
 - Larus marinus*, 575–582
 - Laterallus spilonotus*, 202–221
 - Passer domesticus* and *P. montanus*, 317–319
 - Pedioecetes phasianellus*, 150
 - Phalacrocorax carbo*, 461–463
 - Picoides borealis*, 331
 - comfort
 - Pygoscelis adeliae*, 255–270
 - food related
 - Ardea herodias*, 630–631
 - Bubulcus ibis*, 471–472
 - Carduelis flammea*, 621–623
 - Celeus castaneus*, 149–152
 - Celeus undatus*, 338–344
 - Cyanocorax beecheii*, 1–15
 - Cynomys ludovicianus*, 330
 - Dendroica striata*, 234–243
 - Larus delawarensis*, 623–625
 - Larus glaucescens*, 412–419
 - Larus marinus*, 565–582
 - Laterallus spilonotus*, 202–221
 - Limnodromus griseus*, 271–278
 - Picoides stricklandii*, 244–254
 - Steatornis caripensis*, 458
 - Stercorarius pomarinus*, 329
 - social (including agonistics, display, etc.)
 - wintering
 - Carduelis flammea*, 621–623
 - Junco hyemalis*, 371–383
 - Parus cristatus*, 222–223
 - Parus montanus*, 222–223
- Beissinger, S. R., see Osborne, David R. and —
- Bekoff, Anne, see Bekoff, Marc, David G. Ainley and —
- Bekoff, Marc, David G. Ainley and Anne Bekoff, The ontogeny of comfort behavior in Adelie Penguins, 255–270
- Below, Theodore H., First reports of pellet ejection in 11 species, 626–628
- Berger, A. J., see van Riper, C., III, S. G. van Riper and —
- Bertin, R. I. and P. A. Wilzbach, Sexual differences in feeding territoriality of the Crowned Woodnymph, 319–321
- Blackbird, Red-winged, see *Agelaius phoeniceus*
- Rusty, see *Euphagus carolinus*
 - Tricolored, see *Agelaius tricolor*
- Blem, C. R., Predation of black rat snakes on a Bank Swallow colony, 135–137
- Blodgett, K. D. and R. M. Zammuto, Chimney Swift nest found in hollow tree, 154
- Blokpoel, Hans and Gerard T. Haymes, Small mammals and birds as food items of Ring-billed Gulls on the Lower Great Lakes, 623–625
- Blue Bird, Eastern, see *Sialia sialis*
- Blus, Lawrence J. and Richard M. Prouty, Organochlorine pollutants and population status of Least Terns in South Carolina, 62–71
- Boag, David A., review by, 360–361
- Bobwhite, see *Colinus virginianus*
- Boissonneaua matthewsii*, 185
- Bolen, Eric G., Blue-winged × Cinnamon teal hybrid from Oklahoma, 367–370
- bombycilla cedrorum*, 91, 94, 310

- Bowman, Margaret Coon, Species index to Florida bird records in Audubon Field Notes and American Birds, Volumes, 1947–1976, reviewed, 159
- Branta canadensis*, 288, 296, 297, 323, 613–615, 628–629
- Bray, Olin E., Willis L. Royall, Jr., Joseph L. Guarino and Richard E. Johnson, Activities of radio-equipped Common Grackles during fall migration, 78–87
- breeding biology, general
- Asio otus, 50–61
 - Buteo lineatus, 104–117
 - Falco sparverius, 50–61
 - Fulica americana, 599–607
 - Gavia arctica pacifica, 608–617
 - Mycteria americana, 512–523
 - Phalacrocorax carbo, 461–463
 - Progne subis, 583–591
 - Rostrhamus sociabilis, 495–511
 - Sayornis phoebe, 441–454
 - see also behavior, breeding
- Brooks, D. J., see McGillivray, W. B. and —
- Brown, Charles R., Territoriality in the Purple Martin, 583–591
- Bruun, Bertel, The Larousse guide to birds of Britain and Europe, reviewed, 354–355
- Bubo virginianus*, 89, 104, 106, 133, 566
- Bubulcus ibis*, 471–472
- Buckner, James L., see Landers, J. Larry and —
- Budde, Paul, see Payne, Robert B. and —
- Bulbul, Red-vented, see *Pycnonotus cafer*
- Red-whiskered, see *P. jocosus*
- Bullfinch, see *Pyrrhula pyrrhula*
- bullhead, see *Ictalurus melas*
- Bunting, Lark, see *Calamospiza melanocorys*
- Burtt, E. H. and J. P. Hailman, Effect of food availability on leaf scratching by the Rufous-sided Towhee: test of a model, 123–126
- Bushtit, Common, see *Psaltriparus minimus*
- Buteo jamaicensis*, 54, 89, 104, 190
- lineatus, 89, 104–117
 - nitidus, 194
 - platypterus, 192
- regalis, 330–331
 - swainsoni, 565
- Calamospiza melanocorys*, 346
- Calypte anna*, 524–532
- costae, 531
- Calidris alba*, 134, 277
- canutus, 559
- Campephilus guatemalensis*, 22, 341
- melanoleucus, 22, 24, 341, 343
- Campethera cailliautii*, 24
- nivosa, 24
 - nubica, 19
- Canis latrans*, 132
- Canvasback, see *Aythya valisineria*
- Cardinal, see *Cardinalis cardinalis*
- Cardinalis cardinalis*, 91, 94, 96, 98, 118, 119, 121, 307, 310, 464
- Carduelis flammea*, 621–623
- pinus, 622, 623
 - tristis, 95, 118, 119, 310, 312, 434, 437
- Caretta caretta*, 66
- Carpodacus purpureus*, 91, 95, 237
- Catamblyrhynchus diadema*, 145–158
- Catbird, Gray, see *Dumetella carolinensis*
- Cathartes aura*, 89, 104, 148–149
- Catharus guttata*, 93, 96, 98
- minimus, 237
 - ustulatus, 237
- Catoptrophorus semipalmatus*, 551–574, 626–628
- Causey, Keith, George Horton, John Roboski, Randall Johnson and Philip Mason, American Woodcock hatched in Alabama killed in Michigan, 463–464
- Celeus brachyurus*, 24, 249, 338
- castaneus, 149–150
 - elegans, 338, 344
 - lugubris, 24, 338
 - undatus, 338–344
- censusing
- in Illinois, 88–103
 - in West Virginia, 301–316
 - Mycteria americana, 512–523
 - Rostrhamus sociabilis, 495–511
 - Steatornis caripensis, 457–458
- Cephus columbus*, 416
- Certhia familiaris*, 93, 96, 126–131, 237, 307, 400–411
- Chaetura pelagica*, 154

- Charadrius vociferus*, 330, 560
wilsonia, 63
- Chat*, Yellow-breasted, see *Icteria virens*
- Chessler*, R. K., Opportunistic feeding on man-killed prey by Ferruginous Hawks, 330-331
- Chickadee*, Black-capped, see *Parus atricapillus*
 Carolina, see *Parus carolinensis*
 Mexican, see *Parus sclateri*
- chicken*, see *Gallus* sp.
- Chilgren*, J. D., Drowning of grassland birds in stock tanks, 345-346
- chipmunk*, eastern, see *Tamias striata*
 least, see *Eutamias minimus*
- Chipping Sparrow*, see *Spizella passerina*
- Cinnycerthia*, 147
- Circus aeruginosus*, 463
buffoni, 470-471
cyaneus, 72-77, 565, 567
- Cissiophila*, 1, 10, 12, 187-201
- Clangula hyemalis*, 288-300
- Clark*, David B., see *Franklin*, Alan B.,
 Deborah A. Clark and ——
- Clark*, Deborah A., see *Franklin*, Alan B.,
 —— and David B.
- Clark*, W. D. and J. R. Karr, Effects of highways on Red-winged Blackbird and Horned Lark populations, 143-145
- Clench*, Mary H. and Robert C. Leberman, Weights of 151 species of Pennsylvania birds analyzed by month, age, and sex, 162
- Clethrionomys gapperi*, 110
- Clupea harengus*, 415
pallasii, 424
- Coccycus americanus*, 154-155, 311
- Coeligena coeligena*, 185
torquata, 185
- Colaptes auratus*, 17, 18, 25, 54, 55, 92, 96, 149, 310, 313, 335
rupicola, 26
- Colibri coruscans*, 185
thalassinus, 185
- Colinus virginianus*, 345
- Collias*, Nicholas E. and Elsie C. Collias, review by, 474-476
- Columba livia*, 89
- Columbina passerina*, 467-468
- Conirostrum sitticolor*, 146-147
- Conner*, Richard N., Jerry W. Via and Irvin D. Prather, Effects of pine-oak clearcutting on winter and breeding birds in southwestern Virginia, 301-316
- conservation*
Agelaius phoeniceus, 143-145
Cyanocorax beecheii, 1-15
Eremophila alpestris, 143-145
- Coot*, American, see *Fulica americana*
 European, see *Fulica atra*
- Coragyps atrata*, 89
- Corcorax melanorhamphus*, 206
- Cormorant*, Great, see *Phalacrocorax carbo*
 Red Faced, see *P. urile*
- Corvus brachyrhynchos*, 92, 133, 307, 311, 566, 567
corax, 566
cryptoleucus, 331
imparatus, 12, 196
rhipidurus, 463
sinaloae, 195, 196
- cottontail*, eastern, see *Sylvilagus floridanus*
- Coturnix coturnix*, 118, 121, 280
- Counsilman*, J. J., Bird Behaviour—new journal, reviewed, 158
- Cowbird*, Bay-winged, see *Molothrus badius*
- Bronzed, see *Molothrus aeneus*
- Brown-headed, see *Molothrus ater*
- Screaming, see *Molothrus rufoaxillaris*
- Shining, see *Molothrus bonariensis*
- coyote*, see *Canis latrans*
- Craig*, Timothy H. and Charles M. Trost, The biology and nesting density of breeding American Kestrels and Long-eared Owls on the Big Lost River in southeastern Idaho, 50-61
- Crake*, Paint-billed, see *Neocrex erythrops*
- Crane*, Demoiselle, see *Anthropoides virgo*
- Gray Crowned, see *Balearica regulorum*
- Sandhill, see *Grus canadensis*
- Stanley, see *Anthropoides paradisea*
- Wattled, see *Bugeranus carunculatus*
- West African Crowned, see *Balearica pavonina*
- see also Gruidae for *Grus* spp.

- Craven, Scott R. and Ronald L. Westemeier, Probable Canada Goose × White-fronted Goose hybrids, 628–629
- Creeper, Brown, see *Certhia familiaris*
- Crossbill, White-winged, see *Loxia leucophaea*
- Crow, Common, see *Corvus brachyrhynchos*
Mexican, see *Corvus imparatus*
Sinaloa, see *Corvus sinaloae*
- Cuckoo, Yellow-billed, see *Coccyzus americanus*
- Curlew, Eskimo, see *Numenius borealis*
European, see *Numenius arquatus*
Long-billed, see *Numenius americanus*
- Cyanocorax affinis*, 198
beecheii, 1–15, 187–201
caeruleus, 199
cayanus, 198
chrysops, 198
cyanomelas, 199
dickeyi, 198
formosa, 12, 198
melanocyanea, 1, 10, 11, 187–201
morio, 199
sanblasiana, 1, 10, 11, 187–201
yucatanica, 1, 10, 11, 187–201
- Cyanocorax* spp., 198–199
- Cyanositta cristata*, 91, 92, 100, 198, 230, 307, 310, 451, 470
- Cyclorrhynchus psittacula*, 416
- Cynomys ludovicianus*, 330–331
- Dailey, N. S., see Avery, M. L., P. F. Springer and —
- Davies, Nicholas B., see Krebs, John R. and —
- deer, white-tailed, see *Odocoileus virginianus*
- Dendragapus obscurus*, 230
- Dendrocolaptes*, 338
- Dendroica caerulea*, 237
castanea, 234, 241, 242
coronata, 91, 94, 97, 98, 234, 237, 241, 307, 470
discolor, 310, 312, 313
dominica, 253
fusca, 234, 237
graciae, 253
magnolia, 234, 237, 547
pensylvanica, 310, 547
petechia, 464, 533–550
pinus, 311, 312, 313
- striata, 234–243
tigrina, 234
virens, 234, 237, 548
- Dendropicos namaquus*, 19
xantholophus, 24
- Denson, R. D., Owl predation on mobbing crows, 133
- Didelphis virginiana*, 328
- diet, see behavior, food-related
- Dinopium rafflesii*, 24
- Dipodomys ordii*, 55, 58, 59, 73
- Divoky, C. J., K. L. Oakley and H. R. Huber. Pomarine Jaeger preys on adult Black-legged Kittiwake, 329
- Dodge, Wendell E., see Portnoy, John W. and —
- Dove, Ground, see *Columbina passerina*
Mourning, see *Zenaida macroura*
Ringed Turtle, see *Streptopelia risoria*
Rock, see *Columba livia*
- Dowitcher, Short-billed, see *Limnodromus griseus*
- Drieslein, R. L. and A. J. Bennett, Red fox predation on Greater Sandhill Crane chicks, 132–133
- Dryocopus javensis*, 20, 24
lineatus, 20, 22, 24, 343
martius, 337
pileatus, 20, 25, 91, 92, 307, 311, 313, 314, 335, 337, 343
- Dumetella carolinensis*, 119, 310
- Dunn, Erica H., Age of effective homeothermy in nestling Tree Swallows according to brood size, 455–457
- Eagle, African Fish, see *Haliaeetus vocifer*
Bald, see *Haliaeetus leucocephalus*
Tawny, see *Aquila rapax*
- Eaton, S. W., Notes on the reproductive behavior of the Yellow-billed Cuckoo, 154–155
- eggshell thinning
Lanius ludovicianus, 468
- Egret, Cattle, see *Bubulcus ibis*
Snowy, see *Egretta thula*
- Egretta thula*, 521, 628
- Eider, Common, see *Somateria mollissima*
Elanoides forficatus, 148–149
- Elaphe obsoleta*, 121, 135–137, 451
- Ellarson, Robert S., see Peterson, Steven R. and —

- Elliott, Hugh, see Hannock, James and —
- Empidonax flaviventris*, 237
 virescens, 29–41, 311
- Enhydra lutris*, 417
- Eremophila alpestris*, 143–145
- Eriocnemis nigrivestis*, 177
- Eshbaugh, B. K. and W. H. Eshbaugh, Removal of fur from a live racoon by Tufted Titmouse, 328
- Eshbaugh, W. H., see Eshbaugh, B. K. and —
- Eudocimus albus*, 519, 626–628
- eulachons, see *Thaleichthys pacificus*
- Eumetopias jubata*, 414
- Euphagus carolinus*, 94
- Eutamius minimus*, 55, 73
- Fairchild, W. B., see Hammond, K. A., G. Macinko, and —
- Falco mexicanus*, 345
 peregrinus, 416, 463
 sparverius, 50–61, 72–77, 345, 625–626
- Falcon, Collared Forest, see *Micrastur semitorquatus*
- Peregrine, see *Falco peregrinus*
- Prairie, see *Falco mexicanus*
- fat, premigratory deposition
- Falco sparverius*, 625–626
- Ficedula* spp., 16
- Finch, Plush-capped, see *Catamblyrhynchus diadema*
 Purple, see *Carpodacus purpureus*
- fish, rock, see *Sebastes* sp.
- Fitzpatrick, John W., review by, 632–634
- Fitzpatrick, John W., David E. Willard and John W. Terborgh, A new species of hummingbird from Peru, 177–186
- Flicker, Common, see *Colaptes auratus*
 Northern, see *Colaptes auratus*
 Yellow-shafted, see *Colaptes auratus*
- Flycatcher, Acadian, see *Empidonax virescens*
 crested flycatcher, see *Myiarchus* sp.
 Great Crested, see *Myiarchus crinitus*
 Yellow-bellied, see *Empidonax flaviventris*
- foraging, see behavior, food-related
- fostering
 in *Agelaius phoeniceus*, 434–440
- fox, red, see *Vulpes fulva*
Arctic, see *Alopex lagopus*
- Fraga, R. M., Differences between nestlings and fledglings of Screaming and Bay-winged cowbirds, 151–154
- Franklin, Alan B., Deborah A. Clark and David B. Clark, Ecology and behavior of the Galapagos Rail, 202–221
- Fratercula corniculata*, 415
- Friedmann, Herbert, review by, 473–474
- frog, leopard, see *Rana pipiens*
- Fulica americana*, 75, 599–607
 atra, 602
- Gallus gallus spadiceus*, 266
 Gallus sp., 438, 618
- Gavia arctica pacifica*, 608–617
- Geochelidon nilotica*, 63, 64, 66, 135
- Geococcyx californianus*, 155
- Geocolaptes*, 25
- geographic variation
 Junco hyemalis, 371–383
- Geomys bursarius*, 630
- Geothlypis trichas*, 547
- Gessaman, James, A., Premigratory fat in the American Kestrel, 625–626
- Gibson, Daniel D., see Kessel, Brina and —
- Glaucidium* sp., 16
- Gnatcatcher, Blue-gray, see *Polioptila caerulea*
- Godwit, Black-tailed, see *Limosa limosa*
- Goldfinch, American, see *Spinus tristis*
 also *Carduelis tristis*
- Goose, Canada, see *Branta canadensis*
- Greylag, see *Anser anser*
- Lesser Snow, see *Anser caerulescens caerulescens*
- White-fronted, see *Anser albifrons*
- Goshawk, see *Accipiter gentilis*
- Graber, Jean W. and Richard R. Gruber, Severe winter weather and bird populations in southern Illinois, 88–103
- Graber, Richard R., see Gruber, Jean W. and —
- Grackle, Common, see *Quiscalus quiscula*
- greenling, rock, see *Hexagrammos lagocephalus*
- Greenshank, see *Tringa nebularia*
- Grouse, Black, see *Lyrurus tetrix*
- Blue, see *Dendragapus obscurus*

- Red, see *Lagopus lagopus*
- Sharp-tailed, see *Pedioecetes phasianellus*
- growth
- of *Molothrus ater* nestlings, 464
- Grubb, T. C.**, Olfactory guidance of Leach's Storm Petrel to the breeding island, 141-143
- Gruidae**, 384-399
- Grus canadensis**, 132-133, 137-141, 323, 384, 399
- Grus spp.**, 384-399
- Guarina, Joseph L.**, see Bray, Olin E., et al.
- guilds
- of bark foragers, 400-411
 - of grassland sparrows, 592-598
- Guillemot, Pigeon**, see *Cephus columbus*
- Guiraca caerulea**, 131-132
- Gull, Glaucous**, see *Larus hyperboreus*
- Glaucous-winged, see *Larus glaucescens*
 - Great Black-backed, see *Larus marinus*
 - Herring, see *Larus argentatus*
 - Laughing, see *Larus atricilla*
 - Lesser Black-backed, see *Larus fuscus*
 - Ring-billed, see *Larus delawarensis*
- habitat**
- alteration
 - by clearcutting, 301-316
 - effect on the Everglade Kite, 495-511
 - effect on Red-winged Blackbirds and Horned Larks, 143-144
 - effect of Wood Storks, 512-523
 - selection
 - Columbina passerina*, 467
 - Dendroica striata*, 234-243
 - Rostrhamus sociabilis*, 495-511
 - see also breeding biology
 - partitioning
 - by bark foraging guild, 400-411
 - by grassland sparrows, 592-598
- Hailman, J. P.** see Burtt, E. H. and ——
- Halford, Douglas K.**, see Craig, Timothy H., —— and O. Doyle Markham
- Haliaeetus leucocephalus**, 104, 283
- vocifer, 463
- Hammond, K. A.**, G. Macinko and W. B. Fairchild, eds., Sourcebook on the environment, reviewed, 357-358
- Hannock, James and Hugh Elliott**, Herons of the world, reviewed, 348-354
- Hardy, J. W.**, see Raitt, Ralph J. and ——
- Hardy, J. W.**, Vocal repertoire and its possible evolution in the blue and black jays, 187-201
- Harlow, R. F.**, see Lennartz, M. R. and ——
- Harrier, Long-winged**, see *Circus buffoni*
- Marsh**, see *Circus aeruginosus*
- Harrison, C. J. O.**, ed., Bird families of the world, reviewed, 359-360
- Hawk, Broad-winged**, see *Buteo platypterus*
- Cooper's, see *Accipiter cooperii*
 - Ferruginous, see *Buteo regalis*
 - Gray, see *Buteo nitidus*
 - Marsh, see *Circus cyaneus*
 - Red-shouldered, see *Buteo lineatus*
 - Red-tailed, see *Buteo jamaicensis*
 - Sharp-shinned, see *Accipiter striatus*
- Haymes, Gerard T.**, see Blokpoel, Hans and ——
- Heliangelus regalis**, 177-186
- Heliangelus spp.**, 180-181
- Hemilepidotus hemilepidotus**, 418
- Hemispingus atropileus**, 147
- frontalis, 147
 - reyi, 147
- Hemispingus, Grey-capped**, see *Hemispingus reyi*
- Henicorhina leucoptera**, 184
- Heron, Great Blue**, see *Ardea herodias*
- Little Blue, see *Hydranassa caerulea*
 - herring, Pacific, see *Clupea harengus*
 - also *Clupea pallasi*
- Hexagrammos lagocephalus**, 415
- Hilty, S. L.**, T. A. Parker and J. Silliman, Observations on Plush-capped Finches in the Andes with a description of the juvenile and immature plumages, 145-148
- Himantopus mexicanus**, 560, 565, 566, 568
- Hirundo rustica**, 118, 120, 450
- Holcomb, Larry, C.**, Response to foster nestlings by Red-winged Blackbirds at different reproductive stages, 434-440
- Horton, George**, see Causey, Keith, et al.
- Hubbard, John P.**, Revised check-list of the birds of New Mexico, reviewed, 162
- Huber, H. R.**, see Divoky, G. J., K. L. Oakley and ——

- Hummingbird, Blue-chested, see *Amazilia amabilis*
 Booted Racket-tail, see *Ocreatus underwoodii*
 Bronzy Inca, see *Coeligena coeligena*
 Chestnut-breasted Coronet, see *Boissonneaua matthewsii*
 Collared Inca, see *Coeligena torquata*
 Green-fronted Lancebill, see *Doryfera ludoviciae*
 Green-tailed Trainbearer, see *Lesbia nuna*
 Green Violetear, see *Colibri thalassinus*
 Long-tailed Hermit, see *Phaethornis superciliosus*
 Long-tailed Sylph, see *Aglaiocercus kingi*
 Sparkling Violetear, see *Colibri coruscans*
 Speckled, see *Adelomyia melanogenys*
 Hundertmark, Charles A., Breeding birds of
 Elephant Butte Marsh, reviewed, 162
 hybridization
 Anas discors × *Anas cyanoptera*, 367–
 370
 Branta canadensis × *Anser albifrons*,
 628–629
 Calyp特 anna × *Selasphorus sasin*, 624–
 632
 Hydranassa caerulea, 521
 Hylocichla mustelina, 311, 448
 Ibis, White, see *Eudocimus albus*
 Ictalurus melas, 630
 Icteria virens, 119, 230, 310, 312, 313
 Icterus galbula, 118, 120
 Iridoprocne bicolor, 16, 17, 455–457
 Iridosornis reinhardti, 147
 rufivertex, 147
 Ixoreus naevius, 375
 Jacana jacana, 470–471
 Jacana, Wattled, see *Jacana jacana*
 jackrabbit, black-tailed, see *Lepus californicus*
 Jaeger, Parasitic, see *Stercorarius parasiticus*
 Pomarine, see *Stercorarius pomarinus*
 Jay, Azure, see *Cyanocorax caeruleus*
 Beechey, see *Cyanocorax beecheii*
 Black-chested, see *Cyanocorax melanocyanea*
 Blue, see *Cyanocitta cristata*
 Brown, see *Cyanocorax morio*
 Bushy-crested, see *Cyanocorax affinis*
 Cayenne, see *Cyanocorax cayanus*
 Magpie, see *Cyanocorax formosa*
 Plush-crested, see *Cyanocorax chrysops*
 Purplish, see *Cyanocorax cyanomelas*
 San Blas, see *Cyanocorax sanblasiana*
 Tufted, see *Cyanocorax dickeyi*
 Yucatan, see *Cyanocorax yucatanica*
 Jehl, Joseph R., Jr., see Rumboll, Maurice
 A. E. and ——
 Johnson, Randall, see Causey, Keith, et al.
 Johns, Richard E., see Bray, Olin, et al.
 Junco, Dark-eyed, see *Junco hyemalis*
 Slate-colored, see *Junco hyemalis*
 Mexican, see *Junco phaeonotus*
 Junco hyemalis, 91, 95, 96, 98, 123, 237,
 241, 242, 297, 307, 371–383
 Junco phaeonotus, 253, 375
 Jungle Fowl, Burmese, see *Gallus gallus*
 spadiceus
 Jynx ruficollis, 18, 19
 kangaroo rat, Ord's, see *Dipodomys ordii*
 Keith, Stuart, review by, 356–357
 Kendeigh, S. Charles, see Pinowski, Jan and ——
 Kepler, Angela Kay, Comparative study of
 todies (Todidae): with emphasis on
 the Puerto Rican Tody, *Todus mexicanus*, reviewed, 358–359
 Kessel, Brina and Daniel D. Gibson, Status
 and distribution of Alaska birds, 360
 Kestrel, American, see *Falco sparverius*
 Ketterson, Ellen D., Aggressive behavior in
 wintering Dark-eyed Juncos: determinants of dominance and their possible relation to geographic variation in sex ratio, 371–383
 Kilham, L., Chestnut-colored Woodpeckers
 feeding as a pair on ants, 149–150
 Kilham, L., Three-week vs 4-week nestling
 periods in *Picoides* and other wood-peckers, 335–338
 Killdeer, see *Charadrius vociferus*
 Kingbird, Eastern, see *Tyrannus tyrannus*
 kingfisher, 23
 Kinglets, Golden-crowned, see *Regulus satrapa*
 Ruby-crowned, see *Regulus calendula*
 Kite, Black, see *Milvus migrans*
 Everglade, see *Rostrhamus sociabilis*
 Swallow-tailed, see *Elanoides forficatus*

- Kittiwake, Black-legged, see *Rissa tridactyla*
- Knot, Red, see *Calidris canutus*
- Krebs, John R. and Nicholas B. Davies, eds., *Behavioural ecology: an evolutionary approach*, reviewed, 632–634
- Kushlan, James A., Arboreal foraging by Cattle Egrets, 471–472
- Lagopus lagopus*, 229
- Landers, J. Larry, Ground Dove use of young pine plantations, 467–468
- Lanius ludovicianus*, 94, 468–469
- Lark, Horned, see *Eremophila alpestris*
- Larus argentatus*, 134, 141, 420, 422–424, 575–582
atricilla, 626–628
californicus, 565
delawarensis, 438, 565, 623–625, 628
fuscus, 420, 423, 575–582
glaucescens, 94, 412, 420–425
hyperboreus, 420, 423, 611, 613
marinus, 423, 575–582
- Laterallus jamaicensis*, 205, 206, 208, 211
spilonotus, 202–221
- learning, in *Tympanuchus cupido*, 618–621
- Leberman, Robert C., see Mary H. Clench and —
- Lennartz, M. R. and R. F. Harlow, The role of parent and helper Red-cockaded Woodpeckers at the nest, 331–335
- Leopold, A. Starker, The California Quail, reviewed, 360–361
- Lepomus* sp., 630
- Leptoptilos crumeniferus*, 463
- Lepus californicus*, 132
- Lesbia nuna*, 185
- Lewis, Stephen J., see Samson, Fred B. and —
- life members,
 Cottrille, Betty D., 550
 Gutzke, Theodore W., 472
 Martin, Kathy, 243
 Zar, Jerry H., 476
- Limnodromus griseus*, 271–278
- Limosa limosa*, 560
- Littlefield, C. D., Interspecific use of Sandhill Crane nests, 323
- lizard, sage brush, see *Sceloporus graciosus*
 short-horned, see *Phrynosoma douglassi*
- Loftin, R. W. and S. Sutton, Ruddy Turnstones destroy Royal Tern colony, 133–135
- Loon, Arctic, see *Gavia arctica*
- Lowther, P. E., Nest selection by Brown-headed Cowbirds, 118–122
- Loxia curvirostra*, 307, 309, 311, 313
leucoptera, 622
- Lumsden, H. G., see Raveling, D. G. and —
- Lunda cirrhata*, 413, 415
- Lyrurus tetrix*, 150
- Macinko, G., see Hammond, K. A., — and W. B. Fairchild
- MacKenzie, John P. S., Birds in peril, reviewed, 160–162
- Magpie, Black-billed, see *Pica pica*
- Maher, William J., review by, 355–356
- Mallards, see *Anas platyrhynchos*
- Mallory, Elizabeth P. and David C. Schneider, Agonistic behavior in Short-billed Dowitchers feeding on a patchy resource, 271–278
- Marchant, J. H., see Prater, A. J., — and J. Vuorinen
- Mares, Michael A., review by, 160–162
- Markham, O. Doyle, see Craig, Timothy, Douglas K. Halford and —
- Marmota monax*, 328
- Marshall, Joe T., Systematics of smaller Asian night birds based on voice, reviewed, 356–357
- Martin, Dennis J., review by, 364–365
- Martin, Purple, see *Progne subis*
- Mason, Phillip, see Causey, Keith, et al.
- Master, Terry L., An incident of Blue Jay predation on a House Sparrow, 470
- Mauren, David R., review by, 358–359
- Mayr, Ernst, Birds of the southwest Pacific, reviewed, 159
- McGillivray, W. B. and D. J. Brooks, An observation of stick presentation by the Swallow-tailed Kite, 148
- Meadowlark, Eastern, see *Sturnella magna*
 Western, see *Sturnella neglecta*
- meetings and conferences
 1978 (59th) annual meeting, proceedings, 163–176
 1979 (60th) annual meeting proceedings, 479–494

- Colonial Waterbird Group meeting, announcement, 287
- Third joint COS-WOS (1980) meeting, announcement, 477, 634
- Fifth Pan African Ornithological Congress, 634
- Seventh Woodcock Symposium, 635
- XVIII International Ornithological Congress (1982), announcement, 477
- Northeast Endangered Species Conference, 635
- Pacific Seabird Group, 635
- Symposium on New Hampshire Endangered Species, announcement, 383
- Melanerpes carolinus*, 19, 20, 25, 91, 92, 96, 97, 126–131, 400–411
- chrysachen, 25
 - cruentatus, 26
 - erythrocephalus, 18, 25, 91, 92, 97, 98, 126–131, 337, 400–411
 - formicivorus, 19, 26
 - pucherani, 20
 - rubicapillus, 20, 23, 25
 - striatus, 26
- Melospiza georgiana*, 95, 98, 624
- lincolni, 469–470
 - melodia, 95, 464, 466, 624
- Mephitis mephitis*, 427, 565
- Micrastur semitorquatus*, 190
- Micrathene whitneyi*, 16
- Microtus montanus*, 55, 58, 59
- oeconomus, 613
 - pennsylvanicus, 119, 623, 624
- Microtus* sp., 58, 623, 624
- migration
- Grus canadensis*, 137–140
 - Quiscalus quiscula*, 78–87
 - Oceanodroma leucorhoa*, 141–142
- Milvus migrans*, 463
- Mimus polyglottos*, 91, 93, 98
- Mniotilla varia*, 311
- Mockingbird, see *Mimus polyglottos*
- mole, hairy-tailed, see *Parascalops breweri*
- Molothrus aenus*, 628
- ater, 78, 118–122, 122–123, 310, 321–322, 426, 447, 452
 - badius, 151–154
 - bonariensis, 123, 628
 - rufoaxillaris, 151–154
- molt
- see plumage
- Morrison, Michael L.*, Loggerhead Shrike eggshell thickness in California and Florida, 468–469
- Morrison, R. I. Guy*, review by, 159–160
- Morse, Douglass, H.*, Habitat use by the Blackpoll Warbler, 234–243
- mouse, deer, see *Peromyscus maniculatus*
- Great Basin pocket, see *Perognathus parvus*
- white-footed, see *Peromyscus leucopus*
- Mulhern, Bernard M.*, see White, Donald H., Reg C. Stendall and —
- Mulleripicus pulverulentus*, 19
- Mundahl, J. T.*, Black-billed Magpie predation of a Killdeer nest, 330
- Murrelet, Ancient*, see *Synthliboramphus antiquus*
- Mycteria americana*, 512–523
- Myiarchus crinitus*, 310
- Myiarchus* sp., 16
- Myioborus flavivertex*, 147
- melanocephalus, 147
 - ornatus, 147
- Natrix sipedon*, 427
- Nectarinia coccinigaster*, 39
- Nellis, D. W.*, Record of Puerto Rican Screech Owl, Turkey Vulture and Osprey from St. Croix, U.S. Virgin Islands, 148–149
- Neocrex erythrops*, 205
- Neophron percnopterus*, 463
- Nesbitt, S. A. and L. E. Williams, Jr.*, Summer range and migration routes of Florida wintering Greater Sandhill Cranes, 137–141
- Nesbitt, Stephen A.*, see Ogden, John C. and —
- nesting
- density, see population, density
 - ecology, site selection success, see breeding biology, general and behavior, breeding
- nestlings
- Celeus undatus*, 338
 - Picooides borealis*, 335
 - Pycnonotus jocosus*, 323–324
 - see also breeding biology, general and behavior, breeding
- nests
- in holes

- Chaetura pelasgica*, 154
Picidae, 16–28
 interspecific use of *Grus canadensis*, 323
 predation on Killdeer nests by Black-billed Magpie, 330
 new bimonthly magazine, The Bird Watcher's Digest, reviewed, 158
 Nolan, Val, Jr., The ecology and behavior of the Prairie Warbler, *Dendroica discolor*, reviewed, 361–364
Numenius americanus, 560, 563, 566, 567, 626
arquatus, 567
borealis, 331
phaeopus, 331
Nuthatch, Red-breasted, see *Sitta canadensis*
 White-breasted, see *Sitta carolinensis*
 Oakley, K. L., see Divoky, G. J., —— and H. R. Huber
 O'Brien, P., Breeding activities of Waved Woodpeckers in Surinam, 338–344
Oceanodroma furcata, 413, 415
 leucorhoa, 141–143, 413, 415, 579
Ocreatus underwoodii, 185
Odocoileus virginianus, 104
 Ogden, John C. and Stephen A. Nesbitt, Recent Wood Stork population trends in the United States, 512–523
Oilbird, see *Steatornis caripensis*
Oldsquaw, see *Clangula hyemalis*
Olor buccinator, 323
Opheodrys vernalis, 110
Oporornis philadelphia, 624
 opossum, see *Didelphis virginiana*
Oriole, Northern, see *Icterus galbula*
 Ornithological Literature, 157–162, 348–365, 473–476, 632–634
 Ornithological News, 156, 347, 477–478, 634–635
 Osbourne, David R. and Steven R. Beissinger, Long-winged Harrier predation on Wattled Jacana eggs, 470–471
 Osprey, see *Pandion haliaetus*
 otter, sea, see *Enhydra lutris*
Otus nudipes, 148–149
 Ovenbird, see *Seiurus aurocapillus*
 ovenbirds, see *Xenops* sp.
 Owl, Barred, see *Strix varia*
 Elf, see *Micrathene whitneyi*
 Great Horned, see *Bubo virginianus*
 Long-eared, see *Asio otus*
 Puerto Rican Screech, see *Otus nudipes*
 Short-eared, see *Asio flammeus*
Oxyura jamaicensis, 280, 282, 323
Pandion haliaetus, 148–149, 283
Parascalops breweri, 110
 parasitism
 by *Molothrus aenus*, 628
 by *Molothrus ater*, 118–122, 122–123, 321–323
 Parker, T. A., see Hilty, S. L., —— and J. Silliman
 Parkes, Kenneth C., review by, 348–354
 parrots, 18, 25
Parula americana, 234
Parus atricapillus, 222–233, 307, 397
 bicolor, 91, 93, 100, 222–233, 307, 311, 328
 caeruleus, 228
 carolinensis, 91, 92, 96, 307, 309, 310, 312, 321
 cristatus, 222
 inornatus, 229
 major, 96, 98, 222, 225, 227, 228, 230
 montanus, 222
 sclateri, 253
Passer domesticus, 95, 118, 121, 317–319, 438, 451, 470, 587, 589, 590
 montanus, 25, 317–319
Passerculus sandwichensis, 595–598, 624
Passerella iliaca, 123, 307
Passerina cyanea, 310, 312, 313, 464
 Payne, Robert B. and Paul Budde, Song differences and map distances in a population of Acadian Flycatchers, 29–41
Pedioecetes phasianellus, 150–151, 618–621
 Peifer, R. W., Great Blue Herons foraging for small mammals, 630–631
Pelecanus occidentalis, 62
 Pelican, Brown, see *Pelecanus occidentalis*
 pellet ejection
 in 11 species, 626–628
 Penguin, Adelie, see *Pygoscelis adeliae*, 255–270
Perognathus parvus, 58, 59
Peromyscus leucopus, 110
 maniculatus, 55, 58, 59, 73, 624

- Peterson, Margaret R., Nesting ecology of Arctic Loons, 608-617
- Peterson, Steven R. and Robert S. Ellarson, Changes in Oldsquaw carcass weight, 288-300
- Phaethornis superciliosus*, 320
- Phalacrocorax carbo*, 281, 461-463
urile, 413, 415
- Phalarope*, Wilson's, see *Phalaropus tricolor*
- Phalaropidae*, 329
- Phalaropus tricolor*, 560
- Phasianus colchicus*, 297, 437
- Pheasant*, Ring-necked, see *Phasianus colchicus*
- Philohela minor*, 463-464
- Phoebe*, Black, see *Sayornis nigricans*
Eastern, see *Sayornis phoebe*
Say's, see *Sayornis saya*
- Pica pica*, 54, 56, 547, 566
- Picoides arcticus*, 17, 25
borealis, 19, 20, 24, 25, 26, 253, 331-335,
336, 337
canicapillus, 20, 22
leucotos, 17, 336, 357
macei, 20, 22
mahrattensis, 25
major, 19, 20, 22, 335, 336
medius, 22, 335, 336
minor, 19, 20, 335, 336
nuttallii, 20
obsoletus, 24
pubescens, 19, 25, 91, 92, 126-131, 230,
252, 307, 310, 335, 336, 400-411
stricklandii, 244-254
syriacus, 19, 25
tridactylus, 17
villosum, 17, 19, 20, 25, 92, 248, 253, 311,
313, 314, 335-337
- Piculus aurulentus*, 24
chrysochlorus, 24
- Picus puniceus*, 20, 24
viridis, 149
- Pinowski, Jan and S. Charles Kendleigh, eds., Granivorous birds in ecosystems, reviewed, 355-356
- Pintail, see *Anas acuta*
- Pipilio erythrrophthalmus*, 95, 96, 98, 123-126, 310, 312
- Plover*, Black-bellied, see *Squatarola squatarola*
- Wilson, see *Charadrius wilsonia*
- plumage
of *Anas discors* × *Anas cyanoptera* hybrid
of *Calypte anna* × *Selasphorus sasin* hybrid
of *Catamblyrhynchus diadema*, 145-146
of *Larus glaucescens*, 420-425
of *Phalacrocorax carbo*, 461-463
- pocket gopher, northern, see *Thomomys talpoides*
- prairie, see *Geomys bursarius*
- Polioptila caerulea*, 311
- pollutants
effects on *Aythya valisneria*, 274-287
effects on raptors, 72-77
effects on *Sterna albifrons*, 62-71
- population
density
Mycteria americana, 512-523
Rostrhamus sociabilis, 495-511
see also censusing
- regulation
Parus cristatus and *Passer montanus*, 222-233
- Portnoy, John W. and W. E. Dodge, Red-shouldered Hawk nesting ecology and behavior, 104-117
- Porzana carolina*, 217
- Prairie Chicken, Greater, see *Tympanuchus cupido*
- prairie dog, black-tailed, see *Cynomys ludovicianus*
- Piranga olivacea*, 311, 313
- Prater, A. J., J. H. Marchant and J. Vuorinen, Guide to the identification and ageing of Holarctic waders, reviewed, 159-160
- Prather, Irvine D., see Conner, Richard N., Jerry W. Via and —
- predation
on eggs and nestlings of *Agelaius phoeniceus*, 426-433
by *Arenaria interpres* on *Sterna maximus*, 133-135
by *Bubo virginianus* on *Corvus brachyrhynchos*, 133
by *Cyanositta cristata* on *Passer domesticus*, 470
by *Circus buffoni* on *Jacana jacana*, 470-471

- by *Pica pica* on *Charadrius vociferus* nests, 330
by *Stercorarius pomarinus* on *Rissa tridactyla*, 329
by *Vulpes fulva* on *Grus canadensis*, 132–133
President's message, 477
Procyon lotor, 66, 328, 337, 427, 451
Progne subis, 155, 583–591
Pronghorn, see *Antilocapra americana*
Prouty, Richard, M., see *Blus, Lawrence J.* and —
Psaltriparus minimus, 122–123
Pseudocolaptes boissonneautii, 146
Pseutes poecilonotus, 344
Psittacula krameri, 25
Pteroglossus castanotis, 341
 torquatus, 341
Ptychoramphus aleuticus, 413
Puffin, Horned, see *Fratercula corniculata*
 Tufted, see *Lunda cirrhata*
Puffinus puffinus, 142, 579
 tenuirostris, 142
Pycnonotus cafer, 324, 325
 jocosus, 323–328
Pygoscelis adeliae, 255–270
Pyrrhula pyrrhula, 297
Quail, Japanese, see *Coturnix coturnix*
Quiscalus quiscula, 78–87, 91, 94, 307, 311, 427, 451
raccoon, see *Procyon lotor*
Raiikow, R. J., reviews by, 158–159, 162, 354–355, 359–360, 364, 474
Raiikow, Robert J., Appendicular myology and relationships of the New world nine-primaried oscines (Aves: Passeriformes), reviewed, 364
Rail, Black, see *Lateralis jamaicensis*
 Clapper, see *Rallus longirostris*
 Galapagos, see *Lateralis spilonotus*
 Sora, see *Porzana carolina*
 Virginia, see *Rallus limicola*
Raitt, J. Ralph and John W. Hardy, Social behavior, habitat and food of the Beechey Jay, 1–15
Rallus limicola, 217
 longirostris, 297
Rana pipiens, 630
range extension
 Pycnonotus jocosus, 323
rat, black, see *Rattus rattus*
Rattus rattus, 208
Rattus sp., 66
Raveling, D. G. and H. G. Lumsden, Nesting ecology of Canada Geese in the Hudson Bay lowlands of Ontario: evolution and population regulation, reviewed, 157–158
Raven, Fan-tailed, see *Corvus rhipidurus*
 White-necked, see *Corvus cryptoleucus*
Recurvirostra americana, 560, 565, 566, 568
Redpoll, Common, see *Carduelis flammea*
Redstart, American, see *Setophaga ruticilla*
 Golden-fronted, see *Myioborus ornatus*
 Spectacled, see *Myioborus flavivertex*
 Yellow-crowned, see *Myioborus melancephalus*
Regulus calendula, 94, 96, 237, 307
 satrapa, 93, 96, 307, 309
Reinwardtipicus validus, 24
Reithrodontomys, 9
Riparia riparia, 135–137, 438
Rissa tridactyla, 329, 413, 415
Roadrunner, see *Geococcyx californianus*
Robin, American, see *Turdus migratorius*
Roboski, John, see *Causey, Keith, et al.*
Rostrhamus sociabilis, 495–511
Royall, Willis C., Jr., see *Bray, Olin E., et al.*
Rumboll, Maurice A. E. and Joseph R. Jehl, Jr., Observations on pelagic birds in the south Atlantic Ocean in the austral spring, reviewed, 364
Ryder, John P. and C. Davison Ankney, review by, 157–158
Rynchops niger, 626–628
Samson, Fred B. and Stephen J. Lewis, Experiments on population regulation in the North American parids, 222–233
Sanderling, see *Calidris alba*
sandlance, Pacific, see *Ammodytes hexapterus*
Sandpiper, Green, see *Tringa ochropus*
 Solitary, see *Tringa solitarius*
Sapsucker, Yellow-bellied, see *Sphyrapicus varius*
Sayornis nigricans, 443
 phoebe, 311, 441–454
 saya, 443

- Sceloporus graciosus, 55
 Schneider, David C., see Mallory, Elizabeth P. and ——
 Scott, Thomas W., Growth and age determination of nestling Brown-headed Cowbirds, 464–466
 sculpin, see *Hemilepidotus hemilepidotus*
Sebastes sp., 418
 sea lion, Steller's, see *Eumetopias jubata*
Selasphorus sasin, 524–532
Selenidira culik, 341, 344
Seiurus aurocapillus, 237, 311, 312, 313
 motacilla, 311
Setophaga ruticilla, 237, 547
 Sexton, D. A., Off-lek copulation in Sharp-tailed Grouse, 150–151
 Shearwater, Manx, see *Puffinus puffinus*
 Slender-billed, see *Puffinus tenuirostris*
 Shipley, Frank S., Predation on Red-winged Blackbird eggs and nestlings, 426–433
 Short, Lester L., Burdens of the picid hole excavating habit, 16–28
 shrew, masked, see *Sorex cinereus*
 short-tailed, see *Blarina brevicauda*
 Shoveler, Northern, see *Anas clypeata*
 Red, see *A. platalea*
 Shrike, Loggerhead, see *Lanius ludovicianus*
Sialis sialis, 18, 91, 92, 96, 98, 314, 321–322
 Silliman, J., see Hiltz, S. L., T. A. Parker and ——
 Siskin, Pine, see *Carduelis pinus*
Sitta canadensis, 307, 309
 carolinensis, 91, 93, 126–131, 230, 307, 309, 311, 312, 400–411
 Skimmer, Black, see *Rynchops nigra*
 skunk, striped, see *Mephitis mephitis*
 Smith, Kimberly G., Common Redpoll using spruce seeds in northern Utah, 621–623
 Smith, J. P. and R. J. Atkins, Cowbird parasitism in Common Bushtit nest, 122–123
 snake, black rat, see *Elaphe obsoleta*
 common garter, see *Thamnophis sirtalis*
 smooth green, see *Opheodrys vernalis*
 water, see *Natrix sipedon*
 Snow, Barbara K., The Oilbirds of Los Tayos, 457–461
 Snow, D. W., ed., An atlas of speciation of African non-passerine birds, reviewed, 473–474
 Sordahl, Tex A., Vocalizations and behavior of the Willet, 551–574
Sorex cinereus, 110
Sorex sp., 59
 Sparling, Donald W., Evidence for vocal learning in Prairie Grouse, 618–621
 Sparrow, Chipping, see *Spizella passerina*
 European Tree, see *Passer montanus*
 Field, see *Spizella pusilla*
 Fox, see *Passerella iliaca*
 Grasshopper, see *Ammodramus savannarum*
 House, see *Passer domesticus*
 Lincoln's, see *Melospiza lincolni*
 Rufous-collared, see *Zonotrichia capensis*
 Savannah, see *Passerculus sandwichensis*
 Song, see *Melospiza melodia*
 Swamp, see *Melospiza georgiana*
 Tree, see *Spizella arborea*
 White-crowned, see *Zonotrichia leucophrys*
 White-throated, see *Zonotrichia albicollis*
Spermophilus tridecemlineatus, 630
Sphyrapicus varius, 17, 92
Spinus tristis, 95, 118, 119, 310, 312
Spizella arborea, 91, 95
 passerina, 624
 pusilla, 95, 118, 310, 313, 464
 Spotted Sandpiper, see *Actitis macularia*
 Springer, P. F., see Avery, M. L., —— and N. S. Dailey
Squatarola squatarola, 625–628
 squirrel, eastern fox, see *Sciurus niger*
 red, see *Tamiasciurus*
 thirteen-lined ground, see *Spermophilus tridecemlineatus*
 Starling, see *Sturnus vulgaris*
Steatornis caripensis, 457–461
 Stendall, Reg C., see White, Donald H., —— and Bernard M. Mulhern
Stercorarius longicaudus, 611
 parasiticus, 329, 611
 pomarinus, 329
Sterna albifrons, 62–71, 135, 300, 636–638
 fuscata, 626–628
 maxima, 133–135, 626–628
 sandvicensis, 626–628
 Stilt, Black-necked, see *Himantopus mexicanus*

- Stork, Marabou, see *Leptoptilos crumeniferus*
 Wood, see *Mycteria americana*
- Storer, R. W., Misidentified "Eskimo Curlews," 331
- Storm-Petrel, Fork-tailed, see *Oceanodroma furcata*
 Leach's, see *Oceanodroma leucorhoa*
- Sturnella magna*, 280
neglecta, 54, 55, 345
- Sturnus vulgaris* 16, 18, 19, 20, 25, 54, 55, 78, 79, 83, 91, 95, 402, 579, 587, 589, 590
- Strix varia*, 89, 104
- Streptopelia risoria*, 438
- Sugden, Lawson G., Habitat use by nesting American Coots in Saskatchewan parklands, 599–602
- sun angels, see *Heliangelus spp.*
- Sunbird, Splendid, see *Nectarinia coccinogaster*
- sunfish, see *Lepomis*
- Sutton, S., see Loftin, R. W. and —
- Swallow, Bank, see *Riparia riparia*
 Barn, see *Hirundo rustica*
 Tree, see *Iridoprocne bicolor*
- Swan, Trumpeter, see *Olor buccinator*
- Swift, Chimney, see *Chaetura peligra*
- Sykes, Paul W., Jr., Status of the Everglade Kite in Florida 1968–1978, 495–511
- Synthliboramphus antiquus*, 413, 415
- systematics
 Gruidae, 384–399
- Tamias striatus*, 109, 110, 115, 630
- Tamiasciurus hudsonicus*, 110, 328, 623
- Tanager, Black-capped, see *Hemispingus atropileus*
 Golden-crowned, see *Iridosornis rufivertex*
 Lacrimose Mountain, see *Anisognathus lacrymosus*
 Scarlet, see *Piranga olivacea*
 Yellow-scarfed, see *Iridosornis reinhardti*
- Teal, Blue-winged, see *Anas discors*
 Cinnamon, see *Anas cyanoptera*
- telemetry, *Quiscalus quiscula*, 78–87
- Tern, Gull-billed, see *Gelochelidon nilotica*
 Least, see *Sterna albifrons*
 Sandwich, see *Sterna sandvicensis*
 Sooty, see *Sterna fuscata*
 Royal, see *Sterna maxima*
- Thaleichthys pacificus*, 424
- Thalurania colombica*, 319–321
- Thamnophis sirtalis*, 110, 566
- Thompson, William L., review by, 361–364
- Thompson, William L., see Bankwitz, Kenneth G. and —
- Thrasher, Brown, see *Toxostoma rufum*
- Thrush, Gray-cheeked, see *Catharus minimus*
 Hermit, see *Catharus guttatus*
 Swainson's, see *Catharus ustulatus*
 Varied, see *Ixoreus naevius*
 Wood, see *Hylocichla mustelina*
- Thryothorus ludovicianus*, 91, 93, 96, 98, 307, 310, 321
- time budgets
 Northern Shovelers, 42–49
- Tit, Blue, see *Parus caeruleus*
 Crested, see *Parus cristatus*
 Great, see *Parus major*
 Willow, see *Parus montanus*
- Titmouse, Plain, see *Parus inornatus*
 Tufted, see *Parus bicolor*
- Titrya inquisitor, 18
 semifasciata, 18
- Tit-tyrant, Agile, see *Uromyias agilis*
 Unstreaked, see *Uromyias agraphia*
- Toucan, Aracari, see *Pteroglossus*
- Toucanet, Guianan, see *Selenidira culik*
- Totanus melanoleucus*, 626–628
- Towhee, Rufous-sided, see *Pipilo erythrourhynchus*
- Toxostoma rufum*, 91, 93, 96, 98, 100, 119, 310
- Trachyphonus vaillantii, 18
- Tramer, Elliot J., First sight records of Lincoln's Sparrow for Costa Rica, 469–470
- Trapp, John L., Variation in summer diet of Glaucoous-winged Gulls in the western Aleutian Islands: an ecological interpretation, 412–419
- Tricholaema sp., 23
- Tringa nebularia*, 560
ochropus, 560
solitaria, 560
- Troglodytes aedon*, 450, 451, 455
troglodytes, 93, 96, 98, 237
- Trost, Charles H., see Craig, Timothy H. and —

- Tufted-cheek, Streaked, see *Pseudocolaptes boissonneautii*
- Turdus migratorius*, 91, 93, 97, 118, 310
- Turnstone, Ruddy, see *Arenaria interpres*
- Tyler, Hamilton J., Owls by day and night, reviewed, 364-365
- Tympanuchus cupido*, 150, 618-621
- Tyrannus tyrannus*, 121, 122
- Urban, Emil K., Observations on the nesting biology of the Great Cormorant in Ethiopia, 461-463
- Uria* sp., 415
- Uromyias agilis*, 147
 agraphia, 147
- van Riper, Charles, III, Sandra G. van Riper and Andrew J. Berger, The Red-whiskered Bulbul in Hawaii, 323-328
- van Riper, Sandra G., see van Riper, Charles, III, —— and Andrew J. Berger
- van Someren, V. G. L., The birds of East Africa, reviewed, 474-476
- Venilornis spilogaster*, 24
- Verbeek, Nicholaas A. M., Some aspects of the breeding biology and behavior of the Great Black-backed Gull, 575-582
- Verbeek, Nicholaas A. M., Timing of primary molt and egg-laying in Glaucous-winged Gulls, 420-425
- Verdin, see *Auriparus flaviceps*
- Vermivora ruficapilla*, 237, 240
- Via, Jerry W., see Conner, Richard N., —— and Irvine D. Prather
- Villeda, Amanda, Rufous-collared Sparrow victimized by Bronzed Cowbird, 628
- Vireo, Bell's, see *Vireo bellii*
 Red-eyed, see *Vireo olivaceus*
 Solitary, see *Vireo solitarius*
 White-eyed, see *Vireo griseus*
- Vireo bellii*, 118
 griseus, 310, 313
 olivaceus, 237, 311
 solitarius, 237
- vocalization
 Calyptrata anna, 524-532
 Catoptrophorus semipalmatus, 551-574
 Celeus undatus, 338-344
 Cissilopha sp., 187-200
 Dendroica petechia, 533-550
- Empidonax virescens*, 29-41
- Laterallus spilonotus*, 201-213
- Selasphorus sasin*, 524-532
- Tympanuchus cupido*, 618-621
- voles, meadow, see *Microtus pennsylvanicus montane*, see *Microtus montanus*
 red-backed, see *Clethrionomys gapperi*
 tundra, see *Microtus oeconomus*
- Vulpes fulva*, 132, 566, 611, 613
- Vulture, Black, see *Coragyps atrata*
 Egyptian, see *Neophron percnopterus*
 Turkey, see *Cathartes aura*
- Vuorinen, J., see Prater, A. J., J. H. Merchant and ——
- Walkinshaw, Lawrence H., Life history of the eastern Field Sparrow in Calhoun County, Michigan, reviewed, 474
- Wallace, George G., Environmental status of the Lake Michigan region, reviewed, 364
- Warbler, Bay-breasted, see *Dendroica castanea*
- Black-and-white, see *Mniotilla varia*
- Blackburnian, see *Dendroica fusca*
- Blackpoll, see *Dendroica striata*
- Black-throated Blue, see *Dendroica caerulea*
- Black-throated Green, see *Dendroica virens*
- Canada, see *Wilsonia canadensis*
- Cape May, see *Dendroica tigrina*
- Chestnut-sided, see *Dendroica pensylvanica*
- Citrine, see *Basileuterus luteoviridis*
- Grace's, see *Dendroica graciae*
- Hooded, see *Wilsonia citrina*
- Magnolia, see *Dendroica magnolia*
- Mourning, see *Oporornis philadelphicus*
- Nashville, see *Vermivora ruficapilla*
- Parula, see *Parula americana*
- Pine, see *Dendroica pinus*
- Prairie, see *Dendroica discolor*
- Yellow-rumped, see *Dendroica coronata*
- Yellow-throated, see *Dendroica dominica*
- Waterthrush, Louisiana, see *Seiurus motacilla*
- Waxwing, Cedar, see *Bombycilla cedrorum*
- weasel, long-tailed, see *Mustela frenata*
- Weeks, Harmon P., Jr., Nesting ecology of

- the Eastern Phoebe in southern Indiana, 441–454
- Wells, Shirley and Luis F. Baptista, Displays and morphology of an Anna × Allen Hummingbird hybrid, 524–532
- Whimbrel, see *Numenius phaeopus*
- White, Donald H., Reg C. Stendall and Bernard M. Mulhern, Relations of wintering Canvasbacks to environmental pollutants—Chesapeake Bay, Maryland, 279–287
- Whitmore, Robert C., Temporal variation in the selected habitats of a guild of grassland sparrows, 592–598
- Willet, see *Catoptrophorus semipalmatus*
- Williams, J. B. and George O. Batzli, Winter diet of a bark-foraging guild of birds, 126–131
- Williams, J. B. and George O. Batzli, Interference competition and niche shifts in the bark-foraging guild in central Illinois, 400–411
- Williams, L. E., see Nesbitt, S. A. and —
- Wilsonia canadensis, 237
 citrina, 310, 312
- Wilzbach, P. A., see Bertin, R. I. and —
- Winkler, Hans, Foraging ecology of Strickland's Woodpecker in Arizona, 244–254
- Wood, D. Scott, Phenetic relationships within the family Gruidae, 348–399
- Woodcock, American, see *Philohela minor*
- woodchuck, see *Marmota monax*
- Woodnymph, Crowned, see *Thalurania columbica*
- Woodpecker, Acorn, see *Melanerpes formicivorus*
- Bearded, see *Dendropicos namaquus*
- Black-backed, see *Picoides arcticus*
- Chestnut, see *Celeus elegans*
- Chestnut-colored, see *Celeus castaneus*
- Crimson-crested, see *Campephilus melanoleucos*
- Crimson-winged, see *Picus puniceus*
- Downy, see *Picoides pubescens*
- European Green, see *Picus viridis*
- Great Slaty, see *Mulleripicus pulverulentus*
- Great Spotted, see *Picoides major*
- Hairy, see *Picoides villosus*
- Linneated, see *Dryocopus lineatus*
- Nubian, see *Campetherina nubica*
- Nuttall's, see *Picoides nuttallii*
- Pale-billed, see *Campephilus guatemalensis*
- Pale-crested, see *Celeus lugubris*
- Pileated, see *Dryocopus pileatus*
- Red-bellied, see *Melanerpes carolinus*
- Red-cockaded, see *Picoides borealis*
- Red-headed, see *Melanerpes erythrocephalus*
- Strickland's, see *Picoides stricklandii*
- Waved, see *Celeus undatus*
- White-bellied Black, see *Dryocopus javensis*
- Woodward, J. C., see Woodward, P. W. and —
- Woodward, P. W. and J. C. Woodward, Brown-headed Cowbird parasitism on Eastern Bluebirds, 321–322
- Wren, Carolina, see *Thryothorus ludovicianus*
- Bar-winged Wood, see *Henicorhina leucoptera*
- House, see *Troglodytes aedon*
- Winter, see *Troglodytes troglodytes*
- Wryneck, see *Jynx ruficollis*
- Xenops, 18
- Yellowlegs, Greater, see *Totanus melanoleucus*
- Zenaida macroura, 75
- Zonotrichia albicollis, 91, 95, 96, 98, 123, 237, 438, 624
 capensis, 469, 628
 leucophrys, 123, 438