

Index to Volume 111, 1999

By Kathleen G. Beal

This index includes references to genera, species, authors, and key words or terms. In addition to avian species, references are made to the scientific names of all vertebrates mentioned within the volume and other taxa mentioned prominently in the text. Nomenclature follows the AOU Check-list of North American Birds (1998). Reference is made to books reviewed, and announcements as they appear in the volume.

- Aburria aburri*, 564–569
abundance
 effect of wind turbines on upland nesting birds, 100–104
 of breeding birds in old-growth forests, 89–99
 of *Sitta pusilla* after pine plantation thinning, 56–60
- Accipiter bicolor*, 225
 brevipes, 181–187
 cooperii, 7–14, 558
 gentilis, 432–436, 475
 nissus, 181–187
 striatus, 7–14, 92, 558, 575
 superciliosus,
- Acrochordopus burmeisteri*, 412
- Actophilornis africanus*, 264
- Aegolius funereus*, 273
age
 effect on breeding performance in *Dendroica petechia*, 381–388
- Agelaius phoeniceus*, 84, 86, 100–104, 105–114, 131, 254, 348, 554, 555, 558
 tricolor, 425
- Agriornis livida*, 530
- Aimophila aestivalis*, 56
- Aix sponsa*, 1–6, 108, 109, 469
- Alden, Peter, reviews by, 595, 595–596, 596
- Alectrurus tricol*, 222
- Alouatta palliata*, 125
- Alvarez A., Jose, see Krabbe, Niels, Morton L. Isler, Phyllis R. Isler, Bret M. Whitney, —, and Paul J. Greenfield
- Alworth, Tom, and Isabella B. R. Scheiber, An incident of female-female aggression in the House Wren, 130–132
- Amazon, Blue-fronted, see *Amazona aestiva*
- Amazona aestiva*, 225, 408
 finschi, 488–493
 vinacea, 408
- Ambassis gymnocephalus*, 19
- Ammodramus bairdii*, 389–396
 henslowii, 515–527
 humeralis, 228
 leconteii, 100–104
 savannarum, 100–104
- Anabacerthia amaurotis*, 410
- Anairetes parulus*, 530
- Anas acuta*, 468, 470
 bahamensis bahamensis, 561
 discors, 108, 109, 111, 468, 469
- platyrhynchos*, 108, 109, 111, 469
 rubripes, 108
 spp., 17
- Anderson, James T., and Thomas C. Tacha, Habitat use by Masked Ducks along the Gulf Coast of Texas, 119–121
- Angehr, George R., Rapid long-distance colonization of Lake Gatun, Panama, by Snail Kites, 265–268
- Ani, Greater, see *Crotophaga major*
Smooth-billed, see *Crotophaga ani*
- Anjos, Luiz Dos, and Roberto Bocon, Bird communities in natural forest patches in southern Brazil, 397–414
- announcement
Lincoln Park Zoo Scott Neotropic and Africa/Asia Funds, 456
- Anodorhynchus hyacinthinus*, 225
- Anser albifrons*, 167
 albifrons frontalis, 166–180
 caerulescens, 166, 167, 177
 canagica, 166
 rossii, 166
- Ant-Tanager, Red-crowned, see *Habia rubica*
- Antbird, Black-chinned, see *Hypocnemoides melanopogon*
Black-throated, see *Myrmeciza atrothorax*
- Caura, see *Percnostola caruensis*
- Dusky, see *Cercomacra tyrannina*
- Jet, see *Cercomacra nigricans*
- Rio Branco, see *Cercomacra carbonaria*
- Silvered, see *Sclateria naevia*
- Yapacana, see *Myrmeciza disjuncta*
- Anthus spragueii*, 389–396
- Antilophia galeata*, 222
- Antwren, Ornate, see *Myrmotherula ornata*
Rusty-backed, see *Formicivora rufa*
White-eyed, see *Myrmotherula leucophthalma*
- Anumbius annumbi*, 410
- Aphanotriccus capitalis*, 124–128
- Aphelocoma californica*, 252
 coeruleascens, 285, 348
- Aquila adalberti*, 475
 chrysaetos, 437, 472–477
- Ara chloropterus*, 225
 maracana, 225
- Aragonés, Juan, Luis Arias de Reyna, and Pilar Recuerda, Visual communication and sexual selection in a nocturnal bird species, *Caprimulgus*

- gus ruficollis*, a balance between crypsis and conspicuousness, 340–345
- Aramides cajanea*, 225
 saracura, 407
- Aratinga aurea*, 225
 leucophthalmus, 225
- Archilochus colubris*, 92, 94
- Arenaria interpres*, 263
- Arendt, Wayne J., see Woodworth, Bethany L., John Faaborg, and —
- Arius madagascariensis*, 19
- armadillo, nine-banded, see *Dasyurus novemcinctus*
- Arremon aurantiirostris*, 234
 flavirostris, 228, 233
- Arremonops rufivirgatus*, 234
- arrival patterns
 of *Vireo griseus*, 46–55
- Asio capensis*,
 flammeus [*Strix domingensis*, *Asio portoricensis*,
 Asio domingensis], 274, 303–313 (Frontispiece)
 otus, 273–276
 spp., 218
- Asthenes modesta*, 530
- Ateles geoffroyi*, 125
- Athene cunicularia*, 273, 310, 434, 569–571
- Attagis gayi*, 264
- Avery, Michael L., Carrie L. Schreiber, and David G. Decker, Fruit sugar preferences of House Finches, 84–88
- avifauna
 at the Paraguayan Cerrado site, Parque Nacional Seranía San Luis, depto. Concepción, 216–228
 of Tabasco, 229–235
- Avocet, American, see *Recurvirostra americana*
 European, see *Recurvirostra avosetta*
- awards and grants
 Lincoln Park Zoo Scott Neotropic and Africa/Asia Funds, 456
- Aythya affinis*, 465
 americana, 108, 109
 marila, 465–471
- Backus, Leslie K., see Bowman, Reed, David L. Leonard, Jr., —, and Allison R. Mains
- badger, see *Taxidea taxus*
- Baeolophus bicolor*, 92, 94, 139–143, 373, 554, 555, 558
 inornatus, 251, 374
 spp., 368
 wollweberi, 373, 374
- Baicich, Paul J., and Colin J. O. Harrison, A guide to the nests, eggs, and nestlings of North American birds, reviewed, 295–296
- Bananaquit, see *Coereba flaveola*
banding
 returns of *Vireo griseus*, 46–55
- Banks, Joshua B., see Breitwisch, Randall, Amy J. Schilling, and —
- Banks, Richard C., see Dove, Carla J., and —
- Barau, Armand, see Barré, Nicolas, —, and Christian Jouanin
- Barré, Nicolas, Armand Barau, and Christian Jouanin, *Oiseaux de la Réunion*, reviewed, 300–301
- Barrientos, Claudia I., see Blehm, Charles R., Leann B. Blehm, and —
- Barrow, Mark V., Jr., A passion for birds, American ornithology after Audubon, reviewed, 152–153
- Barrow, Mark V., Jr., review by, 453–454
- Bartramia longicauda*, 263
- Baryphthengus martii*, 439
 ruficapillus, 221, 226
- Basileuterus culicivorus*, 216, 220, 401, 413
 flaveolus, 220, 228
 hypoleucus, 216, 220, 228
 leucoblepharus, 401, 413
- Batara cinerea*, 410
- Bay, Michael D., The type B song of the Northern Parula: structure and geographic variation along proposed sub-species boundaries, 505–514
- Beaman, Mark, and Steve Madge, The handbook of bird identification for Europe and the western Palearctic, reviewed, 597–599
- Becard, Gray-collared, see *Pachyramphus major*
- Beehler, Bruce M., review by, 596–597
- behavior
 aggressive
 female-female in *Troglodytes aedon*, 130–132
 response of *Poecile atricapillus* and *Poecile carolinensis* to calls, 363–367
- anti-predator
 “snorkeling” by *Jacana jacana* chicks, 262–265
- courtship
 of *Theristicus caudatus*, 118–119
- interspecific
 with foraging *Picoides borealis*, 346–353
- learning
 of artificial nest location by predators, 536–540
- nesting
 of *Amazona finschi*, 488–493
 responses of *Vireo bellii* to brood parasitism, 499–504
- parental
 of bigamous *Cardinalis cardinalis*, 283–286
- postfledging
 in *Aquila chrysaetos*, 472–477
- roosting
 in pre-migratory *Progne subis*, 354–362
- siblicide
 role of food at *Accipiter gentilis* nests, 432–436
- Beletsky, Les, The ecotravellers’ wildlife guide to Belize and northern Guatemala, reviewed, 594–595
- Beletsky, Les, The ecotravellers’ wildlife guide to Costa Rica, reviewed, 594–595
- Beletsky, Les, The ecotravellers’ wildlife guide to tropical Mexico, reviewed, 594–595
- Bellbird, Bare-throated, see *Procnias nudicollis*
- Benz, Brett W., see Watson, David M., and —
- Berkelman, James, James D. Fraser, and Richard T.

- Watson, Madagascar Fish-Eagle prey preference and foraging success, 15–21
- Biatas nigropectus*, 410
- Bielefeldt, John, see Trexel, Dale R., Robert N. Rosenfield, —, and Eugene A. Jacobs
- biology
of nesting *Spiza americana* and *Ammodramus henslowii*, 515–527
- Bishop, K. David, see Hill, Norman P., and —
- Bittern, American, see *Botaurus lentiginosus*
Least, see *Ixobrychus exilis*
- Blackbird, Brewer's, see *Euphagus cyanocephalus*
Chopi, see *Gnorimopsar chopi*
Red-winged, see *Agelaius phoeniceus*
Rusty, see *Euphagus carolinus*
Tricolored, see *Agelaius tricolor*
Yellow-headed, see *Xanthocephalus xanthocephalus*
- Blair, M. J., see Hagemeijer, W. J. M., and —
- Blarina brevicauda*, 239
- Blem, Charles R., Leann B. Blem, and Claudia I. Barrientos, Relationships of clutch size and hatching success to age of female Prothonotary Warblers, 577–580
- Blem, Charles, R., review by, 294
- Blem, Leann B., see Blem, Charles R., —, and Claudia I. Barrientos
- Bloom, Peter H., see Goldstein, Michael I., —, Jose H. Sarasola, and Thomas E. Lacher
- Bluebird, Eastern, see *Sialia sialis*
Mountain, see *Sialia currucoides*
Western, see *Sialia mexicana*
- Bobolink, see *Dolichonyx oryzivorus*
- Bobwhite, Northern, see *Colinus virginianus*
- Bock, Walter J., review by, 152–153
- Boçon, Roberto, see Anjos, Luiz Dos, and —
- Bollinger, Eric K., see Kershner, Eric, L., and —
Bombycilla cedrorum, 84, 92, 94, 558
- Bonasa umbellus*, 536
- Boobook, Southern, see *Ninox novaeseelandiae*
- Boone, C. A., see, Hopp, S. L., A. Kirby, and —
- Bosque, Carlos, and Emilio A. Herrera, "Snorkeling" by the chicks of the Wattled Jacana, 262–265
- Botaurus lentiginosus*, 107, 108, 111
pinnatus,
- Bowman, Reed, David L. Leonard, Jr., Leslie K. Backus, and Allison R. Mains, Interspecific interactions with foraging Red-cockaded Woodpeckers in south-central Florida, 346–353
- Brachyramphus marmoratus*, 257–261
- Brant, Black, see *Branta bernicla nigricans*
- Branta bernicla bernicla*, 166
bernicla nigricans, 167, 468
canadensis, 108, 166–180, 181, 468, 469
canadensis occidentalis, 167
- Breitwisch, Randall, Amy J. Schilling, and Joshua B. Banks, Parental behavior of a bigamous male Northern Cardinal, 283–286
- Brewer, Gwenda L., reviews by, 447–448, 450–452
- Bristlefront, Slaty, see *Merulaxis ater*, 199
- brood parasitism
responses of *Vireo belli*, 499–504
- Bromley, Robert G., Carrière, Suzanne, —, and Gilles Guauthier
- Brotogeris chiriri*, 225
tirica, 408
- Brown, Charles R., Swallow summer, reviewed, 294
- Bubo virginianus*, 218, 226, 274, 529, 530
- Bubulcus ibis*, 225, 433
- Bugden, Shawn C., and Roger M. Evans, The development of a vocal thermoregulatory response to temperature in embryos of the domestic chicken, 188–194
- Bunting, Indigo, see *Passerina cyanea*
Lark, see *Calamospiza melanocorys*
- Burhans, Dirk E., and Frank R. Thompson III, Habitat patch size and nesting success of Yellow-breasted Chats, 210–215
- Burhinus spp., 344
- Burr, Timothy, see Reed, J. Michael, Elizabeth M. Gray, Dianne Lewis, Lewis W. Oring, Richard Coleman, —, and Peter Luscomb
- Burtt, Edward H., Jr., and W. Herbert Wilson, Jr., A survey of undergraduate ornithology courses in North America, 287–293
- Buteo albicaudatus*, 407
buteo vulpinus, 182
jamaicensis, 558
lagopus, 558
lineatus, 89–99, 348
magnirostris, 225, 407
platypterus, 230–231, 254
polyosoma, 530
spp., 218
swainsoni, 428–432, 434
- Buteogallus meridionalis*, 218, 225
urubitinga, 218
- Butler, Robert W., The Great Blue Heron: a natural history and ecology of a seashore sentinel, reviewed, 445
- Butorides striatus*, 225
- Buttonquail, see *Turnix* sp.
- Buzzard, Steppe, see *Buteo buteo vulpinus*
- Buzzard-Eagle, Gery, see *Geranoaetus melanoleucus*
- Cacicus chrysopterus*, 218, 228, 413
haemorrhois, 222, 413
melanicterus, 84
- Cacique, Golden-winged, see *Cacicus chrysopterus*
Red-rumped, see *Cacicus haemorrhois*
Yellow-winged, see *Cacicus melanicterus*
- Cadman, Michael D., see Friesen, Lyle E., Valerie E. Wyatt, and —
- Cairina moschata*, 225
- Calamospiza melanocorys*, 416
- Calcarius mccownii*, 416
ornatus, 389–396
- Calidris fuscicollis*, 225, 263
himantopus, 263
- Callipepla californica*, 530
- Campephilus melanoleucos*, 226
- Camptostoma obsoletum*, 226, 412
- Campylopterus curvipennis*, 232

- excellens*, 229, 232, 234
hemileucurus, 232
Campylorhynchus brunneicapillus, 129
Canis familiaris, 561
Caprimulgus anthonyi, 344
candicans, 222, 343, 344
carolinensis, 344
longirostris, 530
nigrescens, 340, 344
parvulus, 218, 226, 344
rufus, 218, 219, 226
vociferus, 229, 231
- Caracara, Chimango, see *Milvago chimango*
 Crested, see *Caracara plancus* [*Caracara lutosus*,
Caracara cheriway, *Polyborus tharus*]
 Mountain, see *Phalcoboenus megalopterus*
Caracara plancus, 225, [*Caracara lutosus*, *Caracara cheriway*, *Polyborus tharus*] 330–339, 437
 Carbonelle, Montserrat, see Johnsgard, Paul A., and ———
- Cardinal, Northern, see *Cardinalis cardinalis*
 Red-crested, see *Paroaria coronata*
Cardinalis cardinalis, 76–83, 137, 141, 142, 283–286, 558
Cardisoma guanhani, 561–564
Carduelis magellanica, 228, 402, 414
pinus, 558
tristis, 93, 105, 108, 111, 558
Cariama cristata, 225
Carpodacus mexicanus, 84–88
purpureus, 93, 94, 558
 Carrière, Suzanne, Robert G. Bromley, and Gilles Guathier, Comparative spring habitat and food use by two Arctic nesting geese, 166–180
 Carroll, Adele F., see Gilbert, William M., and ———
Casiornis rufa, 227
Casmerodus albus, 530
 Cassidy, Kelly M., see Smith, Michael R., Philip W. Mattocks, Jr., and ———
 Castrale, John S., Edward M. Hopkins, and Charles E. Keller, Atlas of breeding birds of Indiana, reviewed, 294–295
 cat, feral, see *Felis catus*
 Catbird, Gray, see *Dumetella carolinensis*
Cathartes aura, 225, 407
Catharus fuscescens, 216, 220, 227, 575–576
guttatus, 92, 94, 558
ustulatus, 92, 94, 95
Catherpes mexicanus, 129, 199
Catoptrophorus semipalmatus, 263, 561
Cebus capucinus, 125
Celeus lugubris, 226
 censusing methods
 temporal differences in point counts, 139–143
Cephus columba, 257–261
Cercomacra carbonaria, 207
nigricans, 207
serva, 207
tyrannina, 207
Certhia americana, 89–99, 245, 246, 558
Chaetura meridionalis, 226
pelagica, 231
 spp., 35
vauxi, 229, 231
Chamaea campanisoma, 410
ruficauda, 410
Charadrius alexandrinus, 561
melodus, 121–123, 321–329
 spp., 344
vociferus, 424–426, 576
wilsonia, 561
 Chat, Yellow-breasted, see *Icteria virens*
Chelydra serpentina, 115
Chencaerulescens caerulescens, 465, 468
 Chickadee, Black-capped, see *Poecile atricapillus*
 Carolina, see *Poecile carolinensis*
 Mountain, see *Poecile [Parus] gambeli*
 chicken, see *Gallus gallus*
Chilia melanura, 530
 Chinn, Robert W., see Smith, Kimberly G., W. Marvin Davis, Thomas E. Kienzle, William Post, and ———
 chipmunk, eastern, see *Tamias striatus*
 Merriam's, see *Eutamias merriami*
Chiroxiphia caudata, 411
Chlidonias niger, 108, 109
 spp., 560
Chloroceryle aenea, 232
americana, 226
inda, 226
Chlorostilbon aureoventris, 409
Chordeiles gundlachii, 311, 561
minor, 226, 340
rupestris, 343, 344
 Chuck-will's-widow, see *Caprimulgus carolinensis*
Circus cyaneus, 108, 109, 274, 558
Cistothorus palustris, 105–114, 254
platensis, 100–104, 105–114, 558
Claravis pretiosa, 225
 Clark, William S., see Gorney, Edna, ———, and Yoran Yom-Tov
Clethrionomys gapperi, 236, 239
Clibanornis dendrocolaptoides, 410
Cnemotriccus fusctus, 227, 411
Coccycuas americanus, 141, 408
melacoryphus, 226
minor, 231, 310
 Cock-of-Rock, Guianan, see *Rupicola rupicola*
Coereba flaveola, 311
Colaptes auratus, 92, 108, 110, 141, 142, 348, 554, 558
campestris, 226, 409
melanocephalos, 409
pitius, 530
 Coleman, Richard, see Reed, J. Michael, Elizabeth M. Gray, Dianne Lewis, Lewis W. Oring, ———, Timothy Burr, and Peter Luscomb
Colibri serrirostris, 409
Colinus virginianus, 236, 326, 541, 542, 545, 554, 555, 558
 Collazo, Jaime A., see Saracco, James F., and ———
Colonia colonus, 411

- colonization
of Lake Gatun, Panama, by *Rostrhamus sociabilis*, 265–268
- Colorhamphus parvirostris*, 530
- Coluber constrictor flaviventris*, 524
- Columba araucana*, 530
cayennensis, 225, 408
leucocephala, 310
livia, 86, 289, 558
maculosa, 408
picazuro, 408
plumbea, 408
speciosa, 408
- Columbina*
passerina, 561
picui, 225
squamata, 225
talpacoti, 225, 408
- communication
visually in *Caprimulgus ruficollis*, 340–345
- community
in old-growth conifer-hardwood forest, 89–99
response to 1997–1998 El Niño in Chile, 527–535
response to weather, photoperiod, and year, 550–558
- condition
among sex/age classes in migrant *Regulus calendula*, 61–69
of bait trapped *Accipiter nisus* and *Accipiter brevipes*, 181–187
- Conirostrum speciosum*, 228
- Conner, Richard N., D. Craig Rudolph, Richard R. Schaefer, Daniel Saenz, and Clifford E. Shackelford, Relationships among Red-cockaded Woodpecker group density, nestling provisioning rates, and habitat, 494–498
- Conopophaga lineata*, 410
- conservation
impact of wind turbines on upland nesting birds, 100–104
- Contopus cinereus*, 227, 411
virens, 92, 108, 110
- Coot, American, see *Fulica americana*
- Coragyps atratus*, 225, 407
- Corvus brachyrhynchos*, 89–99, 276–278, 538, 543, 544, 546, 554, 558
corax, 86, 92, 94, 115, 245, 276–278
ossifragus, 543, 544
- Coryphospingus cucullatus*, 228
- Corythopis delalandi*, 226
- Coturnix japonica*, 236–242, 289, 326, 415–420, 433, 539, 547
sp., 236–242, 332, 323
- Coulter, Malcolm C., review by, 593–594
- Cowbird, Bay-winged, see *Molothrus badius*
Bronzed, see *Molothrus aeneus*
Brown-headed, see *Molothrus ater*
Giant, see *Scaphidura oryzivora*
Screaming, see *Molothrus rufoaxillaris*
Shiny, see *Molothrus bonariensis*
- Cox, Robert R., Jr., see Whitt, Michael B., Harold H. Prince, and ———
- crab, giant white land, see *Cardisoma guanhani*
- Crake, Columbian, see *Neocrex colombianus*
Paint-billed, see *Neocrex erythrops*
Ruddy, see *Laterallus ruber*
- Cranioleuca obsoleta*, 397–414
pallida, 397–414
- Crax fasciolata*, 218, 225
- Creeper, Brown, see *Certhia americana*
- Crescentchest, Collared, see *Melanopareia torquata*
- Crossbill, Red, see *Loxia curvirostra*
- Crotophaga ani*, 226, 311, 562
major, 226, 264
- Crow, American, see *Corvus brachyrhynchos*
Fish, see *Corvus ossifragus*
Red-ruffed Fruit, see *Pyroderus scutatus*
- Crypturellus obsoletus*, 407
parvirostris, 225
undulatus, 225
- Cuckoo, Mangrove, see *Coccyzus minor*
Squirrel, see *Piaya cayana*
Yellow-billed, see *Coccyzus americanus*
- Cuculus canorus*, 213
- Culicivora caudacuta*, 222
- Curaeus curaeus*, 530
- Curassow, Bare-faced, see *Crax fasciolata*
Northern Helmeted, see *Pauxi pauxi*
- Curlew, Long-billed, *Numenius americanus*
- Currasow, Bare-faced, see *Crax fasciolata*
- Custer, Thomas W., review by,
- Cuthbert, Francesca J., Brian Scholtens, Lauren C. Wemmer, and Robyn McLain, Gizzard contents of Piping Plover chicks in northern Michigan, 121–123
- Cyanocitta cristata*, 92, 94, 96, 139–143, 276–278, 348, 349, 538, 543, 544, 546, 558
stelleri, 245
- Cyanocorax caeruleus*, 402, 412
chrysops, 412
cristatellus, 217, 227
cyanomelas, 227
yncas, 233
- Cyanoliseus patagonus*, 530
- Cyclarhis gujanensis*, 228, 401, 402, 413
- Cyprinus carpio*, 17, 19, 20
- Cypseloides niger*, 30–47
- Cypsnagra hirundinacea*, 228
- Dasyurus novemcinctus*, 443–444
- Davis, S. K., D. C. Duncan, and M. Skeel, Distribution and habitat associations of three endemic grassland songbirds in southern Saskatchewan, 389–396
- Davis, William E., Jr., reviews by, 294–295, 296–297, 299–300, 445, 448–449
- Davis, W. Marvin, see Smith, Kimberly G., ———, Thomas E. Kienzle, William Post, and Robert W. Chinn
- de Reyna, Luis Arias, see Aragónés, Juan, ———, and Pilar Recuerda
- Dean, Kurtis L., see Swanson, David L., Eric T. Liknes, and ———

- Decker, David G., see Avery, Michael L., Carrie L. Schreiber, and ——
- DeGraaf, Richard M., Thomas J. Maier, and Todd K. Fuller, Predation of small eggs in artificial nests: effects of nest position, edge, and potential predator abundance in extensive forest, 236–242
- Delichon urbica*, 579
- Dendragapus obscurus*, 245
- Dendrobates auratus*, 439–440
 , 439
- Dendrocincus ababatina*, 443
 , 409
- Dendrocolaptes platyrostris*, 226, 409
- Dendrocygna arborea*, 561
 bicolor, 311
- Dendroica caerulescens*, 74, 89–99, 213
 , 93
 , 93, 141, 233, 558
 , 136
 , 93, 94, 96, 505
 , 511
 , 93, 94
 , 95
 , 93
 , 105–114, 136, 210, 290, 311, 381–388
 , 93, 94, 346, 348, 349
 , 95
 , 93, 94, 505
- density
 of *Picoides borealis* groups, 494–498
- DeSucre-Medrano, Atahualpa, see Pérez-Villafaña, Mónica, Héctor Gómez de Silva G., and ——,
- Dewey, Sarah R., see Estes, Wendy A., —— and Patricia L. Kennedy
- Dickcissel, see *Spiza americana*
- Didelphis marsupialis*, 546
- diet
 fruit sugar preference in *Carpodacus mexicanus*, 84–88
 gizzard contents of *Charadrius melanotos* chicks, 121–123
 in spring in *Anser albifrons frontalis* and *Branta canadensis*, 166–180
 in *Strix occidentalis*, 22–29
 of *Cypseloides niger* in California, 30–47
- Dillon, M. Beth, see Skagen, Susan K., Thomas R. Stanley, and ——
- dispersal
 invasion of southern Florida by *Asio flammeus* from the Antilles, 303–313
 of *Recurvirostra americana* among western Great Basin wetlands, 314–320
- distribution
 invasion of southern Florida by *Asio flammeus* from the Antilles, 303–313
 of endemic grassland songbirds in southern Saskatchewan, 389–396
 of *Pauxi pauxi* and *Aburria aburri* in Venezuela, 564–569
- Diuca diuca*, 531, 533
- dog, domestic, see *Canis familiaris*
- Dolichonyx oryzivorus*, 100–104, 108
- Dove, Carla J., and Richard C. Banks, A taxonomic study of Crested Caracaras (Falconidae), 330–339
- Dove, Mourning, see *Zenaida macroura*
- Rock, see *Columba livia*
- White-tipped, see *Leptotila verreauxi*
- Zenaida*, see *Zenaida aurita*
- Drymophila malura*, 410
- Dryocopus lineatus*, 226, 403, 409
 , 92, 94, 245
- Duck, American Black, see *Anas rubripes*
- Masked, see *Nomonyx dominicus*
- Wood, see *Aix sponsa*
- Dugger, Bruce D., see Dugger, Katie M., ——, and Leigh H. Frederickson
- Dugger, Katie M., Bruce D. Dugger, and Leigh H. Frederickson, Annual survival rates of female Hooded Mergansers and Wood Ducks in southeastern Missouri, 1–6
- Dumetella carolinensis*, 108, 254
- Duncan, D. C., see Davis, S. K., ——, and M. Skeel
- Dysithamnus mentalis*, 222, 410
- Eagle, Bald, see *Haliaeetus leucocephalus*
- Crowned Solitary, see *Haryphalaetus coronatus*
- Golden, see *Aquila chrysaetos*
- Spanish Imperial, see *Aquila adalberti*
- White-tailed, see *Haliaeetus albicilla*
- Edwards, Ernest Preston, A field guide to the birds of Mexico and adjacent areas (Belize, Guatemala, and El Salvador), reviewed, 588
- egg
 dimensions and shell characteristics in *Puffinus nativitatis*, 421–422
 ejection in *Sialia currucoides*, 440–442
 laying time of *Molothrus aeneus*, 137–139
 predation in artificial nests, 236–242
 relation of age in female *Protonotaria citrea* to hatching success, 577–580
 variation in size and composition in *Aythya marila*, 465–471
- Egret, Cattle, see *Bubulcus ibis*
- Egretta thula*, 530
- Eider, Common, see *Somateria mollissima*
- Eira barbara*, 125
- Elaenia albiceps*, 227, 529, 530
 chiriquensis, 412
 flavogaster, 226
 mesoleuca, 401–402, 412
 obscura, 412
 parvirostris, 227, 412
- Elaenia, Gray, see *Myiopagis caniceps*
- Elanus caeruleus*, 27
 leucurus, 225, 529, 530
- Electron platyrhynchum*, 440
- Emberizoides herbicola*, 228
- Embernagra platensis*, 228
- Empidonax albigularis*, 229, 232

- difficilis*, 95
euleri, 411
flaviventris, 92, 95
hammondii, 95
minimus, 92, 94, 96
oberholseri, 74
traillii, 108, 585–588, 589–592
traiillii extimus, 573–575
varius, 227
virescens, 92, 94, 95, 542
Empidonax varius, 411
Engstrom, R. Todd, review by, 297–298
Eremophila alpestris, 416, 558
Erwin, R. Michael, review by, 454–456
Escalante P., Patricia, see Winker, Kevin, Stefan Arriaga Weiss, Juana Lourdes Trejo P., and ———
Esker, Terry L., see Walk, Jeffrey W., ———, and Scott A. Simpson
Esox masquinongy, 115
niger, 115
Estes, Wendy A., Sarah R. Dewey, and Patricia L. Kennedy, Siblicide at Northern Goshawk nests: does food play a role?, 432–436
Eucometis penicillata, 228, 443
Eumomota superciliosa, 439, 440
Euphagus carolinus, 558
cyanoccephalus, 108
Euphonia, Antillean, see *Euphonia musica*
Chestnut-bellied, see *Euphonia pectoralis*
Euphonia chalybea, 413
chlorotica, 228
musica, 413
pectoralis, 413
Euscarthmus rufomarginatus, 221
Eutamias merriami, 252
Evans, Michael I., see Tucker, Graham M., and ———
Evans, Roger M., see Bugden, Shawn C., and ———
Exum, Jay H., see Harper, Craig A., and ———
Faaborg, John, review by, 147–148
Faaborg, John, see Woodworth, Bethany L., ———, and Wayne J. Arendt
Falco eleonorae, 185
femoralis, 407, 529, 530
mexicanus, 558
peregrinus, 530
sparverius, 225, 269–271, 311, 407, 434, 530, 558
tinnunculus, 27, 475
Falcon, Apolomado, see *Falco femoralis*
Eleonora's, see *Falco eleonorae*
Peregrine, see *Falco peregrinus*
Prairie, see *Falco mexicanus*
Faucett, Rob. C., see Robbins, Mark B., ———, and Nathan H. Rice
Felis catus, 376
Ficedula hypoleuca, 579
Finch, Deborah, see Stoleson, Scott H., and ———
Finch, Deborah, see Yong, Wang, and ———
Finch, Diuca, see *Diuca diuca*
House, see *Carpodacus mexicanus*
Olive, see *Lysurus castaneiceps*
Purple, see *Carpodacus purpureus*
- Sooty-faced, see *Lysurus crassirostris*
Zebra, see *Poephila gullata*
Finck, Elmer J., see Stapanian, Martin A., Christopher C. Smith, and ———
Fire-eye, White-shouldered, see *Pyriglena leucoptera*
Firewood-gatherer, see *Anumbius annumbi*
Fish-Eagle, African, see *Haliaetus vocifer*
Madagascar, see *Haliaetus vociferoides*
fisher, see *Martes pennanti*
Fleming, Robert L., review by 149–150
Flicker, Northern, see *Colaptes auratus*
Flint, Paul L., and J. Barry Grand, Patterns of variation in size and composition of Greater Scaup eggs: are they related?, 465–471
Fluvicolo leucocephala, 227
Flycatcher, Acadian, see *Empidonax virescens*
Crowned Slaty, see *Griseotyrannus aurantioatrocristatus*
Dusky, see *Empidonax oberholseri*
Great Crested, see *Myiarchus crinitus*
Hammond's, see *Empidonax hammondi*
La Sagra's, see *Myiarchus sagrae*
Least, see *Empidonax minimus*
Matinan, see *Muscicapa sanfordi*
Ochre-bellied, see *Mionectes oleagineus*
Pacific Slope, see *Empidonax difficilis*
Pied, see *Ficedula hypoleuca*
Sepia-capped, see *Leptopogon amaurocephalus*
Southwestern Willow, see *Empidonax traillii extimus*
Sulphur-rumped, see *Myiobius sulphureipygius*
Tawny-chested, see *Aphanotriccus capitalis*
White-throated, see *Empidonax albicularis*
Willow, see *Empidonax traillii*
Yellow-bellied, see *Empidonax flaviventris*
Yellow-olive, see *Tolmomyias sulphurescens*
Foliage-gleaner, Chestnut-capped, see *Hylocreptus rectirostris*
Ochre-breasted, see *Philydor lichtensteini*
Planalto [Russet-mantled], see *Philydor dimidiatus*
food
fruit sugar preference in *Carpodacus mexicanus*, 84–88
role in siblicide at *Accipiter gentilis* nests, 432–436
spring use by *Anser albifrons frontalis* and *Branta canadensis*, 166–180
foraging
behavior
cooperative effort in *Phalcoboenus megalopterus*, 437–439
of *Cypseloides niger* in California, 30–47
of *Perconostola caurensis* and *Myrmeciza disjuncta*, 195–209
possible suet cutting by *Corvus corax*, 276–278
Seiurus aurocapillus follows *Dasyurus novemcinctus*, 434–444
ecology
of *Haliaetus vociferoides*, 15–21
Forest-Falcon, Barred, see *Micrastur ruficollis*
Formicivora rufa, 221
Forpus xanthopterygius, 408

- Foster, Janet, Working for wildlife: the beginning of preservation in Canada, reviewed, 453–454
- fox, red, see *Vulpes vulpes*
- Franzreb, Kathleen E., Factors that influence translocation success in the Red-cockaded Woodpecker, 38–45
- Fraser, James D., see Berkelman, James, ——, and Richard T. Watson
- Frederickson, Leigh H., see Dugger, Katie M., Bruce D. Dugger, and ——
- Friesen, Lyle E., Valerie E. Wyatt, and Michael D. Cadman, Nest reuse by Wood Thrushes and Rose-breasted Grosbeaks, 132–133
- Friesen, Lyle E., Valerie E. Wyatt, and Michael D. Cadman, Pairing success of Wood Thrushes in a fragmented agricultural landscape, 279–281
- frog, black-and-green poison dart, see *Dendrobates auratus*
- phantasmal poison dart, see *Dendrobates tricolor*
- Fulica americana*, 108, 469
- Fuller, Todd K., see DeGraaf, Richard M., Thomas J. Maier, and ——
- Furnarius rufus*, 226, 402, 410
- Gallinago gallinago*, 231, 263, 344
- media*, 344
- paraguaiæ*, 225
- spp., 344
- Gallinula chloropus*, 108
- Gallinule, Purple, see *Porphyrrula martinica*
- Gallus gallus*, 188–194, 289
- sp., 236–242
- Gaston, Anthony J., and Ian Jones, The auks, reviewed, 593–594
- Gauthier, Gilles, see Carrière, Suzanne, Robert G. Bromley, and ——
- Gauthreaux, Sydney, Jr., see Russell, Kevin R., and ——
- Gavia immer*, 115–116, 116–117
- geographic variation
- of type B song in *Parula americana*, 505–514
- Geositta rufipennis*, 530
- Geothlypis aequinoctialis*, 228, 413
- trichas*, 93, 94, 100–104, 105–114
- Geotrygon chrysia*, 310, 311
- montana*, 408
- Geranoaetus melanoleucus*, 530
- Gervais, Jennifer A., and Daniel K. Rosenberg, Western Burrowing Owls in California produce second broods of chicks, 569–571
- Gilbert, William M., and Adele F. Carroll, Singing in a mated female Wilson's Warbler, 134–137
- Glaucidium brasiliandum*, 218, 226, 408
- nanum*, 530
- Glaucomys sabrinus*, 27
- sp., 239
- volans*, 38, 269
- Glossogobius giurus*, 19
- Glyphorynchus spirurus*, 232
- Gnorimopsar chopi*, 220, 221, 228, 413
- Goldfinch, American, see *Carduelis tristis*
- Goldstein, Michael I., Peter H. Bloom, Jose H. Sarasola, and Thomas E. Lacher, Post-migration weight gain of Swainson's Hawks in Argentina, 428–432
- Gómez de Silva G., Héctor, see Pérez-Vallifaña, Mónica, ——, and Atahualpa DeScre-Medrano
- Goose, Canada, see *Branta canadensis*
- Greater White-fronted, see *Anser albifrons frontalis*
- Lesser Snow, see *Chen caerulescens caerulescens*
- gopher, northern pocket, see *Thomomys bottae*
- Gorney, Edna, William S. Clark, and Yoran Yom-Tov, A test of the condition-bias hypothesis yields different results for two species of sparrow-hawks (*Accipiter*), 181–187
- Goshawk, Northern, see *Accipiter gentilis*
- Grackle, Common, see *Quiscalus quiscula*
- Grand, J. Barry, see Flint, Paul L., and ——
- grants
- see awards and grants
- Grassquit, Black-faced, see *Tiaris bicolor*
- Gray, Elizabeth M., see Reed, J. Michael, ——
- Dianne Lewis, Lewis W. Oring, Richard Coleman, Timothy Burr, and Peter Luscomb
- Grebe, Pied-billed, see *Podilymbus podiceps*
- Greenberg, Russell, see Schelhas, John, and ——
- Greenfield, Paul J., see Krabbe, Niels, Morton L. Isler, Phyllis R. Isler, Bret M. Whitney, Jose Alvarez A., and ——
- Griseotyrannus aurantioatrocristatus*, 218, 227
- Grosbeak, Rose-breasted, see *Pheucticus ludovicianus*
- Ground-Dove, Common, see *Columbina passerina*
- Ruddy, see *Columbina talpacoti*
- Grouse, Blue, see *Dendragapus obscurus*
- Ruffed, see *Bonasa umbellus*
- growth
- patterns in *Himantopus mexicanus knudseni*, 478–487
- Guan, Wattled, see *Aburria aburri*
- Gubernetes yetapa*, 227
- Guillemot, Pigeon, see *Cephus columba*
- Guira guira*, 226, 408
- Gull, Herring, see *Larus argentatus*
- Laughing, see *Larus atricilla*
- Ring-billed, see *Larus delawarensis*
- Gutiérrez, R. J., see Smith, Richard B., M. Zachariah Peery, ——, and William S. Lahaye
- Habia rubica*, 413
- habitat
- association
 - of endemic grassland songbirds in southern Saskatchewan, 389–396
- breeding
- association of group density and nestling provisioning rates in *Picoides borealis*, 494–498
 - use of *Lythrum salicaria*, 105–114
- patch size
- in *Icteria virens*, 210–215

- selection
by *Setophaga ruticilla* in aspen-dominated forest fragments, 70–75
- use
by *Nomonyx dominicus*, 119–121
in spring by *Anser albifrons frontalis* and *Branta canadensis*, 166–180
- winter
of *Sterna aleutica*, 559–560
use of burned and unburned coniferous forests, 243–250
- Hagemeijer, W. J. M., and M. J. Blair, eds, The EBCC atlas of European breeding birds: their distribution and abundance, reviewed, 154–156
- Haig, Susan M., Plissner, Jonathan H., —, and Lewis W. Oring
- Haliaeetus albicilla*, 15
leucocephalus, 15–21, 115–116, 260
vocifer, 19
vociferoides, 15–21
- Hall, George A., review by, 452–453
- Haney, J. Christopher, Hierarchical comparisons of breeding birds in old-growth conifer-hardwood forest on the Appalachian plateau, 89–99
- Haplopitta unicolor*, 414
- Harpagus bidentatus*, 443
- Harper, Craig A., and Jay H. Exum, Wild Turkeys (*Meleagris gallopavo*) nest after successful hatch, 426–427
- Harpyhaliaetus coronatus*, 218, 225
- Harrier, Northern, see *Circus cyaneus*
- Harrison, Colin J. O., see Baicich, Paul J., and —
- Hawk, Broad-winged, see *Buteo platypterus*
Cooper's, see *Accipiter cooperii*
Great Black, see *Buteogallus urubitinga*
Harris's, see *Parabuteo unicinctus*
Red-shouldered, see *Buteo lineatus*
Red-tailed, see *Buteo jamaicensis*
Roadside, see *Buteo magnirostris*
Rough-legged, see *Buteo lagopus*
Savannah, see *Buteogallus meridionalis*
Sharp-shinned, see *Accipiter striatus*
Swainson's, see *Buteo swainsoni*
- Hawk-Eagle, Ornate, see *Spizaetus ornatus*
- Hawk-Owl, Bismarck, see *Ninox variegata*
Brown, see *Ninox scutulata*
- Cinnabar, see *Ninox ias*
- Manus, *Ninox meeki*
- Moluccan, see *Ninox squamipila*
- New Britain, see *Ninox odiosa*
- Ochre-bellied, see *Ninox ochracea* [*perversa*]
- Philippine, see *Ninox philippensis*
- Solomons, see *Ninox jacquinoti*
- Speckled, see *Ninox punctulata*
- Sumba, see *Ninox rufolfi*
- Heinrich, Bernd, Planning to facilitate caching: possible suet cutting by a Common Raven, 276–278
- Heliobletus contaminatus*, 410
- Hemithraupis guira*, 228
ruficapilla, 413
- Hemitriccus margaritaceiventer*, 227
- obsoletus*, 412
- Hendrickson, Herbert T., reviews by, 148, 151
- Herbert, Percy N., Evidence of egg ejection in Mountain Bluebirds, 440–442
- Heron, Brown, see *Nycticorax nycticorax*
- Herpetotheres cachinnans*, 225, 407
- Herpsilochmus atricapillus*, 226
- Herrera, Emilio A., see Bosque, Carlos, and —
- Heterospizias meridionalis*, 407
- Heterotis niloticus*, 17, 19
- Higgins, Kenneth F., see Leddy, Krecio L., —, and David E. Naugle
- Hill, Norman P., and K. David Bishop, Possible winter quarters of the Aleutian Tern?, 559–560
- Himantopus himantopus leucocephalus*, 485
mexicanus, 478, 479
mexicanus knudseni, 478–487
novaeseelandiae, 485
- Hirundinea ferruginea*, 411
- Hirundo fulva*, 311
- Hoag, David J., Hybridization between Clay-colored Sparrow and Field Sparrow in northern Vermont, 581–584
- Hoffman, Wayne, Glen E. Woolfenden, and P. William Smith, Antillean Short-eared Owls invade southern Florida, 303–313
- Holmes, Derek, and Karen Phillipps, The birds of Sulawesi, reviewed, 151
- Hopkins, Edward M., see Castrale, John S., —, and Charles E. Keller
- Hopp, S. L., A. Kirby, and C. A. Boone, Banding returns, arrival pattern, and site-fidelity of White-eyed Vireos, 46–55
- House-Martin, Common, see *Delichon urbica*
- Houston, C. Stuart, Barred Owl nest in attic of shed, 272–273
- Howell, Steve N. G., A bird-finding guide to Mexico, reviewed, 595
- Hubbard, John P. A critique of Wang Wong and Finch's field identification of Willow Flycatcher subspecies in New Mexico, 585–588
- human impact
influence of human scent on mammalian predators, 415–420
- Hummingbird, Giant, see *Patagona gigas*
Ruby-throated, see *Archilochus colubris*
- hybridization
between *Spizella pallida* and *Spizella pusilla* in northern Vermont, 581–584
- Hydrophasianus chirurgus*, 264
- Hylocharis chrysura*, 226
sapphirina, 222
- Hylocichla mustelina*, 92, 94, 132–133, 141, 279–281, 379, 538, 539
- Hylocryptus rectirostris*, 222
- Hylopezus nattereri*, 410
- Hylophilus poicilotis*, 413
- Hylorchilus sumichrasti*, 128–130
- Hymenops perspicillatus*, 227

- Hypocnemoides melanopogon*, 205
spp., 207
- Ibis, Buff-necked, see *Theristicus caudatus*
- Icteria virens*, 84, 210–215
- Icterus bullockii*, 251–256
cayanensis, 228
galbula, 108
- Ictinia plumbea*, 225
- Idioptilon nudipendulum*, 412
- Inezia inornata*, 227
- Isler, Morton L., see Krabbe, Niels, ———, Phyllis R.
Isler, Bret M. Whitney, Jose Alvarez A., and
Paul J. Greenfield
- Isler, Phyllis R., see Krabbe, Niels, Morton L. Isler,
———, Bret M. Whitney, Jose Alvarez A., and
Paul J. Greenfield
- Ixobrychus exilis*, 105–114
- Ixoreus naevius*, 245
- Jacana, African, see *Actophilornis africanus*
Lesser, see *Microparra capensis*
Pheasant-tailed, see *Hydrophasianus chirurgus*
Wattled, see *Jacana jacana*
- Jacana jacana*, 262–265
- Jacobs, Eugene A., see Trexel, Dale R., Robert N. Rosenfield, John Bielefeldt, and ———
- Jaeger, Parasitic, see *Stercorarius parasiticus*
- Jahn, Olaf, Maria Eugenia Jara Viteri, and Karl-L. Schuchmann, Connecticut Warbler, a North American migrant new to Ecuador, 281–282
- Jaksic, Fabian M., and Ivan Lazo, Response of a bird assemblage in semiarid Chile to the 1997–1998 El Niño, 527–535
- Jay, Blue, see *Cyanocitta cristata*
Bushy-crested, see *Cyanocorax melanocyaneus*
Curl-crested, see *Cyanocorax cristatellus*
Gray, see *Perisoreus canadensis*
Green, see *Cyanocorax yncas*
Stellar's, see *Cyanocitta stelleri*
- Johnsgard, Paul A., and Montserrat Carbonell, Ruddy ducks and other stiff-tails: their behavior and biology, reviewed, 450–452
- Jones, Ian, see Gaston, Anthony J., and ———
- Jones, Jason, Cooperative foraging in the Mountain Caracara in Peru, 437–439
- Jouanin, Christian, see Barré, Nicolas, Armand Barau, and ———
- Junco, Dark-eyed, see *Junco hyemalis*
- Junco hyemalis*, 93, 94, 558
- Keehn, Shannon, see Sodhi, Navjot S., Cynthia A. Paszkowski, and ———
- Keith, Allan R., The birds of St.Lucia, West Indies, reviewed, 147–148
- Keith, Allan R., review by, 597–599
- Keller, Charles E., see Castrale, John S., Edward M. Hopkins, and ———
- Kennedy, Patricia L., see Estes, Wendy A., Sarah R. Dewey, and ———
- Kennedy, Patricia L., see O'Toole, Laura T., ———, Richard L. Knight, and Lowell C. McEwen
- Kershner, Eric, L., and Eric K. Bollinger, Aggressive response of chickadees towards Black-capped and Carolina calls in central Illinois, 363–367
- Kestrel, American, see *Falco sparverius*
Common, see *Falco tinnunculus*
- Kienzle, Thomas E., see Smith, Kimberly G., W. Marvin Davis, ———, William Post, and Robert W. Chinn
- Killdeer, see *Charadrius vociferus*
- King, Ben F., Checklist of the birds of Eurasia, reviewed, 596–597
- King, David I., Mortality of an adult Veery incurred during the defense of nestlings, 575–576
- Kingbird, Eastern, see *Tyrannus tyrannus*
Gray, see *Tyrannus dominicensis*
Tropical, see *Tyrannus melancholicus*
Western, see *Tyrannus verticalis*
- Kingfisher, Pygmy, see *Chloroceryle aenea*
- Kinglet, Golden-crowned, see *Regulus satrapa*
Ruby-crowned, see *Regulus calendula*
- Kingsnake, prairie, see *Lampropeltis calligaster calligaster*
- Kirby, A., see Hopp, S. L., ———, and C. A. Boone
- Kiskadee, Great, see *Pitangus sulphuratus*
- Kite, Black, see *Milvus migrans*
Black-shouldered, see *Elanus caeruleus*
Double-toothed, see *Harpagus bidentatus*
Snail, see *Rostrhamus sociabilis*
White-tailed, see *Elanus leucurus*
- Knight, Richard L., see O'Toole, Laura T., Patricia L. Kennedy, ———, and Lowell C. McEwen
- Knipolegus cyanirostris*, 411
lophotes, 411
nigerrimus, 411
- Krabbe, Niels, Morton L. Isler, Phyllis R. Isler, Bret M. Whitney, Jose Alvarez A., and Paul J. Greenfield, A new species in the *Myrmotherula haematonota* superspecies (Aves; Thamnophilidae) from the western Amazonian lowlands of Ecuador and Peru, 157–165
- Kreisel, Karen J., and Steven J. Stein, Bird use of burned and unburned coniferous forests during winter, 243–250
- Kricher, John C., reviews by, 148–149, 151, 594–595
- Kricher, John, A Neotropical companion: an introduction to the animals, plants, and ecosystems of the New World tropics, reviewed, 146–147
- Kuletz, Katherine J., and John F. Piatt, Juvenile Marbled Murrelet nurseries and the productivity index, 257–261
- Lacher, Thomas E., see Goldstein, Michael I., Peter H. Bloom, Jose H. Sarasola, and ———
- Lagopus lagopus*, 274
- Lahaye, William S., see Smith, Richard B., M. Z. chariah Peery, R. J. Gutiérrez, and ———
- Lampropeltis calligaster calligaster*, 524
- Lanius excubitor*, 285
ludovicianus, 285, 348, 558

- Lanner, Ronald M., Made for each other: a symbiosis of birds and pines, reviewed 297–298
- Lapwing, Northern, see *Vanellus vanellus*
- Lark, Horned, see *Eremophila alpestris*
- Larsson, Hans, see Olsen, Klaus Malling Olsen and
- Larus argentatus*, 115, 192
atricilla, 561
delawarensis, 192
- Laterallus ruber*, 231
spp., 423
- Lathrotriccus euleri*, 227
- Laso, Ivan, see Jaksic, Fabian M., and ———
- leaftosser, see *Sclerurus* spp.
- Leddy, Krecio L., Kenneth F. Higgins, and David E. Naugle, Effect of wind turbines on upland nesting birds in conservation reserve program grasslands, 100–104
- Legatus leucophaius*, 227
- Lein, M. Ross, see Wiebe, Myra O., and ———
- Leistes superciliaris*, 228
- Lemon, R. E., see Lozano, G. A., and ———
- Leonard, David L., Jr., see Bowman, Reed, ———, Leslie K. Backus, and Allison R. Mains
- Lepidocolaptes angustirostris*, 221, 226, 409
fuscatus, 409
squamatus, 397–414
- Leptasthenura aegithaloides*, 530
setaria, 410
striukata, 410
- Leptodon cayanensis*, 225
- Leptopogon amaurocephalus*, 227, 232, 412
- Leptotila rufaxilla*, 225, 408
verreauxi, 225, 402, 408
- Leucochloris albicollis*, 409
- Leuconerpes candidus*, 409
- Levey, Douglas J., Foraging Ovenbird follows armadillo, 443–444
- Lewis, Dianne, see Reed, J. Michael, Elizabeth M. Gray, ———, Lewis W. Oring, Richard Coleman, Timothy Burr, and Peter Luscomb
- Liknes, Eric T., see Swanson, David L., ———, and Kurtis L. Dean
- Limnothlypis swainsonii*, 229, 233, 234
- lizard, tegu, see *Tupinambis* sp.
- Lochmias nematura*, 410
- Longspur, Chestnut-collared, see *Calcarius ornatus*
 McCown's, see *Calcarius mccownii*
- Loon, Common, see *Gavia immer*
- loosestrife, purple, see *Lythrum salicaria*
- Lophodytes cucullatus*, 1–6
- Lowther, Peter E., review by, 146
- Loxia curvirostra*, 245
- Lozano, G. A., and R. E. Lemon, Effects of prior residence and age on breeding performance in Yellow Warblers, 381–388
- Lurocalis semitorquatus*, 218, 226, 408
- Luscomb, Peter, see Reed, J. Michael, Elizabeth M. Gray, Dianne Lewis, Lewis W. Oring, Richard Coleman, Timothy Burr, and ———
- Lysurus castaneiceps*, 126
- crassirostris*, 124–128
- Lythrus salicaria*, 105–114
- Machetornis rixosus*, 227, 411
- Mack, Tara, see Paruk, James D., Dean Seanfield, and
- Mackenziaena leachii*, 410
- Madge, Steve, see Beaman, Mark, and ———
- Magpie, Black-billed, see *Pica pica*
- Mahan, Carolyn G., see Yahner, Richard H., and
- Maier, Thomas J., see DeGraaf, Richard M., ———, and Todd K. Fuller
- Mains, Allison R., see Bowman, Reed, David L. Leonard, Jr., Leslie K. Backus, and ———
- Mallard, see *Anas platyrhynchos*
 management response of *Sitta pusilla* to pine plantation thinning, 56–60
 use of burned and unburned coniferous forests during winter, 243–250
- Manakin, Helmeted, see *Antilophia galeata*
- Margarops fuscatus*, 311
- Marín, Manuel, Food, foraging, and timing of breeding of the Black Swift in California, 30–47
- Marks, Jeffrey S., and Alison E. H. Perkins, Double brooding in the Long-eared Owl, 273–276
- Martes pennanti*, 240
- Martin, Brown-chested, see *Phaeoptrogne tapera*
 Crag, see *Ptyonoprogne rupestris*
 Purple, see *Progne subis*
- Marzluff, John M. and Rex Sallabanks, eds., Avian conservation, reviewed, 449–450
- Master, Terry L., Predation by Rufous Motmot on black-and-green poison dart frog, 439–440
 mate choice color preference in female *Cardinalis cardinalis*, 76–83
- Matthynsen, Erik, The nuthatches, reviewed, 452–453
- Mattocks, Philip W., Jr., see Smith, Michael R., ———, and Kelly M. Cassidy
- Mayer, Paul M., see Staus, Nancy L., and ———
- McEwen, Lowell C., see O'Toole, Laura T., Patricia L. Kennedy, Richard L. Knight, and ———
- McLain, Robyn, see Cuthbert, Francesca J., Brian Scholtens, Lauren C. Wemmer, and ———
- Meadowlark, Eastern, see *Sturnella magna*
 Western, see *Sturnella neglecta*
- Mearns, Barbara and Richard Mearns, The bird collectors, reviewed, 144–146
- Mearns, Richard, see Mearns, Barbara and ———
- Megalops cyprinoides*, 19
- Megarynchus pitangua*, 227, 411
- Melanerpes candidus*, 226
carolinus, 139–143, 346–353, 558
erythrocephalus, 141, 142, 348, 551, 558
flavifrons, 409
formicivorus, 252, 254
- Melanopareia torquata*, 222
- Meleagris gallopavo*, 426–427, 555, 558
spp., 17

- Melospiza georgiana*, 105–114
lincolni, 234, 554, 555, 558
melodia, 108, 285, 558
- Mephitis mephitis*, 416
- Merganser, Common, see *Mergus merganser*
 Hooded, see *Lophodytes cucullatus*
- Mergus merganser*, 92
- Merulaxis ater*, 199
- methods
 critique of field-identification of *Empidonax traillii*
 subspecies, 585–588
 Response, 589–592
 temporal differences in point counts, 139–143
- Metriopelia melanoptera*, 530
- Micrastur ruficollis*, 225, 407
semitorquatus, 125
- Microparra capensis*, 264
- Microtus pennsylvanicus*, 239
spp., 274
- migration
 arrival patterns of *Vireo griseus*, 46–55
 differences in timing among sex/age classes of *Regulus calendula*, 61–69
- Milvago chimachima*, 225, 407
chimango, 530
- Milvus migrans*, 16, 17, 18, 475
- Mimus gundlachii*, 311
polyglottos, 285, 348
saturninus, 227
thenca, 530
triurus, 228
- Mionectes oleagineus*, 232, 234
- Mniotilla varia*, 93
- Mockingbird, Bahama, see *Mimus gundlachii*
 Northern, see *Mimus polyglottos*
- Molothrus aeneus*, 137–139
ater, 72, 93, 94, 96, 100–104, 108, 110, 133, 137–139, 210, 252, 289, 440, 441, 499, 502, 515–527, 558, 577
badius, 137–139, 220
bonariensis, 137–139, 220, 221, 228, 311, 376, 379, 413, 441
rufoaxillaris, 138, 220, 221, 228
- Momotus momota*, 219, 226, 439, 440
- monkey, see *Cebus capucinus*, *Ateles geoffroyi*, *Alouatta palliata*
 squirrel, see *Saimiri oerstedi*
- Monson, Gale, see Russell, Stephen M., and ——
- Moorhen, Common, see *Gallinula chloropus*
- Morris, Sara R., review by, 295–296
- mortality
 of an adult *Catharus fuscescens* during nestling defense, 575–576
 of *Charadrius melanotos* from *Ocypode quadrata*, 321–329
- Motmot, Blue-crowned, see *Momotus momota*
 Broad-billed, see *Electron platyrhynchum*
 Rufous, see *Baryphthengus martii*
 Rufous-capped, see *Baryphthengus ruficapillus*
 Turquoise-browed, see *Eumomota supercilialia*
- mouse, see *Peromyscus* spp.
 deer, see *Peromyscus maniculatus*, *Peromyscus* sp.
- house, see *Mus musculus*
- northern grasshopper, see *Onychomys leucogaster*
- white-footed, see *Peromyscus leucopus*
- woodland jumping, see *Napaeozapus insignis*
- Murrelet, Marbled, see *Brachyramphus marmoratus*
- Mus musculus*, 23
- Muscicapa sanfordi*, 463
- Muscipipra vetula*, 411
- Muscisaxicola macloviana*, 530
- muskellunge, see *Esox masquinongy*
- Mustela frenata*, 239, 416
- Myadestes unicolor*, 229, 233, 234
- Mycteria americana*, 225
- Myiarchus crinitus*, 91, 92, 108, 110, 141, 232, 269, 346, 348
sagrae, 311
swainsoni, 227
tyrannulus, 227
- Myiobius sulphureipygius*, 232
- Myiodynastes maculatus*, 227, 411
- Myiopagis caniceps*, 226, 412
viridicata, 226
- Myiophobus fasciatus*, 227, 411
- Myiopsitta monachus*, 491
- Myiornis auricularis*, 221, 226, 412
- Myrmeciza atrothorax*, 205, 207
disjuncta, 195–209
- Myrmotherula feldsaai*, sp. nov., 157–165 (Frontispiece)
- haematonota*, 157–165 (Frontispiece)
- leucophthalma*, 157–165 (Frontispiece)
- ornata*, 157
- sororia*, 157–165
- spodionota*, 157–165 (Frontispiece)
- Napaeozapus insignis*, 239
- Naughton, M. B., see Whittow, G. C., and ——
- Naugle, David E., see Leddy, Krecia L., Kenneth F. Higgins, and ——
- Nemosia pileata*, 228
- Neocrex columbianus*, 423
erythrops, 422–424
- Neophron percnopterus*, 475
- Neotoma fuscipes*, 22–29, 252
- nest
 arthropod fauna of *Falco sparverius* boxes, 269–271
 influence of human scent on mammalian predators, 415–420
 of *Strix varia* in attic of shed, 272–273
 predation along three edge types, 541–549
 predators of open and cavity in oak woodlands, 251–256
 renest after successful hatch in *Meleagris gallopavo*, 426–427
 reuse by *Hylocichla mustelina* and *Pheucticus ludovicianus*, 132–133
- nest-site
 habitat of *Accipiter striatus* and *Accipiter cooperii* in Wisconsin, 7–14
 unusual for *Empidonax traillii extimus*, 573–575

- nesting
 behavior of *Amazona finschi*, 488–493
 biology of *Spiza americana* and *Ammodramus hen- slowii*, 515–527
 continuous in *Tyto alba*, 571–573
 fall and winter records for *Charadrius vociferus* in the southern United States, 424–426
 of four species of the Caribbean slope of Costa Rica, 124–128
 success of *Icteria virens*, 210–215
 nestling
 mortality of an adult *Cathartes fuscescens* during defense of, 575–576
 provisioning rates in *Picoides borealis*, 494–498
 Neubig, Jeffrey P., and John A. Smallwood, The “significant others” of American Kestrels: cohabitation with arthropods, 269–271
Night-Heron, Black-crowned, see *Nycticorax nycticorax*
 Yellow-crowned, see *Nyctanassa violacea*
Nighthawk, Antillean, see *Chordeiles gundlachii*
 Nacunda, see *Podager nacunda*
 Sand-colored, see *Chordeiles rupestris*
Nightjar, Blackish, see *Caprimulgus nigrescens*
 Little, see *Caprimulgus parvulus*
 Red-necked, see *Caprimulgus ruficollis*
 Rufous, see *Caprimulgus rufus*
 Scrub, see *Caprimulgus anthonyi*
 White-winged, see *Caprimulgus candicans*
Ninox connivens, 462
ios, sp. nov., 457–464 (Frontispiece)
jacquinoti, 462
meeki, 462
natalis, 458
novaeseelandiae, 462
ochracea [*perversa*], 457–464 (Frontispiece)
odiosa, 462
philipensis, 457–464
punctulata, 457, 462
rudolfi, 458, 461
rufa, 462
scutulata, 462
squamipila, 457–464 (Frontispiece)
strenua, 462
superciliaris, 462
theomacha, 458, 462
variegata, 462
Nomonyx dominicus, 119–121, 311
Nothoprocta perdicaria, 530
Nothura maculosa, 225
Nucifraga columbiana, 245
Numenius phaeopus, 263
 Nutcracker, Clark’s, see *Nucifraga columbiana*
 nuthatch, see *Sitta* spp.
 Nuthatch, Brown-headed, see *Sitta pusilla*
 Red-breasted, see *Sitta canadensis*
 White-breasted, see *Sitta carolinensis*
Nyctibius grandis, 124–128
griseus, 218, 226
Nycticorax nycticorax, 105, 225, 530, 531
Nyctidromus albicollis, 218, 226, 231, 344
Nyctanassa violacea, 562
Nystalus chacuru, 226
maculatus, 226
 O’Connor, Raymond J., review by, 154–156
Odontophorus capueira, 407
 Olsen, Klaus Malling Olsen and Hans Larsson, Skuas and Jaegers: a guide to the skuas and jaegers of the world, reviewed, 298–299
Onychomys leucogaster, 416
Ophicephalus striatus, 17, 19
Oporornis agilis, 281–282
philadelphica, 93, 281
 opossum, Virginia, see *Didelphis marsupialis*
Oreochromis spp., 17
 Oring, Lewis W., see Plissner, Jonathan H., Susan M. Haig, and ———
 Oring, Lewis W., see Reed, J. Michael, Elizabeth M. Gray, Dianne Lewis, ———, Richard Coleman, Timothy Burr, and Peter Luscomb
Oriole, Baltimore, see *Icterus galbula*
Bullock’s, see *Icterus bullockii*
 O’Toole, Laura T., Patricia L. Kennedy, Richard L. Knight, and Lowell C. McEwen, Postfledgling behavior of Golden Eagles, 472–477
Otus asio, 254
atricapillus, 221, 226
choliba, 226, 408
Ovenbird, see *Seiurus aurocapillus*
Owl, Barking, see *Ninox connivens*
 Barn, see *Tyto alba*
 Barred, see *Strix varia*
 Boreal, see *Aegolius funereus*
 Burrowing, see *Athene cunicularia*
 Great Gray, see *Strix nebulosa*
 Great Horned, see *Bubo virginianus*
 Long-eared, see *Asio otus*
 Northern Spotted, see *Strix occidentalis caurina*
 Papuan Boobook, see *Ninox theomacha*
 Powerful, see *Ninox strenua*
 Rufous, see *Ninox rufa*
 Short-eared, see *Asio flammeus* [*Strix domingensis*, *Asio portoricensis*, *Asio domingensis*]
 Spectacled, see *Pulsatrix perspicillata*
 Spotted, see *Strix occidentalis*
 Tawny, see *Strix aluco*
 Ural, see *Strix uralensis*
 White-browed, see *Ninox superciliaris*
Oxyruncus cristatus, 227
Pachyramphus castaneus, 227, 411
major, 232
polychopterus, 227, 401, 411
validus, 227
viridis, 227, 411
 Painted-Snipe, see *Rostratula semicollaris*
Pandion haliaetus, 19
Parabuteo unicinctus, 218, 437, 530
 Parakeet, Maroon-bellied, see *Pyrrhura frontalis*
 Monk, see *Myiopsitta monachus*
 Plain, see *Brotogeris tirica*
 Reddish-bellied, see *Pyrrhura frontalis*

- Parker, Timothy H., Responses of Bell's Vireos to brood parasitism by the Brown-headed Cowbird in Kansas, 499–504
- Parkes, Kenneth C., review by, 144–146
- Paroaria coronata*, 218, 228
- Parrot, Lilac-crowned, see *Amazona finschi*
Reddish-bellied, see *Pyrrhura frontalis*
- Paruk, James D., Dean Seanfield, and Tara Mack, Bald Eagle predation on Common Loon chick, 115–116
- Paruk, James D., Territorial takeover in Common Loons (*Gavia immer*), 116–117
- Parula americana*, 93, 505–514
pitiayumi, 228, 397–414
- Parula, Northern, see *Parula americana*
Tropical, see *Parula pitiayumi*
- Parus caeruleus*, 368
major, 368, 579
spp., 368
- Passer domesticus*, 228, 236–242, 251, 269, 289, 440–442, 558
- Passerculus sandwichensis*, 100–104, 108, 234
- Passerella iliaca*, 558
- Passerina cyanea*, 93, 141, 211, 212, 214
- Paszkowski, Cynthia A., see Sodhi, Navjot S., ———, and Shannon Keehn
- Patagona gigas*, 529, 530
- Pauraque, see *Nyctidromus albicollis*
- Pauxi pauxi*, 564–569
- Peer, Brian D., and Spencer G. Sealy, Laying time of a Bronzed Cowbird, 137–139
- Peery, M. Zachariah, see Smith, Richard B., ———, R. J. Gutiérrez, and William S. Lahaye
- Pelecanus erythrorhynchos*, 437
occidentalis, 437
- Pelican, American White, see *Pelecanus erythrorhynchos*
Brown, see *Pelecanus occidentalis*
- Penelope obscura*, 401, 407
- Percnostola [Schistocichla] caurensis*, 195–209
[*Schistocichla*] *leucostigma*, 197, 206
lophotes, 206
rufifrons, 206
[*Schistocichla*] *schistacea*, 206
- Pérez-Vallafina, Mónica, Héctor Gómez de Silva G., and Atahualpa DeSucre-Medrano, Sexual dimorphism in the song of Sumichrast's Wren, 128–130
- Perisoreus canadensis*, 245
- Perkins, Alison E. H., see Marks, Jeffrey S., and ———
- Peromyscus leucopus*, 25, 28, 236–242, 269, 538
maniculatus, 236, 416
spp., 252, 543
- Phacelldomus rufifrons*, 226
- Phaeomyias murina*, 226
- Phaeoptrophe tapera*, 227, 359
- Phaethornis pretrei*, 409
- Phalacrocorax brasiliensis*, 225
- Phalcoboenus megalopterus*, 437–439
- Phasianus colchicus*, 108, 554, 555, 558
- Pheasant, Ring-necked, see *Phasianus colchicus*
- Phaeoptrophe ludovicianus*, 93, 94, 96, 108, 132–133
- Phillipps, Karen, see Holmes, Derek, and ———
- Philydor dimidiatus*, 216–228
lichensteini, 221, 226
rufus, 226, 410
- Phimosus infuscatus*, 225
- Phloeoceastes robustus*, 403, 409
- photoperiod
response of a Kansas winter bird community to, 550–558
- Phrygilus alaudinus*, 531
fruticeti, 531
gayi, 530
- Phyllomyias fasciatus*, 402, 412
reiseri, 222
- Phylloscartes oustaleti*, 412
ventralis, 412
- Phytotoma rara*, 530, 531
- Piatt, John F., see Kuletz, Katherine J., and ———
- Piaya cayana*, 226, 408
- Pica pica*, 245, 274
- Picoides arcticus*, 243–250
borealis, 38–45, 56, 346–353, 494–498
lignarius, 530
mixtus, 226
pubescens, 91, 92, 141, 142, 245, 246, 277, 346–353, 558
tridactylus, 243–250
villosus, 89–99, 244, 245, 246, 277, 346, 348, 558
- Piculus aurulentus*, 409
chrysochloros, 218, 226
- Picumnus cirratus*, 226
nebulosus, 409
spp., 403
temminckii, 409
- Pigeon, White-crowned, see *Columba leucocephala*
pike, northern, see *Esox niger*
- Pintail, Northern, see *Anas acuta*
White-cheeked, see *Anas bahamensis bahamensis*
- Pionopsitta pileata*, 408
- Pionus maximiliani*, 225, 408
- Pipilo crissalis*, 251, 252
erythropthalmus, 348, 538
maculatus, 558
- Pipit, Sprague's, see *Anthus spragueii*
- Pipra fasciicauda*, 227
- Pipraeidea melanonota*, 413
- Piranga flava*, 228
leucoptera, 233, 234
olivacea, 93, 94, 95
rubra, 141, 348
- Pipromorpha rufiventris*, 412
- Pitangus sulphuratus*, 227, 401, 411
- Pitylus fulginosus*, 414
- Plains-wanderer, see *Pediomomus torquatus*
- Plantcutter, Rufous-tailed, see *Phytotoma rara*
- Platycichla flavigipes*, 412
- Platyparis rufus*, 411
- Platyrinchus mystaceus*, 227, 411
- Plissner, Jonathan H., Susan M. Haig, and Lewis W.

- Oring, Within- and between-year dispersal of American Avocets among multiple western Great Basin wetlands, 314–320
- Plover, Piping, see *Charadrius melanotos*
- Snowy, see *Charadrius alexandrinus*
- Wilson's, see *Charadrius wilsonia*
- plumage
- color preference in female *Cardinalis cardinalis*, 76–83
- Podager nacunda*, 226, 344
- Podilymbus podiceps*, 105–114
- Poecile atricapillus*, 92, 94, 245, 277, 363–367, 368, 374, 554, 558
- carolinensis*, 141, 363–367, 374
 - gambeli*, 245, 368–375
 - spp., 368
- Poephila guttata*, 251
- Pogonotriccus eximus*, 412
- Polioptila dumicola*, 227
- Polyborus plancus*, 407
- Polystictus pectoralis*, 222
- Pooecetes gramineus*, 213
- Poospiza lateralis*, 414
- Porphyrrula flavirostris*, 264
- martinica*, 264
- Porzana albicollis*, 225
- carolina*, 107, 108
 - spp., 423
- Post, William, see Smith, Kimberly G., W. Marvin Davis, Thomas E. Kienzle, ——, and Robert W. Chinn
- Potoo, Common, see *Nyctibius griseus*
- Great, see *Nyctibius grandis*
- Pratt, Jerome J., The Whooping Crane: North America's symbol of conservation, reviewed, 151
- predation
- by *Baryphthengus martii* on *Dendrobates auratus*, 439–440
 - influence of human scent in shortgrass prairie, 415–420
 - of *Haliaeetus leucocephalus* of *Gavia immer* chick, 115–116
 - of open and cavity nesting birds in oak woodlands, 251–256
 - of small eggs in artificial nests, 236–242
 - on artificial nests in three edge types, 541–549
 - potential learning of artificial nest locations, 536–540
 - relationship of *Ocyptode quadrata* abundance and *Charadrius melanotos* mortality, 321–329
 - "snorkeling" as escape behavior in *Jacana jacana*, 262–265
- prey
- preference in *Haliaeetus vociferoides*, 15–21
- Prince, Harold H., see Whitt, Michael B., ——, and Robert R. Cox, Jr.
- proceedings
- of eightieth annual meeting, 596–603
- Procnias nudicollis*, 219, 221, 227, 411
- Procyon lotor*, 2, 416, 538, 542, 546
- productivity
- juvenile *Brachyramphus marmoratus* nurseries, 257–261
- Progne chalybea*, 227
- spp., 359
 - subis*, 354–362
- Protonotaria citrea*, 141, 577–580
- Psarocolius decumanus*, 228
- Pseudoleistes guirahura*, 228
- Pteroglossus castanotis*, 226
- Pteroptochos megapodus*, 530
- Ptyonoprogne rupestris*, 358
- Puffinus nativitatis*, 421–422
- Pulsatrix perspicillata*, 218, 226
- Purcell, Kathryn L. and Jared Verner, Nest predators of open and cavity nesting birds in oak woodlands, 251–256
- Pygmy-Owl, Ferruginous, see *Glaucidium brasilianum*
- Pygmy-Tyrant, see *Euscarthmus rufomarginatus*
- Eared, see *Myiornis auricularis*
- Pygochelidon cyanoleuca*, 530
- Pyrhura frontalis*, 219
- Pyriglen a leucoptera*, 410
- Pyrocephalus rubinus*, 227
- Pyroderus scutatus*, 220, 227
- Pyrope pyrope*, 530
- Pyrrhocoma ruficeps*, 413
- Pyrrhura frontalis*, 221, 225
- Quail, California, see *Callipepla californica*
- Japanese, see *Coturnix japonica*
 - quail, see *Coturnix* sp.
- Quail-Dove, Key West, see *Geotrygon chrysia*
- Ruddy, see *Geotrygon montana*
- Quiscalus quiscula*, 84, 543, 544, 546, 554, 555, 558
- racer, yellow-bellied, see *Coluber constrictor flaviventris*
- racoon, see *Procyon lotor*
- Rail, King, see *Rallus elegans*
- Virginia, see *Rallus limicola*
- Rallus elegans*, 107
- limicola*, 105–114
 - sanguinolentus*, 530
- Ramphastos discolorus*, 409
- toco*, 226
- Ramphocelus carbo*, 402
- Rasmussen, Pamela C., A new species of hawk-owl *Ninox* from North Sulawesi, Indonesia, 457–464
- rat, see *Rattus* spp.
- Rattus* spp., 376, 561
- Raven, Common, see *Corvus corax*
- record
- first *Oporornis agilis* for Ecuador, 281–282
 - of breeding *Neocrex erythrops* in Costa Rica, 422–424
 - renest after successful hatch in *Meleagris gallopavo*, 426–427
 - second brood after successful fledging in *Athene cunicularia*, 569–571
- Recuerda, Pilar, see Aragonés, Juan, Luis Arias de Reyna, and ——

- Recurvirostra avosetta*, 485
americana, 314–320
- Redhead, see *Aythya americana*
- Redstart, American, see *Setophaga ruticilla*
- Reed, J. Michael, Elizabeth M. Gray, Dianne Lewis, Lewis W. Oring, Richard Coleman, Timothy Burr, and Peter Luscomb, Growth patterns of Hawaiian Stilt chicks, 478–487
- Regulus calendula*, 61–69
satrapa, 89–99, 245, 246, 554, 555, 558
- release
 factors affecting success in *Picoides borealis*, 38–45
- Renton, Katherine, and Alejandro Salinas-Melgoza, Nesting behavior of the Lilac-crowned Parrot, 488–493
- report
 survey of undergraduate ornithology courses in North America, 287–293
- reproduction
 double brooding in *Asio otus*, 273–276
 double brooding in *Athene cunicularia*, 569–571
 effect of prior residence and age in *Dendroica petechia*, 381–388
 nesting biology of *Spiza americana* and *Ammodramus henslowii*, 515–527
 nurseries and the productivity index in *Brachyramphus marmoratus*, 257–261
 pairing success of *Hylocichla mustelina* in a fragmented agricultural landscape, 279–281
 relationship of clutch size and hatching success to age in female *Protonotaria citrea*, 577–580
 responses of *Vireo belli* to brood parasitism, 499–504
 timing in *Cypseloides niger*, 30–47
 success in *Strix occidentalis*, 22–29
- Restall, Robin, Munias and mannikins, reviewed, 148
- Rhea americana*, 222, 225
- Rhea, Greater, see *Rhea americana*
- Rhynchosoma maculosa*, 225
- Rice, Nathan H., see Robbins, Mark B., Rob. C. Faustett, and ———
- Rice, Nathan H., Courtship behavior of the Buff-necked Ibis (*Theristicus caudatus*), 118–119
- Rising, James D., A guide to the identification and natural history of the sparrows of the United States, reviewed, 445–446
- Robbins, Chandler S., review by, 146–147
- Robbins, Mark B., Rob. C. Faustett, and Nathan H. Rice, Avifauna of a Paraguayan Cerrado locality: Parque Nacional Serranía San Luis, depto. Concepción, 216–228
- Robin, American, see *Turdus migratorius*
 Black, see *Turdus infuscatus*
 White-throated, see *Turdus assimilis*
- Rogers-Price, Vivian, John Abbot's birds of Georgia: selected drawings from the Houghton Library, Harvard University, reviewed, 299–300
- roost
 pre-migratory in *Progne subis*, 354–362
- Rosenberg, Daniel K., see Gervais, Jennifer A., and ———
- Rosenfield, Robert N., see Trexel, Dale R., ———, John Bielefeldt, and Eugene A. Jacobs
- Rostratula semicollaris*, 218, 225
- Rorstrhamus sociabilis*, 218, 225, 265–268
- Rowley, Ian, and Eleanor Russell, Fairy-wrens and grasswrens Maluridae, reviewed, 448–449
- Rudolph, D. Craig, see Conner, Richard N., ———, Richard R. Schaefer, Daniel Saenz, and Clifford E. Shackelford
- Rupicola rupicola*, 200
- Russell, Eleanor, see Rowley, Ian, and ———
- Russell, Kevin R., and Sidney A. Gauthreaux, Jr., Spatial and temporal dynamics of a Purple Martin pre-migratory roost, 354–362
- Russell, Stephen M., and Gale Monson, The birds of Sonora, reviewed, 595–596
- Sabrewing, Long-tailed, see *Campylopterus excellens*
 Violet, see *Campylopterus hemileucurus*
- Saenz, Daniel, see Conner, Richard N., D. Craig Rudolph, Richard R. Schaefer, ———, and Clifford E. Shackelford
- Saimiri oerstedi*, 443
- Salinas-Melgoza, Alejandro, see Renton, Katherine, and ———
- Sallabanks, Rex, see Marzluff, John M. and ———
- Salpinctes obsoletus*, 199
- Saltator atricollis*, 217, 228
similis, 228, 414
- Saltator, Black-throated, see *Saltator atricollis*
 Buff-throated, see *Saltator maximus*
- Sandpiper, Stilt, see *Calidris himantopus*
 Upland, see *Bartramia longicauda*
 White-rumped, see *Calidris fuscicollis*
- Sapphire, Rufous-throated, see *Hylocharis sapphirina*
- Sapsucker, Yellow-bellied, see *Sphyrapicus varius*
- Saracco, James F., and Jaime A. Collazo, Predation on artificial nests along three edge types in a North Carolina bottomland hardwood forest, 541–549
- Sarasola, Jose H., see Goldstein, Michael I., Peter H. Bloom, ———, and Thomas E. Lacher
- Sarcoramphus papa*, 225
- Satrapa icterophrys*, 411
- Scaphidura oryzivora*, 138, 228
- Scatophagus tetracanthus*, 19
- Scaup, Greater, see *Aythya marila*
- Scelorchilus albicollis*, 530
- Schaefer, Richard R., see Conner, Richard N., D. Craig Rudolph, ———, Daniel Saenz, and Clifford E. Shackelford
- Scheiber, Isabella B. R., see Alworth, Tom, and ——— Schelhas, John, and Russell Greenberg, eds., Forest patches in tropical landscapes, reviewed, 148–149
- Schiffornis virescens*, 411
- Schilling, Amy J., see Breitwisch, Randall, ———, and Joshua B. Banks
- Schoeniophylax phryganophilus*, 226

- Scholtens, Brian, see Cuthbert, Francesca J., ———, Lauren C. Wemmer, and Robyn McLain
- Schreiber, Carrie L., see Avery, Michael L., ———, and David G. Decker
- Schuchmann, Karl-L., see Jahn, Olaf, Maria Eugenia Jara Viteri, and ———
- Sciurus carolinensis*, 269, 542, 546
 griseus, 25
- Sclateria naevia*, 204
- Sclerurus scansor*, 410
 spp., 199, 205
- Screech-Owl, Eastern, see *Otus asio*
 Variable, see *Otus atricapillus*
- Scrub-Jay, Florida, see *Aphelocoma coerulescens*
 Western, see *Aphelocoma californica*
- Scytalopus magellanicus*, 530
- Sealy, Spencer G., see Peer, Brian D., and ———
- Seanfield, Dean, see Paruk, James D., ———, and Tara Mack
- Seedeater, Dark-throated, see *Sporophila ruficollis*
- Seiurus aurocapillus*, 93, 94, 96, 240, 279, 443–444
- Sephanoides galericatus*, 530
- Seriema, Red-legged, see *Lurocalis semitorquatus*
- Serpophaga cinerea*, 124–128
 subscistata, 412
- Setopaga ruticilla*, 70–75, 93, 94, 96
- sexual
 dimorphism
 in song of *Hylorchilus sumichrasti*, 128–130
- selection
 in *Caprimulgus ruficollis*, 340–345
- Shackelford, Clifford E., see Conner, Richard N., D. Craig Rudolph, Richard R. Schaefer, Daniel Saenz, and ———
- Shearwater, Christmas, *Puffinus nativitatis*
- shrew, masked, see *Sorex cinereus*
 northern short-tailed, see *Blarina brevicauda*
 smokey, see *Sorex fumeus*
- Shrike, Loggerhead, see *Lanius ludovicianus*
 Northern, see *Lanius excubitor*
- Sialia currucoides*, 440–442
 mexicana, 243, 253, 441
 ialis, 269, 346, 348, 441, 558
 spp., 441
- Sicalis flaveola*, 228, 414
 sp., 530
- Silva, José, Notes about the distribution of *Pauxi pauxi* and *Aburria aburri* in Venezuela, 564–569
- Simpson, Scott A., see Walk, Jeffrey W., Terry L. Esker, and ———
- Sirystes sibilator*, 227
- Siskin, Hooded, see *Carduelis magellanica*
 Pine, see *Carduelis pinus*
- site-fidelity
 in *Vireo griseus*, 46–55
- Sitta canadensis*, 89–99, 245, 246, 277, 558
 carolinensis, 92, 94, 245, 246, 363–367, 558
 pusilla, 56–60, 346–353
 spp., 204
- Sittasomus griseicapillus*, 221, 226, 409
- Skagen, Susan K., Thomas R. Stanley, and M. Beth Dillon, Do mammalian nest predators follow human scent trails in the shortgrass prairie?, 415–420
- Skeel, M., see Davis, S. K., D. C. Duncan, and ———
skunk, striped, see *Mephitis mephitis*
- Skutch, Alexander F., Life of the flycatcher, reviewed, 147
- Smallwood, John A., see Neubig, Jeffrey P., and ———
- Smith, Charles R., review by, 445–446
- Smith, Christopher C., see Stapanian, Martin A., ———, and Elmer J. Finck
- Smith, Kimberly G., W. Marvin Davis, Thomas E. Kienzle, William Post, and Robert W. Chinn, Additional records of fall and winter nesting by Killdeer in southern United States, 424–426
- Smith, Michael R., Philip W. Mattocks, Jr., and Kelly M. Cassidy, Breeding birds of Washington state: location data and predicted distributions, reviewed, 296–297
- Smith, P. William, see Hoffman, Wayne, Glen E. Woolfenden, and ———
- Smith, Richard B., M. Zachariah Peery, R. J. Gutiérrez, and William S. Lahaye, The relationship between Spotted Owl diet and reproductive success in the San Bernadino Mountains, California, 22–29
- Smith, Winston Paul, and Daniel J. Twedt, Temporal differences in point counts of bottomland forest landbirds, 139–143
- snake, garter, see *Thamnophis sirtalis*
- Snipe, Common, see *Gallinago gallinago*
- Sodhi, Navjot S., Cynthia A. Paszkowski, and Shannon Keehn, Scale-dependent habitat selection by American Redstarts in aspen-dominated forest fragments, 70–75
- Solitaire, Slate-colored, see *Myadestes unicolor*
- Somateria mollissima*, 1, 3, 4
- Sora, see *Porzana carolina*
- Sorex cinereus*, 239
 fumeus, 239
- Sparrow, American Tree, see *Spizella arborea*
 Bachman's, see *Aimophila aestivalis*
 Baird's, see *Ammodramus bairdii*
 Brewer's, see *Spizella breweri*
 Chipping, see *Spizella passerina*
 Clay-colored, see *Spizella pallida*
 Field, see *Spizella pusilla*
 Fox, see *Passerella iliaca*
 Grasshopper, see *Ammodramus savannarum*
 Harris', see *Zonotrichia querula*
 Henslow's, see *Ammodramus henslowii*
 House, see *Passer domesticus*
 Le Conte's, see *Ammodramus lecontei*
 Lincoln's, see *Melospiza lincolni*
 Olive, see *Arremonops rufivirgatus*
 Orange-billed, see *Arremon aurantiirostris*
 Rufous-collared, see *Zonotrichia capensis*
 Savannah, see *Passerculus sandwichensis*
 Song, see *Melospiza melodia*
 Swamp, see *Melospiza georgiana*

- Vesper, see *Pooecetes gramineus*
 White-crowned, see *Zonotrichia leucophrys*
 White-throated, see *Zonotrichia albicollis*
 Sparrowhawk, Eurasian, see *Accipiter nisus*
 Levant, see *Accipiter brevipes*
 species nova
Myrmotherula haematonota, 157–165
Ninox ios, 457–464
Speotyto cunicularia, 226, 530
Spermophilus beecheyi, 252, 253
tridecemlineatus, 416
Sphyrapicus varius, 92, 94, 348, 558
Spindalis zena, 311
 Spinetail, White-lored, see *Synallaxis albilora*
Spiza americana, 100–104, 515–527
Spizaetus ornatus, 218, 225
Spizella arborea, 554, 555, 558
breweri, 581
pallida, 100–104, 581–584
passerina, 93, 94, 581, 584
pusilla, 214, 554, 558, 581–584
Sporophila bouvreuil, 228
caeruleocephala, 228, 414
collaris, 228
hypoxantha, 228
plumbea, 228
ruficollis, 218, 222, 228
 squirrel, California ground, see *Spermophilus beecheyi*
 flying, see *Glaucomys* sp.
 gray, see *Sciurus carolinensis*
 northern flying, see *Glaucomys sabrinus*
 red, see *Tamiasciurus grahamensis* and *Tamiasciurus hudsonicus*
 southern flying, see *Glaucomys volans*
 thirteen-lined ground, see *Spermophilus tridecemlineatus*
 western grey, see *Sciurus griseus*
 Stanley, Thomas R., see Skagen, Susan K., —, and M. Beth Dillon
 Stapanian, Martin A., Christopher C. Smith, and Elmer J. Finck, The response of a Kansas winter bird community to weather, photoperiod, and year, 550–558
 Starling, European, see *Sturnus vulgaris*
 Staus, Nancy L., and Paul M. Mayer, Arthropods and predation of artificial nests in the Bahamas: implications for subtropical avifauna, 561–564
 Stein, Steven J., see Kreisel, Karen J., and —
Stelgidopteryx ruficollis, 227
Stephanophorus diadematus, 401, 402, 413
Stephanoxis lalandi, 409
Stercorarius parasiticus, 437
Sterna aleutica, 559–560
anaethetus, 560
antillarum, 231
bergii, 560
dougallii, 563
forsteri, 108, 109
fuscata, 560
hirundo, 560
sandvicensis, 231
superciliaris, 344
 Stilt, Black, see *Himantopus novaezealandiae*
 Black-necked, see *Himantopus mexicanus*
 Hawaiian, see *Himantopus mexicanus knudseni*
 Pied, see *Himantopus himantopus leucocephalus*
 Stoleson, Scott H., and Deborah M. Finch, Unusual nest sites for southwestern Willow Flycatchers, 573–575
Streptopelia risoria, 251
Strix aluco, 273
hylophila, 408
nebulosa, 27
occidentalis, 22–29, 569
occidentalis caurina, 22
uralensis, 273
varia, 89–99, 272–273
Sturnella loyca, 530
magna, 254, 555, 558
neglecta, 100–104, 416, 554, 555, 558
Sturnus vulgaris, 84, 86, 87, 253, 269, 289, 359, 558, 579
 Sungrebe, see *Heliornis fulica*
Suriri suririri, 226
 survival
 of *Lophodytes cucullatus* and *Aix sponsa* in southeastern Missouri, 1–6
 of *Vireo latimeri*, 376–380
 Swallow, Bahama, see *Tachycineta cyaneoviridis*
 Barn, see *Hirundo rustica*
 Cave, see *Hirundo fulva*
 Tree, see *Tachycineta bicolor*
 Swanson, David L., Eric T. Liknes, and Kurtis L. Dean, Differences in migratory timing and energetic condition among sex/age classes in migrant Ruby-crowned Kinglets, 61–69
 Swift, Black, see *Cypseloides niger*
 Vaux's, see *Chaetura vauxi*
Sylvilagus spp., 25
Synallaxis albescens, 226
albilora, 222
cinerascens, 410
ruficapilla, 410
spixii, 410
Syndactyla rufosuperciliata, 410
Syrigma sibilatrix, 225, 407
 Tacha, Thomas C., see Anderson, James T., and —
 Tachuri, Bearded, see *Polystictus pectoralis*
 Tachycineta bicolor, 108, 233, 269
cyaneoviridis, 311
leucopyga, 530
leucorrhoa, 227
Tachyphonus coronatus, 413
rufus, 228
Taeniopygia guttata, 237
Tamias striatus, 237, 239, 538
Tamiasciurus hudsonicus, 239, 269
 Tanager, Gray-headed, see *Eucometis penicillata*
 Rufous-headed, see *Hemithraupis ruficapilla*
 Sayaca, see *Thraupis sayaca*

- Scarlet, see *Piranga olivacea*
 Stripe-headed, see *Spindalis zena*
 Summer, see *Piranga rubra*
 White-winged, see *Piranga leucoptera*
Tangara preciosa, 413
Tapera naevia, 226, 408
Taxidea taxus, 416
 taxonomy
 new species in the *Myrmotherula haematonota* sub-
 perspecies, 157–165
 of *Caracara* spp., 330–339
 of *Percnostola caurensis* and *Myrmeciza disjuncta*,
 195–209
tayra, see *Eira barbara*
 Teal, Blue-winged, see *Anas discors*
 Tern, Aleutian, see *Sterna aleutica*
 Black, see *Chlidonias niger*
 Bridled, see *Sterna anaethetus*
 Crested, see *Sterna bergii*
 Common, see *Sterna hirundo*
 Forster's, see *Sterna forsteri*
 Least, see *Sterna antillarum*
 Roseate, see *Sterna dougalli*
 Sandwich, see *Sterna sandvicensis*
 Sooty, see *Sterna fuscata*
 Yellow-billed, see *Sterna superciliaris*
 territory
 takeover in *Gavia immer*, 116–117
Tersina viridis, 413
Thalurania furcata, 226
 glaukopis, 409
Thamnophilus caerulescens, 226, 404, 410
Thamnophilus sirtalis, 440
Theristicus caudatus, 118–119, 225, 407
 thermoregulation
 vocalization of *Gallus gallus* embryos in response
 to temperature, 188–194
Thinocorus spp., 264
 Thompson, Frank R., III, see Burhans, Dirk E., and
 —
 Thrasher, Brown, see *Toxostoma rufum*
 Pearly-eyed, see *Margarops fuscatus*
Thraupis bonariensis, 413
 sayaca, 228, 401, 402, 413
 Thrush, Hermit, see *Catharus guttatus*
 Swainson's, see *Catharus ustulatus*
 Varied, see *Ixoreus naevius*
 Wood, see *Hylocichla mustelina*
Thryomanes bewickii, 558
Thryothorus leucotis, 205
 ludovicianus, 141, 142, 555, 558
 modestus, 229, 233
Thymomatas bottae, 25, 28
Tiaris bicolor, 311
 fuliginosa, 414
Tilapia spp., 17
 Tit, Blue, see *Parus caeruleus*
 Great, see *Parus major*
 Titmouse, Bridled, see *Baeolophus wollweberi*
 Plain, see *Baeolophus inornatus*
 Tufted, see *Baeolophus bicolor*
Tityra cayana, 227, 411
 inquisitor, 227
 Todd, Frank S., Natural history of the waterfowl, re-
 viewed, 446–448
Todirostrum plumbeiceps, 412
Tolmomyias sulphurescens, 227, 412
 Towhee, California, see *Pipilo crissalis*
 Eastern, see *Pipilo erythrophthalmus*
 Spotted, see *Pipilo maculatus*
Toxostoma rufum, 558
 translocation
 factors affecting success in *Picoides borealis*, 38–
 45
 Trejo P., Juana Lourdes, see Winker, Kevin, Stefan Ar-
 riaga Weiss, —, and Patricia Escalante P.
 Trexel, Dale R., Robert N. Rosenfield, John Bielefeldt,
 and Eugene A. Jacobs, Comparative nest site
 habitats in Sharp-shinned and Cooper's hawks
 in Wisconsin, 7–14
Trichothraupis melanops, 228, 413
Tringa solitaria, 225
Troglodytes aedon, 130–132, 227, 253, 254, 403, 412,
 530
 sissonii, 128
 troglodytes, 89–99, 128, 245, 558
Trogon curucui, 226
 rufus, 409
 surrucura, 409
 Tucker, Graham M., and Michael I. Evans, Habitats
 for birds in Europe: a conservation strategy for
 the wider environment, reviewed, 454–456
Tupinambis sp., 218
Turdus albicollis, 412
 amaurochalinus, 227, 401, 402, 412
 assimilis, 233
 falcklandii, 530
 flavipes, 412
 infuscatus, 229, 233, 234
 migratorius, 84, 86, 87, 92, 94, 141, 142, 441, 558
 nigriceps, 412
 rufiventris, 227, 401, 402
 turkey, see *Meleagris* spp.
 Turkey, Wild, see *Meleagris gallopavo*
Turnix sp., 251
 Turnstone, Ruddy, see *Arenaria interpres*
 turtle, snapping, see *Chelydra serpentina*
 Turtle-Dove, Ringed, see *Streptopelia risoria*
 Twedt, Daniel J., see Smith, Winston Paul, and —
 Tyrannulet, Reiser's, see *Phyllosmyias reiseri*
 Torrent, see *Serpophaga cinerea*
Tyrannus dominicensis, 310
 melancholicus, 227, 402, 411
 savana, 227, 411
 tyrannus, 108, 346, 348, 349
 verticalis, 252
 Tyrant, Cock-tailed, see *Alecturus tricolor*
 Sharp-tailed, see *Culicivora caudacuta*
 White-tufted, see *Elaenia albiceps*
Tyto alba, 27, 273, 408, 530, 571–573
Upucerthia dumetaria, 530
 ruficauda, 530

- use
 of *Lythrum salicaria* dominated habitat, 105–114
- Vanellus chilensis*, 225, 530
vanellus, 131, 484
- Veery*, see *Catharus fuscescens*
- Veit, Richard R., review by, 298–299
- Veniliornis passerinus*, 226
spilogaster, 397–414
- Vermivora luciae*, 577
ruficapilla, 229, 233
- Verner, Jared, see Purcell, Kathryn L., and ———
- Vireo altiloquus*, 310
atricapillus, 46–55, 378, 379
bellii, 51, 52, 378, 379, 499–504
bellii pusillus, 46, 499
crassirostris, 311
gilvus, 378
griseus, 46–55, 141, 378
latimeri, 376–380
olivaceus, 52, 91, 93, 94, 141, 228, 279, 378, 413
pallens, 232
solitarius, 92, 94, 95, 233
vicinior, 378
- Vireo, Bell's, see *Vireo bellii*
 Black-capped, see *Vireo atricapillus*
 Black-whiskered, see *Vireo altiloquus*
 Blue-headed, see *Vireo solitarius*
 Gray, see *Vireo vicinior*
 Least Bell's, see *Vireo bellii pusillus*
 Mangrove, see *Vireo pallens*
 Puerto Rican, see *Vireo latimeri*
 Red-eyed, see *Vireo olivaceus*
 Thick-billed, see *Vireo crassirostris*
 Warbling, see *Vireo gilvus*
 White-eyed, see *Vireo griseus*
- Viteri, Maria Eugenia Jara, see Jahn, Olaf, ———, and Karl-L. Schuchmann
- vocalization
 aggressive response of *Poecile atricapillus* and *Poecile carolinensis* to calls, 363–367
 of *Gallus gallus* embryos in response to temperature, 188–194
 of *Percnostola caurensis* and *Myrmeciza disjuncta*, 195–209
 sexual dimorphism in song of *Hylorchilus sumichrasti*, 128–130
 singing in mated female *Wilsonia pusilla*, 134–137
 type B song of *Parula americana*, 505–514
 use of song types by *Poecile gambeli*, 368–375
- Volatinia jacarina*, 228, 414
- vole, see *Microtus* spp.
 pine, see *Microtus pennsylvanicus*
 red-backed, see *Clethrionomys gapperi*
- Vuilleumier, François, review by, 300–301
- Vulpes vulpes*, 417, 576
- Vultur gryphus*, 530
- Vulture, Black, see *Coragyps atratus*
 Egyptian, see *Neophron percnopterus*
- Turkey, see *Cathartes aura*
- Walk, Jeffrey W., Terry L. Esker, and Scott A. Simpson, Continuous nesting of Barn Owls in Illinois, 571–573
- Warbler, Bay-breasted, see *Dendroica castanea*
 Black-and-white, see *Mniotilla varia*
 Black-throated Blue, see *Dendroica caerulea*
 Black-throated Green, see *Dendroica virens*
 Blackburnian, see *Dendroica fusca*
 Chestnut-sided, see *Dendroica pensylvanica*
 Connecticut, see *Oporornis agilis*
 Golden-crowned, see *Basileuterus culicivorus*
 Grace's, see *Dendroica gracae*
 Hermit, see *Dendroica occidentalis*
 Hooded, see *Wilsonia citrina*
 Magnolia, see *Dendroica magnolia*
 Mourning, see *Oporornis philadelphica*
 Nashville, see *Vermivora ruficapilla*
 Pine, see *Dendroica pinus*
 Prairie, *Dendroica discolor*
 Prothonotary, see *Protonotaria citrea*
 Swainson's, see *Limnothlypis swainsonii*
 Townsend's, see *Dendroica townsendi*
 White-bellied, see *Basileuterus hypoleucus*
 Wilson's, see *Wilsonia pusilla*
 Yellow, see *Dendroica petechia*
 Yellow-rumped, see *Dendroica coronata*
- Watson, David M., and Brett W. Benz, The Paint-billed Crake breeding in Costa Rica, 422–424
- Watson, Richard T., see Berkelman, James, James D. Fraser, and ———
- Watts, Bryan D., see Wilson, Michael D., and ———
 Waxwing, Cedar, see *Bombycilla cedrorum*
 weasel, long-tailed, see *Mustela frenata*
- weather
 response of a bird assemblage to the 1997–1998 El Niño in Chile, 527–535
 response of a Kansas bird community, 550–558
- weight
 post-migration gain of *Buteo swainsoni* in Argentina, 428–432
- Weiss, Stefan Arriaga, see Winker, Kevin, ———, Juana Lourdes Trejo P., and Patricia Escalante P.
- Wemmer, Lauren C., see Cuthbert, Francesca J., Brian Scholtens, ———, and Robyn McLain
- Wheatley, Nigel, Where to watch birds in Asia, reviewed, 149–150
- Whimbrel, see *Numenius phaeopus*
 Whip-poor-will, see *Caprimulgus vociferus*
 Whistling-Duck, Fulvous, see *Dendrocygna bicolor*
 West Indian, see *Dendrocygna arborea*
- Whitney, Bret M., see Krabbe, Niels, Morton L. Isler, Phyllis R. Isler, ———, Jose Alvarez A., and Paul J. Greenfield
- Whitt, Michael B., Harold H. Prince, and Robert R. Cox, Jr., Avian use of purple loosestrife dominated habitat relative to other vegetation types in a Lake Huron wetland complex, 105–114
- Whittow, G. C., and M. B. Naughton, Christmas Shearwater egg dimensions and shell characteristics on Laysan Island, northwestern Hawaiian Islands, 421–422

- Wiebe, Myra O., and M. Ross Lein, Use of song types by Mountain Chickadees (*Poecile gambeli*), 368–375
- Willet, see *Catoptrophorus semipalmatus*
- Wilson, Michael D., and Bryan D. Watts, Response of Brown-headed Nuthatches to thinning of pine plantations, 56–60
- Wilson, W. Herbert, Jr., see Burtt, Edward H., Jr., and —
- Wilsonia citrina*, 93, 94, 95
pusilla, 134–137
- Winker, Kevin, Stefan Arriaga Weiss, Juana Lourdes Trejo P., and Patricia Escalante P., Notes on the avifauna of Tabasco, 229–235
- Winter, Maiken, Nesting biology of Dickcissels and Henslow's Sparrows in southwestern Missouri prairie fragments, 515–526
- Wolcott, Donna L., and Thomas G. Wolcott, High mortality of Piping Plovers on beaches with abundant ghost crabs: correlations, not causation, 321–329
- Wolcott, Thomas G., see Wolcott, Donna L., and —
- Wolfenbarger, L. Lareesa, Female mate choice in Northern Cardinals: is there a preference for redder males?, 76–83
- Wood-Pewee, Eastern, see *Contopus virens*
- Woodcreeper, Great Rufous, see *Xiphocolaptes major*
 Narrow-billed, see *Lepidocolaptes angustirostris*
 Olivaceous, see *Sittasomus griseicapillus*
 Tawny-winged, see *Dendrocincla ababatina*
 Wedge-billed, see *Glyphorhynchus spirurus*
- Woodpecker, Acorn, see *Melanerpes formicivorus*
 Black-backed, see *Picoides arcticus*
 Downy, see *Picoides pubescens*
 Golden-green, see *Piculus chrysochloros*
 Hairy, see *Picoides villosus*
 Lineated, see *Dryocopus lineatus*
 Pileated, see *Dryocopus pileatus*
 Red-bellied, see *Melanerpes carolinus*
 Red-cockaded, see *Picoides borealis*
 Red-headed, see *Melanerpes erythrocephalus*
 Three-toed, see *Picoides tridactylus*
- woodrat, dusky-footed, see *Neotoma fuscipes*
- Woodworth, Bethany L., John Faaborg, and Wayne J. Arendt, Survival and longevity of the Puerto Rican Vireo, 376–380
- Woolfenden, Glen E., see Hoffman, Wayne, —, and P. William Smith
- Wren, Bewick's, see *Thryomanes bewickii*
 Buff-breasted, see *Thryothorus leucotis*
 Cactus, see *Campylorhynchus brunneicapillus*
 Canyon, see *Catherpes mexicanus*
 Carolina, see *Thryothorus ludovicianus*
 House, see *Troglodytes aedon*
 Marsh, see *Cistothorus palustris*
 Plain, see *Thryothorus modestus*
 Rock, see *Salpinctes obsoletus*
 Sedge, see *Cistothorus platensis*
 Sorocco, see *Troglodytes sissonii*
 Sumichrast's, see *Hylocichla sumichrasti*
 Winter, see *Troglodytes troglodytes*
- Wyatt, Valerie E., see Friesen, Lyle E., —, and Michael D. Cadman
- Xanthocephalus xanthocephalus*, 108, 254, 558
- Xenops minutus*, 410
rutilans, 410
- Xenopsis albivucha*, 218, 227
- Xenopsis*, White-naped, see *Xenopsis albivucha*
- Xiphocolaptes albicollis*, 409
major, 221, 226
- Xolmis cinerea*, 227, 411
velata, 227
- Yahner, Richard H., and Carolyn G. Mahan, Potential for predator learning of artificial arboreal nest locations, 536–540
- Yellowthroat, Common, see *Geothlypis trichas*
- Yom-Tov, Yoram, see Gorney, Edna, William S. Clark, and —
- Young, Wang and Deborah M. Fitch, Response, 589–592
- Young, Bruce E., and James R. Zook, Nesting of four poorly-known bird species on the Caribbean slope of Costa Rica, 124–128
- Zenaida auriculata*, 408, 530
aurita, 310, 311
macroura, 92, 94, 96, 139–143, 310, 558
- Zimmer, Kevin J., Behavior and vocalizations of the Caura and Yapacana antbirds, 195–209
- Zonotrichia albicollis*, 141, 554, 555, 558
capensis, 228, 402, 414, 530, 533
leucophrys, 554, 555, 558
querula, 213, 558
- Zook, James R., see Young, Bruce E., and —