

Index to Volume 118



The Auk 118(4):1124–1140, 2001

COMPILED BY BRADLEY R. PLUMMER AND REBECCA M. BRAUCHT

The index is confined primarily to new information. Previously published information referred to in this volume has not been included unless extensive comparisons or reinterpretations are involved. New specific names are printed in **boldface** type.

- 100 Years Ago in The American Ornithologists' Union, 281, 572, 817, 1121
- Abraham, Kenneth F., see Badzinski, Shannon S., et al.
- Abundance, of forest birds, 589–610; Swainson's Warbler, 650–664
- Accipiter imitator*, 472–483
- A. novaehollandiae rufoschistaceus*, 472–483
- A. superciliosus*, 304–326
- A. cooperi*, 1095–1101
- A. gentilis*, 352–365
- A. nisus*, 352–365
- A. nisus*, 996–1007
- Aceros plicatus*, 916–933
- Ac. plicatus harterti*, 472–483, 916–933
- Acrocephalus arundinaceus*, 147–155
- Acr. scirpaceus*, 534–538, 776–780
- Acr. scirpaceus*, 698–708
- Actitis hypoleucos*, 472–483
- Activity Patterns and Effect of Ticks on Growth and Survival of Tropical Roseate Tern Nestlings, 709–716
- Adenylate kinase intron 5, 248–255
- Adenylate Kinase Intron 5: A New Nuclear Locus for Avian Systematics, 242–248
- Adrenocortical response to stress in Semipalmated Sandpipers, 79–91
- Adult survival in Ovenbirds, 380–388
- Aegothales insignis*, 248–255
- Afik, Daniel, see Ciminari, M. Eugenia, et al.
- Afropavo congensis*, 799–804
- Age and Recruitment in Cassin's Auklets, 996–1007
- Age and Reproduction in Lesser Spotted Woodpeckers (*Dendrocopos Minor*), 624–635
- Agelaius phoeniceus*, 16–23, 24–34, 147–155, 231–236, 268–269, 765–769, 983–995
- A. phoeniceus*, 272–274
- Ahumada, Jorge A., 191–210
- Aimophila aestivalis*, 832–837
- Aix sponsa*, 650–664
- Alatalo, Rauno V., see Rätti, Osmo et al.
- Albatross, Wandering, 996–1007
- Alca torda*, 404–411, 996–1007, 1076–1080
- Alcedo atthis salomonensis*, 472–483
- Alectoris chukar*, 799–804
- Ale. rufa*, 799–804
- Almeida, Juliana B., and Macedo, Regina H., 404–411
- Altshur, Douglas L., and Nunn, Andrea M., 795–799
- Amazorornis moluccanus nigrifrons*, 472–483
- Amazilia amabilis*, 304–326
- A. tzacatl*, 304–326
- A. amazonica*, 958–972
- Amazona auropalliata*, 958–972
- Ama. autumnalis*, 304–326
- Ama. farinosa*, 304–326
- Amblycercus holosericeus*, 304–326
- Ammodrammus leconteii*, 11–15, 24–34, 765–769
- Amm. nelsoni*, 765–769
- Amm. savannarum*, 11–15, 24–34, 765–769
- Amm. bairdii*, 11–15, 24–34, 765–769
- Amm. henslowii*, 11–15, 422–431, 832–837
- Anas acuta*, 290–303
- An. superciliosa pelewensis*, 472–483
- Anava, Avner, et al., 519–524, 525–528
- Ani, Groove-billed, 304–326
- Ankney, C. Davidson, see Badzinski, Shannon S., et al.
- Anomalous Variation in Mitochondrial Genomes of White-crowned (*Zonotrichia leucophrys*) and Golden-Crowned (*Z. articaquila*) Sparrows: Pseudogenes, Hybridization, or Incomplete Lineage Sorting?, 224–231
- Anseranas semipalmata*, 137–146
- Antbird, Bare-crowned, 304–326; Bicolored, 304–326, Chestnut-backed, 304–326; Dusky, 304–326; Ocellated, 304–326; Spotted, 304–326; Stripe-backed, 457–471; White-bellied, 191–210
- Anthrocothorax prevostii*, 304–326
- Anthus spragueii*, 765–769
- Antpitta, Ochre-fronted, 334–341; Streak-chested, 304–326; Thicket, 304–326
- Antshrike, Barred, 304–326; Fasciated, 304–326, Great, 304–326
- Ant-Tanager, Red-throated, 304–326
- Antthrush, Black-faced, 304–326
- Antvireo, Streak-crowned, 304–326
- Antwren, Checker-throated, 304–326; Dot-winged, 304–326; White-flanked, 304–326
- Aphanotriccus capitalis*, 304–326
- Aphelocoma coerulescens*, 137–146, 242–248, 525–528
- Aplonis grandis grandis*, 472–483

- Apl. cantoroides*, 472–483
Apl. metallica nitidus, 472–483
Aptenodytes forsteri, 290–303
Aquila verreauxi, 1095–1101
Ara ambiguous, 304–326
Aracari, Collared, 304–326
Aramides cajanea, 304–326
Aratinga acuticaudata acuticaudata/hemmorhous, 457–471
Arat. finschi, 304–326
Arat. nana, 304–326
Archcilchus colubris, 589–610, 795–799, 1018–1028
Ardea albus, 508–513
Ard. herodias, 508–513
Ardeola ibis, 709–716
Ardia, Daniel R., and Bildstein, Keith L., 746–750
Area Requirements of Grassland Birds: A Regional Perspective, 24–34
Area sensitivity, of Baird's Sparrow, 24–34; Bobolinks, 24–34; Clay-colored Sparrows, 24–34; Eastern Meadowlark, 24–34; Northern Harriers, 24–34; Sedge Wren, 24–34; Western Meadowlark, 24–34
Armstrong, Margaret H., et al., 799–804
Arremon aurantirostris, 304–326
Arremonops conirostris, 304–326
Artificial nests, 105–115
Assortative mating, of *Pyrrhonorax graculus*, 553–556; of *Tyrannus forficatus*, 167–175
Atelornis crossleyi, 849–863
A. pittoides, 849–863
Atilla, Bright-rumped, 304–326
Attila spadiceus, 304–326
Auklet, Cassin's, 709–716, 996–1007, 1036–1046
Aulacorhynchus prasinus, 916–933
A. sulcatus, 916–933
Automolus ochrolaemus, 304–326
Aviceda subcristata gurneyi, 472–483
Avocet, American, 484–495, 1072–1076; Pied, 1072–1076
Aythya ferina, 717–726
A. fuligula, 717–726
A. valisineria, 717–726, 1008–1017
Avoidance of edge, by grassland birds, 24–34; by Ovenbirds, 380–388
Babbler, Arabian, 519–524, 525–528; Arrow-marked, 525–528; Bare-cheeked, 525–528; Jungle, 525–528; Common, 525–528
Bäckman, Johan, see Ottoson, Ulf, et al.
Badzinski, Shannon S., et al. 687–697
Baglione, Vittorio, see Ekman, Jan, et al.
Bailloniuss bailloni, 916–933
Bajema, Robb A., et al. 422–431
Bambusicola thoracica, 799–804
Bannaquit, 304–326
Baptista, Luis Felipe, 1941–2000, In Memoriam, 496–499
Barbthroat, Band-tailed, 304–326
Bartramia longicauda, 24–34
Baryphthengus martii, 304–326
Bates, John M., see Kirchman, Jeremy J., et al.
Bayne, Erin M., and Hobson, Keith A., 380–388
Baza, Pacific, 472–483
Bears, Heather, see Pierre, Johanna P., et al.
Beard, Cinnamon, 304–326; White-winged, 304–326
Bech, Claus, see Østnes, Jan Eivind, et al.
Bee-eater, Colonial, 525–528
Bellbird, Three-wattled, 304–326
Belthoff, James R., see Herting, Brian L., and ———
Benson, Anna-Marie, and Winker, Kevin, 513–519
Bentbill, Northern, 304–326
Bermingham, Eldredge, see Hunt, Jeffery S., et al.
Bermingham, Eldredge, see Lovette, Irby J., and ———
Bertran, Joan, see Margalida, Antoni, and ———
Bickal, Jean M., see Hartup, Barry K., et al.
Bildstein, Keith L., see Ardia, Daniel R., and ———
Bird Migration through a Mountain Pass, 389–403
Blackbird, 272–274; Red-winged, 16–23, 24–34, 147–155, 231–236, 268–269, 765–769, 983–995
Blackcap, 665–677
Blackwell-Rago, Rachele C., see Weckstein, Jason D., et al.
Blake, John G., and Loiselle, Bette A., 304–326
Bluebird, Eastern, 147–155, 743–745
Bluethroat, 698–708
Blums, Peter, see Dugger, Bruce D., and ———
Bobolink, 11–15, 24–34, 147–155, 765–769
Bogliani, Giuseppe, see Sergio, Fabrizio, and ———
Bombycilla cedrorum, 389–403, 819–831, 1080–1088
Bonasa umbellus, 1080–1088
Bowler, John, see Ramos, Jamie A., et al.
Boyd, Sean, see Hull, Cindy L., et al.
Bozinovic, Francisco, see Rezende, Enrico L., et al.
Brachypteracias leptosomus, 849–863
B. squamigera, 849–863
Brachyramphus marmoratus, 1036–1046
Bradbury, Jack W., et al., 958–972
Brand, L. Arriana, and George, T. Luke, 678–686
Brant, Black, 500–503, 1088–1095
Branta bernicla nigricans, 500–503, 1088–1095
B. canadensis, 290–303, 687–697
B. leucopsis, 624–635
Braun, Edward L., see Armstrong, Margaret H., et al.
Breeding Bird Survey (BBS), 11–15
Breeding, age of first, 996–1007; cooperative, 1–10, 525–528; habitat quality, 636–649; performance, 624–635; site fidelity, 539–543, 888–889; success, 709–716, 1036–1046; success of *Ficedula hypoleuca*, 750–755
Brierley, Andrew S., and Fernandes, Paul G., 529–534
Brisbin, I. Lehr, Jr., see Bryan, A. Larry, Jr., et al.
Brood parasitism, 24–34, 534–538, 717–726, 776–780, 864–873; anti-brood-parasite behavior, 776–780
Brooks, Thomas, and Thompson, Hazell Shokellu, 575–582
Protogeris jugularis, 304–326
Bruner, Andrea E., see Johnson, Oscar W., et al.

- Bruner, Jay J., see Johnson, Oscar W., et al.
 Bryan, A. Larry, Jr., et al. 508–513
Bubo virginianus, 137–146, 352–365, 557–562
Bucephala albeola, 224–230
Buc. clangula, 224–230, 770–775
 Budgerigar, 795–799, 958–972, 1080–1088
 Bufflehead, 224–230
 Bunting, Indigo, 237–242, 611–623, 864–873, 1018–1028; Lark, 24–34; Lazuli, 272–274, 611–623; Le-clancher's (Orange-breasted), 611–623; Rosita's (Rose-breasted), 611–623; Varied, 611–623
 Burger, Alan E., 755–759
 Burhans, Dirk E., see Strausberger, Bill M., and —
 Burhans, Dirk E., and Thompson, Frank R. III, 237–242
 Bush-hen, Rufous-tailed, 472–483
Buteo albicaudatus, 1095–1101
B. lagopus, 248–255
B. lineatus, 271–272
B. platypterus, 271–272

Cinlocerthia ruficauda, 35–55
Cacatua ducorsii, 472–483
Cacatua galerita, 958–972
 Cachalote, Rufous, 457–471
Cacicus uropygialis, 304–326
 Cacique, Scarlet-rumped, 304–326; Yellow-billed, 304–326
Camantant variolosus addendus, 472–483
Calamospiza melanocorys, 24–34
Calcarius ornatus, 24–34, 765–769
C. pictus, 11–15
Calcarius spp., 11–15, 105–115
Calidris canutus, 79–81
C. mauri, 79–91, 484–495
C. minuta, 484–495
C. minutilla, 484–495
C. pusilla, 79–91
Calocitta formosa, 137–146
Calonectris diomedea, 242–248, 755–759
Calypte costae, 1080–1088
Calyptorhynchus funereus, 958–972
Campephilus guatemalensis, 304–326
Campylorhynchus zonatus, 304–326
 Cannet, Cape, 529–534
 Canvasback, 717–726, 1008–1017
Capsiempis flaveola, 304–326
 Cardinal, Northern, 237–242, 864–873, 1018–1028
Cardinalis cardinalis, 237–242, 864–873, 1018–1028
Carduelis tristis, 389–403
Carpodacus mexicanus, 147–155, 256–260, 260–266, 290–303, 327–333, 900–915
C. mexicanus frontalis, 900–915
C. mexicanus griseus, 900–915
C. purpureus, 389–403, 589–610
Carpodectes nitidus, 304–326
Caryothraustes poliogaster, 304–326
 Catbird, Black, 35–55; Gray, 35–55, 304–326, 1018–1028
 Cate, Carl Ten, see Johnson, Kevin P., et al.
Catharacta maccornicki, 636–649
Cathartes aura, 304–326
Catharus bicknelli, 16–23, 389–403, 832–837
C. fuscescens, 304–326, 832–837, 838–848
C. guttatus, 105–115, 277–278, 389–403, 1018–1028
C. minimus, 16–23, 304–326, 832–837, 838–848
C. occidentalis, 838–848
C. ustulatus, 16–23, 304–326, 513–519, 678–686
Catoptrophorus semipalmatus, 24–34
Catreus wallichi, 799–804
 Caviedes-Vidal, Enrique, see Ciminari, M. Eugenia, et al.
 Cavity nest, characteristics of, 412–421
Celeus castaneus, 304–326
C. loricatus, 304–326
Cephalopterus glabricollis, 304–326
Cercomacra tyrannina, 304–326
Certhia americana, 678–686, 819–831
Certhilauda curvirostris, 575–582
Ceryle rudis, 242–248
C. torquata, 304–326
Ceyx lepidus meeki, 472–483
Ce. pusillus bougainvillei, 472–483
 Chachalaca, Gray-headed, 304–326; Plain, 799–804
Chaetura pelagica, 832–837
Chalcophaps stephani mortoni, 472–483
Chalcopsitta cardinalis, 472–483
Chalybura urochrysia, 304–326
C. urochrysia, 304–326
Chamaea fasciata, 678–686
 Chat, Yellow-breasted, 237–242
Chen caerulescens caerulescens, 687–697
 Chickadee, Black-capped, 389–403; Boreal, 389–403; Chestnut-backed, 678–686; Mountain, 412–421
 Chiffchaff, 404–411
 Chimney Swift, 274–277
Chiroxiphia lanceolata, 191–210
Chloris chloris, 795–799
Chloroceryle aenea, 304–326
C. amazona, 304–326
Chlorophanes spiza, 304–326
Chlorothraupis carmioli, 304–326
Chordeiles minor, 832–837
 Chough, Alpine, 553–556; White-winged, 1–10
Chrysococcyx l. lucidus, 472–483
 Chukar, 799–804
 Cicadabird, Slender-billed, 472–483
Cichlherminia lherminieri Turdidae, 35–55
 Cichon, Mariusz, 550–552
Cicinnurus magnificus, 248–255
 Ciminari, M. Eugenia, et al., 1101–1107
Cinlocerthia gutturalis, 35–55
Circus cyaneus, 24–34
Cistothorus platensis, 11–15, 24–24, 765–769
Cladorhynchus leucocephalus, 1072–1076
Claravis pretiosa, 304–326
 Clark, Robert G., see Rangen, Sheila A., et al.
 Clarke, Alice L., et al., 534–538

- Clayton, Dale H., see Johnson, Kevin P., et al.
- Clemmons, Janine R., see Bradbury, Jack W., et al.
- Clutch size, 973–982
- Coccothraustes vespertinus*, 389–403
- Coccyzus americanus*, 1018–1028
- Cockatoo, Black, 958–972; Ducorps's, 472–483; White, 958–972
- Cody, Martin L., 443–456
- Coereba flaveola*, 211–215, 304–326
- Colaptes auratus*, 389–403, 412–421
- Colius castanotus*, 916–933
- C. striatus*, 916–933
- Collins, Scott, 583–588
- Collocalia esculenta*, 472–483
- C. spodiopygia reichenowi*, 472–483
- C. vanikorensis vanikorensis*, 472–483
- Colluricincla*, 248–255
- Colluricincla megarhyncha*, 248–255
- Colonia colonus*, 304–326
- Colony and Population Dynamics of Black-legged Kittiwakes in a Heterogenous Environment, 636–649
- Columba arquatrix*, 874–887
- C. cayennensis*, 304–326
- C. fasciata*, 874–887
- C. flavirostris*, 304–326
- C. guinea*, 874–887
- C. leucocephala*, 874–887
- C. livia*, 874–887
- C. livia*, 795–799
- C. nigrirostris*, 304–326
- C. oenops*, 874–887
- C. palumbus*, 874–887
- C. plumbea*, 874–887
- C. pulchrichollis*, 874–887
- C. rupestris*, 874–887
- C. speciosa*, 304–326
- C. speciosa*, 874–887
- C. subvinacea*, 874–887
- Columbina talpacoti*, 304–326
- Commentary, 256–267
- Comparative Fuel Use Of Migrating Passerines: Effects of Fat Stores, Migration Distance, and Diet, 665–677
- Comparison of the Reproductive Biology of Two Neotropical Wrens in an Unpredictable Environment in Northeastern Colombia, 191–210
- Composition of Eggs and Neonates of Canada Geese and Lesser Snow Geese, 687–697
- Congener, North American, 231–236
- Conjunctivitis, avian, 290–303, 327–333; in House Finches, 327–333
- Conner, Richard N., et al., 219–224
- Conopias albivittata*, 304–326
- Consequences of Dominance-Mediated Habitat Segregation in American Redstarts During the Non-breeding Season, 92–104
- Conservation, implementation of, 575–582; of grassland birds, 422–431; planning site-specific, 575–582
- Contopus cooperi*, 832–837
- C. sordidulus*, 116–136
- C. virens*, 304–326, 589–610, 1018–1028
- Conuropsis carolinensis*, 277–278
- Cooke, Fred, see Hull, Cindy L., et al.
- Coot, American, 290–303
- Coracias garrulous*, 849–863
- C. caledonica welchmani*, 472–483
- C. caledonica welchmani*, 472–483
- C. holopolia holopolia*, 472–483
- C. lineata nigrifrons*, 472–483
- C. papuensis perpillada*, 472–483
- C. tenuirostris saturator*, 472–483
- Corapipo altera*, 304–326
- Corcorax melanorhamphus*, 11–15
- Cormorant, Double-crested, 983–995
- Cortopassi, Kathryn A., see Bradbury, Jack W., et al.
- Corvus brachyrhynchos*, 389–403, 864–873, 1018–1028
- C. corax*, 389–403, 636–649, 678–686
- C. corone*, 179–190
- C. woodfordi vegetus*, 472–483
- Cotinga, Snowy, 304–326
- Coturnix japonica*, 105–115, 242–248, 352–365
- Coulson, Robert N., see Conner, Richard N., et al.
- Cowbird, Bay-winged, 457–471; Brown-headed, 11–15, 24–34, 156–166, 237–242, 277–278, 534–538, 589–610, 765–769, 770–776, 776–780, 864–873, 1018–1028, 1057–1062
- Crake, White-throated, 304–326
- Crane, Whooping, 290–303
- Crax pauxi*, 799–804
- C. rubra*, 304–326
- Creeper, Brown, 678–686, 819–831
- Crock, J. G., see Larison, James R., et al.
- Crossbill, White-winged, 92–104
- Crossoptilon crossoptilon*, 799–804
- Crotophaga sulcirostris*, 304–326
- Crow, American, 389–403, 864–873, 1018–1028; Carrion, 176–190; White-billed, 472–483
- Cryptic New Species of Flycatcher (Tyrannidae: *Suiriri*) from the Cerrado Region of Central South America, 56–78
- Cryptosylvicola* gen. nov., 575–582
- Crypturellus boucardi*, 304–326
- C. soui*, 304–326
- Cuckoo, Brush, 472–483; Common, 534–538, 770–776, 776–780; Golden Bronze, 472–483; Squirrel, 304–326; Striped, 191–210; Yellow-billed, 1018–1028
- Cuckoo-Dove, Mackinlay's, 472–483
- Cuckoo-shrike, Melanesian, 472–483; Solomon Islands, 472–483; White-bellied, 472–483; Yellow-eyed, 472–483
- Cuculus canorus*, 534–538, 770–776, 776–780
- Curassow, Great, 304–326
- Curlew, Bristle-thighed, 342–351

- Currassow, Helmeted, 799–804
 Current Bird Conservation Issues in Africa, 575–582
Cyanerpes lucidus, 304–326
Cyanocitta cristata, 224–230, 389–403, 589–610, 864–873, 1018–1028
C. stelleri, 678–686
Cyanocompsa cyanoides, 304–326
Cyanocorax morio, 304–326
C. yncas, 11–15
Cymbilaimus lineatus, 304–326
 Cynthia Carey, 268–269
Cyphorhinus phaeocephalus, 304–326
Cyrtonyx montezumae, 799–804
 Cytochrome-*b* Perspective on Passerina Bunting Relationships, 611–623

Dacnis cayana, 304–326
Dacnis, Blue, 304–326
 Dale, James, see Lank, David B.
 Daly, James L., see Bryan, A. Larry Jr., et al.
 Davis, Craig A., and Smith, Loren M.
 Davis, Laura, see Ramos, Jamie A., et al.
 De Kort, Selvino, see Johnson, Kevin P., et al.
 Dearborn, Donald C., and Sanchez, Laura L., 1052–1057
 Dechesne, Sharon, see Verbovan, Nanette et al.
Deconychura longicauda, 304–326
 Degen, A., Allen, see Anava, Avner et al.
 Dein, F. Joshua, see Friend, Milton et al.
 Del Rio, Carlos Martínez, see Levey, Douglas J., and —
 Delestrade, Anne, 553–556
Dendragapus obscurus, 996–1007
Dendrocincla fuliginosa, 304–326
Dendrocolaptes sanctithomae, 304–326
Dendrocopos minor, 624–635
Dendrocopos major, 916–933
Dendroica adelaidae, 211–215
D. caerulescens, 16–23, 389–403, 544–549, 583–588, 1018–1028,
D. caerulescens, 380–388
D. castanea, 304–326, 389–403
D. cerulea, 304–326, 727–735, 832–837
D. chrysoparia, 832–837, 1052–1057
D. coronata, 79–91, 389–403, 513–519, 819–831, 1101–1107
D. fusca, 304–326, 389–403
D. kirtlandii, 832–837
D. magnaolia, 277–278, 304–326, 389–403
D. occidentalis, 678–686
D. pensylvanica, 304–326, 389–403
D. petechia, 105–115, 389–403, 776–780,
D. pinus, 1101–1107
D. striata, 389–403, 513–519
D. tigrina, 211–215
D. virens, 389–403, 1018–1028
 Dervan, Anne A., see Stanback, Mark T., and —
 DeVault, Travis L., see Bajema, Robb A., et al.
 Dewey, Sarah R., and Kennedy, Patricia L., 352–365
 Dhondt, Andre A., see Hartup, Barry K., et al.
Dicaeum aeneum aeneum, 472–483
 Dickcissel, 11–15, 105–115
 Dierenfeld, Ellen S., see Pryor, Gregory, et al.
 Diet shifting, 1101–1107
 Dimorphism, sexual size, 56–78, 457–471, 553–556
 Dinwoodey, Karen, see Johnson, Kevin P., et al.
Diomedea exulans, 996–1007
 DiQuinzio, Deborah A., et al., 888–889
 Dispersal, 544–549; among breeding sites, 16–23; distances, 539–543; patterns, 888–889; of Magpies, 137–146; of *Pica hudsonia*, 137–146
 Diving Depths of Shearwaters, 755–759
Dolichonyx oryzivorus, 11–15, 24–34, 147–155, 765–769
 Dollarbird, 472–483
 Dove, Blue Ground, 304–326; Claret-breasted Fruit, 472–483; Gray-chested, 304–326; Mourning, 24–34; Rock, 795–799; Stephan's, 472–483; Zenaida, 795–799
 Dowitcher, Long-billed, 484–495
 Drepanidinae, 35–55
Dryocopus lineatus, 304–326
D. pileatus, 589–610
 Duck, Pacific Black, 472–483; Tufted, 717–726; Wood, 650–664
Ducula rubricera rufigula, 472–483
 Dugger, Bruce D., and Blums, Peter, 717–726
 Dumbacher, John P., see Shapiro, Leo H., and —
Dumetella carolinensis, 35–55, 304–326, 1018–1028
Dysithamnus striaticeps, 304–326

 Eagle, Bald, 277–278, 636–649; Verreaux's, 1095–1101
 Eckelberry, Don Richard, 1921–2001, In Memoriam, 736–739
Eclectus roratus solomonensis, 472–483
 Eddleman, William R., see DiQuinzio, Deborah A., et al.
 Edge effects, 11–15, 105–115
 Edge sensitivity, 678–686
 Effect of Conspecific Brood Parasitism on Host Fitness for Tufted Duck and Common Pochard, 717–726
 Eggers, Sönke, see Ekman, Jan, et al.
 Egret, Cattle, 709–716; Great, 508–513; Pacific Reef, 472–483
Egretta sacra sacra, 472–483
 Eider, Common, 290–303; Spectacled, 290–303
 Ekman, Jan, et al., 1–10
Elaenia chiriquensis, 56–78
Elaenia, Lesser, 56–78
Electron platyrhynchum, 304–326
 Elliott Coues Award, 2000—Thomas E. Martin, 269–270
Emberiza citrinella, 147–155
Empidonax alnorum, 513–519
E. difficilis, 678–686
E. flaviventris, 304–326
E. hammondii, 513–519

- E. minimus*, 589–610
E. oberholseri, 116–136
E. traillii brewsteri, 366–379
E. traillii campestris, 366–379
E. traillii extimus, 366–379
E. traillii traillii, 366–379
E. traillii, 116–136
E. traillii adastus, 366–379
E. traillii extimus, 272–274, 304–326, 366–379
E. virescens, 116–136, 304–326, 864–873, 1018–1028
 Endocrinology, 283–289
 Energetics of Avian Frugivores, 916–933; of Rufous-tailed Plancutter (*Phytotoma rara*), 781–785; of self-feeding shorebird chicks, 944–957; of tropical frugivores, 916–933
 Engstrom, Todd, 1108–1120
 Ens, Bruno, J., see Verbovan, Nanette, et al.
Eos bornea, 1080–1088
 Epplen, Jörg Thomas, see Quillfeldt, Petra, et al.
Erithacus rubecula, 698–708
Eudocimus albus, 508–513
Eudynamis scolopacea alberti, 475–483
Euphonia gouldi, 304–326
Euphonia luteicapilla, 304–326
Euphonia minuta, 304–326
Euphonia, Olive-backed, 304–326; White-vented, 304–326; Yellow-crowned, 304–326
Eurystomus glaucurus, 849–863
E. orientalis, 849–863
E. orientalis solomonensis, 472–483
Eutoxeres aquila, 304–326
Eu. aquila as pollinator, 304–326
Eutriorchis astur, 575–582
 Extrapair copulations, of Pied Flycatcher (*Ficedula hypoleuca*), 147–155; Carolina Wrens (*Thryothorus ludovicianus*), 215–219

F. analis, 304–326
 Factors Governing the Distribution of Swainson's Warbler along a Hydrological Gradient in Great Dismal Swamp, 650–664
 Fairy, Purple-crowned, 304–326
 Fairy-wren, Splendid, 888–889
Falcipennis canadensis, 799–804
Falco columbarius, 557–562
F. femoralis, 248–255
F. peregrinus, 636–649
F. severus, 472–483
F. sparverius, 746–750
F. sparverius, 79–91, 746–750
F. subbuteo, 1047–1052
 Falcon, Barred Forest, 304–326; Laughing, 304–326; Peregrine, 636–649
 Fantail, Rufous, 472–483; White-winged, 472–483
 Farnsworth, George L., and Simons, Theodore R., 973–982
 Female Hematozoan Infection Reduces Hatching Success but not Fledging Success in Pied Flycatchers *Ficedula hypoleuca*, 750–755

Ficedula albicollis, 550–552
F. hypoleuca, 147–155, 539–543, 750–755, 1069–1072
 Filardi, Christopher E., see Kratter, Andrew W., et al.
 Finch, Cactus, 191–210; Galapagos, 35–55, 191–210; House, 147–155, 256–260, 260–266, 290–303, 327–333, 900–915; Purple, 389–403, 589–610; Zebra, 283–289, 958–972
 Fish-Eagle, Sanford's, 472–483
 Flatbill, Eye-ringed, 304–326
 Fleischer, Robert C., see Haggerty, Thomas M., et al.
 Flicker, Northern, 389–403, 412–421
 Flint, Paul L., et al. 500–503
Florisuga mellivora, 304–326
 Flowerpecker, Midget, 472–483
 Flycatcher, Acadian, 304–326, 864–873, 1018–1028; Alder, 513–519; Boat-billed, 304–326; Chapada, 56–78; Collared, 550–552; Dusky, 116–136; Dusky-capped, 304–326; Fork-tailed, 167–175; Gray-capped, 304–326; Great Crested, 304–326; Hammond's, 513–519; Least, 589–610; Ochrebellied, 304–326; Olive-sided, 832–837; Olive-striped, 304–326; Pacific-slope, 678–686; Pied, 147–155, 539–543, 750–755, 1069–1072; Piratic, 304–326; Royal, 304–326; Ruddy-tailed, 304–326; Scissor-tailed, 167–175; Sepia-capped, 304–326; Social, 304–326; Steel-blue, 472–483; Suiriri, 457–471; Sulphur-bellied, 304–326; Tawny-chested, 304–326; Tyrant, 56–78; Vermilion, 56–78; White-bearded, 56–78; White-ringed, 304–326; Willow, 272–274, 304–326, 366–379; Yellow-bellied, 304–326; Yellow-margined, 304–326; Yellow-olive, 304–326
 Foliage-gleaner, Buff-throated, 304–326
 Foraging behavior, of Buff-breasted Wrens 191–210; of **Chapada Flycatcher**, 56–78; ground foraging ecology, 650–664; nocturnal, 508–513; of Rufous-and-White wrens, 191–210; of shorebirds, 484–495
 Ford, Thomas B., et al., 864–873
 Forest fragmentation, 380–388, 864–873
 Forest-Falcon, Collared, 304–326; Slaty-backed, 304–326
Formicarius analis, 304–326
Fratercula arctica, 352–365, 934–943, 996–1007
F. cirrhata, 934–943
 Frequency of Egg and Nestling Destruction by Female Brown-headed Cowbirds at Grassland Nests, 765–769
 Friend, Milton, et al., 290–303
 Frogmouth, Marbled, 472–483
 Frugivory, 819–831; protein requirements for, 1080–1088
 Fruitcrow, Purple-throated, 304–326
 Fruit-Dove, Superb, 472–483
 Fry, Adam J., see Klicka, John, et al.
Fulica americana, 290–303
F. leucoptera, 248–255
 Fulmar, 529–534; Northern, 242–248
Fulmarus glacialis, 242–248, 529–534

- Function and Temporal Variation in Use of Ossuaries by Bearded Vultures (*Gypaetus barbatus*) During the Nestling Period, 785–789
- Galbula ruficauda*, 304–326
- Gallinula chloropus*, 248–255
- Gannes, Leonard Z., 665–677
- Gannet, Northern, 529–534, 983–995
- Gauthreaux, Sidney A., Jr., see Mizarhi, Davis S., et al.
- Gavia immer*, 242–248
- Geobiasetes squamigerus*, 849–863
- Geoffroyus heteroclitus heteroclitus*, 472–483
- George, T. Luke, see Brand, L. Arriana, and —
- Geospiza scandens*, 191–210
- Geothlypis semiflava*, 304–326
- G. trichas*, 24–34, 237–242, 389–403, 765–769, 1018–1028
- Geotrygon montana*, 874–887
- Ge. veraguensis*, 304–326
- Ge. violacea*, 304–326
- Geronticus eremita*, 575–582
- Gesopizinae*, 35–55, 191–210
- Gibbs, H. Lisle, see Woolfenden, Bonnie E., et al.
- Gilbert, Albert Earl, and Amadon, Dean, 736–739
- Glaucidium griseiceps*, 304–326
- Glaucis aenea*, 304–326
- Glyphorynchus spirurus*, 304–326
- Gnatcatcher, Blue-gray, 1018–1028; Tropical, 304–326
- Gnatwren, Long-billed, 304–326; Tawny-faced, 304–326
- Godwit, Black-tailed, 944–957; Marbled, 24–34
- Goetz, James E., see Hobson, Keith A., et al.
- Goldcrest, 698–708
- Goldeneye, Common, 224–230, 770–775
- Golden-Plover, American, 342–351; Eurasian, 342–351
- Goldentail, Blue-throated, 304–326
- Goldfinch, American, 389–403
- Goodman, Steven M., see Kirchner, Jeremy J., et al.
- Goose, Barnacle, 624–635; Canada, 290–303, 687–697; Lesser Snow, 687–697; Magpie, 137–146
- Goshawk, Gray, 472–483; Northern, 352–365
- Grackle, Great-tailed, 116–136
- Grallarica ochraceifrons*, 334–341
- Granfors, Diane A., et al., 765–769
- Grasquit, Blue-black, 304–326, 404–411
- Graves, Gary R., 650–664
- Greenfinch, 795–799
- Greenlet, Lesser, 304–326; Tawny-crowned, 304–326
- Greenshank, Common, 472–483
- Grisser, Michael, see Ekman, Jan, et al.
- Grosbeak, Black-faced, 304–326; Blue, 611–623; Blue-black, 304–326; Evening, 389–403; Rose-breasted, 304–326, 1018–1028; Slate-colored, 304–326
- Ground-Barbet, African, 916–933
- Ground-Cuckoo, Rufous-vented, 304–326
- Ground-Dove, Ruddy, 304–326
- Grouse, Blue, 996–1007; Red, 290–303; Ruffed, 1080–1088; Sharp-tailed, 24–34, 799–804; Spruce, 799–804
- Growth rates, 519–524, 1088–1095; of *Empidonax oberholseri*, 116–136
- Grus americana*, 290–303
- Guan, Crested, 304–326
- Gubernetes yetapa*, 56–78
- Guineafowl, Helmed, 799–804
- Guiraca caerulea*, 611–623
- Gull, Common, 242–248; Glaucous-winged, 934–943; Herring, 290–303, 503–508, 934–943, 996–1007; Mew, 503–508; Western, 996–1007
- Gymnocichla nudiceps*, 304–326
- Gymnophis leucaspis*, 304–326
- Gymnorhinus cyanocephalus*, 137–146
- Gypaetus barbatus*, 785–789
- Gyps bengalensis*, 290–303
- G. indicus*, 290–303
- Habia fuscicauda*, 304–326
- Habitat, fragmentation, 24–34, 583–588, 589–610, 678–686; fragmentation and *Dendroica caerulescens*, 544–549; preferences of American Kestrel, 746–750; selection, 11–15, 105–115, 544–549, 557–562, 650–664; selection of by Cerulean Warblers, 727–735; structure and Song Sparrows, 432–442; use, 557–562, 1052–1057
- Hackett, Shannon J., see Kirchner, Jeremy J., et al.
- Haematopus ostrilegus*, 503–508
- Haggerty, Thomas M., et al., 215–219
- Halcyon chloris alberti*, 472–483
- H. leucopygia*, 472–483
- H. sancta*, 472–483
- Haliaeetus leucocephalus*, 277–278, 636–649
- Ha. sanfordi*, 472–483
- Haliaeetus leucorhynchus*, 472–483
- Hammer, Yellow, 147–155
- Haramis, G. Michael, et al., 1008–1017
- Harpagus bidentatus*, 304–326
- Harrier, Northern, 24–34
- Harris, Rebecca J., and Reed, J. Michael, 544–549
- Hartertula flavoviridis*, 849–863
- Hartshorne, Charles, 1897–2000, In Memoriam, 1034–1035
- Hartup, Barry K., et al., 327–333
- Hawk, Broad-winged, 271–272; Cooper's, 1095–1101; Red-shouldered, 271–272; Semiplumbeous, 304–326; Tiny, 304–326; White-tailed, 1095–1101
- Hawk-Eagle, Black, 304–326
- Hawk-Owl, Solomon Islands, 472–483
- Hayes, Floyd E., 457–471
- Heliophryx barroti*, 304–326
- Helmitheros vermivorus*, 304–326, 864–873, 1018–1028
- Hemiprocne mystacea woodfordiana*, 472–483
- Henicorhina leucophrys*, 191–210
- H. leucoptera*, 334–341
- H. leucosticta*, 304–326
- Heritriccus cinnamomepectus*, 334–341

- Herkert, James R., see Vickery, Peter D., and —
 Hermit, Bronzy, 304–326; Little, 304–326; Long-tailed, 304–326
 Heron, Great Blue, 508–513; Night, 508–513
Herpethotheres cachinnans, 304–326
 Herting, Brian L., and Belthoff, James R., 1095–1101
 Herzog, Mark P., see Sedinger, James S., et al.
 Hidden-lek hypothesis, 404–411
 Hill, Geoffery E., 256–260
 Hill, Geoffery E., see Inouye, Caron Y., et al.
Himantopus himantopus, 1072–1076
H. leucocephalus, 1072–1076
H. mexicanus, 1072–1076
 Hipfner, J. Mark, 1076–1080
Hirundo tahitica subfusca, 472–483
 Hobby, Northern, 1047–1052; Oriental, 472–483
 Hobson, Keith A., et al., 16–23
 Hobson, Keith A., see Bayne, Erin M., and —; see Rangen, Sheila A., et al.
 Holberton, Rebecca, 271–281, 564–571, 805–816; see Mizarhi, Davis S., et al.
 Holmes, Richard T., and Sherry, Thomas W., 589–610; see Marra, Peter P., and —
 Homeothermy, 983–995
 Honeycreeper, Green, 304–326; Hawaiian, 35–55; Shining, 304–326
 Honeyeater, New Holland, 1080–1088
 Honza, Marcel, see Clarke, Alice L., et al.
 Hornbill, Blyth's, 472–483, 916–933
 House Finch Disease Survey (HFDS), 327–333
 Hull, Cindy L., et al., 1036–1046
 Hummingbird, Blue-chested, 304–326; Broad-tailed, 795–799; Costa's, 1080–1088; Ruby-throated, 589–610, 795–799, 1018–1028; Rufous, 795–799; Rufous-tailed, 304–326; Violet-headed, 304–326
 Hunt, Jeffery S., et al., 35–55
 Hybridizaion, 457–471, 611–623
Hydrochous, 274–277
Hylocharis eliciae, 304–326
Hylocichla mustelina, 304–326, 589–610, 864–873, 973–982, 1018–1028, 1080–1088
Hyloctistes subulatus, 304–326
Hylopezus dives, 304–326
H. perspicillatus, 304–326
Hylophilus decurtatus, 304–326
Hy. ochraceiceps, 304–326
Hylophylax naevioides, 304–326
 Ibis, White, 508–513
Icteria virens, 237–242
Icterus dominicensis, 304–326
I. galbula, 304–326
Ictinia plumbea, 304–326
 Igl, Lawrence D., see Johnson, Douglas H., and —
 Imperial-Pigeon, Red-knobbed, 472–483
 Individual and Seasonal Variation in External Genitalia of Male Tree Swallows, 789–795
 Inouye, Caron Y., et al., 900–915
Iridoprocne bicolor, 116–136, 147–155, 176–190, 242–248, 432–442, 789–795, 1057–1062, 1069–1072
 Irons, David B., see Suryan, Robert M., and —
Ixoreus naevius, 678–686
 Jacamar, Great, 304–326; Rufous-tailed, 304–326
Jacamerops aurea, 304–326
 Jackson, Jerome A., 1031–1033, 1033–1034
 Jacobin, White-necked, 304–326
 Jay, Blue, 224–230, 389–403, 589–610, 864–873, 1018–1028; Brown, 304–326; Gray, 1–10, 137–146; Green, 1–10; Pinyon, 137–146; Siberian, 1–10; Steller's, 678–686
 Jenni, Lukas, see Schwilch, Regine, and —
 Jensen, Bjørn Munro, see Østnes, Jan Eivind, et al.
 Johnson, Douglas H., and Igl, Lawrence D., 24–34
 Johnson, Kevin P., et al., 874–887
 Johnson, Ned K., and Jones, Robert E., 334–341
 Johnson, Oscar W., et al., 342–351
 Johnson, Patricia M., see Johnson, Oscar W., et al.
 Jones, Ian L., see Wiese, Francis K., and —
 Jones, Jason, 557–562; — and Robertson, Raleigh J., 727–735
 Jones, Robert E., see Johnson, Ned K., and —
 Jorde, Dennis G., see Haramis, G. Michael, et al.
 Joyal, Lisa A., see Granfors, Diane A., et al.
Junco caniceps, 583–588
J. hyemalis, 105–115, 389–403, 513–519, 1080–1088
 Junco, Dark-eyed, 105–115, 389–403, 513–519, 1080–1088; Gray-headed, 583–588
 Junglefowl, Red, 799–804
Jynx torquillo, 916–933
 Kaiser, Gary W., see Hull, Cindy L., et al.
 Kam, Michale, see Anava, Avner, et al.
 Karasov, William H., see Ciminari, M. Eugenia, et al.
 Kennedy, Patricia L., see Dewey, Sarah R., and —
 Kestrel, American, 79–91, 746–750
 Kilham, Lawrence, 1910–2000, In Memoriam, 1031–1033
 Kimball, Rebecca T., see Armstrong, Margaret H., et al.
 Kingbird, Eastern, 24–34, 304–326, 832–837
 Kingfisher, Amazon, 304–326; American Pygmy, 304–326; Collared, 472–483; Common, 472–483; Little, 472–483; Pied, 242–248; Ringed, 304–326; Sacred, 472–483; Ultramarine, 472–483; Variable, 472–483
 Kinglet, Golden-crowned, 389–403, 676–686; Ruby-crowned, 389–403, 513–519
 Kirchman, Jeremy J., et al., 849–863
 Kirk, Morgan T., see Sedinger, James S., et al.
 Kiskadee, Great, 304–326
 Kite, Brahminy, 472–483; Double-toothed, 304–326; Gray-headed, 304–326; Plumbeous, 304–326
 Kittiuhawk, 352–365
 Kittiuhawk, Black-legged, 636–649
Klais guimeti, 304–326
 Kleptoparasitism, 934–943

- Klicka, John, et al. 611–623
 Knot, Red, 79–91
 Koel, Asian, 472–483
 Kollias, George V., see Hartup, Barry K., et al.
 Koukol, Matthew A., see Ford, Thomas B., et al.
 Kratter, Andrew W., et al., 472–483
 Kulhavy, David L., see Conner, Richard N., et al.
- Lagopus lagopus scoticus*, 290–303
L. leucurus, 557–562, 1057–1062
Laniocera rufescens, 304–326
 Lank, David B., and Dale, James, 759–765
 Lapwing, Northern, 944–957
 Larison, Brenda, et al., 432–442
 Larison, James R., et al., 1057–1062
Larus argentatus, 290–303, 503–508, 934–943, 996–1007
L. canus, 242–248, 503–508
L. glaucescens, 934–943
L. occidentalis, 996–1007
Laterallus albigularis, 304–326
 Laymon, Stephen A., see Larison, Brenda, et al.
 Leafloor, James O., see Badzinski, Shannon S., et al.
 Leaf-tosser, Scaly-throated, 304–326
Legatus leucophaius, 304–326
Lepidocolaptes souleyetii, 304–326
Leptodon cayanensis, 304–326
Leptopogon amaurocephalus, 304–326
Leptosomus discolor, 849–863
L. discolor, 849–863
Leptotila cassini, 304–326
Le. rufaxilla, 874–887
Le. verreauxi, 874–887
 Lessela, C. M., see Johnson, Kevin P., et al.
Leucopternis semiplumbea, 304–326
 Levey, Douglas J., and Del Rio, Carlos Martínez, 819–831
 Levey, Douglas J., see Pryor, Gregory, et al.
 Ley, David H., see Hartup, Barry K., et al.
 Lima, Steven L., see Bajema, Robb A., et al.
Limnodromus scolopaceus, 484–495
Limnothlypis swainsonii, 650–664
Limosa fedoa, 24–34
L. limosa, 944–957
 Linking Breeding and Wintering Grounds of Bicknell's Thrushes using Stable Isotope Analysis of Feathers, 16–23
Lipaugus unirufus, 304–326
 Lipolysis, 665–677
 Loiselle, Bette A., see Blake, John G., and —
 Lombardo, Michael P., 789–795
 Longspur, 11–15, 105–115; Chestnut-collared, 24–34, 765–769; Smith's, 11–15, 105–115
 Long-Term Research and the Dynamics of Bird Populations and Communities, 583–588
 Loon, Common, 242–248
 López-Calleja, M. Victoria, see Rezende, Enrico L., et al.
- Løppehthin, Bernt H. O. F., 1904–1994, In Memoriam, 1029
Lophodytes cucullatus, 224–230
 Lorikeet, Rainbow, 472–483
 Lory, Cardinal, 472–483; Red, 1080–1088
 Loughheed, Cecilia, see Hull, Cindy L., et al.
 Loughheed, Lynn, see Hull, Cindy L., et al.
 Lovette, Irby J., and Bermingham, Eldredge, 211–215
 Low Initial Refueling Rate at Stopover Sites: A Methodological Effect?, 698–708
Loxia leucoptera, 92–104
 Lubjuhn, Thomas, see Quillfeldt, Petra, et al.
 Lundberg, Arne, see Rätti, Osmo, et al.
Luscinia luscinia, 665–677
L. megarhynchos, 665–677
Luscinia s. svecica, 698–708
- Macaw, Great Green, 304–326
 Macedo, Regina H., see Almeida, Juliana B., and —
 Macko, Stephen A., see Haramis, G. Michael, et al.
Macronyx sharpei, 575–582
Macropygia mackinlayi, 874–887
M. mackinlayi arossi, 472–483
M. tenurirostris, 874–887
 Magpie, Black-billed, 137–146, 557–562
 Magpie-Jay, White-throated, 137–146
Malaconotus manteiri, 575–582
Malacoptila panamensis, 304–326
Malurus splendens, 888–889
Manacus candei, 304–326
M. candei, 304–326
M. vitellinus, 283–289
 Manakin, Golden-collared, 283–289; Lance-tailed, 191–210; Red-capped, 304–326; White-collared, 304–326; White-crowned, 304–326; White-throated, 304–326
 Mango, Green-breasted, 304–326
Manorina melanocephala, 35–55
 Margalida, Antoni, and Bertran, Joan, 785–789
Margarops, 35–55
Margarops fuscatus, 35–55
 Martin, Thomas E., 269–270
M. fuscus, 35–55
M. glabrirostris, 35–55
 Marra, Peter P., and Holmes, Richard T., 92–104
 Martin, Brown-chested, 832–837; Caribbean, 832–837; Cuban, 832–837; Gray-breasted, 832–837; Purple, 832–837; Sinaloa, 832–837; Southern, 832–837
 Martin, Philip P., see Sedinger, James S., et al.
 Mate guarding, 503–508
 Mateman, A. C., see Johnson, Kevin P., et al.
 McCarty, John P., 176–190
 McFarland, Kent P., see Hobson, Keith A., et al.
 McLean, Robert G., see Friend, Milton, et al.
 McNab, Brian K., 916–933
 Meadowlark, Eastern, 11–15, 105–115; Western, 11–15, 24–35, 765–769
Megapodius [freycinet] eremita, 472–483

- Megarynchus pitangua*, 304–326
Melampitta, 248–255
M. gigantea, 248–255
Melanerpes formicivorus, 557–562
Me. formicivorus, 916–933
Me. pucherani, 304–326
Melanoptila caerulescens, 35–55
Mel. glabrirostris, 35–55
Melanotis caerulescens, 35–55
Mela. glabrirostris, 35–55
Meleagris gallopavo, 277–278, 557–562, 799–804
Mele. gallopavo var. domesticus, 1080–1088
Melospiza undulatus, 795–799, 958–972, 1080–1088
Melospiza lincolni, 105–115, 513–519
Melo. melodia, 231–236, 283–289, 389–403, 432–442, 765–769,
 Memorial of Bernt H. O. F. Løppehth, 1029; Charles Hartshorne, 1034–1035; Don Richard Eckelberry, 736–739; George B. Saunders, 1030–1031; Lawrence Kilham, 1031–1033; Luis Felipe Baptista, 496–499; William B. Robertson, Jr., 740–742; Phillips B. Street, 1033–1034
 Merganser, Common, 224–230; Hooded, 224–230
Mergus merganser, 224–230
 Merlin, 557–562
Merops bullockoides, 525–528
Micrastur mirandollei, 304–326
M. ruficollis, 304–326
M. semitorquatus, 304–326
Micropias quixensis, 304–326
Microbates cinereiventris, 304–326
Microcerculus philomela, 304–326
Microchera albocoronata, 304–326
Micrositta finschii nanina, 472–483
 Middleton, Carole, see Ramos, Jamie A., et al.
Mimus, 35–55
M. gilvus, 35–55
M. gundlachi, 35–55
M. polyglottos, 35–55
Mino dumontii kreffti, 472–483
Mionectes oleagineus, 304–326
M. olivaceus, 304–326
 Mitochondrial Perspective on the Phylogenetic Relationships of the *Parula* Wood-warblers, 211–215
Mitrospingus cassinii, 304–326
 Mizarhi, Davis S., et al., 79–91
Mniotilta varia, 304–326, 389–403, 589–610
 Mockingbird, Blue, 35–55; Northern, 35–55; Tropical, 35–55
 Molecular Systematics and Biogeography of Antillean Thrashers, Tremblers and Mockingbirds (Aves: Mimidae), 35–55
Molothrus aeneus, 248–255
M. ater, 11–15, 24–34, 156–166, 237–242, 248–255, 277–278, 534–538, 589–610, 765–769, 770–776, 776–780, 864–873, 1018–1028, 1057–1062
M. badius/ fringillarius, 457–471
 Monarch, Chestnut-bellied, 472–483
Monarcha barbata barbata, 472–483
M. castaneiventris castaneiventris, 472–483
Monasa morphoeus, 304–326
 Monjita, White, 457–471
 Montgomerie, Robert, see Inouye, Caron Y., et al.
 Morton, Eugene S., see Haggerty, Thomas M., et al.
 Morton, Martin L., see Pereyra, Maria Elena, and —
Morus bassanus, 983–995
M. capensis, 529–534
 Mosknes, Arne, see Clarke, Alice L., et al.
 Motmot, Broad-billed, 304–326; Rufous, 304–326
 Mourner, Rufous, 304–326; Speckled, 304–326
 Murre, Common, 529–534, 1076–1080; Thick-billed, 996–1007
 Murrelet, Ancient, 996–1007; Marbled, 1036–1046
Myadestes melanops, 304–326
Mycteria americana, 508–513
M. ibis, 508–513
Myiagra ferrocyanea ferrocyanea, 472–483
Myiarchus crinitus, 304–326
My. tuberculifer, 304–326
Myiodynastes luteiventris, 304–326
Myiornis atricapillus, 304–326
Myiozetetes granadensis, 304–326
Myi. similis, 304–326
 Myna, Yellow-faced, 472–483
Myrmeciza exsul, 304–326
M. longipes, 191–210
Myrmorchilus strigilatus suspicax/strigilatus, 457–471
Myrmotherula axillaris, 304–326
My. fulviventris, 304–326
Myzomela lafargei, 472–483
Myzomela, Scarlet-naped, 472–483
 Natal dispersal, 888–889, 996–1007
Nectarinia jugularis flavigaster, 472–483
 Nelson, Douglas A., see Weckstein, Jason D., et al.
Neomorphus geoffroyi, 304–326
Nesoclopeus woodfordi immaculatus, 472–483
Nesoenas mayeri, 874–887
 Nest, attendance, 352–365, 503–508; defense of, 1047–1052; desertion of, 770–776, 776–780; parasitism of, 864–873; predation, 1018–1028; site selection, 557–562, 432–442, 727–735; visitation, 1069–1072
 Nest Desertion by Field Sparrows and its Possible Influence on the Evolution of Cowbird Behavior, 770–776
 Nesting, success, 11–15, 717–726, 1018–1028; habitat, 1052–1057
 Nestling Growth and Thermoregulatory Development in Subalpine Dusky Flycatchers, 116–136
Netta rufina, 717–726
 Nighthawk, Common, 832–837
 Nightingale, 665–677
 Nightingale, Thrush, 665–677
 Nightingale-Thrush, Russet, 838–848
 Nilsson, Sven G., see Wiklander, Ulf, et al.
Ninox jacquinoti jacquinoti, 472–483

- No Evidence for Effects of Breeding Density and Male Removal on Extrapair Paternity in the Pied Flycatcher, 147–155
- Northura boraquira*, 457–471
- Notharchus macrorhynchos*, 304–326
- Numenius phaeopus*, 472–483
- N. tahitiensis*, 342–351
- Numida meleagris*, 799–804
- Nunbird, White-fronted, 304–326
- Nunn, Andrea M., see Altshur, Douglas L., and —
- Nuthatch, Red-breasted, 389–403, 589–610, 678–686; White-breasted, 389–403, 583–588
- Nycticorax* spp., 508–513
- Nyctidromus albigollis*, 304–326
- Obritchkewitch, Tim, see Sedinger, James S., et al.
- Observational Learning in Hummingbirds, 795–799
- Oceanites oceanicus*, 242–248
- Oceanodroma leucorhoa*, 1095–1101
- Ochotona princeps*, 242–248
- Odontophorus melanotis*, 304–326
- Øien, Ingar J., see Clarke, Alice L., et al.
- Oilbird, 211–215, 819–831
- Olsson, Ola, see Wiklander, Ulf, et al.
- Oncostoma cinereigulare*, 304–326
- Onychorhynchus coronatus*, 304–326
- Open-population model, 342–351
- Oporornis agilis*, 832–837
- O. formosus*, 304–326
- O. philadelphia*, 304–326
- Oren, David C., see Zimmer, Kevin J., et al.
- Oreortyx pictus*, 799–804
- Oreoscoptes montanus*, 35–55
- Oriole, Baltimore, 304–326; Black-cowled, 304–326
- Ornithion brunneicapillum*, 304–326
- Oropendola, Chestnut-headed, 304–326; Montezuma, 304–326
- Ortalis cinereiceps*, 304–326
- O. vetula*, 799–804
- Oryzoborus funereus*, 304–326
- Osprey, 277–278, 472–483
- Østnes, Jan Eivind, et al., 983–995
- Ottoson, Ulf, et al., 1069–1072
- Otus asio*, 1095–1101
- O. guatemalae*, 304–326
- O. kennicottii*, 1095–1101
- O. rutilus*, 575–582
- O. scops*, 1095–1101
- Ovenbird, 304–326, 380–388, 389–403, 589–610, 864–873, 1018–1028
- Overview, 11–15, 290–303, 583–588, 832–837
- Ovomucoid intron G (OVOG), 799–804
- Owl, Barn, 342–351; Central American Pygmy, 304–326; Great Horned, 137–146, 352–365, 557–562; Scops, 1095–1101
- Owlet, Long-whiskered, 334–341
- Oxylabes madagascariensis*, 849–863
- Oystercatcher, Eurasian, 503–508
- Pachycephala*, 248–255
- P. pectoralis*, 248–255
- P. pectoralis oriolooides*, 472–483
- P. scheleglii*, 248–255
- P. soror*, 248–255
- Pachyramphus cinnamomeus*, 304–326
- Pa. polychopterus*, 304–326
- Pandion haliaetus cristatus*, 277–278, 472–483
- Panurus biarmicus*, 147–155, 789–795
- Paradisaea*, 248–255
- Par. raggiana*, 248–255
- Parakeet, Blue-crowned, 457–471; Carolina, 277–278; Crimson-fronted, 304–326; Olive-throated, 304–326; Orange-chinned, 304–326; Orange-fronted, 958–972
- Parapatric differentiation model, 457–471
- Parrot, Brown-hooded, 304–326; Eclectus, 472–483; Mealy, 304–326; Orange-winged, 958–972; Pesequet's, 1080–1088; Red-lore, 304–326; Singing, 472–483; White-crowned, 304–326; Yellow-naped, 958–972
- Partridge, Chinese Bamboo, 799–804; Gray, 799–804; Red-legged, 799–804
- Parula americana*, 211–215
- P. gutturalis*, 211–215
- P. pitaiayumi*, 211–215
- P. superciliosa*, 211–215
- Parula, Tropical, 211–215
- Parus ater*, 242–248
- P. ceeruleus*, 795–799
- P. major*, 116–136, 176–190, 795–799
- P. palustris*, 795–799
- P. rufescens*, 678–686
- Passer domesticus*, 1080–1088, 1101–1107
- Passerculus sandwichensis*, 11–15, 24–34, 513–519, 765–769
- Passerella iliaca*, 513–519
- Passerina amoena*, 272–274, 611–623
- Pa. cyanea*, 237–242, 611–623, 864–873, 1018–1028
- Pa. leclancherii*, 611–623
- Pa. rositae*, 611–623
- Pa. versicolor*, 611–623
- Paszkowski, Cynthia A., see Pierre, Johanna P., et al.
- Paton, Peter W. C., see DiQuinzio, Deborah A., et al.
- Patterns of Corticosterone Secretion in Migrating Semipalmated Sandpipers at a Major Spring Stopover Site, 79–91
- Pauraque, Common, 304–326
- Pavo cristatus*, 799–804
- P. muticus*, 799–804
- Peafowl, Common, 799–804; Congo, 799–804; Green, 799–804
- Pelacanus erythrorhynchos*, 290–303
- P. occidentalis*, 290–303
- Pelecanoides urinatrix*, 79–91
- Pelican, Brown, 290–303; White, 290–303
- Penelope purpurascens*, 304–326
- Penguin, Adelie, 290–303; Emperor, 290–303
- Perdix perdix*, 799–804

- Pereyra, Maria Elena, and Morton, Martin L., 116–136
- Perisoreus canadensis*, 1–10, 137–146
- P. infaustus*, 11–15
- Person, Brian T., see Sedinger, James S., et al.
- Perspectives in Ornithology, 1–10, 283–289, 575–582, 819–831
- Peter, Hans-Ulrich, see Quillfeldt, Petra, et al.
- Petrel, White-chinned, 755–759
- Petrochelidon pyrrhonota*, 176–190, 583–588
- Phaenostictus mcleannani*, 304–326
- Phaeoprogne tapera*, 832–837
- Phaeothlypis fulvicauda*, 304–326
- Phaethornis longuemareus*, 304–326
- P. superciliosus*, 304–326
- Phalacrocorax aristotelis*, 983–995
- Ph. atriceps*, 983–995
- Ph. auritus*, 983–995
- Phalarope, Wilson's, 24–34
- Phalaropus tricolor*, 24–34
- Phasianus colchicus*, 503–508
- Pheasant, Cheer, 799–804; Koklass, 799–804; White-eared, 799–804
- Phelpsia inornata*, 56–78
- Phaeucticus ludovicianus*, 304–326, 1018–1028
- Philloscopus collybita*, 404–411
- Philomachus pugnax*, 759–765
- Phoebe, Eastern, 1018–1028
- Phoenicurus phoenicurus*, 665–667
- Phylidonyris nauehollandiae*, 1080–1088
- Phylogenetic Utility of Avian Ovomuroid Intron G: A Comparison of Nuclear and Mitochondrial Phylogenies in Galliformes, 799–804
- Phytotoma rara*, 781–785
- Piaya cayana*, 304–326
- Pica hudsonia*, 137–146, 557–562
- Picathartes*, 575–582
- Picoides borealis*, 219–224
- P. borealis*, 219–224
- Piculus simplex*, 304–326
- Pierre, Johanna P., et al., 224–231
- Pietz, Pamela J., see Granfors, Diane A., et al.
- Pigeon, Pale-vented, 304–326; Pink, 874–887; Red-billed, 304–326; Scaled, 304–326; Short-billed, 304–326
- Pigments, cartenoid, 900–915
- Piha, Rufous, 304–326
- Pika, 242–248
- Pintail, Northern, 290–303
- Pionopsitta haematotis*, 304–326
- Pionus senilis*, 304–326
- Pipilo erythrophthalmus*, 1018–1028
- Pipit, Sprague's, 765–769
- Pipra mentalis*, 304–326
- P. mentalis*, 304–326
- P. pipra*, 304–326
- Piprite, Gray-headed, 304–326
- Piprites griseiceps*, 304–326
- Piranga olivacea*, 304–326, 727–735, 1018–1028
- P. rubra*, 304–326, 832–837
- Pitangus sulphuratus*, 304–326
- Pitohui dichrous*, 248–255
- P. kirhoccephalus*, 248–255
- Pitta anerythra anerythra*, 472–483
- Pitta, Black-faced, 472–483
- Plancutter, Rufous-tailed, 781–785
- Platyrrinchus coronatus*, 304–326
- Pleads falcinellus*, 248–255
- Plover, Black-Bellied, 342–351; Pacific Golden, 342–351, 472–483
- Plumeleteer, Bronze-tailed, 304–326
- Pluvialis [dominica] fulva*, 342–351, 472–483
- P. apricaria*, 342–351
- P. dominica*, 342–351
- P. squatarola*, 342–351
- Pochard, Common, 717–726; Red-crested, 717–726
- Podargus ocellatus inexpectatus*, 472–483
- Poecile atricapillus*, 389–403
- P. hudsonicus*, 389–403
- Poecilotriccus luluae**, 334–341
- P. ruficeps ruficeps*, 334–341
- P. sylvia*, 304–326
- Poicile gambeli*, 412–421
- Poliophtila caerulea*, 1018–1028
- Po. plumbea*, 304–326
- Poocetes gramineus*, 765–769
- Population, decline, 583–588; density, 422–431; density of Buff-Breasted Wrens, 191–210; density of Rufous-and-White Wrens, 191–210; dynamics of American Redstart, 92–104; trends, 583–588, 589–610
- Porphyrio porphyrio samoensis*, 472–483
- Predator Responses to Similarity and Dispersion of Artificial Nest Sites: Implications for the Structure of Boreal Forest Songbird Communities, 105–115
- Preuss, Niels Otto, 1029
- Procellaria aequinoctialis*, 755–759
- Procnias tricarunculata*, 304–326
- Progne chalybea*, 832–837
- P. cryptoleuca*, 832–837
- P. dominicensis*, 832–837
- P. elegans*, 832–837
- P. sinaloae*, 832–837
- P. subis*, 832–837
- Proteolysis, 665–677
- Pruett-Jones, Stephen, see Regosin, Johnathan V., and —
- Pryor, Gregory, et al., 1080–1088
- Psarocolius montezuma*, 304–326
- P. wagleri*, 304–326
- Pseudoseisura cristata unirufa/cristata*, 457–471
- Psittacus erithacus*, 248–255
- Psttrichas fulgidus*, 1080–1088
- Ptarmigan, White-tailed, 557–562, 1057–1062
- Pteroglossus aracari*, 916–933
- P. torquatus*, 304–326
- Ptilinopus s. superbus*, 472–483

- Pt. viridis lewisii*, 472–483
Ptychoramphus aleuticus, 709–716, 996–1007, 1036–1046
Pucrasia macrolopha, 799–804
Puffbird, White-necked, 304–326; White-whiskered, 304–326
Puffin, Atlantic, 352–365, 934–943, 996–1007; Tufted, 934–943
Puffinus griseus, 755–759
P. lherminieri, 755–759
P. opisthomelas, 755–759
P. pacificus, 755–759
Pygmy-Parrot, Finsch's, 472–483
Pygmy-Tyrant, Black-capped, 304–326
Pygoscelis adelaine, 290–303
Pyle, Peter, 996–1007
Pyrocephalus rubinus, 56–78
Pyrhhorcorax graculus, 553–556
- Quail, Black-eared Wood, 304–326; Japanese, 105–115, 242–248, 352–365; Montezuma, 799–804; Mountain, 799–804
Quail-Dove, Olive-backed, 304–326; Violaceous, 304–326
Querula purpurata, 304–326
Quillfeldt, Petra, et al., 242–248
Quinn, John, see Ramos, Jamie A., et al.
Quiscalus mexicanus, 116–136
- Ragologus leucostigma*, 248–255
Rail, Woodford's, 472–483
Rallus limicola, 248–255
Ramos, Jamie A., et al., 709–716
Ramphastos dicolorus, 916–933
R. sulfuratus, 304–326
R. swainsonii, 304–326
R. toco, 916–933
R. tucanus, 916–933
Ramphocaenus melanurus, 304–326
Ramphocelus dimidiatus, 191–210
Ra. passerini, 304–326
Ra. sanguinolentus, 304–326
Ramphocinclus brachyurus, 35–55
Ram. brachyurus, 35–55
Rangen, Sheila A., et al., 105–115
Rätti, Osmo, et al., 147–155
Raven, Common, 389–403, 636–649, 678–686
Razorbill, 404–411, 996–1007, 1076–1080,
Recent Advances in Grassland Bird Research: Where do we go from here?, 11–15
Recurvirostra americana, 484–495, 1072–1076
R. aousetta, 1072–1076
Redstart, 665–677; American, 92–104, 389–403, 583–588, 589–610, 776–780, 1018–1028
Reed, J. Michael, see Harris, Rebecca J., and —
Reed-Warbler, Eurasian, 698–708
Reeves, Henry M., 1030–1031
Regional Variation in Response of Field Sparrows to the Threat of Brown-headed Cowbird Parasitism, 776–780
Regosin, Jonathan V., and Pruett-Jones, Stephen, 167–175
Regulus calendula, 389–403, 513–519
R. regulus, 698–708
R. satrapa, 389–403, 676–686, 389–403
Reinwardtoena browni, 874–887
Relationship between Timing of Reproduction and Foraging Behavior in Neotropical Insectivorous Birds, 191–210
Relationship of Songbird Nest Concealment to Nest Fate and Flushing Behavior of Adults, 231–237
Remsen, J. V., Jr., 838–848
Reproductive success, 412–421, 525–528, 636–659, 864–873, 934–943; of *Ficedula hypoleuca*, 750–755; of *Melospiza melodia*, 432–442
Response to Passerine Birds to Forest Edge in Coast Redwood Forest Fragments, 678–686
Rezende, Enrico L., et al., 781–785
Rhagologus, 248–255
Rhipidura cockerelli interposita, 472–483
R. leucophrys melaleuca, 472–483
R. rufifrons commoda, 472–483
Rhynchocyclus brevirostris, 304–326
Rhytipterna holerythra, 304–326
Ricklefs, Robert E., see Hunt, Jeffery S., et al.
Rimmer, Christopher C., see Hobson, Keith A., et al.
Riparia riparia, 116–136
Rissa tridactyla, 352–365, 636–649
Robertson, Raleigh J., see Jones, Jason, and —
Robin, American, 389–403, 513–519, 589–610, 678–686, 776–780, 1018–1028, 1080–1088; Clay-colored, 304–326; European, 698–708; Pale-vented, 304–326; White-throated, 304–326
Robinette, John R., see Bryan, A. Larry, Jr., et al.
Rockwell, Robert F., see Flint, Paul L., et al.
Rodewald, Amanda, and Yahner, Richard H., 1018–1028
Roller, Cuckoo, 849–863; Ground, 849–863
Røskaft, Eivind, see Clarke, Alice L., et al.
Ross, William G., see Conner, Richard N., et al.
Rothstein, Stephen I., see Zahn, Sherie N., and —
Rudolph, D. Craig, see Conner, Richard N., et al.
Ruff, 759–765
S. s. bahiae, 56–78
Saenz, Daniel, see Conner, Richard N., et al.
Saldanha, Colin, see Schlinger, Barry A., et al.
Saltator atriceps, 304–326
S. grossus, 304–326
S. maximus, 304–326
Saltator, Black-headed, 304–326; Buff-throated, 304–326
Sanchez, Laura L., see Dearborn, Donald C., and —
Sandpiper, Common, 472–483; Least, 484–495; Semipalmated, 79–91; Upland, 24–34; Western, 79–91, 484–495

- Sanz, Juan José, 539–543
 Sapsucker, Yellow-bellied, 389–403
Sarothrura elegans, 248–255
 Saunders, George B., 1907–2001, In Memoriam, 1030–1031
Sayornis phoebe, 116–136, 1018–1028
 Schekkerman, Hans, and Visser, G. Henk, 944–957
 Schlinger, Barney A., et al., 283–289
 Schmoll, Tim, see Quillfeldt, Petra, et al.
Schoeniophylax phryganophila, 457–471
 Schwilch, Regine, and Jenni, Lukas, 698–708
Sclerurus guatemalensis, 304–326
Scolopax minor, 290–303
 Scott, Peter E., see Bajema, Robb A., et al.
 Screech-Owl, Eastern, 1095–1101; Vermiculated, 304–326; Western, 1095–1101
 Scrubfowl, Dusky, 472–483
 Scrub-Jay, Florida, 137–146, 242–248, 525–528
 Sealy, Spencer G., see Woolfenden, Bonnie E., et al.
 Search-settling time, 698–708
 Sedgwick, James A., 366–379
 Sedinger, James S., et al., 1088–1095
 Sedinger, James S., see Flint, Paul L., et al.
 Seed-eater, Variable, 304–326; White-collared, 304–326
 Seed-Finch, Thick-billed, 304–326
Seiurus aurocapillus, 304–326, 380–388, 389–403, 589–610, 864–873, 1018–1028
S. motacilla, 304–326, 1018–1028
S. noveboracensis, 304–326, 513–519, 819–831
Selasphorus platycercus, 795–799
S. rufus, 795–799
Selenidera spectabilis, 304–326
 Sergio, Fabrizio, and Bogliani, Giuseppe, 1047–1052
Setophaga ruticilla, 92–104, 389–403, 583–588, 589–610, 776–780, 1018–1028
 Sex-related Differences in Habitat Use in Wintering American Kestrels, 746–750
 Sexual Selection and Tail-Length Dimorphism in Scissor-Tailed Flycatchers, 167–175
 Shag, Blue-eyed, 983–995; European, 983–995
 Shapiro, Leo H., and Dumbacher, John P., 248–255
 Shearwater, Audubon's, 755–759; Black-vented, 755–759; Cory's, 242–248, 755–759; Sooty, 755–759; Wedge-tailed, 755–759
 Sherry, Thomas W., see Holmes, Richard T., and —
 Shkolnik, Amiram, see Anava, Avner, et al.
 Shrike-Vireo, Green, 304–326
Sialia sialis, 147–155, 743–745
 Sicklebill, White-tipped, 304–326
 Simons, Theodore R., see Farnsworth, George L., and —
Sitta canadensis, 389–403, 589–610, 678–686
S. carolinensis, 389–403, 583–588
 Skua, 231–236; South Polar, 636–649
 Skutch, Alexander F., 1034–1035
 Slaty-Antshrike, Western, 304–326
 Smith, Catherine E., see Kratter, Andrew W., et al.
 Smith, Henrik G., see Ottoson, Ulf, et al.
 Smith, Loren M., see Davis, Craig A., and —
 Smith, Thomas B., see Larison, Brenda, et al.
 Snodgrass, Joel W., see Bryan, A. Larry, Jr., et al.
 Snow, Christine M., see Larison, James R., et al.
 Snowcap, 304–326
 Solitaire, Black-faced, 304–326
 Soma, Kiran K., see Schlinger, Barry A., et al.
Somateria fischeri, 290–303
S. mollissima, 290–303
 Sordahl, Tex A., 1072–1076
 Spadebill, Golden-crowned, 304–326
 Sparrow, American Tree, 513–519, 1080–1088; Bachman's, 832–837; Baird's, 11–15, 24–34, 765–769; Black-striped, 304–326; Chipping, 105–115, 389–403; Clay-colored, 24–34, 105–115, 765–769; Field, 237–242, 422–431, 770–776, 776–780; Fox, 513–519; Golden-crowned, 231–236; Grasshopper, 11–15, 24–34, 765–769; Harris', 231–236; Henslow's, 11–15, 422–431, 832–837; House, 1080–1088, 1101–1107; Le Conte's, 24–34, 11–15, 765–769; Lincoln's, 105–115, 513–519; Nelson's Sharp-tailed, 765–769; Orange-billed, 304–326; Savannah, 11–15, 24–34, 513–519, 765–769; Song, 231–236, 283–289, 389–403, 432–442, 765–769; Timberline, 231–236; Vesper, 765–769; White-crowned, 79–91, 231–236, 389–403, 513–519, 1080–1088; White-throated, 105–115, 231–236, 389–403,
 Sparrowhawk, 352–365; European, 996–1007; Imitator, 472–483
Spheniscus mandiculus, 248–255
Sphyrapicus varius, 389–403
 Spinetail, Chotoy, 457–471; Slaty, 304–326
Spiza americana, 11–15, 105–115
Spizaetus tyrannus, 304–326
Spizella arborea, 513–519, 1080–1088
S. pallida, 24–34, 105–115, 765–769
S. passerina, 105–115, 389–403
S. pusilla, 237–242, 422–431, 770–776, 776–780
S. taverneri, 231–236
Sporophila americana, 304–326
Sp. torqueola, 304–326
 St. Clair, Colleen Cassady, et al., 934–943
 St. Clair, Robert C., see St. Clair, Colleen Cassady, et al.
 Stable isotope analysis, 16–23, 1008–1017
 Stanback, Mark T., and Dervan, Anne A., 743–745
 Standard and Comparative Energetics of a Small Avian Herbivore (*Phytotoma rara*), 781–785
 Starling, Brown-winged, 472–483; European, 819–831, 1069–1072; Metallic, 472–483; Singing, 472–483
 Steadman, David W., see Kratter, Andrew W., et al.
Steatornis caripensis, 211–215, 819–831
 Stercorariidae, 231–236
Stercorarius parasiticus and *longicaudus*, 231–236
Sterna dougallii, 709–716
S. fuscata, 709–716

- Stickney, Alice A., see Sedinger, James S., et al.
- Stigmatura budytoides inzonata/gracilis*, 457–471
- Stilt, Banded, 1072–1076; Black-necked, 1072–1076; Black-winged, 1072–1076; White-headed, 1072–1076
- Stint, Little, 484–495
- Stiphornis sanghensis*, 575–582
- Stokstad, Paul, see Williams, Timothy C., et al.
- Stork, Wood, 508–513; Yellow-billed, 508–513
- Storm-Petrel, Common, 79–91; Leach's, 1095–1101; Wilson's, 242–248
- Stouffer, Phillip C., 832–837
- Stradi, Riccardo D., see Inouye, Caron Y., et al.
- Strausberger, Bill M., and Burhans, Dirk E., 770–776
- Street, Phillips B., 1914–2000, In Memoriam, 1033–1034
- Streptopelia bitorquata*, 874–887
- S. calicola*, 874–887
- S. chinensis*, 874–887
- S. decaocto*, 874–887
- S. decipiens*, 874–887
- S. hypopyrrha*, 874–887
- S. orientalis*, 874–887
- S. picturata*, 874–887
- S. roseogrisea*, 874–887
- S. semitorquata*, 874–887
- S. senegalensis*, 874–887
- S. tranquebarica*, 874–887
- S. turtur*, 874–887
- S. vinacea*, 874–887
- Sturnella magna*, 11–15, 105–115
- S. neglecta*, 11–15, 24–35, 765–769
- Sturnis vulgaris*, 819–831, 1069–1072
- Suiriri islerorum*, 56–78
- Su. suiriri*, 457–471
- Su. suiriri affinis*, 56–78, 457–471
- Su. suiriri bahiae*, 457–471
- Su. suiriri suiriri*, 457–471
- Sula bassana*, 529–534
- Sunbird, Olive-backed, 472–483
- Suryan, Robert M., and Irons, David B., 636–649
- Swallow, Bank, 116–136; Cliff, 176–190, 583–588; Pacific, 472–483; Tree, 116–136, 147–155, 176–190, 242–248, 432–442, 789–795, 1057–1062, 1069–1072
- Swamphen, Purple, 472–483
- Swift, Chimney, 832–837
- Swiftlet, Glossy, 472–483; Uniform, 472–483; White-rumped, 472–483
- Sylvia atricapilla*, 665–677
- S. borin*, 79–91, 665–677
- S. curruca*, 665–677
- S. hortensis*, 665–677
- S. nisoria*, 665–677
- Synallaxis brachyura*, 304–326
- Sytiliboramphus antiquus*, 996–1007
- Tachyphonus delatrii*, 304–326
- T. luctuosus*, 304–326
- T. rufus*, 304–326
- Taeniopygia guttata*, 283–289, 958–972
- Tanager, Blue-gray, 304–326; Crimson-backed, 191–210; Crimson-collared, 304–326; Dusky-faced, 304–326; Golden-hooded, 304–326; Olive, 304–326; Palm, 304–326; Passerini's, 304–326; Scarlet, 304–326, 727–735, 1018–1028; Silver-throated, 304–326; Summer, 304–326, 832–837; Tawny-crested, 304–326; White-lined, 304–326; White-shouldered, 304–326
- Tangara icterocephala*, 304–326
- T. larvata*, 304–326
- Taraba major*, 304–326
- Tegelström, Håken, see Rätti, Osmo, et al.
- Terenotriccus erythrurus*, 304–326
- Tern, Roseate, 709–716; Sooty, 709–716
- Territory and Nest-Site Selection of Cerulean Warblers in Eastern Ontario, 727–735
- Thalurania colombica*, 304–326
- Thamnophilus atrinucha*, 304–326
- T. doliatus*, 304–326
- Thermogenesis, 983–995; of *Empidonax oberholseri*, 116–136
- Thirty-year Bird Population Trends in an unfragmented Temperate Deciduous Forest: Importance of Habitat Change, 589–610
- Thompson, Christopher W., see Klicka, John, et al.
- Thompson, Frank R. III., see Burhans, Dirk E., and —
- Thompson, Hazell Shokellu, see Brooks, Thomas, and —
- Thrasher, Pearly-eyed, 35–55; Scaly-breasted, 35–55; White-breasted, 35–55
- Thraupis episcopus*, 304–326
- T. palmarum*, 304–326
- Threnetes ruckeri*, 304–326
- Thrush, Bicknell's, 16–23, 389–403, 832–837; Clay-colored, 191–210; Forest, 35–55; Gray-cheeked, 16–23, 304–326, 832–837, 838–848; Hermit, 105–115, 277–278, 389–403, 1018–1028; Swainson's, 16–23, 304–326, 513–519, 678–686; Varied, 678–686; Wood, 304–326, 589–610, 864–873, 973–982, 1018–1028, 1080–1088
- Thryothorus atrogularis*, 304–326
- T. leucotis*, 191–210
- T. ludovicianus*, 215–219
- T. modestus*, 191–210, 304–326
- T. nigricapillus*, 304–326
- T. rufalbus*, 191–210
- T. thoracicus*, 304–326
- Tinamou, Great, 304–326; Little, 304–326; Slaty-breasted, 304–326; White-breasted, 457–471
- Tinamus major*, 304–326
- Tit, Bearded, 147–155, 789–795; Blue, 795–799; Coal, 242–248; Great, 116–136, 176–190, 795–799; Marsh, 795–799
- Tityra semifasciata*, 304–326
- Tityra, Masked, 304–326
- Todirostrum cinereum*, 304–326

- Todus todus*, 849–863
 Tody-Flycatcher, Common, 304–326; Slate-headed, 304–326
 Tody-Tyrant, Cinnamon-breasted, 334–341
Tody-Tyrant, Lulu's, 334–341; see also *Poecilotriccus Luluae*
Tolmomyias assimilis, 304–326
T. sulphurescens, 304–326
 Toucan, Chestnut-mandibled, 304–326; Keel-billed, 304–326
 Toucanet, Yellow-eared, 304–326
 Towhee, Eastern, 1018–1028
Toxostoma, 35–55
Trachyphonus darnaudii, 916–933
 Treeswift, Moustached, 472–483
 Trembler, Brown, 35–55; Gray, 35–55
Trichoglossus haematodus massena, 472–483
Tringa nebularia, 472–483
Trogon rufus, 304–326
Troglodytes aedon, 191–210, 211–215, 743–745, 944–957
T. troglodytes, 678–686
 Troglodytidae, 191–210
Trogon clathratus, 304–326
T. massena, 304–326
T. rufus, 304–326
T. violaceus, 304–326
 Trogon, Black-throated, 304–326; Lattice-tailed, 304–326; Slaty-tailed, 304–326; Violaceous, 304–326
 Trost, Charles H., see Wang, Xiao-hong, and —
Turdoides caudatus, 525–528
T. gymnogenys, 525–528
T. hindei, 575–582
T. jardinei, 525–528
T. squamiceps, 519–524, 525–528
T. striatus, 525–528
Turdus assimilis, 304–326
Tu. grayi, 191–210, 304–326
Tu. helleri, 575–582
Tu. migratorius, 389–403, 513–519, 589–610, 678–686, 776–780, 1018–1028, 1080–1088
Tu. obsoletus, 304–326
 Turkey, Wild, 277–278, 557–562, 799–804
Tympanuchus phasianellus, 24–34, 799–804
 Tyrannulet, Brown-capped, 304–326; Paltry, 304–326; Yellow, 304–326
Tyrannus forficatus, 167–175
T. savana, 167–175
T. tyrannus, 24–34, 304–326, 832–837
 Tyrant, Long-tailed, 304–326; Streamer-tailed, 56–78
Tyto alba, 342–351
- Umbrellabird, Bare-necked, 304–326
Uratekornis chimaera, 849–863
Uria aalge, 529–534, 1076–1080
U. lomvia, 996–1007
Urocolius macrourus, 916–933
Vanellus vanellus, 944–957
- Variation in Growth of Nestling Tree Swallows Across Multiple Temporal and Spatial Scales, 176–190
 Veery, 304–326, 832–837, 838–848
Veniliornis fumigatus, 304–326
 Venis, Sarah, see Ramos, Jamie A., et al.
 Verbovan, Nanette, et al. 503–508
Vermivora celata, 513–519, 583–588
V. chrysoptera, 304–326
V. fuficapilla, 211–215
V. peregrina, 105–115, 304–326, 389–403
V. peregrina, 211–215
V. pinus, 304–326
V. ruficapilla, 389–403
V. virginiae, 583–588
 Vickery, Peter D., and Herkert, James R., 11–15
Vireo flavifrons, 304–326
V. flavoviridis, 304–326
V. griseus, 304–326, 832–837
V. olivaceus, 304–326, 389–403, 864–873
V. philadelphicus, 589–610
V. solitarius, 389–403, 1018–1028
 Vireo, Blue-headed, 389–403, 1018–1028; Philadelphia, 589–610; Red-eyed, 304–326, 389–403, 864–873; White-eyed, 304–326, 832–837; Yellow-green, 304–326; Yellow-throated, 304–326
Vireolanius pulchellus, 304–326
 Visser, G. Henk, see Schekkerman, Hans, and —
 Visual Signals for Individual Identification: The Silent “Song” of Ruffs, 759–765
Volatinia jacarina, 304–326, 404–411
 Vulture, Bearded, 785–789; Indian Long-billed, 290–303; Turkey, 304–326; White-Backed, 290–303
- Wagtail, Willie, 472–483
 Wagtail-Tyrant, Greater, 457–471
 Walker, Jane L., see Haramis, G. Michael, et al.
 Wang, Xiao-hong, and Trost, Charles H., 137–146
 Warbler, Barred, 665–677; Bay-breasted, 304–326, 389–403; Black-and-white, 304–326, 389–403, 589–610; Blackburnian, 304–326, 389–403; Black-poll, 389–403, 513–519; Black-throated Blue, 16–23, 389–403, 544–549, 583–588, 1018–1028; Black-throated Green, 389–403, 1018–1028; Blue, 380–388; Blue-winged, 304–326; Buff-rumped, 304–326; Canada, 304–326, 389–403, 589–610; Cerulean, 304–326, 727–735, 832–837; Chestnut-sided, 304–326, 389–403; Connecticut, 832–837; Garden, 79–91, 665–677; Golden-cheeked, 832–837, 1052–1057; Golden-winged, 304–326; Great Reed, 147–155; Hermit, 678–686; Hooded, 92–104, 147–155, 304–326, 1018–1028; Kentucky, 304–326; Kirtland's, 832–837; Magnolia, 277–278, 304–326, 389–403; Mourning, 304–326; Nashville, 389–403; Olive-crowned, 304–326; Orange-crowned, 513–519, 583–588; Orphee, 665–677; Pine, 1101–1107; Reed, 534–538, 776–780; Swainson's, 650–664; Tennessee, 105–115, 304–326, 389–403; Virginia's, 583–588; Wilson's,

- 389–403, 513–519, 678–686; Worm-eating, 304–326, 864–873, 1018–1028; Yellow, 105–115, 389–403, 776–780; Yellow-rumped, 79–91, 389–403, 513–519, 819–831, 1101–1107
- Wassenaar, Leonard I., see Hobson, Keith A., et al.
- Waterthrush, Louisiana, 304–326, 1018–1028; Northern, 304–326, 513–519, 819–831
- Waxwing, Cedar, 389–403, 819–831, 1080–1088
- Webb, Horace P., see Kratter, Andrew W., et al.
- Weckstein, Jason D., et al., 231–236
- West Nile virus, 290–303
- Whimbrel, 472–483
- Whistler, Golden, 472–483
- White-eye, Yellow-throated, 472–483
- Whitehead, Donald R., see Ford, Thomas B., et al.
- Whitethroat, Lesser, 665–677
- Whittaker, Andrew, see Zimmer, Kevin J., et al.
- Wiebe, Karen L., 412–421
- Wiese, Francis K., and Jones, Ian L., 1062–1068
- Wiktander, Ulf, et al. 624–635
- Willet, 24–34
- William Brewster Memorial Award, 2000—Cynthia Carey, 268–269
- Williams, Janet M., see Williams, Timothy C., et al.
- Williams, Pamela L., see Larison, Brenda, et al.
- Williams, Peter G., see Williams, Timothy C., et al.
- Williams, Timothy C., et al. 389–403
- Williams, Tony C., see St. Clair, Colleen Cassidy, et al.
- Wilsonia canadensis*, 304–326, 389–403, 589–610
- W. citrina*, 92–104, 147–155, 304–326, 1018–1028
- W. pusilla*, 389–403, 513–519, 678–686
- Winker, Kevin, see Benson, Anna-Marie, and —
- Winslow, Donald E., see Ford, Thomas B., et al.
- Within-season Nest-site Fidelity in Eastern Bluebirds: Disentangling Effects of Nest Success and Parasite Avoidance, 743–745
- Woodcock, American, 290–303
- Woodcreeper, Black-striped, 304–326; Cocoa, 304–326; Long-tailed, 304–326; Northern Barred, 304–326; Plain-brown, 304–326; Spotted, 304–326; Streak-headed, 304–326; Wedge-billed, 304–326
- Woodhaunter, Striped, 304–326
- Woodnymph, Violet-crowned, 304–326
- Woodpecker, Acorn, 557–562; Black-cheeked, 304–326; Chestnut-colored, 304–326; Cinnamon, 304–326; Lesser Spotted, 624–635; Lineated, 304–326; Pale-billed, 304–326; Pileated, 589–610; Red-cockaded, 219–224; Rufous-winged, 304–326; Smoky-brown, 304–326
- Wood-Pewee, Eastern, 304–326, 589–610, 1018–1028
- Wood-Rail, Gray-necked, 304–326
- Wood-Wren, White-breasted, 304–326
- Woolfenden, Bonnie E., et al. 156–166
- Woolfenden, Glen E., 740–742
- Wren, Band-backed, 304–326; Bar-winged Wood, 334–341; Bay, 304–326; Black-throated, 304–326; Buff-breasted, 191–210; Carolina, 215–219; Gray-Breasted Wood, 191–210; House, 191–210, 211–215, 743–745, 944–957; Nightingale, 304–326; Plain, 191–210, 304–326; Rufous-and-white, 191–210; Sedge, 11–15, 24–24, 765–769; Song, 304–326; Stripe-breasted, 304–326; Winter, 678–686
- Wrentit, 678–686
- Xenoglaux lowreyi*, 334–341
- Xenop, Plain, 191–210, 304–326
- Xenoperdix*, 575–582
- Xenops minutus*, 191–210, 304–326
- Xiphorhynchus erythropygius*, 304–326
- X. lachrymosus*, 304–326
- X. susurrans*, 304–326
- Xolmis irupero irupero/nivea*, 457–471
- Yahner, Richard H., see Rodewald, Amanda, and —
- Yellowthroat, Common, 24–34, 237–242, 389–403, 765–769, 1018–1028
- Zahn, Sherie N., and Rothstein, Stephen I., 260–266
- Zenaida asiatica*, 874–887
- Z. aurita*, 795–799
- Z. macroura*, 24–34
- Z. macroura*, 874–887
- Zimmer, Kevin J., et al., 56–78
- Zimmerius vilissimus*, 304–326
- Zink, Robert M., see Klicka, John, et al.
- Zink, Robert M., see Weckstein, Jason D., et al.
- Zonotrichia albicollis*, 105–115, 231–236, 389–403, *Z. atricapilla*, 231–236
- Z. leucophrys*, 79–91, 231–236, 389–403, 513–519, 1080–1088
- Z. querula*, 231–236
- Zosterops metcalfei*, 472–483