

groups of forty, fifty or a hundred, yet all fairly near one another, and suggesting a single flock. They seemed to leave the water reluctantly and gave me the impression that they were weary.

The long flights demonstrated for many shore birds had always puzzled me, for it seemed hardly possible that such flights could be made without rest or food. Here, however, was an apparent explanation of the matter. The birds might stop to rest anywhere in the course of their long journey, and, no doubt, in many places food in abundance might be found floating on the water.

Though I had never seen or even heard of anything like this sight, I have taken it for granted that ornithologists had often observed and reported on this matter. I think I once mentioned it incidentally in 'Forest and Stream' in connection with some notes on shore birds. Mr. E. W. Nelson, to whom I mentioned the matter recently, advised me that the matter was new to him and suggested that this note be sent to 'The Auk.'—**Geo. BIRD GRINNELL, New York City.**

American Golden Plover (*Charadrius d. dominicus*) at Nantucket Island.—On September 6, 1915, I drove to the extreme western end of the island, and remained there an hour or two without seeing any birds. I interviewed the crew of the Life Saving Station at Maddeket, several of whom I knew, none of them had seen, or heard any Golden Plover or Eskimo Curlew passing this summer. One of the men said he had heard of five Golden Plover living in a certain field, the owner of which preferred watching, to shooting them. In the afternoon I drove to the south side of the Island (Surfside). I called at once on the former captain of the Life Saving Station located there, who was an old acquaintance, and a gunner. He informed me that his grandson had shot a Golden Plover the day before, he showed me the legs which I identified. He said there had been four in all living at Nobadeer pond, and that I could probably find the other three still there. I suggested we harness up his horse and ride down to the pond, he and his grandson taking their guns. On arrival we saw the three Golden Plover running about, two black and white breasted birds, and one 'pale-breast' (young); we succeeded in shooting the latter, which I later had made into a skin. I am of the opinion that these birds were the same ones which occupied the protected pasture mentioned above. They constitute the only records of this plover I have been able to obtain for the island of Nantucket this season. I also saw, while at the Nobadeer Pond, two Hudsonian Curlew, and two of the larger Yellowlegs.—**GEORGE H. MACKAY, Boston, Mass.**

Nest of the Alder Flycatcher on the Pocono Mt., Pa.—Among the low shrubs, birches and swamp grass, bordering a lake on the Tobyhanna River, Monroe County, Pa., the Alder Flycatcher (*Empidonax trailli alnorum*) is apparently not uncommon, for at least three pair can be found within a radius of two or three miles. The discovery of the nest is, how-