

## Index to Volume 110



The Auk 110(4):966–979, 1993

COMPILED BY MARY SUE SCHNELL

- Abies lasiocarpa*, 71  
*Acacia koa*, 917  
*Acanthis flammea*, 385  
*Accentor, Alpine*, 591, 875–886  
*Accipiter nisus*, 900; spp., 38  
*Acer rubrum*, 38  
*Aceros comatus*, 933  
*Actitis hypoleucus*, 542; *macularia*, 521, 541–549  
*Agelaius phoeniceus*, 89, 92, 153, 240–245, 620, 884; *tricolor*, 89  
*Aglaioecetes*, 4, 6; *kingi*, 2  
Ainley, David G., see Spear, Larry, and ——  
*Aix sponsa*, 58, 264  
Albatross, Laysan, 234; Wandering, 325–340; Waved, 222  
*Albizia falcata*, 529–536  
Alcedinidae, 202  
*Alces alces*, 92  
Alcidae, 191, 594  
*Alle alle*, 343–352  
Allozyme frequency, 170–186  
*Alnus crispa*, 770; *rubra*, 693  
Alonso, Javier A., and Juan C. Alonso, Age-related differences in time budgets and parental care in wintering Common Cranes, 78–88  
Alonso, Juan C., see Alonso, Javier A., and ——  
*Alopochelidon fucata*, 948  
American Ornithologists' Union, William Brewster Memorial Award, 1992: Ned K. Johnson, 161–162; Elliott Coues Award, 1992: Francis C. James, 162–163; Thirty-ninth supplement to the American Ornithologists' Union Check-list of North American Birds, 675–682  
*Ammodramus caudacutus*, 286–301, 844–855; *leconteii*, 298, 845; *maritimus*, 298, 844  
*Anas*, 553; *acuta*, 354; *americana*, 354–359; *clypeata*, 264; *crecca*, 354, 453; *laysanensis*, 49–56; *oustaleti*, 49–56; *penelope*, 453; *platyrhynchos*, 9, 60, 113, 264, 354, 453, 553; *rubripes*, 354; *strepera*, 264; *wyvilliana*, 49–56  
Anatidae, 191, 454, 553  
Anatomy, reproductive, 588–593  
Andrle, Robert F., In memoriam: Harold H. Axtell, 1904–1992, 916  
*Anorrhinus galeritus*, 535, 933  
*Anous minutus*, 226  
*Anser albifrons*, 130; *albifrons flavirostris*, 145–147; *albifrons frontalis*, 147, 425–433; *anser*, 432, 466; *caerulescens*, 626; *caerulescens caerulescens*, 130; *indicus*, 130, 432  
Anseridae, 553  
*Antbird*, 2; Bicolored, 104  
*Anthracothorax nigricollis*, 103–104; *prevostii*, 103–104; *veraguensis*, 103–104  
*Anthus pratensis*, 732; *rubescens*, 877  
*Antilophia*, 309  
Antwrens, Amazonian, 361–373  
*Aphelocoma coerulescens*, 207–213; *coerulescens coerulescens*, 154; *ultramarina*, 207; *unicolor*, 207, 213  
*Aphriza virgata*, 552, 553  
Apodidae, 190  
Appeasement calls, 247–253  
*Aptenodytes forsteri*, 465, 651  
*Aquila chrysaetos*, 736  
*Aratinga finschi*, 102; *nana*, 102; *nana astec*, 102  
*Arborophila charltonii*, 536  
*Ardea herodias*, 693  
*Arenaria interpres*, 17, 556, 581, 583, 928  
Artamidae, 190  
*Artamus*, 202, 204; *leucorhynchus*, 190, 191, 193–199  
*Artemia salina*, 170, 584  
*Artemisia filifolia*, 22; sp., 71, 395  
Asities, biogeography of, 304–324; evolution of, 304–324; phylogeny of, 304–324  
*Athene noctua*, 396–397  
*Atticora fasciata*, 799, 800, 804, 805, 806, 813–823  
Auklet, Rhinoceros, 133–135  
*Aulorhynchus flavidus*, 694  
*Automolus*, 372  
Avise, John C., see Rising, James D., and ——  
Avocet, American, 542  
Axtell, Harold H., 1904–1992, in memoriam, 916  
*Aythya americana*, 58, 276; *collaris*, 276; *ferina*, 453; *fuligula*, 453; *valisineria*, 57–68, 276; *valsingeria*, 264  
Azuaje, Luz Marina Rojas de, Susan Tai, and Raymond McNeil, Comparison of rod/cone ratio in three species of shorebirds having different nocturnal foraging strategies, 141–145  
Baker, Robert J., see Longmire, Jonathan L., et al.  
Banks, Richard C., review by, 420–421  
Banks, Richard C., Steven M. Goodman, Scott M. Laney, and Thomas S. Schulenberg, Type specimens and basic principles of avian taxonomy, 413–414  
Barker, Richard J., John R. Sauer, and William A. Link, Optimal allocation of point-count sampling effort, 752–758  
Barn-Owl, Common, 458–467, 470–479  
Barnard, Phoebe, review by, 418–419  
Barrowclough, George F., review by, 664  
Bates, John M., review by, 661

- Beehler, Bruce M., reviews by, 422–423, 964–965
- Behavior, vocal, 288–292
- Behavioral diversification, 286–301
- Bekoff, Marc, Experimentally induced infanticide: The removal of birds and its ramifications, 404–406
- Bermingham, Eldredge, see Seutin, Gilles, et al.
- Betula glandulosa*, 770
- Biogeography, avian, 100–107; of broadbills and asities, 304–324
- Bird, David M., see Schaadt, Charles P., and —
- Bishop, Red, 690
- Black-Cockatoo, White-tailed, 932
- Blackbird, Brewer's, 728, 730; European, 255–262; Red-winged, 89, 90, 92, 154, 240–245, 620, 730; Tri-colored, 89; Yellow-headed, 89, 876, 877
- Blondel, Jacques, Paula Christina Dias, Marie Maistre, and Philippe Perret, Habitat heterogeneity and life-history variation on Mediterranean Blue Tits (*Parus caeruleus*), 511–520
- Bluebird, Eastern, 153, 154, 690; Western, 488
- Boag, Peter T., see Seutin, Gilles, et al.
- Bobwhite, Northern, 503–509
- Boles, Walter E., review by, 419–420
- Bombycilla cedrorum*, 728; *garrulus*, 728
- Bonasa umbellus*, 386–389, 915
- Booby, Blue-footed, 234–238
- Boren, Jon C., see Lochmiller, Robert L., et al.
- Brachyramphus marmoratus*, 594–600
- Branta canadensis*, 358, 379, 431; *canadensis canadensis*, 130; *canadensis hutchinsi*, 626; *canadensis maxima*, 147; *canadensis minima*, 130, 147, 431; *leucopsis*, 86, 433
- Braun, Clait E., see Schroeder, Michael A., and —
- Brawn, Jeffrey, see Seutin, Gilles, et al.
- Breeding, cooperative, 933–935; deferred, 234–238; Great Blue Heron, 693–699; in marshes, 78–87; passerine, 78–87; Wood Thrush, 37–46
- Breeding success, 215–220
- Bretagnolle, Vincent, and Jean-Claude Thibault, Communicative behavior in breeding Ospreys (*Pandion haliaetus*): Description and relationship of signals to life history, 736–751
- Briskie, James V., Anatomical adaptations to sperm competition in Smith's Longspurs and other polygynandrous passerines, 875–888
- Broadbills, biogeography of, 304–324; evolution of, 304–324; phylogeny of, 304–324
- Brodin, Anders, Low rate of loss of Willow Tit caches may increase adaptiveness of long-term hoarding, 642–645
- Brodkorb, Pierce, 1908–1992, in memoriam, 911–915
- Bromaghin, Jeffrey F., and Lyman L. McDonald, A systematic-encounter-sampling design for nestling studies, 646–651
- Brood reduction, a mechanism for, 129–131
- Brood size, 442–443
- Browne, Robert A., Curtice R. Griffin, Paul R. Chang, Mark Hubley, and Amy E. Martin, Genetic divergence among populations of the Hawaiian Duck, Laysan Duck, and Mallard, 49–56
- Brün, J., and T. Lubjuhn, Automatic measuring of sex-specific visiting rates to nests in hole-breeding avian species, 953–955
- Bubo bubo*, 463; *virginianus*, 38, 133
- Bucephala clangula*, 8, 453, 943–946
- Buceros bicornis*, 935; *hydrocorax mindanensis*, 933; *vigil*, 935
- Bucerotidae, 933
- Bucher, Enrique H., see Martín, Liliana F., and —
- Budgerigars, 245
- Bunting, Indigo, 154; Lazuli, 26; Snow, 728
- Burhinus*, 142
- Burt, D. Brent, and A. Townsend Peterson, Biology of cooperative-breeding Scrub Jays (*Aphelocoma coerulescens*) of Oaxaca, Mexico, 207–214
- Bush-Tanager, Bush, 148–150; Common, 148–150
- Bustnes, Jan Ove, see Einar, Kjell Erikstad, et al.
- Buteo albonotatus*, 223; *buteo*, 463; *galapagoensis*, 736
- Butler, Robert W., Time of breeding in relation to food availability of female Great Blue Herons (*Ardea herodias*), 693–701
- Buzzard, Common, 463, 466
- Cacatua roseicapilla*, 932
- Cairina moschata*, 102
- Calcarius lapponicus*, 875–886; *pictus*, 591, 875–886
- Calidris alba*, 556, 581, 583, 928; *alpina*, 142, 446, 556, 573, 583, 733, 928; *bairdii*, 582; *canutus*, 552–562, 583, 928; *ferruginea*, 556, 583; *maritima*, 555, 573, 583; *mauri*, 581, 583; *melanotos*, 582; *minuta*, 556, 581, 583; *minutilla*, 446, 548, 582; *pusilla*, 142, 548, 581, 583, 774, 928; *ruficollis*, 554, 556, 582, 583; *tenuirostris*, 556
- Callipepla californica*, 113; *gambelii*, 915
- Calocitta*, 207; *formosa*, 213
- Calyptomena*, 304–324; *hosei*, 311, 320; *viridis*, 306, 308, 309, 312, 321; *whiteheadii*, 308, 309, 312, 322
- Calyptorhynchus funereus*, 932
- Camerino, M., see Senar, J. C., et al.
- Campephilus guatemalensis*, 101, 104; *melanoleucus*, 101, 104
- Campylorhynchus nuchalis*, 153, 378
- Canachites canadensis*, 553
- Canary, 877
- Canvasback, 57–68, 264, 276
- Capercaillie, Common, 21
- Capito*, 372
- Caprimulgidae, 190
- Cardinalis cardinalis*, 190
- Carduelis chloris*, 385; *flammea*, 876; *flammea flammea*, 832–842; *hornemannii*, 884; *hornemannii exilipes*, 832–842; *pinus*, 924; *spinus*, 924–926; *tristis*, 876
- Carey, Cynthia, review by, 671–672
- Carpinus caroliniana*, 38
- Carpodacus mexicanus*, 826
- Castro, Gonzalo, and J. P. Myers, Shorebird predation

- on eggs of horseshoe crabs during spring stop-over on Delaware Bay, 927-930
- Cat, feral, 38
- Catbird, Gray, 92, 877
- Catharacta chilensis*, 402; *lonnbergi*, 403, 653; *maccormicki*, 222-232, 402
- Cathartes aura*, 223
- Catharus fuscescens*, 877; *guttatus*, 728; *ustulatus*, 728
- Cecropis semirufa*, 799, 800, 804, 805, 806, 813-823
- Centrocercus urophasianus*, 25, 915
- Cephus columba*, 133; *grylle*, 594
- Ceratoderma*, 554
- Cerorhinca monocerata*, 133-135
- Cervus canadensis*, 632
- Ceryle alcyon*, 202; *rudis*, 487
- Chaetura*, 202; *pelagica*, 102, 190, 191, 192, 193-199
- Chalcophaps indica*, 536
- Chang, Paul R., see Browne, Robert A., et al.
- Charadrii, 17
- Charadriidae, 445-456
- Charadrius*, 141; *alexandrinus*, 556; *glaucopus*, 136; *hiaticula*, 142, 556; *melodus*, 541; *morinellus*, 521; *semipalmatus*, 446
- Chen caerulescens atlanticus*, 560; *caerulescens caerulescens*, 276, 431-433; *rossii*, 431
- Cheramoeca leucosternus*, 800, 801
- Chiappe, Luis M., see Noriega, Jorge I., and —
- Chickadee, Black-capped, 91, 92, 642, 730, 877
- Chiroxiphia*, 309
- Chlorophanes spiza*, 106
- Chlorospingus ophthalmicus*, 148-150; *punctulatus*, 148-150
- Chlorostilbon bracei*, 7
- Chondrohierax uncinatus*, 102
- Chordeiles*, 202; *minor*, 190, 191, 192, 193-199
- Chrysococcyx caprius*, 690
- Cistothorus palustris*, 90, 92
- Clangula hyemalis*, 453
- Clapp, Roger B., review by, 421-422
- Clark, R. G., see Hobson, Keith A., and —
- Clark, William S., reviews by, 165-166, 166
- Clayton, Dale H., and Jennifer G. Vernon, Common Grackle anting with lime fruit and its effect on ectoparasites, 951-952
- Clethra alnifolia*, 38
- Clutch size, 264-276; in *Parus palustris*, 889-898
- Cnipedocles subbrunneus*, 105
- Coccyczus minor*, 102
- Cockatoo, Australian, 932
- Cockburn, Andrew, see Mulder, Raoul A., and —
- Coeligena prunellei*, 7
- Cohn-Haft, Mario, Rediscovery of the White-winged Potoo (*Nyctibius leucopterus*), 391-394
- Colinus virginianus*, 453, 503-509
- Collias, Elsie C., Inheritance of egg-color polymorphism in the Village Weaver (*Ploceus cucullatus*), 683-692
- Coloration, Osprey, 745
- Columba columbae*, 951; *livia*, 354, 382, 783, 951
- Condor, California, 379
- Connors, Peter G., Brian J. McCaffery, and John L. Maron, Speciation in golden-plovers, *Pluvialis dominica* and *P. fulva*: Evidence from the breeding grounds, 9-20
- Contopus*, 190
- Cooke, Fred, review by, 961-962
- Cooperative-breeding, biology of, 207-213
- Coot, American, 915
- Copete, J. L., see Senar, J. C., et al.
- Copulation, in migration, 157-159
- Coraciidae, 190
- Cordero, Pedro J., Factors influencing numbers of syntopic House Sparrows and Eurasian Tree Sparrows on farms, 382-385
- Cordia alliodora*, 104
- Coraciidae, 202
- Cormorant, Double-crested, 134; Pelagic, 134
- Cornus florida*, 38
- Corvus*, 553; *americanus*, 921; *brachyrhynchos*, 38, 92, 395, 634, 639; *corax*, 247-253, 395, 632; *enca*, 535
- Corydon*, 304, 313; *sumatrana*, 311, 323
- Cotterman, Virginia, and Bernd Heinrich, A large temporary roost of Common Ravens, 395
- Coturnix coturnix japonica*, 453; *chinensis*, 78-87, 536; *japonica*, 640
- Cowbird, Brown-headed, 38, 604, 759, 863, 876, 877; Shiny, 690
- Crab-plover, 142
- Crane, Common, parental care in, 78-87; Whooping, 379
- Crassostrea virginica*, 358
- Creagrus furcatus*, 226
- Crocidura* sp., 478
- Crossbill, Parrot, 385; Red, 385, 398-401, 730; White-winged, 385
- Crow, American, 38, 92, 395, 634, 639, 921
- Ctenocephalides felis*, 951
- Cuckoo, Didric, 690; European, 690; Mangrove, 102
- Cuculus canoris*, 690
- Culicoides* sp., 109-110
- Curlew, Bristle-thighed, 573-585; Eurasian, 142, 446, 448, 456, 556, 581, 582, 583; Long-billed, 548
- Cyanocitta cristata*, 38, 92, 208; *stelleri*, 213
- Cyanocorax*, 207
- Cyanolyca cucullata*, 213
- Cygnus*, 432; *columbianus*, 433; *columbianus bewickii*, 147
- Cymatogaster aggregata*, 693-699
- Cymbirhynchus*, 304, 309, 311-313; *macrorhynchus*, 306, 308, 322
- Cytisus palmensis*, 917; *proliferus*, 917
- Daption capense*, 403, 492-501
- Davidar, Priya, and Eugene S. Morton, Living with parasites: Prevalence of a blood parasite and its effect on survivorship in the Purple Martin, 109-116
- Deer, white-tailed, 358

- Dekinga, Anne, see Piersma, Theunis, et al.
- Delehanty, David J., and Lewis W. Oring, Effect of clutch-size on incubation persistence in male Wilson's Phalaropes (*Phalaropus tricolor*), 521–528
- Delichon urbica*, 217, 481, 799, 800, 804, 805, 806, 813–823
- Dendragapus canadensis*, 21; *obscurus*, 21, 70–75, 153, 354
- Dendrocopos major*, 217
- Dendrocygna autumnalis*, 58
- Dendroica caerulescens*, 38, 570; *coronata*, 869; *discolor*, 43; *kirtlandii*, 765; *petechia*, 728, 877, 924; *striata*, 877; *virens*, 158
- Desrochers, André, and Robert D. Magrath, Age-specific fecundity in European Blackbirds (*Turdus merula*): Individual and population trends, 255–263
- Dias, Paula Christina, see Blondel, Jacques, et al.
- Dicaeum agile*, 535
- Dickinson, Janis L., review by, 661–662
- Dicruridae, 190
- Dicrurus*, 202; *hottentottus*, 190, 191, 193–199
- Diet selection, antwren, 361–373
- Diomedea exulans*, 325–340; *immutabilis*, 234; *rrorata*, 222
- Dispersal, in Blue-footed Boobies, 234–238
- Distichlis spicata*, 693
- Divergence, genetic, 117–124
- DNA analysis, 378–381
- DNA fingerprinting, in avian behavioral ecology, 152–155
- DNA, mitochondrial, 614–621, 825–830
- DNA-DNA hybridization, 798–811
- Dotterel, Eurasian, 521
- Dove, Rock, 354, 783, 951
- Dovekie, 343–352
- Dowitcher, Short-billed, 19, 141, 143, 144; Long-billed, 19
- Drepanidinae, 825
- Dromas*, 142
- Drosophila*, 52
- Drummond, Christopher G., see Villard, Marc-André, et al.
- Drummond, Hugh, see Osorio-Beristain, Marcela, and —
- Duck, American Black, 354; Black-bellied Whistling, 57; Hawaiian, 49–56; Laysan, 49–56; Muscovy, 102; Ring-necked, 276; Ruddy, 58, 276; Wood, 58, 264, 276
- Dumetella carolinensis*, 92, 877
- Dunlin, 446, 448, 541, 548, 556, 573, 583, 733, 928
- Dunnock, 591, 875–886
- Dykstra, Cheryl R., and William H. Karasov, Nesting energetics of House Wrens (*Troglodytes aedon*) in relation to maximal rates of energy flow, 481–491
- Eagle, Bald, 632, 633; Golden, 736
- Easterla, David A., see Robbins, Mark B., and —
- Eberl, Christine, and Jaroslav Picman, Effect of nest-site location on reproductive success of Red-throated Loons (*Gavia stellata*), 436–444
- Ecology, foraging, 632–634
- Egg laying, in American Robins, 156; parasitic, 57–68
- Eider, Common, 264, 552
- Einar, Kjell Erikstad, Jan Ove Bustnes, and Truls Moum, Clutch-size determination in precocial birds: A study of the Common Eider, 623–628
- Elaenia flavogaster*, 105
- Elaenia*, Yellow-bellied, 105
- Elaphe obsoleta*, 38
- Eleocharis halophila*, 300
- Ellsworth, Darrell L., see Longmire, Jonathan L., et al.
- Elmberg, Johan, Song differences between North American and European White-winged Crossbills (*Loxia leucoptera*), 385
- Elphick, Chris S., see Oring, Lewis W., and —
- Ely, Craig R., Family stability in Greater White-fronted Geese, 425–435
- Emlen, Stephen T., Ethics and experimentation: Hard choices for the field ornithologist, 406–409
- Empidonax minimus*, 870, 877
- Energetics, in Dovekies, 343–352
- Enoksson, Bodil, Effects of female age on reproductive success in European Nuthatches breeding in natural cavities, 215–221
- Eragrostis variabilis*, 574
- Eremophilia alpestris*, 727–733, 877
- Erigeron deserticola*, 395
- Eriocnemis isaacsonii*, 1; *nigrivestis*, 2; spp., 4
- Erithacus rubecula*, 858
- Ethics, for field ornithologists, 404–408
- Eubucco*, 372
- Eudocimus albus*, 101
- Euphagus cyanocephalus*, 728, 884
- Euplectes orix*, 690
- Eurema blanda*, 535
- Eurylaimidae, 304–324
- Eurylaimus*, 304, 309, 313; *javanicus*, 308, 311, 322; *ochromalus*, 307, 308, 311, 312, 322; *steeri*, 308, 312, 322
- Eurypyga helias*, 391
- Eurystomus*, 202; *orientalis*, 190, 191, 193–199
- Evolution, in aerial-foraging birds, 189–204; in Sharp-tailed Sparrows, 297–300; of Hawaiian honeycreepers, 826–830
- Fairy-Wren, Splendid, 591; Superb, 588–593
- Falco columbarius*, 727–733; *peregrinus*, 378, 736; *punctatus*, 378; *sparverius*, 113, 465–466; *tinnunculus*, 783
- Falcon, Peregrine, 378, 736
- Fecundity, age-specific, 255–262
- Feeding, filter, 176–177; in aquatic birds, 169–177; surface-tension, 169–177
- Felis catus*, 113; *silvestris*, 38
- Ficedula albicollis*, 765; *hypoleuca*, 43, 220, 245, 284
- Finch, Bengalese, 877; House, 826; Laysan, 826; Zebra, 702–714, 716–725, 635–638, 778–786, 877
- Fir, Douglas, 71, 693; subalpine, 71
- Fleischer, Robert C., see Tarr, Cheryl L., and —

- Flycatcher, Brownish, 105; Collared, 765; Least, 870, 877; Pied, 220, 245, 284; Tyrant, 189
- Foraging, 325–340, 440–441; nocturnal in shorebirds, 141–144
- Formicariidae, 2
- Foster, Mercedes S., Research, conservation, and collaboration: The role of visiting scientists in developing countries, 414–417
- Fox, A. D., see Warren, Stephanie M., et al.
- Fox, red, 38
- Fratercula cirrhata*, 134
- Frederick, Peter C., review by, 963–964
- Fregata magnificens*, 102; spp., 222
- Freitag, Stefanie, and Terence J. Robinson, Phylogenetic patterns in mitochondrial DNA of the Ostrich (*Struthio camelus*), 614–622
- Friis, Gladys, see Hayward, James L., et al.
- Friedl, Thomas W. P., Intraclutch egg-mass variation in geese: A mechanism for brood reduction in precocial birds?, 129–132
- Frigatebird, Magnificent, 102
- Fujita, Michio, see Osa, Yuichi, et al.
- Fulica americana*, 915
- Fulmar, Northern, 492–501; Southern, 492–501
- Fulmarus glacialis*, 492–501; *glacialisoides*, 492–501
- Gabrielsen, Geir W., see Konarzewski, Marek, et al.
- Gadwall, 264
- Galah, 932
- Galbula ruficauda*, 190, 191, 193–199
- Galbulidae, 190
- Gallinago*, 142
- Gallinula chloropus*, 454
- Gallinule, Common, 454
- Gallirallus striatus*, 532
- Gallus*, 553; *gallus*, 386, 453, 683–691, 782
- Galusha, Joseph G., see Hayward, James L., et al.
- Gasterosteus aculeatus*, 694
- Gavia stellata*, 436–443
- Geese, intraclutch egg-mass variation in, 129–131
- Gender identification, 378–381
- Genetic divergence, 49–56
- George, William, 1925–1992, in memoriam, 376
- Geothlypis*, 117; *trichas*, 92, 869, 877, 879
- Gibbs, H. Lisle, see Gowaty, Patricia Adair, and —
- Glaucis*, 202; *aenea*, 102–103; *hirsuta*, 102
- Godard, Renee, Red-eyed Vireos have difficulty recognizing individual neighbors' songs, 857–862
- Godwit, Bar-tailed, 552–562, 582, 583; Black-tailed, 446, 448, 456, 583; Hudsonian, 446, 448; Marbled, 300
- Goldcrest, 34
- Golden-Plover, 9–19; American, 136; Eurasian, 136; Greater, 555, 556; Lesser, 446, 448; Pacific, 136–140, 581, 584, 585
- Goldeneye, Common, 58, 943–946
- Goldentail, Blue-throated, 104
- Goldfinch, American, 91, 92, 730, 876
- Goodman, Steven M., see Banks, Richard C., et al.
- Goose, Bar-headed, 130, 432; Barnacle, 86, 433; Cackling Canada, 147, 431; Canada, 130, 358, 379, 431, 626; Giant Canada, 147; Greater Snow, 560; Greater White-fronted, 130, 425–435; Greenland White-fronted, 145–147; Greylag, 432; Hawaiian, 49; Lesser Snow, 130, 276, 431–433; Pacific White-fronted, 147; Snow, 626
- Gorman, Gerard, A guide to birdwatching in Hungary (rev.), 166–167
- Gowaty, Patricia Adair, and H. Lisle Gibbs, DNA fingerprinting in avian behavioral ecology: Two cultures arise, 152–155
- Grackle, Common, 38, 90, 113, 951–952
- Gracula religiosa*, 535
- Graves, Gary R., Relic of a lost world: A new species of sunangel (Trochilidae: *Heliangelus*) from Botogotá, 1–8
- Greenfinch, 385
- Greenlaw, Jon S., Behavioral and morphological diversification in Sharp-tailed Sparrows (*Ammodramus caudacutus*) of the Atlantic coast, 286–303
- Griffin, Curtice R., see Browne, Robert A., et al.
- Groth, Jeffrey G., Call matching and positive assortative mating in Red Crossbills, 398–401
- Grouse, Black, 25, 153; Blue, 21, 25, 70–75, 355; Red, 354; Ruffed, 386–389, 915; Sage, 25, 915; Sharp-tailed, 25; Spruce, 21, 25, 26, 553
- Grus americana*, 379; *grus*, 78–87
- Guglielmo, Christopher G., and William H. Karasov, Endogenous mass and energy losses in Ruffed Grouse, 386–390
- Guillemot, Black, 594; Pigeon, 133, 134
- Gull, Black-backed, 500; Franklin's, 226; Glaucous, 409–410, 410–413; Glaucous-winged, 133, 134, 634; Herring, 102, 409–410, 410–413, 500; Laughing, 102, 500; Sabine's, 226; Swallow-tailed, 226; Western, 218
- Gullion, Gordon W., 1923–1991, in memoriam, 915–916
- Gygis alba*, 226
- Gymnogyps californianus*, 379
- Gymnopithys bicolor*, 104
- Gymnorhinus*, 207
- Habitat, breeding, 37–46; Ovenbird, 759–767
- Haematopozoa, 109–114
- Haematoopus*, 142; *bachmani*, 134; *ostrealegus*, 542, 554, 556
- Haemoproteus meleagrididis*, 113; *nettionis*, 113; *prognei*, 109–114; *quiscalus*, 113
- Hagan, John M., III, Decline of the Rufous-sided Towhee in the eastern United States, 863–874
- Haliaeetus leucocephalus*, 632
- Halobaena caerulea*, 340
- Handford, Paul, see Lougheed, Stephen C., and —
- Handrich, Yves, Laurent Nicolas, and Yvon LeMaho, Winter starvation in captive Common Barn-Owls: Bioenergetics during refeeding, 470–480
- Handrich, Yves, Laurent Nicolas, and Yvon LeMaho,

- Winter starvation in captive Common Barn-Owls: Physiological states and reversible limits, 458-469
- Haplochelidon*, 948; *andecola*, 800, 801, 808, 810
- Harpactes oreskios*, 535; *orrhophaeus*, 535
- Hawk*, Galapagos, 736; Harris', 212, 736; Zone-tailed, 223
- Hayama, Shin-ichi, see Osa, Yuichi, et al.
- Hays, Helen, Roseate Tern trio fledges three young, 653-658
- Hayward, James L., Joseph G. Galusha, and Gladys Frias, Analysis of Great Horned Owl pellets with Rhinoceros Auklet remains, 133-135
- Haywood, Sacha, Sensory control of clutch size in the Zebra Finch (*Taeniopygia guttata*), 778-786
- Heinrich, Bernd, John M. Marzluff, and Colleen S. Marzluff, Common Ravens are attracted by appeasement calls of food discoverers when attacked, 247-254
- Heinrich, Bernd, see Cotterman, Virginia, and —
- Helianzelus amethysticollis*, 7; *exortis*, 4, 7; *regalis*, 1
- Helianzelus zusii*, new species, 1-8
- Helianthea prunellei*, 2
- Hemignathus kauaiensis*, 830; *parvus*, 825-830; *sagittirostris*, 825-830; *virens*, 825-830, 917
- Hermit, Bronzy, 102-103; Rufous-breasted, 102
- Heron, Great Blue, 693
- Heteroscelus incanus*, 584
- Hiebert, Sara, Seasonal changes in body mass and use of torpor in a migratory hummingbird, 787-797
- Hillstar, Andean, 787
- Himantopus himantopus*, 142; *mexicanus*, 542
- Himatione sanguinea*, 917
- Hirundinea, 190
- Hirundinidae, 190, 798
- Hirundo*, 202; *abyssinica*, 109; *andecola*, 947; *atrocaerulea*, 801; *cinerea*, 947; *daurica*, 109; *rufocollaris*, 949; *russica*, 35, 43, 102, 109, 190-199, 800, 804, 805, 806, 807, 809, 813-823, 877
- Hobson, Keith A., and R. G. Clark, Turnover of  $^{13}\text{C}$  in cellular and plasma fractions of blood: Implications for nondestructive sampling in avian dietary studies, 638-641
- Hochachka, Wesley M., Repeatable reproduction in Song Sparrows, 603-613
- Holmes, Richard T., see Marra, Peter A., et al.
- Honeycreeper, Crested, 917; Green, 106
- Hornbill, Brown, 933; Bushy-crested, 933; Great, 935; Helmeted, 935; Rhinoceros, 935; Rufous, 933-935; Southern Ground, 933; White-crowned, 933
- House-Martin, Northern, 800
- Houston, C. Stuart, see Tordoff, Harrison B., and —
- Hubley, Mark, see Browne, Robert A., et al.
- Hummingbird, new species of, 1-8; Rufous, 787-796
- Hydrobia*, 554; *ulvae*, 553
- Hylocharis eliciae*, 104
- Hylocichla mustelina*, 37-46, 190
- Hylophilus*, 372
- Hypocnemis cantator*, 373
- Hypothenemis*, 536
- Ibis, White, 101
- Icterus galbula*, 877
- Infanticide, experimentally induced, 404-405
- Ingolfsson, Agnar, The variably plumaged gulls of Iceland, 409-410
- Jacamar, Great, 391
- Jacamerops aurea*, 391
- Jacana jacana*, 404
- Jacana*, Wattled, 404
- Jaeger, Long-tailed, 224, 227; Parasitic, 222, 227; Pomarine, 222-232
- James, Frances C., Elliott Coues Award, 1992, 162-163
- James, Frances C., reviews by, 667-668, 956-957
- Janczur, Mariusz, review by, 956
- Jay, Azure-hooded, 213; Blue, 38, 92, 208; Dwarf, 213; Florida Scrub, 154; Gray-breasted, 207; Scrub, 207-213; Steller's, 213; Unicolored, 207, 213
- Jenkinson, Marion A., The American Ornithologists' Union's support of Latin American ornithology, 659-660
- Johnson, Kevin P., review by, 958-959
- Johnson, Ned K., review by, 959-960
- Johnson, Ned K., William Brewster Memorial Award, 1992, 161-162
- Johnson, Oscar W., The Pacific Golden-Plover (*Pluvialis fulva*): Discovery of the species and other historical notes, 136-141
- Johnson, R. Kent, see Roth, Roland R., and —
- Jouventin, Pierre, see Weimerskirch, Henri, et al.
- Junco, Dark-eyed, 279-284, 354, 833; Slate-colored, 869; Yellow-eyed, 482
- Junco endocrinology, 279-284
- Junco hyemalis*, 354, 833, 869, 877; *hyemalis hyemalis*, 279-284; *phaeonotus*, 482
- Juncus balticus*, 300
- Juniperus* sp., 395
- Karasov, William H., see Dykstra, Cheryl R., and —; see Guglielmo, Christopher G., and —
- Kestrel, American, 113, 465; Common, 783; Mauritius, 378
- Ketterson, Ellen D., see Rogers, Christopher M., et al.
- Killdeer, 730
- Kingbird, Eastern, 921-923; Western, 217
- Kingfisher, Belted, 202; Pied, 487
- Kite, Hook-billed, 102
- Kittiwake, Black-legged, 604
- Kleptoparasitism, 222-232
- Knight, Richard L., see McKinstry, Mark C., and —
- Knot, Great, 556; Red, 552-562, 583
- Konarzewski, Marek, Jan R. E. Taylor, and Geir W. Gabrielsen, Chick energy requirements and adult

- energy expenditures of Dovekies (*Alle alle*), 343–353
- Koolhaas, Anita, see Piersma, Theunis, et al.
- Kratter, Andrew W., review by, 423–424
- Kuramochi, Toshiaki, see Osa, Yuichi, et al.
- Lagopus lagopus*, 21, 453; *lagopus scoticus*, 354; *leucurus*, 21; *mutus*, 21, 453
- Lampropeltis triangulum*, 238
- Lanius excubitor*, 396–397
- Lanyon, Scott M., see Banks, Richard C., et al.
- Lapwing, Northern, 142, 446, 448, 456; Southern, 130
- Laridae, 454
- Lark, Horned, 727–733, 877
- Larrea tridentata*, 395
- Larus argentatus*, 102, 409–410, 410–413, 453, 500; *atricilla*, 102, 453, 500; *delawarensis*, 453, 640; *dominicanus*, 500; *glaucescens*, 133, 634; *hyperboreus*, 409–410, 410–413; *occidentalis*, 218, 453; *pipixcan*, 226; spp., 222
- Ledum decumbens*, 770; *groenlandicum*, 770
- Lee, David S., Comments on four pre-1853 seabirds reportedly obtained off Monterey, California, 402–404
- Lekagul, Boonsong, 1907–1992, in memoriam, 128
- LeMaho, Yvon, see Handrich, Yves, et al.
- Leptich, Michelle, see Picman, Jaroslav, et al.
- Leptocottus armatus*, 694
- Lesbia*, 4
- Leucocytozoon*, 114
- Life history, Osprey, 747
- Limnodromus*, 142; *griseus*, 19, 141; *scolopaceus*, 19; spp., 928
- Limosa fedoa*, 300; *haemastica*, 446; *lapponica*, 552–562, 582, 583; *limosa*, 446, 556, 583
- Limulus polyphemus*, 560, 927
- Lindera benzoin*, 38
- Link, William A., see Barker, Richard J., et al.
- Lipaugus*, 309
- Lipquidambar styraciflua*, 38
- Liriodendron tulipifera*, 38
- Lochmiller, Robert L., Michelle R. Vestey, and Jon C. Boren, Relationship between protein nutritional status and immunocompetence in Northern Bobwhite chicks, 503–510
- Lonchura malacca*, 532; *striata*, 877
- Longmire, Jonathan L., Mary Maltbie, Robert W. Pavelka, Loren M. Smith, Shelly M. Witte, Oliver A. Ryder, Darrell L. Ellsworth, and Robert J. Baker, Gender identification in birds using microsatellite DNA fingerprint analysis, 378–381
- Longspur, Lapland, 875–886; Smith's, 591, 875–886
- Loon, Red-throated, 436–443
- Loope, Lloyd L., see Waring, George H., et al.
- Loriculus galgulus*, 535
- Loriikeet, 553
- Lorius garrulus*, 379
- Lory, Chattering, 379
- Lougeed, Stephen C., and Paul Handford, Covariation of morphological and allozyme frequency characters in populations of the Rufous-collared Sparrow (*Zonotrichia capensis*), 179–188
- Loxia curvirostra*, 385, 398–401; *leucoptera*, 385; *pytyopsittacus*, 385
- Loxops stejnegeri*, 830
- Lubjuhn, T., see Brün, J., and ——
- Lurocalis semitorquatus*, 391
- Lyrurus tetrix*, 453
- Machetornis*, 190
- Macoma balthica*, 553, 558
- Macronectes* sp., 500
- Magpie, Black-billed, 632–634
- Magpie-Jay, White-throated, 213
- Magrath, Robert D., see Desrochers, André, and ——
- Maistre, Marie, see Blondel, Jacques, et al.
- Mallard, 49–56, 113, 164, 354, 553
- Maltbie, Mary, see Longmire, Jonathan L., et al.
- Malurus cyaneus*, 588–593; *splendens*, 591
- Manacus*, 100
- Mango, Black-throated, 103; Green-breasted, 103–104; Veraguian, 103
- Mann, Frances E., and James S. Sedinger, Nutrient-reserve dynamics and control of clutch size in Northern Pintails breeding in Alaska, 264–278
- Marks, Jeffrey S., Molt of Bristle-thighed Curlews in the northwestern Hawaiian Islands, 573–587
- Maron, John L., see Connors, Peter G., et al.
- Marra, Peter A., Thomas W. Sherry, and Richard T. Holmes, Territorial exclusion by a long-distance migrant warbler in Jamaica: A removal experiment with American Redstarts (*Setophaga ruticilla*), 565–572
- Marshes, passerine breeding in, 89–93
- Martin, Amy E., see Browne, Robert A., et al.
- Martin, Banded, 800; Brazza's, 801, 808; Brown-chested, 800; Grey-breasted, 800; House, 217, 481; Mascarene, 800; Purple, 106, 109–114; Rock, 800; Sand, 482, 800
- Martin, Liliana F., and Enrique H. Bucher, Natal dispersal and first breeding age in Monk Parakeets, 930–933
- Martin, Paul R., see Villard, Marc-André, et al.
- Marzluff, Colleen S., see Heinrich, Bernd, et al.
- Marzluff, John M., see Heinrich, Bernd, et al.
- Mating, Red Crossbill, 398–401; Osprey, 745
- Maxomys whiteheadi*, 535
- Mayr, Ernest, In memoriam: Ernst Schüz, 1901–1991, 127
- Mayfield, Harold F., In memoriam: Lawrence Harvey Walkinshaw, 1904–1993, 629–631
- McCaffery, Brian J., see Connors, Peter G., et al.
- McClure, H. Elliott, In memoriam: Boonsong Lekagul, 1907–1992, 128
- McDonald, Lyman L., see Bromaghin, Jeffrey F., and ——

- McDonald, M. Victoria, see Moore, Frank R., and —
- McKinstry, Mark C., and Richard L. Knight, Foraging ecology of wintering Black-billed Magpies, 632–635
- McKittrick, Mary C., Trends in the evolution of hind-limb musculature in aerial-foraging birds, 189–206
- McNeil, Raymond, see Azuaje, Luz Marina Rojas de, et al.
- Meadowlark, Eastern, 857; Western, 730, 857
- Medeiros, A. C., see Waring, George H., et al.
- Megalaima australis*, 535; *chrysopogon*, 536
- Megalestes skua*, 402
- Melanitta fusca*, 453
- Meleagris gallopavo*, 113, 379, 552, 553
- Melopsittacus undulatus*, 245
- Melospiza georgiana*, 90, 92; *melodia*, 284, 603–612, 860, 877
- Mergus merganser*, 453; *serrator*, 453
- Merlin, 727–733
- Meropidae, 190
- Merops*, 202; *albicollis*, 190–199; *apiaster*, 190, 191, 193–199; *viridis*, 190, 191, 193–199
- Mettallura purpureicauda*, 2
- Metcalf, N. B., see Senar, J. C., et al.
- Metrosideros polymorpha*, 917
- Microdipodops pallidus*, 795
- Micropalama himantopus*, 446
- Microtus arvalis*, 478
- Migration, copulation in, 157–159; differential, 70–75; Greater Prairie-Chicken, 21–27
- Milks, Maynard L., see Picman, Jaroslav, et al.
- Milonoff, Markku, and Pertti Paananen, Egg formation, brood survival, and cost of reproduction as clutch-size-determining factors in Common Goldeyenes, 943–946
- Mimicry, 222–232
- Mink, 92
- Mitra, Shaibal S., and Frederick H. Sheldon, Use of an exotic tree plantation by Bornean lowland forest birds, 529–540
- Molothrus ater*, 38, 604, 759, 863, 876, 877; *bonariensis*, 691
- Moore, Frank R., and M. Victoria McDonald, On the possibility that intercontinental landbird migrants copulate en route, 157–160
- Moose, 92
- Morphological diversification, 286–301
- Morphology, of broadbills and asities, 304–324
- Morphometric variation, in redpolls, 832–842
- Moum, Truls, see Einar, Kjell Erikstad, et al.
- Mulder, Raoul A., and Andrew Cockburn, Sperm competition and the reproductive anatomy of male Superb Fairy-Wrens, 588–593
- Mumme, Ronald L., review by, 957–958
- Murano, Masaaki, see Osa, Yuichi, et al.
- Murre, Common, 594
- Murrelets, Marbled, 594–600
- Mus musculus*, 114
- Musculature, hindlimb, 189–204
- Mustela frenata*, 92; *nivalis*, 217; *vison*, 92
- Myers, J. P., see Castro, Gonzalo, and —
- Myiopsitta monachus*, 930
- Myotis lucifugus*, 728
- Myrmotherula axillaris*, 361–373; *haematonota*, 361–373; *hauwelli*, 361–373; *leucophthalma*, 361–373; *longipennis*, 361–373; *ornata*, 361–373
- Mytilus*, 554; *edulis*, 553
- Naito, Yasuhiko, see Osa, Yuichi, et al.
- Naslund, Nancy L., Why do Marbled Murrelets attend old-growth forest nesting areas year-round?, 594–602
- Natal dispersal, in Monk Parakeets, 930–933
- Neochelidon tibialis*, 799, 800, 804, 805, 806, 807, 813–823
- Neodrepanis*, 304–324; *coruscans*, 307, 308, 324; *hypoxantha*, 311, 324
- Neolesbia nehrkorni*, 2, 4, 6
- Neopelma*, 309
- Neoscatella sexnotata*, 584
- Nereis diversicolor*, 558
- Nesochen sandivicensis*, 49
- Nesofregetta fuliginosa*, 226
- Nest box, effect of heating on egg laying, 95–98
- Nest lining, feathers as, 29–36
- Nest predation, 769–776
- Nesting, 921–923
- Nicolas, Laurent, see Handrich, Yves, et al.
- Nighthawk, Short-tailed, 391
- Noddy, Black, 226
- Nolan, Val, Jr., see Rogers, Christopher M., et al.
- Noriega, Jorge I., and Luis M. Chiappe, An early Miocene passeriform from Argentina, 936–938
- Norment, Christopher J., Nest-site characteristics and nest predation in Harris' Sparrows and White-crowned sparrows in the Northwest Territories, Canada, 769–777
- Notiochelidon murina*, 809, 949
- Numenius americana*, 548; *arquata*, 142, 446, 556, 581, 583; *phaeopus*, 446; *tahitiensis*, 573–585
- Nuthatch, European, 215–220; Red-breasted, 730
- Nyctibus aethereus*, 392; *bracteatus*, 391; *grandis*, 392; *griseus*, 392; *leucopterus*, 391–394
- Nyctidromus albicollis*, 393; *maculosus*, 393
- Nyssa sylvatica*, 38
- O'Connor, Timothy P., and Terry L. Root, Effect of handling time and freezing on catabolic enzyme activity in House Sparrow pectoralis muscle, 150–152
- O'Sullivan, Paddy, see Warren, Stephanie M., et al.
- Obst, Bryan S., see Rubega, Margaret A., and —
- Oceanodroma castro*, 226; *hornbyi*, 226; *leucorhoa*, 226; *markhami*, 226; *tethys*, 226
- Odocoileus hemionus*, 632; *virginianus*, 358, 871
- Oliphant, Lynn W., see Sodhi, Navjot S., and —

- Olson, Storrs L., Contributions to avian biogeography from the archipelago and lowlands of Bocas del Toro, Panama, 100–108
- Olson, Storrs L., In memoriam: Pierce Brodkorb, 1908–1992, 911–915
- Olson, Storrs L., Intergradation between the bush-tanagers *Chlorospingus punctulatus* and *C. ophthalmicus* in western Panama (Aves: Thraupidae), 148–150
- Opornis formosus*, 759
- Opuntia* sp., 395
- Oreotrochilus estella*, 787
- Orima, Hiromitsu, see Osa, Yuichi, et al.
- Oring, Lewis W., and Chris S. Elphick, review by, 672–674; see Delehanty, David J., and ———; see Reed, J. Michael, and ———
- Oriole, Northern, 730, 877
- Osa, Yuichi, Toshiaki Kuramochi, Yutaka Watanuki, Yasuhiko Naito, Masaaki Murano, Shin-ichi Hayama, Hiromitsu Orima, and Michio Fujita, Application of computed tomography to morphological study of Emperor and Adélie penguins, 651–653
- Osorio-Beristain, Marcela, and Hugh Drummond, Natal dispersal and deferred breeding in the Blue-footed Booby, 234–239
- Osprey, 736–749, 900–909
- Ostrich, 614–621
- Ovenbird, 759–767
- Owl, Eagle, 463; Great Horned, 38, 133–135; Little, 396–397
- Oxyura jamaicensis*, 58, 276
- Oystercatcher, American Black, 134; Eurasian, 542, 548, 554, 556
- Paananen, Pertti, see Milonoff, Markku, and ———
- Pagodroma nivea*, 492–501
- Palmeria dolei*, 917
- Pandion haliaetus*, 736–749, 900–909
- Panurus biarmicus*, 553, 560
- Parabuteo unicinctus*, 212, 736
- Parakeet, Monk, 930–933; Olive-throated, 102
- Parasite, blood, 109–114; relationship between roosting habits and, 113–114
- Parasitism, nest, 526–527
- Parental care, 78–87, 240–245
- Parkes, Kenneth C., Systematics and nomenclature of the Andean Swallow, "Petrochelidon" *andecola*, 947–950
- Paroreomyza montana*, 917
- Parrotbill, Maui, 917
- Paruaque, 393
- Parus atricapillus*, 92, 642, 809, 877; *bicolor*, 800, 801, 804, 805, 806, 809, 813–823, 860; *caeruleus*, 95–98, 219, 784, 828, 511–518, 645; *major*, 219, 245, 516–518, 644, 924; *montanus*, 218, 642; *palustris*, 219, 642, 889–898
- Passer domesticus*, 190, 204, 379, 382–385, 727, 728, 877, 924; *melanurus*, 690; *montanus*, 382–385
- Passerculus sandwichensis*, 481, 845, 877
- Passerella iliaca*, 185
- Passerina amoena*, 26; *cyannea*, 154
- Pavelka, Robert W., see Longmire, Jonathan L., et al.
- Pavo cristatus*, 134
- Payne, Robert B., review by, 664–666
- Peafowl, Indian, 134
- Pelecanus* spp., 222
- Pellets, Great Horned Owl, 133–135
- Penguin, Emperor, 465, 651–653; Adélie, 651–653
- Perognathus californicus*, 795
- Peromyscus leucopus*, 796; *polionotus*, 358
- Perret, Philippe, see Blondel, Jacques, et al.
- Peterson, A. Townsend, review by, 668–669; see Burt, D. Brent, and ———
- Peterson, Alan P., review by, 669–670
- Petrel, Antarctic, 492–501; Black-winged, 226; Blue, 340; Cape, 492–501; Dark-rumped, 226; Fulmarine, 492–501; Gray, 402; Herald, 222–232; Juan Fernandez, 226, 227; Kermadec, 222–232; Snow, 492–501; Stejneger's, 226; Tahiti, 226; White-necked, 226; White-winged, 226
- Petrochelidon andecola*, 947–950; *murina*, 947; *pyrrhonota*, 799, 800, 804, 805, 806, 808, 813–823; *spilodera*, 799, 800, 804, 805, 806, 809, 813–823
- Phaeoprogne*, 948; *tapera*, 800, 801, 804, 805, 806, 808, 813–823
- Phaethon aethereus*, 101, 224, 226; *lepturus*, 101
- Phainopepla*, 553
- Phainopepla nitens*, 553
- Phalacrocorax auritus*, 134; *carbo*, 639; *pelagicus*, 134; spp., 222
- Phalarope, Red, 170; Red-necked, 169–177, 446, 448; Wilson's, 176, 522, 521–527
- Phalaropus fulicarius*, 170; *lobatus*, 169–177, 446; spp., 542; *tricolor*, 176, 521–527
- Phasianidae, 454
- Phasianus colchicus*, 453
- Phedina borbonica*, 800, 801, 808; *brazzae*, 801, 808
- Philentoma, 536
- Philepitta*, 304–324; *castanea*, 307, 308, 311, 312, 323; *schlegeli*, 308, 309, 312, 324
- Philepittidae, 304–324
- Philomachus pugnax*, 153, 446, 583
- Philydor, 372
- Phodopus sungorus*, 796
- Pholis laeta*, 694; *ornata*, 694
- Phylloscopus*, 153; *borealis*, 385
- Phylogeny, of broadbills and asities, 304–324
- Pica pica*, 632
- Picea engelmannii*, 71
- Picman, Jaroslav, Maynard L. Milks, and Michelle Leptich, Patterns of predation on passerine nests in marshes: Effects of water depth and distance from edge, 89–94
- Picman, Jaroslav, see Eberl, Christine, and ———
- Picoides pubescens*, 620
- Piersma, Theunis, Anita Koolhaas, and Anne Dekin-

- ga, Interactions between stomach structure and diet choice in shorebirds, 552-564
- Pigeon, domestic, 382
- Pine, lodgepole, 71
- Pintail, Northern, 264-276, 354
- Pinus contorta*, 71; sp., 395
- Pipilo erythrorthalimus*, 863-872; *fuscus*, 185
- Pipit, American, 877; Meadow, 732
- Pitta*, 305, 312, 314; *versicolor*, 306
- Pittidae, 304
- Planktivore, avian, 170
- Plasmodium* sp., 114
- Platycercus elegans*, 828
- Platyrrinchus albogularis*, 105-106; *cancrominus*, 105-106; *mystaceus*, 105-106
- Plectrophenax nivalis*, 728, 884
- Ploceidae, 683-691
- Ploceus capitalis*, 689; *cucullatus*, 683-691; *niopterus*, 689; *taeniopterus*, 689, 690; *xanthopterus*, 689
- Plover, Black-bellied, 17, 556; Fulvous, see Pacific Golden-Plover; Grey, 142, 144; Piping, 541, 548
- Plover, Ringed, 142, 556; Semipalmated, 446, 448; Snowy, 556
- Pluvialis apricaria*, 17, 136, 555, 556; *dominica*, 9-19, 136, 446; *fulva*, 9-19, 136-140, 581; spp., 141; *squatarola*, 17, 142, 556
- Podiceps auritus*, 454; *cristatus*, 454
- Polygyny, 93
- Polymorphism, egg-color, 683-691
- Pomatorhinus montanus*, 535
- Populus* spp., 70; *tremuloides*, 71
- Potoo, Great, 392; Long-tailed, 392; Rufous, 391; White-winged, 391-394
- Prairie-Chicken, Greater, 21-27, 379; Attwater's, 379
- Predation, on passerine nests in marshes, 89-93; shorebird, 927-929
- Prey selection, 727-733
- Prey transport, 170-171
- Price, Trevor, see Wynn, Susan E., and —
- Procellaria cinerea*, 402
- Procyon lotor*, 38, 92
- Progne*, 948; *chalybea*, 800, 804, 805, 806, 808, 813-823; *subis*, 106, 109-114, 799, 809
- Prum, Richard O., Phylogeny, biogeography, and evolution of the broadbills (Eurylaimidae) and asities (Philepittidae) based on morphology, 304-324
- Prunella collaris*, 591, 875-886; *modularis*, 153, 591, 875-886
- Psalidoprocne holomelas*, 800, 801, 804, 805, 806, 813-823
- Psarisomus*, 304, 305, 309, 311; *dalhousiae*, 306, 308, 323
- Pseudehirundo griseopyga*, 800, 801, 804, 805, 806, 810, 813-823
- Pseudocalyptomena graueri*, 304-324
- Pseudochelidon eurystomina*, 799; *sirintarae*, 799
- Pseudonestor xanthophrys*, 917
- Pseudotsuga menziesii*, 71, 693
- Psittacidae, 553, 932
- Ptarmigan, Rock, 21, 25; White-tailed, 21, 25; Willow, 21, 25
- Pterodroma arminjoniana*, 222-232; *rostrata*, 226; *cervicalis*, 226; *externa*, 226; *leucoptera*, 226; *longirostris*, 226; *neglecta*, 222-232; *nigripennis*, 226; *phaeopygia*, 226
- Ptilolaemus tickelli*, 933
- Ptyonoprogne fuligula*, 799, 800, 804, 805, 806, 807, 813-823
- Puffin, Tufted, 134
- Puffinus griseus*, 226; *lherminieri loyemilleri*, 104; *newelli*, 226; *pacificus*, 226, 939; spp., 224
- Puffleg, Isaacson's, 1
- Pygochelidon cyanoleuca*, 799, 800, 804, 805, 806, 813-823
- Pygoscelis adeliae*, 651-653
- Quail, Blue-breasted, 78-87, 90; California, 113; Gambel's, 915
- Quelea quelea*, 264
- Quelea, Red-billed, 264
- Quercus alba*, 38; *ilex*, 511; *pubescens*, 513; *rubrum*, 38
- Quiscalus quiscula*, 38, 90, 113, 951-952
- Racoon, 38, 92
- Rail, Common, 92
- Rallidae, 191
- Rallina fasciata*, 532
- Rallus limicola*, 92
- Ramenofsky, Marilyn, see Rogers, Christopher M., et al.
- Ramphocelus icternotus*, 101, 107; *passerinii*, 101, 107
- Rasmussen, Pamela C., review by, 164
- Ratcliffe, Laurene M., see Seutin, Gilles, et al.
- Rattus norvegicus*, 467, 470
- Raven, Common, 247-253, 395, 632
- Recurvirostra americana*, 542
- Redford, Kent H., see Robinson, John G., and —
- Redhead, 58, 276
- Redpoll, Common, 385, 876
- Redshank, Common, 446, 448, 456, 548, 556, 573, 583
- Redstart, American, 38, 565-571, 766, 877
- Reed, J. Michael, and Lewis W. Oring, Philopatry, site fidelity, dispersal, and survival of Spotted Sandpipers, 541-551
- Regulus regulus*, 34
- Remsen, J. V., Jr., review by, 663-664
- Reproduction, in European Nuthatches, 215-220; in Common Goldeneyes, 943-946; in Red-throated Loons, 436-443; in Song Sparrows, 603-612
- Reviews, 164-167, 418-424, 661-674, 956-965
- Rhipidura*, 536
- Rhodes, Olin E., Jr., and Loren M. Smith, Relationships between genetic variation and carcass components in wintering American Wigeons, 354-360
- Ricklefs, Robert E., see Seutin, Gilles, et al.; see Visser, G. Henk, and —
- Riparia cincta*, 799, 800, 804, 805, 806, 808, 813-823;

- riparia*, 43, 482, 799, 800, 804, 805, 806, 808, 809, 813–823, 949
- Rising, James D., and John C. Avise, Application of genealogical-concordance principles to the taxonomy and evolutionary history of the Sharp-tailed Sparrow (*Ammodramus caudacutus*), 844–856
- Rissa tridactyla*, 604
- Robbins, Chandler S., In memoriam: Arthur Bernard Singer, 1917–1990, 376–377
- Robertson, Raleigh J., see Whittingham, Linda A., and —
- Robin, American, 38, 156, 728, 730, 877; European, 858; White-throated, 106
- Robinson, Terence J., see Freitag, Stefanie, and —
- Rogers, Christopher M., Marilyn Ramenofsky, Ellen D. Ketterson, Val Nolan, Jr., and John C. Wingfield, Plasma corticosterone, adrenal mass, winter weather, and season in nonbreeding populations of Dark-eyed Juncos (*Junco hyemalis hyemalis*), 279–285
- Root, Terry L., see O'Connor, Timothy P., and —
- Rosenberg, Kenneth V., Diet selection in Amazonian antwrens: Consequences of substrate specialization, 361–375
- Roth, Roland R., and R. Kent Johnson, Long-term dynamics of a Wood Thrush population breeding in a forest fragment, 37–48
- Rubega, Margaret A., and Bryan S. Obst, Surface-tension feeding in phalaropes: Discovery of a novel feeding mechanism, 169–178
- Ruff, 446, 456, 583
- Ryder, Oliver A., see Longmire, Jonathan L., et al.
- Sagebrush, 71
- Salamolard, Marc, see Weimerskirch, Henri, et al.
- Salicornia virginica*, 693
- Salix* spp., 770
- Salmonella typhimurium*, 503–509
- Saltator albicollis*, 117–124; *striaticpectus*, 124
- Saltator, Streaked, 117–124
- Salvia* sp., 395
- Sanderling, 556, 581, 928
- Sandpiper, Baird's, 582; Common, 542; Curlew, 556, 583; Least, 446, 448, 548, 582, 583; Pectoral, 582; Purple, 555, 556, 573, 583; Semipalmated, 142, 548, 581, 582; Spotted, 521, 541–549; Stilt, 446, 448; Western, 582, 583
- Sarrazin, Francois, see Weimerskirch, Henri, et al.
- Sauer, John R., see Barker, Richard J., et al.
- Sawwing, Black, 800
- Saxicola rubetra*, 43
- Sayornis*, 190
- Schaadt, Charles P., and David M. Bird, Sex-specific growth in Ospreys: The role of sexual size dimorphism, 900–910
- Schroeder, Michael A., and Clait E. Braun, Partial migration in a population of Greater Prairie-Chickens in northeastern Colorado, 21–28
- Schulenberg, Thomas S., see Banks, Richard C., et al.
- Schüz, Ernst, 1901–1991, in memoriam, 127
- Scirpus rufua*, 300
- Sciurus carolinensis*, 38
- Scolopacidae, 445–456
- Scolopax*, 142; *minor*, 581
- Scott, David M., On egg-laying times of American Robins, 156
- Seabirds, pelagic, 222–232; pre-1853, 402–403
- Sedinger, James S., see Main, Frances E., and —
- Seiurus aurocapillus*, 759–767
- Selasphorus rufus*, 787–796
- Senar, J. C., M. Camerino, J. L. Copete, and N. B. Metcalfe, Variation in black bib of the Eurasian Siskin (*Carduelis spinus*) and its role as a reliable badge of dominance, 924–927
- Seriolophus*, 304, 309, 312; *lunatus*, 307, 308, 322
- Serinus canaria*, 877
- Setophaga ruticilla*, 38, 565–571, 766, 877
- Seutin, Gilles, Jeffrey Brawn, Robert E. Ricklefs, and Eldredge Bermingham, Genetic divergence among populations of a tropical passerine, the Streaked Saltator (*Saltator albicollis*), 117–126
- Seutin, Gilles, Peter T. Boag, and Laurene M. Ratcliffe, Morphometric variability in redpolls from Churchill, Manitoba, 832–843
- Sexual dimorphism, 900–909
- Shearwater, Audubon's, 104; Newell's, 226; Sooty, 226; Wedge-tailed, 226, 227, 939
- Sheldon, Frederick H., and David W. Winkler, Inter-generic phylogenetic relationships of swallows estimated by DNA-DNA hybridization, 798–824
- Sheldon, Frederick H., see Mitra, Shaibal S., and —
- Shelduck, Common, 58
- Sherry, Thomas W., see Marra, Peter A., et al.
- Shorebirds, comparison of rod/cone ratio in, 141–144; diet choice in, 552–562
- Shrike, Northern, 264, 396–397
- Shrimp, brine, 170
- Sialia mexicana*, 488; *sialis*, 690
- Siderius, Joanne A., Nest defense in relation to nesting stage and response of parents to repeated model presentations in the Eastern Kingbird (*Tyrannus tyrannus*), 921–923
- Singer, Arthur Bernard, 1917–1990, in memoriam, 376–377
- Siskin, Eurasian, 924–926 Pine, 924
- Sitta europaea*, 215–220; *frontalis*, 535
- Skua, Brown, 653; South Polar, 222–232
- Smilax* spp., 38
- Smith, Henrik G., Seasonal decline in clutch size of the Marsh Tit (*Parus palustris*) in relation to date-specific survival of offspring, 889–899
- Smith, Loren M., see Longmire, Jonathan L., et al.; see Rhodes, Olin E., Jr., and —
- Smithornis*, 304–324; *capensis*, 310; *rufolateralis*, 306, 320; *sharpei*, 311, 320
- Snake, black rat, 38
- Snell, Richard R., Variably plumaged Icelandic Her-

- ring Gulls: High intraspecific variation in a founded population, 410–413
- Snyder, Helen, see Snyder, Noel and —
- Snyder, Noel, and Helen Snyder, Birds of prey. Natural history and conservation of North American raptors (rev.), 166
- Sodhi, Navjot S., and Lynn W. Oliphant, Prey selection by urban-breeding Merlins, 727–735
- Somateria mollissima*, 264, 453, 552, 623–627
- Song, evolution of, 702–714; variation in structure of, 716–725
- Sophora chrysophylla*, 917
- Sorenson, Michael D., Parasitic egg laying in Canvassbacks: Frequency, success, and individual behavior, 57–69
- Spadefill, Stub-tailed, 105
- Sparrow, American Tree, 869, 876, 877; Cape, 690; Chipping, 728, 730, 877; Clay-colored, 728, 730, 877; Eurasian Tree, 382–385; Field, 774, 869; Fox, 185; Harris', 279, 769–776; House, 150–152, 204, 379, 382–385, 727–733, 877, 924; LeConte's, 298, 300, 845; Nelson's, 300; Rufous-collared, 179–186; Savannah, 481, 487, 730, 845, 877; Seaside, 298, 844; Sharp-tailed, 286–301, 844–855; Song, 284, 603–612, 860, 877; Swamp, 90, 91, 92; Vesper, 730; White-crowned, 769–776, 877; White-throated, 728, 730, 833, 869
- Sparrowhawk, European, 900
- Spear, Larry, and David G. Ainley, Kleptoparasitism by Kermadec Petrels, jaegers, and skuas in the Eastern Tropical Pacific: Evidence of mimicry by two species of *Pterodroma*, 222–233
- Speciation, *Pluvialis dominica*, 9–19
- Spisula subtruncata*, 553
- Spizella arborea*, 869, 876; *pallida*, 728, 877; *passerina*, 728, 877; *pusilla*, 869
- Spruce, Engelmann, 71
- Squirrel, gray, 38; red, 92
- Stachyris maculata*, 535
- Starling, European, 216, 245, 382, 487, 634
- Steganopus*, 177
- Stelgidopteryx*, 948; *andecola*, 949; *fucata*, 801; *ruficollis*, 799, 800, 804, 805, 806, 808, 809, 813–823; *serripennis*, 800, 808, 949
- Stercorarius catharactes*, 402; *longicaudus*, 224; *parasiticus*, 102, 222; *pomarinus*, 102, 222–232
- Sterna dougallii*, 653–658; *fuscata*, 225, 226, 939–943; *hirundo*, 453; *macroura*, 402; *maxima*, 102; *paradisea*, 226, 402, 403, 453; *pikei*, 402, 403; *sandvicensis*, 653; spp., 222
- Stetteneheim, Peter, In memoriam: William George, 1925–1992, 376; review by, 674
- Stilt, Black-necked, 542; Black-winged, 142
- Stint, Little, 556, 581, 582, 583; Red-necked, 554, 555, 556; Rufous-necked, 582, 583
- Stone-Curlew, 142
- Storm-Petrel, Band-rumped, 226; Leach's, 226; Markham's, 226; Ringed, 226; Wedge-rumped, 226; White-throated, 226
- Struthio*, 191; *camelus*, 614–621
- Sturnella magna*, 857; *neglecta*, 857, 884
- Sturnus vulgaris*, 216, 245, 382, 487, 634
- Sula nebouxii*, 234–238; spp., 222
- Sunangel, Amethyst-throated, 7; Bogotá, 1–8; Royal, 6; Tourmaline, 7
- Sunbittern, 391
- Surfbird, 552, 553
- Swallow, Andean, 800, 808, 947–950; Barn, 800; Barn, 35, 102, 109, 730, 800, 877; Blue, 801; Blue-and-white, 800; Brown-bellied, 947; Cliff, 800; Grey-rumped, 800; Lesser Striped, 109; Northern Rough-winged, 800; Red-rumped, 109; Rufous-chested, 800; South African, 800; Southern Rough-winged, 800; Tawny-headed, 801, 948; Tree, 29–36, 245, 730, 800, 877; White-backed, 800, 801; White-banded, 800
- Swallows, phylogenetic relationships of, 798–811
- Swan, Bewick's, 147, 433
- Swift, Chimney, 102
- Sylph, Long-tailed, 2; Nehrkorn's, 2
- Sylvia borin*, 560
- Sympatry, breeding, 11–12
- Systematics, phalarope, 176–177
- Tachycineta bicolor*, 29, 245, 799, 800, 804, 805, 806, 808, 813–823, 877
- Tadorna tadorna*, 58
- Taeniopygia guttata*, 635–638, 778–786, 877; *guttata castanotis*, 702–714, 716–725; *guttata guttata*, 702–714
- Tai, Susan, see Azuaje, Luz Marina Rojas de, et al.
- Tamiasciurus hudsonicus*, 92
- Tanager, Plain-colored, 107; Scarlet-rumped, 101, 107; Yellow-rumped, 101, 107
- Tangara inornata*, 107
- Tarr, Cheryl L., and Robert C. Fleischer, Mitochondrial-DNA variation and evolutionary relationships in the amakihi complex, 825–831
- Tattler, Wandering, 584, 585
- Taxonomy, avian, 413–414
- Taylor, Jan R. E., see Konarzewski, Marek, et al.
- Teal, Green-winged, 354
- Telemetry, satellite, 325–340
- Telespiza cantans*, 826–830
- ter Braak, C. J. F., see van Franeker, J. A., and —
- Tern, Arctic, 226; Roseate, 653–658; Royal, 102; Sandwich, 653; Sooty, 225, 226, 227, 939–943; White, 226
- Terpsiphone*, 536; *mutata*, 190, 191, 193–199; *melancholica*, 191, 193–199
- Tetrao tetrix*, 25; *urogallus*, 21, 453
- Thalassioica antarctica*, 492–501
- Thalurania furcata*, 2
- Thamnomanes schistogynus*, 373
- Thamnophilidae, 2
- Thibault, Jean-Claude, see Bretagnolle, Vincent, and —
- Thrasher, Brown, 730
- Thraupidae, 148–150
- Thrush, Hermit, 728; Swainson's, 728, 730; Wood, 37–46

- Tit, Bearded**, 553, 560; **Blue**, 95–98, 219, 511–518, 645, 784; **Great**, 95, 219, 245, 516–518, 644, 645, 924; **Marsh**, 219, 642, 644, 889–898; **Willow**, 218, 642–645
- Titmouse, Tufted**, 800, 801, 860
- Tityra**, 309
- Todiramphus chloris**, 532
- Tordoff**, Harrison B., and C. Stuart Houston, In memoriam: Gordon W. Gullion, 1923–1991, 915–916
- Tortrix viridana**, 515
- Towhee, Brown**, 185; **Rufous-sided**, 863–872
- Toxostoma rufum**, 857
- Tringa flavipes**, 446; *melanoleuca*, 142, 143; *totanus*, 548, 556, 573, 583
- Trochilidae**, 1–8
- Troglodytes aedon**, 92, 481–490
- Tropicbird**, Red-billed, 224, 226, 229; White-tailed, 101
- Turdus assimilis**, 106; *merula*, 255–262; *migratorius*, 38, 156, 728, 877
- Turkey, Wild**, 379, 552, 553
- Turnstone, Ruddy**, 17, 556, 581, 583, 584, 585, 928
- Tympanuchus cupido**, 21–27, 379; *cupido attwateri*, 379; *phasianellus*, 25
- Typha sp.**, 89
- Tyrannetes**, 309
- Tyrannidae**, 189
- Tyrannus**, 190; *melancholicus*, 190; *tyrannus*, 921–923; *verticalis*, 217
- Tyto alba**, 458–467, 470–479
- Udvardy**, Miklos D. F., reviews by, 166–167, 670–671
- Ulva lactuca**, 694
- Uria aalge**, 594
- Vaccinium calycinum**, 917; *uliginosum*, 770
- van Franeker**, J. A., and C. J. F. ter Braak, A generalized discriminant for sexing fulmarine petrels from external measurements, 492–502
- Vanellus chilensis**, 130; *vanellus*, 142, 446
- Veery**, 877
- Vermivora peregrina**, 877
- Vernon**, Jennifer G., see Clayton, Dale H., and —
- Vestey**, Michelle R., see Lochmiller, Robert L., et al.
- Vestiaria coccinea**, 917
- Viburnum dentatum**, 38
- Villard**, Marc-André, Paul R. Martin, and Christopher G. Drummond, Habitat fragmentation and pairing success in the Ovenbird (*Seiurus aurocapillus*), 759–768
- Vireo gilvus**, 877; *griseus*, 106; *olivaceus*, 857–861, 877
- Vireo, Red-eyed**, 730, 857–861, 877; **Warbling**, 877; **White-eyed**, 106
- Visser**, G. Henk, and Robert E. Ricklefs, Temperature regulation in neonates of shorebirds, 445–456
- Vocalization**, 12–16, 295–296
- Vuilleumier**, François, review by, 960–961
- Vulpes vulpes**, 38
- Vulture, Turkey**, 223
- Walkinshaw, Lawrence Harvey**, 1904–1993, in memoriam, 629–631
- Walsh**, Alyn, see Warren, Stephanie M., et al.
- Warbler, Arctic**, 385; **Black-throated Blue**, 38, 570; **Black-throated Green**, 158; **Blackpoll**, 877; **Garden**, 561; **Hooded**, 565; **Kentucky**, 759; **Kirtland's**, 765; **Tennessee**, 877; **Yellow**, 728, 730, 877, 924; **Yellow-rumped**, 869
- Waring**, George H., Lloyd L. Loope, and A. C. Medeiros, Study on use of alien versus native plants by nectarivorous forest birds on Maui, Hawaii, 917–920
- Warren**, Stephanie M., A. D. Fox, Alyn Walsh, and Paddy O'Sullivan, Extended parent-offspring relationships in Greenland White-fronted Geese (*Anser albifrons flavirostris*), 145–148
- Watanuki**, Yutaka, see Osa, Yuichi, et al.
- Waxwing, Bohemian**, 728; **Cedar**, 728, 730
- Weasel, Long-tailed**, 92
- Weaver, Brown-throated**, 689; **Niger Black-headed**, 689; **Northern Masked**, 689, 690; **Village**, 683–691
- Weimerskirch**, Henri, Marc Salamolard, Francois Sarrazin, and Pierre Jouventin, Foraging strategy of Wandering Albatrosses through the breeding season: A study using satellite telemetry, 325–342
- Whimbrel**, 446, 448, 556
- Whittingham**, Linda A., Erratum: Whittingham et al. (1992), 954–955
- Whittingham**, Linda A., and Raleigh J. Robertson, Nestling hunger and parental care in Red-winged Blackbirds, 240–246
- Whittow**, G. C., see Zhang, Q., and —
- Wiedenfeld**, David A., review by, 666–667
- Wigeon, American**, 354–359
- Wilson**, Don E., review by, 164–165
- Wilsonia citrina**, 565
- Wingfield**, John C., see Rogers, Christopher M., et al.
- Winkler**, David W., see Sheldon, Frederick H., and —
- Winkler**, David W., Use and importance of feathers as nest lining in Tree Swallows (*Tachycineta bicolor*), 29–36
- Witmer**, Mark C., Cooperative breeding by Rufous Hornbills on Mindanao Island, Philippines, 933–936
- Witte**, Shelly M., see Longmire, Jonathan L., et al.
- Woodcock, American**, 581
- Woodnymph, Fork-tailed**, 2
- Woodpecker, Crimson-crested**, 101, 104; **Downy**, 620; **Great Spotted**, 217; **Hairy**, 730; **Pale-billed**, 101, 104
- Wren, House**, 92, 730, 481–490; **Marsh**, 90, 92; **Stripe-backed**, 153, 378
- Wright**, J., see Yom-Tov, Y., and —
- Wynn**, Susan E., and Trevor Price, Male and female choice in Zebra Finches, 635–638
- Xanthocephalus xanthocephalus**, 89, 876, 877
- Xema sabini**, 226

- Yellowlegs, Greater, 142, 143, 144; Lesser, 446, 448  
Yellowthroat, Common, 91, 92, 869, 877, 879  
Yom-Tov, Y., and J. Wright, Effect of heating nest boxes on egg laying in the Blue Tit (*Parus caeruleus*), 95-99  
Yosef, Reuven, Effects of Little Owl predation on Northern Shrike postfledging success, 396-398  
*Yucca brevifolia*, 395; *glausa*, 22
- Zann, Richard, Structure, sequence and evolution of song elements in wild Australian Zebra Finches, 702-715  
Zann, Richard, Variation in song structure within and among populations of Australian Zebra Finches, 716-726  
Zhang, Q., and G. C. Whittow, Oxygen consumption and organ growth in Sooty Tern (*Sterna fuscata*) embryos, 939-943  
Zimmerman, John L., review by, 962-963  
Zink, Robert M., reviews by, 424, 662-663  
*Zodalia thaumasta*, 2  
*Zonotrichia albicollis*, 587, 728, 833, 869; *capensis*, 179-186; *leucophrys*, 877; *leucophrys gambelii*, 769-776; *querula*, 279, 769-776  
*Zostera marina*, 694  
*Zosterops everetti*, 535; *japonicus*, 917